

# UNCLASSIFIED

<b>AD NUMBER</b>
ADB115967
<b>NEW LIMITATION CHANGE</b>
<b>TO</b> Approved for public release, distribution unlimited
<b>FROM</b> Distribution limited to DoD and DoD contractors only; Specific Authority; 15 Dec 87. Other requests shall be referred to Commanding Officer, Naval Ocean Research and Development Activity, NSTL, MS 39529-5004.
<b>AUTHORITY</b>
ONR ltr., ser 93/160, 10 Mar 1999

THIS PAGE IS UNCLASSIFIED

Naval Ocean Research and  
Development Activity  
NSTL, Mississippi 39529



# Parka 1 Oceanographic Data Compendium

AD-B115 967



DTIC  
ELECTE  
NOV 06 1987  
S D

15 DEC 1987

Distribution limited to DoD and DoD contractors only;  
specific authority ~~(NORDA-INST 5210-1)~~ Other  
requests shall be referred to Commanding Officer,  
Naval Ocean Research and Development Activity,  
NSTL, Mississippi 39529-5004.

Compiled by

Acoustic Environmental Modeling Branch  
Numerical Modeling Division

November 1978

## ABSTRACT

A heretofore unpublished, voluminous (693 XBT, 427 AXBT, 32 SVP, and 232 thermistor chain observations), oceanographic data set is presented in this compendium. These data were published so they would be more readily available to the DoD community. The data are presented by data type and collecting platform, and with a minimum of discussion or editing.

### ACKNOWLEDGMENTS

This document was prepared by the Naval Ocean Research and Development Activity, Acoustic Environmental Modeling Branch (Code 222), Principal Investigator, B. A. Watrous, Jr. The sponsoring activity is ASW Environmental Acoustic Support (AEAS) Program, ONR Code 132, Mr. K. W. Lackie, program manager. Funding was provided under Program Element No. 63785N.

The work of Ms. Cynthia E. Sellinger in preparing the many data location charts is gratefully acknowledged.



Accession For	
NTIS CRA&I	<input type="checkbox"/>
DTIC TAB	<input checked="" type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or special
D-16	



# CONTENTS

	PAGE
INTRODUCTION	1
XBT	1
AXBT DATA	1
TOWED THERMISTOR CHAIN DATA	1
SOUND SPEED PROFILE (SVP) DATA	2
SUMMARY	2
REFERENCES	2
APPENDIX A: PARKA 1 XBT DATA	5
R/V CONRAD XBT Data listings	9
(16 August - 23 September 1968)	
Figure A-1. Location of R/V CONRAD XBT Data	8
R/V FLIP XBT Data Listings	79
(13 August - 1 September 1968)	
Figure A-2. Location of R/V FLIP XBT Data	78
USS MARYSVILLE SBT Data Listings	98
(28 August - 9 September 1968)	
Figure A-3. Location of USS MARYSVILLE XBT Data	97
R/V MIKIMIKI XBT Data Listings	114
(14 August - 24 September 1968)	
Figure A-4. Location of R/V MIKIMIKI XBT Data	113
M/V PACIFIC APOLLO XBT Data Listing	150
(13 August - 5 September 1968)	
Figure A-5. Location of M/V PACIFIC APOLLO XBT Data	149
USS RADFORD XBT Data Listings	190
(27 August - 16 September 1968)	
Figure A-6. Location of USS RADFORD XBT Data	189
USS REXBURG XBT Data Listings	216
(15 August - 23 September 1968)	
Figure A-7. Location of USS REXBURG XBT Data	215
R/V TERITU XBT Data Listings	236
(15 August - 29 August 1968)	
Figure A-8. Location of R/V TERITU XBT Data	235
APPENDIX B: PARKA 1 AXBT DATA	263
VP-28 Aircraft AXBT Data Listings	266
(16 August - 5 September 1968)	
Figure B-1. Location of AXBT Data	265
APPENDIX C: PARKA 1 THERMISTOR CHAIN DATA	319
USS MARYSVILLE Thermistor Chain Data Listings	321
(23 July - 6 August 1968)	
Figure C-1. Location of Thermistor Chain Data	320
APPENDIX D: SVP DATA	553
MARYSVILLE, PACIFIC APOLLO, TERITU Sound Velocity	554
Comparison (27 August 1968)	
USS MARYSVILLE SVP Data Listings	556
(27 August - 5 September 1968)	

Figure D-1. Location of USS MARYSVILLE SVP Data  
R/V CONRAD SVP Data Listings  
(29 July - 6 August 1968)  
Figure D-2. Location of R/V CONRAD SVP Data

555

560

567

## PARKA 1 OCEANOGRAPHIC DATA

### INTRODUCTION

The PARKA 1 acoustic-oceanographic experiment was conducted in the North Pacific Ocean during July, August, and September, 1968, under the auspices of the Maury Center of Ocean Science, Washington, D. C. The experiment was divided into three phases: phases 0, 1, and 2. The acoustic operations were conducted in phases 1 and 2; the oceanographic data collection was done during all three phases. At the time of the experiment it was planned to publish the oceanographic data (in compendium format) in order to make the data more readily available to the scientific community, but the data were never published.

Recently the existence of the data was brought to the attention of the ASW Environmental Acoustics Support (AEAS) Program. Since the data set is extensive and is still useful, AEAS agreed to sponsor its publication.

The purpose and history of the experiment are contained in earlier reports and are not included here (see Bibliography). In the passage of time some of the data collected in PARKA 1 has been scattered, lost or destroyed. Also, much of the corporate memory relative to this experiment has been lost. In using this compendium it is important to remember that although voluminous, the data set is incomplete.

### XBT DATA

Expendable Bathythermograph (XBT) data were collected by all the exercise ships at approximately 6-hour intervals to a depth of 2500 ft. Of the hundreds dropped, 693 have survived and are presented here. The temperature-depth listings and data location charts are given in Appendix A.

### AIRBORNE EXPENDABLE BATHYTHERMOGRAPH DATA

Aircraft Patrol Squadron 28, Fleet Air Wing 2 dropped 484 Airborne Expendable BTs (AXBTS) at 25-nm intervals during nine flights. These flights were conducted during Phase 1 and Phase 2 along selected portions of the PARKA 1 Track. Of the 484 dropped, 427 survived and are presented here. The temperature-depth listings and a location chart are given in Appendix B.

### TOWED THERMISTOR CHAIN DATA

Thermistor Chain data were collected during all three phases of PARKA 1 from two ships. The data presented here were collected during Phase 0 with the chain under tow by the USS MARYSVILLE at 6 knots. The chain consisted of 47 thermistors spaced at 5.1-m intervals. The temperature data derived from the thermistor chain were averaged over an interval of 1 hour. The averaging interval was symmetric about integral

values of each hour, i. e., 0000,0100,0100,. . .,2300. Temperature corrections were made and mean sensor depths were computed for each interval. A bathythermogram was logged in standard message form for each set of hourly averages. Two hundred thirty two thermistor-chain-derived BTs are presented in this report. These BTs have been converted to sound speed using archival salinity data. The depth-temperature-sound speed-salinity listings and a location chart are given in Appendix C.

#### SOUND VELOCITY PROFILE (SVP) DATA

Several ships collected SVP data during PARKA 1; unfortunately, most of these data are not available. Sound speed information available for this report includes

- o sound velocity comparison of data from three exercise ships taken from reference (1).
- o 21 MARYSVILLE SVPs taken from reference (1), and
- o 11 STD/SVs generated from CONRAD STDs and archival salinities.

The two data sets from reference (1) are included in an effort to make up for the sparsity of deep sound speed data and to give the compendium more usability.

The sound speed data sets are given in Appendix D, together with location charts.

#### SUMMARY

A total of 693 XBT observations, 427 AXBT observations, 232 hourly thermistor averages, and 32 SVP observations, collected during PARKA 1, have survived the years and are presented here. The thermistor data were converted to sound speed using archival salinity data. These data, collected during the period 23 July - 23 September, document mid to late summer oceanographic conditions. Some of the data were taken verbatim from reference (1). To minimize cost, the data are presented with a minimum of discussion and/or editing.

#### REFERENCES

1. Maury Center For Ocean Science (1971). The PARKA 1 Experiment (Appendices)(U). MC Report 003, Volume 2. CONFIDENTIAL.

#### BIBLIOGRAPHY

1. Maury Center For Ocean Science (1969). The PARKA 1 Experiment (U). MC Report 003, Volume 1. SECRET NOFORN.

2. Maury Center For Ocean Science (1971). The PARKA 1 Experiment (Appendices)(U). MC Report 003, Volume 2.  
CONFIDENTIAL.

3. Office of Naval Research (1968). Operation Plan, Pacific Acoustic Research Kaneohe-Alaska, PARKA Experiment (U).  
CONFIDENTIAL.


4. Smith, E. L. (1968). NUDW Thermistor Chain No. 40, Participation in PARKA Expedition and the Investigation of Oceanic Fronts. Memo Report, Naval Undersea Warfare Center.  
UNCLASSIFIED.

## **Appendix A: XBT Data**

## **R/V Conrad XBT Data**

CONRAD XBT

DATA LOCATIONS





PLATFORM- CENRAM

POSITION- 22 48N 157 49W

MARSEN SQUARE 27 ONE DEGREE SQUARE 27

DATE- AUG 16, 1968 TIME- 80

INSTRUMENT TYPE- BATHY BASLIN: TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	419	6.90
42	26.40	421	6.70
62	26.50	444	6.10
67	26.40	458	6.10
68	26.20	456	7.90
70	26.00	464	7.90
74	25.30	474	7.60
79	24.70	484	7.90
84	24.10	495	7.30
86	23.40	508	7.30
92	22.90	515	7.00
104	22.50	527	6.70
109	22.50	528	6.70
119	21.90	583	6.70
134	21.50	588	6.50
161	20.50	605	6.40
172	19.40	615	6.30
176	19.40	619	6.20
184	19.10	622	5.90
187	19.00	632	5.90
188	18.40	635	5.70
192	18.40	641	5.40
194	18.40	657	5.40
198	18.40	657	5.30
204	18.40	669	5.30
218	17.50	700	5.30
222	17.10		
233	16.40		
235	16.10		
241	16.00		
245	15.50		
247	15.40		
249	15.10		
260	14.50		
271	13.40		
273	13.40		
280	13.00		
283	12.70		
309	11.40		
314	11.50		
327	11.10		
332	11.10		
359	10.40		
366	9.90		
403	6.30		

PLATFORM- CENRAM

POSITION- 23 28N 157 47W

MARSEN SQUARE 37 ONE DEGREE SQUARE 37

DATE- AUG 16, 1968 TIME- 120

INSTRUMENT TYPE- BATHY BASLIN: TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	456	8.70
37	26.70	463	8.00
48	26.40	479	8.00
54	26.40	493	7.40
55	26.40	519	7.20
60	25.40	573	6.40
62	25.30	581	6.20
67	25.10	610	5.90
69	24.40	641	5.90
74	24.20	675	5.40
85	23.30	700	5.40
90	23.20		
102	22.50		
110	21.90		
120	21.50		
125	21.30		
139	20.50		
144	20.40		
160	19.10		
169	19.10		
172	18.40		
180	18.40		
189	17.90		
192	17.50		
214	16.40		
222	16.40		
223	16.20		
228	16.10		
234	15.40		
249	14.40		
253	14.20		
273	13.40		
278	13.10		
283	12.00		
286	12.70		
301	12.30		
309	11.98		
320	11.70		
343	10.90		
347	10.70		
361	10.00		
387	9.70		
421	8.40		
430	8.40		
446	8.30		

PLATFORM- CENRAM

POSITION- 24 5N 157 48W

MARSEN SQUARE 47 ONE DEGREE SQUARE 47

DATE- AUG 16, 1968 TIME- 1600

INSTRUMENT TYPE- BATHY BASLIN: TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.70
19	20.80
17	20.40
18	19.40
19	19.30
20	18.40
22	17.60
23	16.40
24	16.40
26	15.50
27	15.10
29	14.40
32	14.40
33	14.00
38	13.40
39	13.30
42	13.00
46	12.10
51	11.70
59	10.40
193	9.50
210	9.20
254	8.00
275	6.70
307	6.40
398	7.90
425	7.40
436	7.40
443	7.20
480	7.00
484	6.40
498	6.40
504	6.50
533	6.40
557	6.10
673	5.90

PLATFORM- CENRAD  
 POSITION- 24 46N 157 48W  
 MARS DEN SQUARE R3 ONE DEUREF SQUARE 47  
 DATE- AUG 16, 1968 TIME- 2000  
 INSTRUMENT TYPE- BATMY BASELIN. TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	0	26.40	0	26.40
44	26.50	45	26.40	21	26.40
46	26.40	48	26.30	33	26.40
51	25.90	55	25.90	43	26.20
53	25.40	57	25.40	50	25.80
54	25.30	59	24.73	51	25.70
57	24.70	61	24.00	52	25.40
59	23.90	62	23.60	53	25.10
65	23.50	63	23.30	57	24.40
69	23.10	65	23.00	56	24.30
70	22.90	72	22.80	70	23.30
72	22.50	75	22.30	81	22.80
78	22.40	82	22.10	84	22.30
80	22.40	84	22.10	93	22.20
81	22.10	93	21.10	96	22.00
86	21.70	104	20.70	99	21.60
89	21.30	108	20.50	113	21.30
95	21.00	110	20.20	138	20.20
98	20.50	119	19.80	156	19.20
102	20.30	124	19.30	152	18.80
103	20.00	135	19.00	162	18.60
110	19.70	141	18.50	173	18.40
121	19.40	144	18.40	186	17.50
139	18.70	147	17.90	205	16.90
151	18.50	157	17.40	214	16.80
157	18.30	164	17.30	21	16.60
163	17.80	171	16.40	21	16.10
173	17.40	201	14.90	235	16.10
180	16.90	206	14.80	249	15.00
191	16.40	212	14.20	267	14.10
193	16.40	221	13.70	275	13.40
199	16.00	241	12.80	284	12.40
200	15.90	252	12.10	300	12.20
210	15.50	263	11.90	303	12.00
219	15.00	273	11.30	314	11.70
222	14.80	283	11.20	320	11.40
223	14.50	289	11.00	338	10.40
228	14.00	305	10.60	364	10.40
232	13.90	310	10.30	368	10.10
237	13.30	327	10.20	381	9.70
247	12.90	342	9.00	389	9.60
257	12.20	360	9.30	396	9.30
268	11.90	387	9.00	406	9.20
276	11.40	394	8.70	408	9.10
294	11.10	405	8.70	421	9.00

PLATFORM- CENRAD  
 POSITION- 24 27N 157 49W  
 MARS DEN SQUARE R0 ONE DEUREF SQUARE 37  
 DATE- AUG 17, 1968 TIME-  
 INSTRUMENT TYPE- BATMY BASELIN. TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.80	0	26.00	0	26.00
45	26.40	429	7.00	21	26.40
48	26.30	438	7.50	33	26.40
55	25.90	447	7.10	43	26.20
57	25.40	463	7.00	50	25.80
59	24.73	465	7.00	51	25.70
61	24.00	474	6.40	52	25.40
62	23.60	486	6.20	53	25.10
63	23.30	511	6.20	57	24.40
65	23.00	527	5.90	56	24.30
72	22.80	544	5.40	70	23.30
75	22.30	584	5.40	81	22.80
82	22.10	611	5.00	84	22.30
84	22.10	700	5.00	93	22.20
93	21.10			96	22.00
104	20.70			99	21.60
108	20.50			113	21.30
110	20.20			138	20.20
119	19.80			156	19.20
124	19.30			152	18.80
135	19.00			162	18.60
141	18.50			173	18.40
144	18.40			186	17.50
147	17.90			205	16.90
157	17.40			214	16.80
164	17.30			21	16.60
171	16.40			21	16.10
201	14.90			235	16.10
206	14.80			249	15.00
212	14.20			267	14.10
221	13.70			275	13.40
241	12.80			284	12.40
252	12.10			300	12.20
263	11.90			303	12.00
273	11.30			314	11.70
283	11.20			320	11.40
289	11.00			338	10.40
305	10.60			364	10.40
310	10.30			368	10.10
327	10.20			381	9.70
342	9.00			389	9.60
360	9.30			396	9.30
387	9.00			406	9.20
394	8.70			408	9.10
405	8.70			421	9.00

PLATFORM- CENRAD  
 POSITION- 26 11N 157 31W  
 MARS DEN SQUARE R2 ONE DEUREF SQUARE 67  
 DATE- AUG 17, 1968 TIME- 400  
 INSTRUMENT TYPE- BATMY BASELIN. TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	0	26.40	0	26.40
44	26.50	45	26.40	21	26.40
46	26.40	48	26.30	33	26.40
51	25.90	55	25.90	43	26.20
53	25.40	57	25.40	50	25.80
54	25.30	59	24.73	51	25.70
57	24.70	61	24.00	52	25.40
59	23.90	62	23.60	53	25.10
65	23.50	63	23.30	57	24.40
69	23.10	65	23.00	56	24.30
70	22.90	72	22.80	70	23.30
72	22.50	75	22.30	81	22.80
78	22.40	82	22.10	84	22.30
80	22.40	84	22.10	93	22.20
81	22.10	93	21.10	96	22.00
86	21.70	104	20.70	99	21.60
89	21.30	108	20.50	113	21.30
95	21.00	110	20.20	138	20.20
98	20.50	119	19.80	156	19.20
102	20.30	124	19.30	152	18.80
103	20.00	135	19.00	162	18.60
110	19.70	141	18.50	173	18.40
121	19.40	144	18.40	186	17.50
139	18.70	147	17.90	205	16.90
151	18.50	157	17.40	214	16.80
157	18.30	164	17.30	21	16.60
163	17.80	171	16.40	21	16.10
173	17.40	201	14.90	235	16.10
180	16.90	206	14.80	249	15.00
191	16.40	212	14.20	267	14.10
193	16.40	221	13.70	275	13.40
199	16.00	241	12.80	284	12.40
200	15.90	252	12.10	300	12.20
210	15.50	263	11.90	303	12.00
219	15.00	273	11.30	314	11.70
222	14.80	283	11.20	320	11.40
223	14.50	289	11.00	338	10.40
228	14.00	305	10.60	364	10.40
232	13.90	310	10.30	368	10.10
237	13.30	327	10.20	381	9.70
247	12.90	342	9.00	389	9.60
257	12.20	360	9.30	396	9.30
268	11.90	387	9.00	406	9.20
276	11.40	394	8.70	408	9.10
294	11.10	405	8.70	421	9.00

PLATFORM- CENRAD

POSITION- 26 30N 157 34W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 67

DATE- AUG 17, 1968 TIME- 80

INSTRUMENT TYPE- BATMY BASELINE- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.80
22	26.80
31	26.40
39	26.20
42	26.20
46	25.90
47	25.70
48	25.40
51	25.20
54	24.50
62	23.70
66	23.10
73	22.40
86	22.00
90	21.70
96	21.50
101	21.10
110	20.90
128	20.20
137	19.10
144	18.90
157	18.40
167	18.20
172	18.20
175	18.00
183	17.90
195	17.40
203	16.70
210	16.30
215	16.20
217	16.10
222	15.80
235	15.20
249	14.10
264	13.30
268	13.20
276	12.70
289	12.40
296	12.00
317	11.50
321	11.20
341	10.90
370	10.00
394	9.40

PLATFORM- CENRAD

POSITION- 26 49N 157 34W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 47

DATE- AUG 17, 1968 TIME- 1000

INSTRUMENT TYPE- BATMY BASELINE- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.90
22	26.90
37	26.30
44	25.60
45	25.40
50	24.40
58	24.30
67	23.40
72	23.40
76	23.10
82	22.90
84	22.90
91	22.40
94	22.10
97	22.00
101	21.80
115	20.80
120	20.70
135	19.90
148	19.10
161	18.90
167	17.90
211	17.20
215	16.90
248	16.00
253	15.40
255	15.60
261	15.10
270	14.70
280	14.50
293	14.00
307	13.40
318	12.50
322	12.30
333	12.20
339	12.00
347	11.50
361	11.40
373	11.10
386	10.40
397	10.20
403	10.00
414	9.70
431	9.10
444	9.00

PLATFORM- CENRAD

POSITION- 27 0N 157 34W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 17, 1968 TIME- 1200

INSTRUMENT TYPE- BATMY BASELINE- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.80
18	26.80
26	26.70
35	26.30
44	26.30
49	26.20
55	25.90
60	25.80
61	25.30
62	25.10
66	24.70
67	24.60
68	24.40
88	23.80
90	23.00
94	22.80
95	22.20
100	22.30
103	21.80
109	21.30
120	20.90
130	20.40
139	20.00
146	19.40
153	19.60
160	19.00
168	18.00
181	18.20
189	18.10
207	17.40
221	16.70
232	16.40
242	15.80
251	15.40
255	15.10
263	14.90
267	14.70
273	14.40
286	13.70
300	13.60
321	13.20
335	12.90
355	11.40
374	11.40
384	11.40

PLATFORM- CENRAI

POSITION- 27 59N 157 49W

MARSDEN SQUARE #8 ONE DEGREE SQUARE 77

DATE- AUG 17, 1968 TIME- 173

INSTRUMENT TYPE- BATHY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	405	9.70
27	26.70	422	9.40
29	26.40	457	8.30
37	26.00	480	8.00
38	25.80	480	8.00
39	25.40	493	7.40
40	25.30	520	7.30
41	24.90	542	7.00
42	24.70	546	6.80
43	24.20	566	6.40
44	23.80	593	6.10
47	23.40	660	5.20
48	23.10	700	5.10
54	21.80		
59	21.40		
60	21.40		
64	21.20		
66	20.80		
73	20.70		
83	20.20		
95	19.90		
96	19.30		
100	19.20		
107	18.90		
109	18.80		
122	18.10		
126	17.80		
140	17.20		
163	16.40		
169	16.40		
229	15.00		
239	14.30		
250	13.70		
266	13.30		
272	13.20		
279	12.80		
298	12.50		
308	12.00		
317	11.90		
325	11.70		
351	11.30		
361	11.10		
365	10.90		
370	10.80		
372	10.40		

PLATFORM- CENRAI

POSITION- 28 21N 157 52W

MARSDEN SQUARE #8 ONE DEGREE SQUARE 87

DATE- AUG 17, 1968 TIME- 200

INSTRUMENT TYPE- BATHY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.70
29	26.70
32	26.40
36	26.10
40	25.40
41	25.10
42	24.70
43	24.30
44	23.70
45	23.40
49	22.80
51	22.40
52	21.90
57	21.30
61	20.70
65	20.40
67	20.20
74	19.90
76	19.60
82	19.10
86	18.46
92	18.00
97	18.00
109	17.50
121	17.20
132	16.80
136	16.80
142	16.50
167	15.90
170	15.40
188	15.00
196	14.90
213	14.20
249	13.30
266	12.70
278	12.50

PLATFORM- CENRAI

POSITION- 28 40N 157 52W

MARSDEN SQUARE #8 ONE DEGREE SQUARE 87

DATE- AUG 17, 1968 TIME- 220

INSTRUMENT TYPE- BATHY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	484	7.40
27	26.40	530	6.50
29	26.30	566	6.00
30	26.40	578	6.00
31	25.10	597	5.40
33	24.10	625	5.40
36	23.70	648	5.40
35	23.20	678	5.00
36	22.70	700	5.00
37	21.40		
41	21.40		
46	20.60		
52	20.10		
57	19.50		
59	19.00		
64	18.70		
66	18.40		
68	18.30		
71	18.00		
73	17.90		
80	17.40		
85	17.10		
111	16.20		
127	15.70		
134	15.40		
144	15.20		
168	14.40		
174	14.40		
195	13.70		
407	13.50		
224	12.40		
246	12.20		
268	11.40		
307	11.40		
322	10.90		
331	10.90		
333	10.70		
346	10.40		
353	10.40		
367	10.00		
378	9.90		
392	9.00		
430	8.20		
458	7.80		
472	7.40		

PLATFORM- CENRAN

POSITION- 26 14 157 52M

MARSDEN SQUARE 80 ONE DEGREE SQUARE 97

DATE- AUG 1P, 1968 TIME-

INSTRUMENT TYPE- BATNY BASLINE- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.50
26	26.40
29	26.20
30	26.00
31	25.40
32	24.90
33	24.40
34	24.10
36	23.40
37	23.70
43	22.00
47	21.70
48	21.50
52	21.00
53	20.70
59	20.00
62	19.40
70	18.70
74	18.20
87	17.30
100	16.90
111	16.70
129	16.30
145	15.70
151	15.30
164	14.80
171	14.70
177	14.30
196	13.80
207	13.30
257	12.40
270	11.40
334	10.50
344	10.10
359	10.10
381	9.40
407	9.30
412	9.10
418	9.00
428	8.50
453	8.10
463	7.80
480	7.50
502	7.00
522	6.80
533	6.50
555	6.10
619	5.50

PLATFORM- CENRAN

POSITION- 26 41N 157 50M

MARSDEN SQUARE 80 ONE DEGREE SQUARE 97

DATE- AUG 1P, 1968 TIME- 40:

INSTRUMENT TYPE- BATNY BASLINE- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.20
23	26.10
27	25.00
29	25.40
32	24.90
35	23.30
36	22.80
37	22.10
39	21.90
40	21.30
48	19.80
50	19.50
55	19.20
62	18.50
67	18.40
72	18.00
76	17.90
86	17.40
89	17.40
99	16.90
110	16.50
123	16.20
130	15.90
144	15.00
150	15.40
152	15.40
182	14.50
192	14.30
196	14.00
211	13.40
235	12.40
265	11.80
289	11.50
308	11.10
318	10.70
334	10.40
343	10.40
348	10.20
365	10.00
406	9.10
424	8.60
431	8.30
443	8.00
474	7.40

PLATFORM- CENRAN

POSITION- 30 23M 157 50M

MARSDEN SQUARE 174 ONE DEGREE SQUARE 7

DATE- AUG 1P, 1968 TIME- 00:

INSTRUMENT TYPE- BATNY BASLINE- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.40
23	26.30
25	26.20
26	26.00
27	25.80
28	24.90
29	24.40
30	23.90
31	23.40
32	22.80
36	21.90
39	21.30
40	21.00
41	20.80
42	20.40
44	20.00
48	19.00
51	19.40
53	19.20
62	18.00
66	18.40
70	18.10
97	16.80
106	16.50
115	16.40
159	15.10
183	14.30
186	14.00
197	13.60
234	12.78
252	12.40
270	11.90
304	11.20
324	11.00
336	10.60
421	8.80
465	7.70
482	7.50
532	6.40
593	5.50
662	4.70
700	4.50

PLATFORM- CENRAN

POSITION- 31 4N 157 51W

MARSDEN SQUARE 174 ENE DEGREE SQUARE 17

DATE- AUG 18, 1968 TIME- 1200

INSTRUMENT TYPE- BATWY BASLIN. TEMP- 16.70

DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)
0	25.40	419	8.50
24	25.40	444	7.40
25	25.40	451	7.40
26	25.30	466	7.30
27	24.80	489	7.10
28	24.20	502	6.40
29	23.70	520	5.40
30	23.30	616	5.10
31	22.70	700	4.70
32	22.40		
36	21.90		
38	21.40		
40	21.20		
42	20.80		
45	20.40		
48	20.20		
57	19.70		
59	19.40		
66	18.90		
70	18.50		
75	18.10		
83	17.70		
102	17.00		
109	16.70		
126	16.10		
133	16.00		
137	15.70		
142	15.60		
145	15.30		
157	14.90		
164	14.50		
168	14.50		
174	14.00		
183	13.40		
197	13.10		
224	12.60		
230	12.30		
239	12.20		
255	11.40		
291	11.30		
324	10.60		
348	10.30		
369	9.60		
377	9.50		
396	8.90		

PLATFORM- CENRAN

POSITION- 31 45N 157 50W

MARSDEN SQUARE 174 ENE DEGREE SQUARE 17

DATE- AUG 18, 1968 TIME- 1800

INSTRUMENT TYPE- BATWY BASLIN. TEMP- 16.70

DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)
0	25.90	21	25.40
21	25.40	22	24.70
22	24.70	23	23.30
23	23.30	24	22.40
24	22.40	28	22.00
28	22.00	29	21.70
29	21.70	36	20.80
36	20.80	39	20.70
39	20.70	40	20.30
40	20.30	37	20.00
37	20.00	38	19.80
38	19.80	40	19.50
40	19.50	44	18.90
44	18.90	51	18.70
51	18.70	56	18.40
56	18.40	61	18.20
61	18.20	66	18.10
66	18.10	84	17.20
84	17.20	102	16.40
102	16.40	114	16.30
114	16.30	123	16.20
123	16.20	133	16.10
133	16.10	137	15.40
137	15.40	142	15.20
142	15.20	153	14.60
153	14.60	160	14.50
160	14.50	165	14.10
165	14.10	175	14.00
175	14.00	196	13.20
196	13.20	211	13.10
211	13.10	222	12.70
222	12.70	237	12.60
237	12.60	261	12.00
261	12.00	285	11.40
285	11.40	306	11.40
306	11.40	341	10.50
341	10.50	353	10.40
353	10.40	371	9.40
371	9.40	399	8.90
399	8.90	418	8.90

PLATFORM- CENRAN

POSITION- 32 10N 157 51W

MARSDEN SQUARE 174 ENE DEGREE SQUARE 27

DATE- AUG 18, 1968 TIME- 1830

INSTRUMENT TYPE- BATWY BASLIN. TEMP- 16.76

DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)
0	25.40	27	25.40
27	25.40	29	25.50
29	25.50	30	25.00
30	25.00	31	24.50
31	24.50	32	24.10
32	24.10	36	23.40
36	23.40	38	22.70
38	22.70	39	22.50
39	22.50	40	21.70
40	21.70	43	21.40
43	21.40	44	21.00
44	21.00	49	20.00
49	20.00	50	19.10
50	19.10	64	18.70
64	18.70	70	18.50
70	18.50	76	18.00
76	18.00	83	17.50
83	17.50	109	17.00
109	17.00	119	17.00
119	17.00	135	16.50
135	16.50	141	16.50
141	16.50	145	16.30
145	16.30	152	16.20
152	16.20	168	15.40
168	15.40	170	15.30
170	15.30	172	15.30
172	15.30	175	15.10
175	15.10	180	14.90
180	14.90	195	14.00
195	14.00	213	13.30
213	13.30	251	12.50
251	12.50	267	11.70
267	11.70	303	11.20
303	11.20	330	10.70
330	10.70	357	10.40
357	10.40	387	9.40
387	9.40	400	9.40
400	9.40	410	9.10
410	9.10	425	8.90
425	8.90	454	8.20
454	8.20	487	7.60
487	7.60	519	6.90
519	6.90	586	5.80
586	5.80	633	5.50
633	5.50	700	4.90

PLATFORM- CENRAP  
 POSITION- 32 25N 157 52W  
 MARSEN SOLARE 124 ONE DEGREE SQUARE 27  
 DATE- AUG 18, 1968 TIME- 2007  
 INSTRUMENT TYPE- BATMY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.00
23	25.40
24	25.50
25	25.50
26	24.80
27	24.30
28	23.80
29	23.10
30	22.00
31	22.40
32	22.40
33	22.10
39	20.70
51	19.40
55	19.00
64	18.30
72	17.90
86	17.50
108	17.00
140	16.70
169	16.20
175	15.00
178	15.40
195	14.80
200	14.70
203	14.50
206	14.10
208	13.00
210	13.50
222	13.40
231	13.00
245	12.70
250	12.50
261	12.00
287	11.80
328	10.90
342	10.80
366	10.30
411	9.40
438	8.40
478	7.80
493	7.30
505	7.20
558	6.20

PLATFORM- CENRAP  
 POSITION- 32 45N 157 52W  
 MARSEN SOLARE 124 ONE DEGREE SQUARE 27  
 DATE- AUG 18, 1968 TIME- 2207  
 INSTRUMENT TYPE- BATMY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.70
17	25.70
23	25.50
24	25.40
25	25.10
26	24.40
27	23.50
28	22.00
29	22.40
31	22.10
34	21.50
36	20.90
42	20.00
47	19.40
58	18.50
65	18.00
78	17.50
100	17.00
115	16.90
130	16.40
139	16.10
159	15.40
166	14.90
168	14.00
170	14.40
178	14.00
192	13.40
213	12.70
262	12.00
280	11.40
322	11.10
337	10.80
346	10.50
408	9.20
439	8.40
475	7.90
497	7.30
519	7.00
545	6.40
566	6.20
578	5.90
620	5.40
700	4.80

PLATFORM- CENRAP  
 POSITION- 33 5N 157 52W  
 MARSEN SOLARE 124 ONE DEGREE SQUARE 37  
 DATE- AUG 18, 1968 TIME-  
 INSTRUMENT TYPE- BATMY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.00
27	25.90
33	25.80
35	25.70
36	25.50
37	24.30
38	23.30
39	22.90
40	22.50
41	22.00
42	21.60
43	21.30
45	21.10
47	20.80
49	20.50
52	19.80
55	19.40
59	19.20
64	18.30
68	18.30
69	18.20
78	18.00
78	17.50
83	17.40
90	17.10
121	16.00
147	15.70
161	15.20
179	14.20
194	13.90
209	13.10
227	12.80
252	12.10
289	11.40
304	11.20
312	11.10
322	10.80
346	10.50
365	10.00
408	9.00
425	8.40
452	8.20
500	7.30
573	6.10
610	5.70
700	5.10

PLATFORM- CENRAD

POSITION- 32 51N 157 40W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 15, 1968 TIME- 400

INSTRUMENT TYPE- BATMY BASELIN. TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.70
20	25.70
24	25.40
25	25.10
26	25.90
27	23.40
28	23.00
31	22.30
32	22.00
36	20.40
38	20.40
39	20.40
40	19.40
46	19.40
51	19.10
52	18.00
63	18.00
66	17.00
68	17.00
70	17.50
91	14.40
102	14.40
108	14.40
110	15.40
141	14.70
146	14.40
155	14.10
192	13.00
208	12.70
230	12.40
285	11.50
307	11.20
348	10.40
351	10.40
375	9.80
383	9.70
392	9.40
404	9.30
420	8.70
447	8.40
487	7.40
508	7.00
515	7.00
550	6.10
614	5.40
780	4.70

PLATFORM- CENRAD

POSITION- 34 22N 157 47W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE- AUG 15, 1968 TIME- 60

INSTRUMENT TYPE- BATMY BASELIN. TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.10
17	25.10
18	24.90
19	24.10
20	23.60
21	22.70
22	22.40
23	21.70
24	21.50
25	20.30
26	19.70
27	19.70
28	18.00
29	18.40
33	18.10
34	18.20
35	17.00
36	17.10
37	17.00
41	16.00
44	16.50
47	16.40
50	16.70
58	15.60
60	15.30
70	14.80
78	14.50
109	13.90
118	13.40
150	13.20
204	12.30
211	12.10
254	11.70
260	11.20
308	10.40
349	9.60
384	8.90
402	8.40
450	7.30
510	6.50
586	5.50
631	5.20
635	5.00
700	4.50

PLATFORM- CENRAD

POSITION- 34 49N 157 47W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE- AUG 15, 1968 TIME- 93

INSTRUMENT TYPE- BATMY BASELIN. TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.00
10	25.00
18	24.70
19	24.00
20	23.30
21	22.00
22	21.00
23	21.40
24	20.40
25	20.40
28	19.50
29	19.20
31	18.70
33	18.00
34	17.80
37	17.30
39	17.00
45	16.40
47	16.40
52	15.00
63	15.30
72	14.00
76	14.00
96	14.10
111	13.40
118	13.50
144	13.20
168	13.20
179	12.40
194	12.50
211	12.00
249	11.60
268	11.30
275	11.20
313	10.40
347	9.60
383	8.70
412	8.40
427	8.50
437	8.20
476	7.40
516	6.80
537	6.30
576	5.90
620	5.20
700	4.60



PLATFORM- CENRAN	POSITION- 35 54N 157 49W	MARSSEN SCLARE 174 ONE DEGREE SQUARE 57	DATE- AUG 15, 1968	TIME- 120	INSTRUMENT TYPE- BATNY	BASLLIN- TEMP- 16.70	
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.00	0	23.00	0	23.00	0	23.70
14	25.00	15	23.00	15	23.00	18	23.48
15	24.70	16	23.40	17	22.10	11	23.48
16	23.20	17	22.10	18	21.70	12	23.10
17	22.10	18	21.70	19	21.00	13	20.80
18	21.50	20	20.30	20	20.30	14	19.70
19	21.20	25	19.40	25	19.40	15	19.30
22	20.40	27	18.30	27	18.30	16	19.10
23	20.40	28	18.10	28	18.10	19	18.00
25	20.20	29	18.00	29	18.00	22	18.50
26	19.50	30	18.40	30	18.40	23	18.00
28	18.90	31	18.30	31	18.30	24	17.60
29	18.50	32	18.00	32	18.00	31	16.40
33	17.90	33	17.70	33	17.70	33	16.30
34	17.70	34	17.30	34	17.30	34	16.10
36	16.80	36	16.70	36	16.70	35	15.70
46	16.10	37	16.20	37	16.20	36	15.40
47	15.90	38	16.00	38	16.00	46	14.20
48	15.60	41	15.40	41	15.40	48	13.00
51	15.10	42	15.40	42	15.40	50	13.40
59	14.40	45	15.30	45	15.30	48	12.90
60	14.40	49	14.00	49	14.00	84	12.70
68	14.30	51	14.30	51	14.30	92	12.40
86	13.40	59	13.90	59	13.90	158	11.70
95	13.70	64	13.90	64	13.90	165	11.30
118	13.10	67	13.40	67	13.40	284	10.40
161	12.40	72	13.40	72	13.40	226	10.40
182	11.90	81	13.10	81	13.10	434	10.10
246	11.10	96	12.70	96	12.70	425	9.40
267	10.40	175	12.40	175	12.40	327	8.40
293	10.30	134	12.10	134	12.10	357	8.10
310	10.10	163	11.40	163	11.40	397	7.40
379	9.50	174	11.50	174	11.50	424	6.70
350	9.20	195	11.30	195	11.30	438	6.10
348	8.40	211	10.90	211	10.90	461	6.00
403	8.10	260	10.20	260	10.20	555	4.00
408	7.90	280	10.10	280	10.10	607	4.50
445	7.20	345	8.90	345	8.90	708	4.10
442	7.00	376	8.40	376	8.40		
473	6.50	397	7.10	397	7.10		
498	6.30	415	7.40	415	7.40		
551	5.80	446	7.00	446	7.00		
621	4.90	490	6.20	490	6.20		
700	4.50	558	5.20	558	5.20		
		632	4.50	632	4.50		
		708	4.20	708	4.20		

PLATFORM- CENRAN

POSITION- 37 104 157 504

MARSDEN SQUARE 174 ONE DEGREE SQUARE 77

DATE- AUG 20, 1968 TIME- 5

INSTRUMENT TYPE- BATWY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	23.90
11	23.40
13	23.70
14	23.40
15	23.10
16	23.40
17	19.10
18	18.90
19	18.40
22	18.20
26	17.40
27	17.20
29	17.10
30	16.70
35	16.70
41	16.20
42	16.10
43	15.80
45	15.70
49	15.00
50	14.70
51	14.50
53	13.70
56	13.40
59	13.40
64	13.00
80	12.10
109	12.00
162	11.80
169	11.70
173	11.50
205	11.00
213	11.00
243	10.50
250	10.40
274	10.00
286	9.90
310	9.30
350	8.40
364	7.80
403	7.60
424	7.20
450	6.40
518	5.00
571	5.40
635	5.00
700	5.00

PLATFORM- CENRAN

POSITION- 38 04 157 514

MARSDEN SQUARE 174 ONE DEGREE SQUARE 87

DATE- AUG 20, 1968 TIME- 40

INSTRUMENT TYPE- BATWY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	23.10
11	23.10
12	23.00
13	22.20
14	19.60
15	18.70
16	18.10
18	17.70
22	17.10
23	17.10
36	16.00
37	15.80
38	15.40
39	15.50
40	15.30
43	14.00
46	14.40
49	14.10
55	14.00
58	12.70
61	13.40
64	13.40
67	12.40
78	12.00
90	12.40
142	12.10
145	12.00
175	11.80
186	11.50
204	11.10
212	11.40
217	11.40
231	11.00
249	10.90
253	10.00
268	10.00
274	10.50
286	10.40
306	9.60
354	9.10
359	8.90
409	8.10
414	8.10
421	8.20
431	7.80
459	7.20

PLATFORM- CENRAN

POSITION- 38 254 157 504

MARSDEN SQUARE 174 ONE DEGREE SQUARE 87

DATE- AUG 20, 1968 TIME- 71

INSTRUMENT TYPE- BATWY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	22.80
10	22.70
11	22.70
12	22.20
13	21.70
14	21.50
15	20.70
16	19.00
17	18.40
19	18.40
20	18.20
21	18.80
22	18.20
23	17.00
24	17.70
26	17.40
28	16.40
37	15.50
38	15.10
39	15.00
40	14.80
42	14.50
43	14.30
46	13.80
48	13.50
50	13.20
52	12.80
59	11.70
70	11.50
92	11.40
97	11.50
98	11.70
100	11.70
173	10.90
188	10.40
227	10.00
270	9.50
284	9.20
305	8.80
348	8.30
380	7.50
444	6.40
519	5.20
633	4.50
700	4.50

INSTRUMENT TYPE - SATVY BASLIN TEMP - 16.70

141  
142  
143  
144  
145

INSTRUMENT TYPE - BATHY BASLIN-TEMP. 16.70

11  
12  
13

INSTRUMENT TYPE DATA TEMP- 16.70

10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846

PLATFORM- CERNAN  
POSITION- 37 30N 157 33W

MARSEN SQUARE 77

DATE- AUG 21, 1968 TIME- 40

INSTRUMENT TYPE- BATM BASLIN. TEMP- 16.70

DEPTH (P)	TEMP (C)
0	21.40
13	23.30
19	23.20
20	23.10
21	22.90
22	21.40
23	20.40
24	20.10
25	19.10
29	18.30
30	18.00
32	17.40
36	16.90
40	16.20
47	15.80
48	15.50
50	15.00
52	14.40
62	13.70
64	13.40
78	12.70
92	12.40
120	12.20
140	12.10
144	11.90
188	11.40
275	10.40
324	9.40
336	9.40
381	8.40
400	8.40
434	7.70
502	6.70
525	6.50
543	6.50
566	6.10
606	5.70
700	5.70

PLATFORM- CERNAN

POSITION- 38 17N 157 52W

MARSEN SQUARE 87

DATE- AUG 21, 1968 TIME- 00

INSTRUMENT TYPE- BATM BASLIN. TEMP- 14.70

DEPTH (P)	TEMP (C)
0	22.80
3	22.80
7	22.50
8	22.20
9	21.70
10	21.30
11	19.80
12	19.40
13	18.70
14	18.10
15	17.60
16	17.40
19	17.10
20	16.00
21	16.70
22	16.40
23	16.20
24	15.00
25	15.70
27	15.10
31	15.10
33	15.00
34	14.70
41	14.00
42	13.70
43	13.50
48	13.00
61	12.40
73	12.10
79	12.20
104	12.10
108	11.90
126	12.10
134	12.10
145	11.00
181	11.90
196	11.50
241	10.00
251	10.00
351	9.70
343	9.70
355	9.30
412	8.40
450	8.40
450	8.10

PLATFORM- CERNAN

POSITION- 38 59N 157 58W

MARSEN SQUARE 124

DATE- AUG 21, 1968 TIME- 120

INSTRUMENT TYPE- BATM BASLIN. TEMP- 10.78

DEPTH (P)	TEMP (C)
0	25.00
3	22.00
6	22.40
8	22.30
9	21.80
10	21.00
11	19.78
12	19.40
13	18.80
14	17.40
16	17.20
18	17.00
20	16.70
24	16.30
32	15.30
38	14.78
39	14.50
40	14.30
44	14.10
47	13.70
60	12.40
119	11.40
138	11.40
185	10.40
200	9.40
307	9.10
343	8.58
373	7.80
420	7.80
430	6.40
531	5.40
601	4.00
700	4.40

PLATFORM- CENRAN	POSITION- 40 35M 157 51M	WASDEEN SQUARE 124 8°E DE-REF SQUARE 97	DATE- AUG 21, 1968 TIME- 100'	INSTRUMENT TYPE- BATIMY BASLLIM. TEMP- 16.70	DEPTH (P)	TEMP (C)	TEMP (F)	DEPTH (P)	TEMP (C)	TEMP (F)
					0	21.40	70.5	0	21.70	71.1
					3	21.40	70.5	3	21.40	70.5
					6	21.30	70.3	6	21.10	69.8
					7	20.40	68.7	7	20.40	68.7
					8	20.40	68.7	8	20.40	68.7
					9	20.00	68.0	9	19.40	66.9
					10	19.40	66.9	10	18.40	65.1
					11	18.40	65.1	11	17.40	63.3
					12	17.40	63.3	12	16.40	61.5
					14	16.00	60.8	14	15.00	59.0
					15	16.00	60.8	15	14.00	57.2
					16	16.00	60.8	16	13.00	55.4
					17	16.00	60.8	17	12.00	53.6
					18	16.00	60.8	18	11.00	51.8
					19	16.00	60.8	19	10.00	50.0
					20	16.00	60.8	20	9.00	48.2
					21	15.00	59.0	21	8.00	46.4
					22	15.00	59.0	22	7.00	44.6
					24	15.00	59.0	24	6.00	42.8
					26	15.00	59.0	26	5.00	41.0
					28	15.00	59.0	28	4.00	39.2
					30	15.00	59.0	30	3.00	37.4
					32	14.00	57.2	32	2.00	35.6
					34	14.00	57.2	34	1.00	33.8
					36	13.00	55.4	36	0.00	32.0
					38	13.00	55.4	38	0.00	32.0
					40	12.00	53.6	40	0.00	32.0
					42	12.00	53.6	42	0.00	32.0
					44	12.00	53.6	44	0.00	32.0
					46	11.00	51.8	46	0.00	32.0
					48	11.00	51.8	48	0.00	32.0
					50	11.00	51.8	50	0.00	32.0
					52	11.00	51.8	52	0.00	32.0
					54	11.00	51.8	54	0.00	32.0
					56	11.00	51.8	56	0.00	32.0
					58	11.00	51.8	58	0.00	32.0
					60	11.00	51.8	60	0.00	32.0
					62	11.00	51.8	62	0.00	32.0
					64	11.00	51.8	64	0.00	32.0
					66	11.00	51.8	66	0.00	32.0
					68	11.00	51.8	68	0.00	32.0
					70	11.00	51.8	70	0.00	32.0
					72	11.00	51.8	72	0.00	32.0
					74	11.00	51.8	74	0.00	32.0
					76	11.00	51.8	76	0.00	32.0
					78	11.00	51.8	78	0.00	32.0
					80	11.00	51.8	80	0.00	32.0
					82	11.00	51.8	82	0.00	32.0
					84	11.00	51.8	84	0.00	32.0
					86	11.00	51.8	86	0.00	32.0
					88	11.00	51.8	88	0.00	32.0
					90	11.00	51.8	90	0.00	32.0
					92	11.00	51.8	92	0.00	32.0
					94	11.00	51.8	94	0.00	32.0
					96	11.00	51.8	96	0.00	32.0
					98	11.00	51.8	98	0.00	32.0
					100	11.00	51.8	100	0.00	32.0
					102	11.00	51.8	102	0.00	32.0
					104	11.00	51.8	104	0.00	32.0
					106	11.00	51.8	106	0.00	32.0
					108	11.00	51.8	108	0.00	32.0
					110	11.00	51.8	110	0.00	32.0
					112	11.00	51.8	112	0.00	32.0
					114	11.00	51.8	114	0.00	32.0
					116	11.00	51.8	116	0.00	32.0
					118	11.00	51.8	118	0.00	32.0
					120	11.00	51.8	120	0.00	32.0
					122	11.00	51.8	122	0.00	32.0
					124	11.00	51.8	124	0.00	32.0
					126	11.00	51.8	126	0.00	32.0
					128	11.00	51.8	128	0.00	32.0
					130	11.00	51.8	130	0.00	32.0
					132	11.00	51.8	132	0.00	32.0
					134	11.00	51.8	134	0.00	32.0
					136	11.00	51.8	136	0.00	32.0
					138	11.00	51.8	138	0.00	32.0
					140	11.00	51.8	140	0.00	32.0
					142	11.00	51.8	142	0.00	32.0
					144	11.00	51.8	144	0.00	32.0
					146	11.00	51.8	146	0.00	32.0
					148	11.00	51.8	148	0.00	32.0
					150	11.00	51.8	150	0.00	32.0
					152	11.00	51.8	152	0.00	32.0
					154	11.00	51.8	154	0.00	32.0
					156	11.00	51.8	156	0.00	32.0
					158	11.00	51.8	158	0.00	32.0
					160	11.00	51.8	160	0.00	32.0
					162	11.00	51.8	162	0.00	32.0
					164	11.00	51.8	164	0.00	32.0
					166	11.00	51.8	166	0.00	32.0
					168	11.00	51.8	168	0.00	32.0
					170	11.00	51.8	170	0.00	32.0
					172	11.00	51.8	172	0.00	32.0
					174	11.00	51.8	174	0.00	32.0
					176	11.00	51.8	176	0.00	32.0
					178	11.00	51.8	178	0.00	32.0
					180	11.00	51.8	180	0.00	32.0
					182	11.00	51.8	182	0.00	32.0
					184	11.00	51.8	184	0.00	32.0
					186	11.00	51.8	186	0.00	32.0
					188	11.00	51.8	188	0.00	32.0
					190	11.00	51.8	190	0.00	32.0
					192	11.00	51.8	192	0.00	32.0
					194	11.00	51.8	194	0.00	32.0
					196	11.00	51.8	196	0.00	32.0
					198	11.00	51.8	198	0.00	32.0
					200	11.00	51.8	200	0.00	32.0
					202	11.00	51.8	202	0.00	32.0
					204	11.00	51.8	204	0.00	32.0
					206	11.00	51.8	206	0.00	32.0
					208	11.00	51.8	208	0.00	32.0
					210	11.00	51.8	210	0.00	32.0
					212	11.00	51.8	212	0.00	32.0
					214	11.00	51.8	214	0.00	32.0
					216	11.00	51.8	216	0.00	32.0
					218	11.00	51.8	218	0.00	32.0
					220	11.00	51.8	220	0.00	32.0
					222	11.00	51.8	222	0.00	32.0
					224	11.00	51.8	224	0.00	32.0
					226	11.00	51.8	226	0.00	32.0
					228	11.00	51.8	228	0.00	32.0
					230	11.00	51.8	230	0.00	32.0
					232	11.00	51.8	232	0.00	32.0
					234	11.00	51.8	234	0.00	32.0
					236	11.00	51.8	236	0.00	32.0
					238	11.00	51.8	238	0.00	32.0
					240	11.00	51.8	240	0.00	32.0
					242	11.00	51.8	242	0.00	32.0
					244	11.00	51.8	244	0.00	32.0
					246	11.00	51.8	246	0.00	32.0
					248	11.00	51.8	248	0.00	32.0
					250	11.00	51.8	250	0.00	32.0
					252	11.00	51.8	252	0.00	32.0
					254	11.00	51.8	254	0.00	32.0
					256	11.00	51.8	256	0.00	32.0
					258	11.00	51.8	258	0.00	32.0
					260	11.00	51.8	260	0.00	32.0
					262	11.00	51.8	262	0.00	32.0
					264	11.00	51.8	264	0.00	32.0
					266	11.00	51.8	266	0.00	32.0
					268	11.00	51.8	268	0.00	32.0
					270	11.00	51.8	270	0.00	32.0
					272	11.00	51.8	272	0.00	32.0
					274	11.00	51.8	274	0.00	32.0
					276	11.00	51.8	276	0.00	32.0
					278	11.00	51.8	278	0.00	32.0
					280	11.00	51.8	280	0.00	32.0
					282	11.00	51.8	282	0.00	32.0
					284	11.00	51.8	284	0.00	32.0
					286	11.00	51.8	286	0.00	32.0
					288	11.00	51.8	288	0.00	32.0
					290	11.00	51.8	290	0.00	32.0
					292	11.00	51.8	292	0.00	32.0
					294	11.00	51.8	294	0.00	32.0
					296	11.00	51.8	296	0.00	32.0
					298	11.00	51.8	298	0.00	32.0
					300	11.00	51.8	300	0.00	32.0
					302	1				

PLATFORM- CENRAN

POSITION- 40 57N 137 50W

MARSEC- SQUARE 140 84E DEGREE SQUARE 7

DATE- AUG 21, 1968 TIME- 230

INSTRUMENT TYPE- BATHY BASLIN. TEMP- 16.70

DEPTH (P)	TEMP (C)
0	21.20
5	20.80
10	20.50
15	20.20
20	19.90
25	19.60
30	19.30
35	19.00
40	18.70
45	18.40
50	18.10
55	17.80
60	17.50
65	17.20
70	16.90
75	16.60
80	16.30
85	16.00
90	15.70
95	15.40
100	15.10
105	14.80
110	14.50
115	14.20
120	13.90
125	13.60
130	13.30
135	13.00
140	12.70
145	12.40
150	12.10
155	11.80
160	11.50
165	11.20
170	10.90
175	10.60
180	10.30
185	10.00
190	9.70
195	9.40
200	9.10
205	8.80
210	8.50
215	8.20
220	7.90
225	7.60
230	7.30
235	7.00
240	6.70
245	6.40
250	6.10
255	5.80
260	5.50
265	5.20
270	4.90
275	4.60
280	4.30
285	4.00
290	3.70
295	3.40
300	3.10
305	2.80
310	2.50
315	2.20
320	1.90
325	1.60
330	1.30
335	1.00
340	0.70
345	0.40
350	0.10
355	0.00
360	0.00
365	0.00
370	0.00
375	0.00
380	0.00
385	0.00
390	0.00
395	0.00
400	0.00
405	0.00
410	0.00
415	0.00
420	0.00
425	0.00
430	0.00
435	0.00
440	0.00
445	0.00
450	0.00
455	0.00
460	0.00
465	0.00
470	0.00
475	0.00
480	0.00
485	0.00
490	0.00
495	0.00
500	0.00
505	0.00
510	0.00
515	0.00
520	0.00
525	0.00
530	0.00
535	0.00
540	0.00
545	0.00
550	0.00
555	0.00
560	0.00
565	0.00
570	0.00
575	0.00
580	0.00
585	0.00
590	0.00
595	0.00
600	0.00
605	0.00
610	0.00
615	0.00
620	0.00
625	0.00
630	0.00
635	0.00
640	0.00
645	0.00
650	0.00
655	0.00
660	0.00
665	0.00
670	0.00
675	0.00
680	0.00
685	0.00
690	0.00
695	0.00
700	0.00

PLATFORM- CENRAN

POSITION- 41 18N 137 50W

MARSEC- SQUARE 140 84E DEGREE SQUARE 17

DATE- AUG 22, 1968 TIME- 10

INSTRUMENT TYPE- BATHY BASLIN. TEMP- 16.70

DEPTH (P)	TEMP (C)
0	20.50
5	20.20
10	19.90
15	19.60
20	19.30
25	19.00
30	18.70
35	18.40
40	18.10
45	17.80
50	17.50
55	17.20
60	16.90
65	16.60
70	16.30
75	16.00
80	15.70
85	15.40
90	15.10
95	14.80
100	14.50
105	14.20
110	13.90
115	13.60
120	13.30
125	13.00
130	12.70
135	12.40
140	12.10
145	11.80
150	11.50
155	11.20
160	10.90
165	10.60
170	10.30
175	10.00
180	9.70
185	9.40
190	9.10
195	8.80
200	8.50
205	8.20
210	7.90
215	7.60
220	7.30
225	7.00
230	6.70
235	6.40
240	6.10
245	5.80
250	5.50
255	5.20
260	4.90
265	4.60
270	4.30
275	4.00
280	3.70
285	3.40
290	3.10
295	2.80
300	2.50
305	2.20
310	1.90
315	1.60
320	1.30
325	1.00
330	0.70
335	0.40
340	0.10
345	0.00
350	0.00
355	0.00
360	0.00
365	0.00
370	0.00
375	0.00
380	0.00
385	0.00
390	0.00
395	0.00
400	0.00
405	0.00
410	0.00
415	0.00
420	0.00
425	0.00
430	0.00
435	0.00
440	0.00
445	0.00
450	0.00
455	0.00
460	0.00
465	0.00
470	0.00
475	0.00
480	0.00
485	0.00
490	0.00
495	0.00
500	0.00
505	0.00
510	0.00
515	0.00
520	0.00
525	0.00
530	0.00
535	0.00
540	0.00
545	0.00
550	0.00
555	0.00
560	0.00
565	0.00
570	0.00
575	0.00
580	0.00
585	0.00
590	0.00
595	0.00
600	0.00
605	0.00
610	0.00
615	0.00
620	0.00
625	0.00
630	0.00
635	0.00
640	0.00
645	0.00
650	0.00
655	0.00
660	0.00
665	0.00
670	0.00
675	0.00
680	0.00
685	0.00
690	0.00
695	0.00
700	0.00

PLATFORM- CENRAN

POSITION- 41 30N 137 49W

MARSEC- SQUARE 140 84E DEGREE SQUARE 17

DATE- AUG 22, 1968 TIME- 30

INSTRUMENT TYPE- BATHY BASLIN. TEMP- 16.70

DEPTH (P)	TEMP (C)
0	20.10
5	19.80
10	19.50
15	19.20
20	18.90
25	18.60
30	18.30
35	18.00
40	17.70
45	17.40
50	17.10
55	16.80
60	16.50
65	16.20
70	15.90
75	15.60
80	15.30
85	15.00
90	14.70
95	14.40
100	14.10
105	13.80
110	13.50
115	13.20
120	12.90
125	12.60
130	12.30
135	12.00
140	11.70
145	11.40
150	11.10
155	10.80
160	10.50
165	10.20
170	9.90
175	9.60
180	9.30
185	9.00
190	8.70
195	8.40
200	8.10
205	7.80
210	7.50
215	7.20
220	6.90
225	6.60
230	6.30
235	6.00
240	5.70
245	5.40
250	5.10
255	4.80
260	4.50
265	4.20
270	3.90
275	3.60
280	3.30
285	3.00
290	2.70
295	2.40
300	2.10
305	1.80
310	1.50
315	1.20
320	0.90
325	0.60
330	0.30
335	0.00
340	0.00
345	0.00
350	0.00
355	0.00
360	0.00
365	0.00
370	0.00
375	0.00
380	0.00
385	0.00
390	0.00
395	0.00
400	0.00
405	0.00
410	0.00
415	0.00
420	0.00
425	0.00
430	0.00
435	0.00
440	0.00
445	0.00
450	0.00
455	0.00
460	0.00
465	0.00
470	0.00
475	0.00
480	0.00
485	0.00
490	0.00
495	0.00
500	0.00
505	0.00
510	0.00
515	0.00
520	0.00
525	0.00
530	0.00
535	0.00
540	0.00
545	0.00
550	0.00
555	0.00
560	0.00
565	0.00
570	0.00
575	0.00
580	0.00
585	0.00
590	0.00
595	0.00
600	0.00
605	0.00
610	0.00
615	0.00
620	0.00
625	0.00
630	0.00
635	0.00
640	0.00
645	0.00
650	0.00
655	0.00
660	0.00
665	0.00
670	0.00
675	0.00
680	0.00
685	0.00
690	0.00
695	0.00
700	0.00

PLATFORM- CENRAD

POSITION- 41 59N 157 47W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 17

DATE- AUG 22, 1968 TIME- 50'

INSTRUMENT TYPE- BATMY BASELIN: TEMP- 16.70

DEPTH (M)	TEMP (C)
0	18.90
5	18.90
9	18.90
10	18.20
12	17.00
16	17.70
17	17.60
18	17.30
19	17.10
20	16.40
21	16.40
22	16.10
23	15.90
25	15.70
27	15.70
29	15.10
30	14.50
33	13.40
35	13.40
36	13.10
37	12.30
38	12.10
39	11.70
43	11.10
44	11.00
51	10.70
64	10.50
67	10.30
81	10.30
91	10.10
113	10.00
184	9.20
247	8.40
273	8.20
300	8.50
446	5.40
501	5.60
635	4.40
700	4.30

PLATFORM- CENRAD

POSITION- 42 10N 157 51W

MARSDEN SQUARE 140 ONE DEGREE SQUARE 27

DATE- AUG 22, 1968 TIME- 70'

INSTRUMENT TYPE- BATMY BASELIN: TEMP- 16.70

DEPTH (M)	TEMP (C)
0	18.70
10	18.70
11	18.30
21	17.40
25	16.90
26	16.70
27	16.20
28	15.70
31	15.20
32	14.40
34	14.40
36	14.20
37	13.80
38	13.50
39	12.40
40	12.40
41	12.30
42	11.80
45	11.30
46	11.10
47	10.90
48	10.40
60	10.20
122	9.40
140	9.40
165	9.20
192	9.20
218	8.90
303	7.30
348	6.70
378	6.10
459	4.80
593	4.30
700	4.00

PLATFORM- CENRAD

POSITION- 42 39N 157 51W

MARSDEN SQUARE 140 ONE DEGREE SQUARE 27

DATE- AUG 22, 1968 TIME- 00'

INSTRUMENT TYPE- BATMY BASELIN: TEMP- 16.70

DEPTH (M)	TEMP (C)
0	18.30
10	18.30
12	18.20
13	17.50
15	17.20
21	17.00
23	16.40
25	16.30
27	15.70
28	15.30
31	15.00
35	14.50
40	13.50
41	13.20
42	13.00
43	12.70
46	12.30
47	11.90
48	11.20
49	10.90
68	10.20
74	10.00
67	10.00
97	9.70
117	9.70
172	8.90
192	8.90
217	8.70
279	7.40
306	7.30
341	6.70
404	5.80
512	4.80
574	4.40
700	4.00

PLATFORM	CENRAD	POSITION	43 11N 157 50W	PARSDEN SQUARE 140	ONE DEGREE SQUARE 37	DATE	ALG 22, 1968	TIME	120	INSTRUMENT TYPE	BATHY	BASCLIN	TEMP	16.70	
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	17.30	0	17.00	0	17.00	0	17.00	0	17.00	0	17.00	0	17.00	0	17.00
9	17.30	16	16.90	16	16.90	16	16.90	16	16.90	16	16.90	16	16.90	16	16.90
12	17.10	24	16.40	24	16.40	24	16.40	24	16.40	24	16.40	24	16.40	24	16.40
13	16.70	30	16.20	30	16.20	30	16.20	30	16.20	30	16.20	30	16.20	30	16.20
18	16.50	31	15.90	31	15.90	31	15.90	31	15.90	31	15.90	31	15.90	31	15.90
19	16.40	32	15.40	32	15.40	32	15.40	32	15.40	32	15.40	32	15.40	32	15.40
22	15.90	34	14.90	34	14.90	34	14.90	34	14.90	34	14.90	34	14.90	34	14.90
23	15.40	35	14.50	35	14.50	35	14.50	35	14.50	35	14.50	35	14.50	35	14.50
25	15.30	36	14.10	36	14.10	36	14.10	36	14.10	36	14.10	36	14.10	36	14.10
27	14.70	37	13.40	37	13.40	37	13.40	37	13.40	37	13.40	37	13.40	37	13.40
31	14.30	38	13.40	38	13.40	38	13.40	38	13.40	38	13.40	38	13.40	38	13.40
32	14.20	42	13.00	42	13.00	42	13.00	42	13.00	42	13.00	42	13.00	42	13.00
36	13.40	44	12.90	44	12.90	44	12.90	44	12.90	44	12.90	44	12.90	44	12.90
37	12.90	45	12.70	45	12.70	45	12.70	45	12.70	45	12.70	45	12.70	45	12.70
38	12.40	46	12.40	46	12.40	46	12.40	46	12.40	46	12.40	46	12.40	46	12.40
41	12.00	49	12.30	49	12.30	49	12.30	49	12.30	49	12.30	49	12.30	49	12.30
42	11.80	51	11.90	51	11.90	51	11.90	51	11.90	51	11.90	51	11.90	51	11.90
43	11.40	52	11.10	52	11.10	52	11.10	52	11.10	52	11.10	52	11.10	52	11.10
44	11.10	53	10.70	53	10.70	53	10.70	53	10.70	53	10.70	53	10.70	53	10.70
45	10.70	54	10.10	54	10.10	54	10.10	54	10.10	54	10.10	54	10.10	54	10.10
48	10.30	67	9.30	67	9.30	67	9.30	67	9.30	67	9.30	67	9.30	67	9.30
50	10.30	71	9.40	71	9.40	71	9.40	71	9.40	71	9.40	71	9.40	71	9.40
56	10.00	89	9.20	89	9.20	89	9.20	89	9.20	89	9.20	89	9.20	89	9.20
57	9.70	92	8.00	92	8.00	92	8.00	92	8.00	92	8.00	92	8.00	92	8.00
82	9.40	103	9.10	103	9.10	103	9.10	103	9.10	103	9.10	103	9.10	103	9.10
108	9.30	137	9.10	137	9.10	137	9.10	137	9.10	137	9.10	137	9.10	137	9.10
114	9.00	146	8.70	146	8.70	146	8.70	146	8.70	146	8.70	146	8.70	146	8.70
121	9.20	154	8.80	154	8.80	154	8.80	154	8.80	154	8.80	154	8.80	154	8.80
124	9.20	170	8.40	170	8.40	170	8.40	170	8.40	170	8.40	170	8.40	170	8.40
131	8.80	179	8.40	179	8.40	179	8.40	179	8.40	179	8.40	179	8.40	179	8.40
139	8.80	203	8.30	203	8.30	203	8.30	203	8.30	203	8.30	203	8.30	203	8.30
141	8.70	239	8.20	239	8.20	239	8.20	239	8.20	239	8.20	239	8.20	239	8.20
142	8.50	250	8.20	250	8.20	250	8.20	250	8.20	250	8.20	250	8.20	250	8.20
148	8.30	300	7.10	300	7.10	300	7.10	300	7.10	300	7.10	300	7.10	300	7.10
158	8.40	325	7.00	325	7.00	325	7.00	325	7.00	325	7.00	325	7.00	325	7.00
164	8.30	350	6.50	350	6.50	350	6.50	350	6.50	350	6.50	350	6.50	350	6.50
172	8.20	486	5.00	486	5.00	486	5.00	486	5.00	486	5.00	486	5.00	486	5.00
179	8.10	500	4.50	500	4.50	500	4.50	500	4.50	500	4.50	500	4.50	500	4.50
190	8.00	560	4.10	560	4.10	560	4.10	560	4.10	560	4.10	560	4.10	560	4.10
233	8.10	700	4.10	700	4.10	700	4.10	700	4.10	700	4.10	700	4.10	700	4.10
247	8.10														
281	7.40														
327	6.90														
384	5.90														
396	5.80														



PLATFORM- CENRAD

POSITION- 44 33N 157 51W

MARSEN SQUARE 140 6NE DE-REF SQUARE 47

DATE- AUG 22, 1968 TIME- 200

INSTRUMENT TYPE- BATNY BASELIN TEMP- 16.70

DEPTH (M)	TEMP (C)
0	15.30
10	15.30
14	15.10
16	14.80
17	14.40
18	14.30
19	14.00
20	13.70
21	13.20
22	12.40
23	12.40
24	12.10
31	11.30
32	11.10
33	10.80
34	10.50
37	9.60
39	9.20
40	9.00
56	8.20
66	8.10
68	8.40
72	8.40
73	8.20
82	8.70
84	8.50
96	8.40
106	8.40
110	8.20
129	8.20
144	7.80
160	7.90
181	7.80
214	7.80
216	7.40
234	7.20
250	6.80
268	6.80
282	6.40
301	6.30
323	6.00
408	5.00
471	4.70
564	4.40
700	4.20

PLATFORM- CENRAD

POSITION- 45 14N 157 49W

MARSEN SQUARE 140 6NE DEGREE SQUARE 57

DATE- AUG 23, 1968 TIME- 0

INSTRUMENT TYPE- BATNY BASELIN TEMP- 16.70

DEPTH (M)	TEMP (C)
0	14.30
17	13.10
20	13.80
24	13.30
25	13.20
26	13.00
28	12.20
30	11.90
31	11.30
34	10.40
36	10.40
40	9.60
41	9.30
47	8.50
48	8.00
51	7.80
57	7.40
78	7.30
82	7.10
91	7.20
92	7.00
99	6.90
119	7.10
133	6.80
201	6.80
210	6.40
236	6.30
256	5.80
301	5.40
308	5.40
396	4.70
478	4.30
700	3.90

PLATFORM- CENRAD

POSITION- 45 56N 157 50W

MARSEN SQUARE 140 6NE DE-REF SQUARE 57

DATE- AUG 23, 1968 TIME- 418

INSTRUMENT TYPE- BATNY BASELIN TEMP- 16.70

DEPTH (M)	TEMP (C)
0	15.50
14	13.30
16	13.20
17	13.00
18	12.80
23	12.70
24	12.40
25	12.30
26	12.80
28	11.50
29	11.30
30	11.00
32	10.80
33	10.20
36	9.40
37	9.20
41	8.90
43	8.40
47	8.20
65	7.40
95	6.80
91	6.80
99	7.00
113	7.10
118	6.80
127	7.00
132	7.00
141	6.70
161	6.70
175	6.10
182	6.10
197	6.30
239	6.20
246	6.10
250	5.80
276	5.20
300	5.30
317	5.20
321	5.00
349	5.00
377	4.80
381	4.70
440	4.30
568	3.90
700	3.70

PLATFORM- CENRAN  
POSITION- 46 35N 157 50W  
MARSEN SQUARE 140 ONE DEGREE SQUARE 07  
DATE- AUG 23, 1968 TIME- 80  
INSTRUMENT TYPE- BATMY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	12.40
15	12.40
22	12.40
27	12.70
27	12.40
28	11.90
29	11.40
30	10.50
31	10.70
33	9.40
35	8.40
40	8.40
41	8.10
42	7.80
49	7.40
50	7.30
58	6.40
95	6.70
98	6.50
107	6.50
120	6.00
129	6.00
128	5.40
177	5.40
217	5.40
228	5.30
251	4.90
261	5.00
275	4.40
312	4.30
338	4.40
427	4.00
608	3.90
700	3.40

PLATFORM- CENRAN  
POSITION- 47 14N 157 50W  
MARSEN SQUARE 140 ONE DEGREE SQUARE 77  
DATE- AUG 23, 1968 TIME- 120  
INSTRUMENT TYPE- BATMY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	12.40
22	12.40
34	11.00
35	11.30
36	10.90
37	9.40
38	9.20
40	8.40
42	8.70
43	8.40
50	7.20
52	7.30
55	6.40
88	6.70
97	6.40
101	6.30
108	6.20
110	6.00
127	6.00
132	5.00
145	5.00
149	5.40
197	5.40
219	5.20
267	4.70
274	4.40
456	3.80
700	3.70

PLATFORM- CENRAN  
POSITION- 47 52N 157 50W  
MARSEN SQUARE 140 ONE DEGREE SQUARE 77  
DATE- AUG 23, 1968 TIME- 160  
INSTRUMENT TYPE- BATMY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	12.10
35	12.10
40	11.00
41	11.70
42	11.30
43	11.40
44	10.40
45	10.50
46	10.40
47	9.00
48	8.90
49	8.70
50	8.10
54	7.30
55	7.10
56	6.70
62	6.20
76	6.30
100	6.10
114	5.40
128	5.10
141	5.00
169	5.10
184	5.10
201	4.40
263	4.30
349	4.00
464	3.90
594	3.40
700	3.40

PLATFORM- CENRAD

POSITION- 48 32N 157 50W

MARSDEN SQUARE 140 ONE DEGREE SQUARE 87

DATE- AUG 23, 1968 TIME- 2001

INSTRUMENT TYPE- BATMY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.70
31	11.70
34	11.50
36	11.60
37	10.70
38	9.70
39	9.00
40	8.40
41	8.30
42	7.90
43	7.60
44	7.40
47	6.80
48	6.40
51	6.10
89	6.10
90	6.00
95	5.80
96	5.80
100	4.30
104	4.30
108	5.10
109	5.80
117	5.50
120	5.50
122	5.30
141	5.00
164	4.90
20	4.40
2	4.00
1	3.80
1	3.50
6	3.50
700	3.40

PLATFORM- CENRAD

POSITION- 49 12N 157 48W

MARSDEN SQUARE 140 ONE DEGREE SQUARE 97

DATE- AUG 24, 1968 TIME-

INSTRUMENT TYPE- BATMY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.20
32	11.20
36	10.40
37	10.40
38	9.80
39	9.40
40	9.10
41	8.10
42	7.40
44	7.10
45	6.80
47	6.40
58	6.20
57	6.10
65	5.70
72	5.50
93	5.50
103	5.40
121	4.80
128	4.70
156	5.00
169	5.00
202	4.40
233	4.10
270	4.10
309	3.90
562	3.80
700	3.50

PLATFORM- CENRAD

POSITION- 49 51N 157 50W

MARSDEN SQUARE 140 ONE DEGREE SQUARE 97

DATE- AUG 24, 1968 TIME- 401

INSTRUMENT TYPE- BATMY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	10.90
30	10.80
36	10.70
40	10.30
42	9.80
43	9.40
44	9.20
45	8.60
46	7.80
47	7.40
48	6.90
50	6.50
51	6.30
54	5.80
57	5.40
63	5.00
76	5.00
27	4.70
96	4.70
104	4.50
113	4.10
213	3.70
468	3.40
700	3.30

PLATFORM- CENRAN

POSITION- 50 354 157 544

MARSDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE- AUG 24, 1968 TIME- 00.

INSTRUMENT TYPE- BATHY BASLIN. TEMP- 16.70

DEPTH (M)	TEMP (C)
0	10.40
35	10.50
36	10.40
37	10.40
38	9.40
39	9.20
40	8.70
41	8.30
42	7.40
43	6.90
44	6.50
45	6.30
46	5.40
48	5.10
51	5.00
72	4.90
91	4.40
110	4.10
117	4.10
121	4.40
147	4.70
226	4.30
700	3.50

PLATFORM- CENRAN

POSITION- 51 10N 157 49N

MARSDEN SQUARE 196 ONE DEGREE SQUARE 17

DATE- AUG 24, 1968 TIME- 120

INSTRUMENT TYPE- BATHY BASLIN. TEMP- 16.70

DEPTH (M)	TEMP (C)
0	10.70
34	10.50
36	10.40
37	8.40
38	7.00
39	6.20
40	5.90
41	5.20
42	5.50
44	5.20
65	4.70
74	4.60
83	4.20
96	4.10
148	4.20
303	3.80
417	3.40
700	3.10

PLATFORM- CENRAN

POSITION- 51 59N 157 50N

MARSDEN SQUARE 196 ONE DEGREE SQUARE 17

DATE- AUG 24, 1968 TIME- 160

INSTRUMENT TYPE- BATHY BASLIN. TEMP- 16.70

DEPTH (M)	TEMP (C)
0	10.40
16	10.30
31	10.30
34	10.10
35	9.80
36	9.00
37	7.50
38	7.30
39	6.70
40	6.60
41	6.20
42	6.00
44	5.60
47	5.20
55	4.90
80	4.20
83	4.50
87	4.50
95	4.30
131	4.10
168	4.10
214	3.90
507	3.00
700	3.50

PLATFORM- CENRAP

POSITION- 52 42M 157 50M

MARSEY SQUARE 106 ONE DEGREE SQUARE 27

DATE- AUG 24, 1968 TIME- 200.

INSTRUMENT TYPE- BATHY BASLIN- TEMP. 16.70

DEPTH (M)	TEMP (C)
0	10.70
29	10.50
42	10.70
43	9.20
44	8.50
45	8.10
46	7.20
47	6.80
48	6.50
49	6.10
50	5.80
52	5.10
54	4.80
56	4.40
68	4.20
76	4.20
96	4.40
101	4.40
118	4.50
161	4.50
180	4.30
361	4.00
383	3.90
553	3.70
612	3.50
700	3.40

PLATFORM- CENRAP

POSITION- 52 97M 157 50M

MARSEY SQUARE 106 ONE DEGREE SQUARE 27

DATE- AUG 24, 1968 TIME- 233

INSTRUMENT TYPE- BATHY BASLIN- TEMP. 16.70

DEPTH (M)	TEMP (C)
0	10.40
24	10.50
28	10.50
36	10.40
31	10.20
32	9.90
33	9.50
34	9.10
35	8.80
36	8.20
37	6.30
38	5.70
39	5.40
40	5.10
46	4.50
51	4.10
61	3.90
118	4.40
191	4.10
532	3.60
700	3.30

PLATFORM- CENRAP

POSITION- 53 15M 157 49M

MARSEY SQUARE 106 ONE DEGREE SQUARE 37

DATE- AUG 24, 1968 TIME- 230.

INSTRUMENT TYPE- BATHY BASLIN- TEMP. 16.70

DEPTH (M)	TEMP (C)
0	10.40
10	10.40
12	10.90
33	10.70
34	10.70
35	10.40
36	9.40
37	8.70
38	8.20
39	7.80
40	7.00
41	6.30
42	5.90
43	5.40
44	5.40
48	5.00
54	4.70
64	4.50
76	4.40
83	4.50
91	4.00
131	4.00
200	4.50
482	4.00
555	4.10
700	3.80

PLATFORM- CERNAN

POSITION- 53 304 157 404

MARSEN SQUARE 106 ONE DEGREE SQUARE 37

DATE- AUG 25, 1968 TIME- 10

INSTRUMENT TYPE- BATWY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	10.40
27	10.40
34	10.70
36	10.40
37	10.40
38	7.20
39	6.10
40	5.00
41	5.40
42	5.40
43	5.10
44	4.80
48	4.40
59	4.10
61	4.10
96	4.70
120	4.70
334	4.10
410	4.10
700	3.40

PLATFORM- CERNAN

POSITION- 54 04 157 504

MARSEN SQUARE 106 ONE DEGREE SQUARE 47

DATE- AUG 25, 1968 TIME- 40

INSTRUMENT TYPE- BATWY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.40
4	11.70
32	11.40
34	11.70
35	11.40
36	11.40
37	8.00
38	6.40
39	7.00
40	6.40
41	6.40
42	5.40
43	5.20
52	4.90
64	4.30
85	4.20
88	4.40
122	4.40
202	4.10
636	3.40

PLATFORM- CERNAN

POSITION- 54 494 157 510

MARSEN SQUARE 106 ONE DEGREE SQUARE 47

DATE- AUG 25, 1968 TIME- 00

INSTRUMENT TYPE- BATWY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.40
3	11.40
13	11.40
17	11.40
19	11.50
20	11.40
21	11.30
22	10.00
23	9.70
24	8.20
27	7.40
28	7.30
31	6.70
40	6.40
46	6.00
52	5.40
100	5.40

PLATFORM- GENRAD  
POSITION- 54 40N 157 53W

MARSDEN SQUARE 106 ONE DEGREE SQUARE 47  
DATE- AUG 25, 1968 TIME- 1600

INSTRUMENT TYPE- BATHY BASALIN TE.

DEPTH (M)	TEMP (C)
0	21.70
14	11.80
20	11.50
26	10.70
28	10.10
30	9.90
31	8.60
32	8.60
33	7.90
34	7.20
35	6.70
44	5.90
53	5.60
96	5.30
112	4.90
118	4.80
125	4.80
128	5.00
132	5.50
136	5.40
142	5.80
155	5.90
159	5.40
168	5.40
193	5.40
379	5.70
406	5.70
412	5.40
430	5.40
471	5.20
563	5.10

PLATFORM- GENRAD  
POSITION- 53 26N 157 48W

MARSDEN SQUARE 104 ONE DEGREE SQUARE 37  
DATE- AUG 26, 1968 TIME-

INSTRUMENT TYPE- BATHY BASALIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	18.80
14	13.30
33	11.40
34	11.30
35	10.80
36	10.00
37	8.18
38	7.80
39	6.80
40	6.40
45	5.90
49	5.40
64	5.48
88	5.48
93	5.40
118	5.60
130	5.50
257	5.40
334	5.20
448	5.10
708	4.50

PLATFORM- GENRAD  
POSITION- 52 51N 157 19W

MARSDEN SQUARE 106 ONE DEGREE SQUARE 27  
DATE- AUG 26, 1968 TIME- 401

INSTRUMENT TYPE- BATHY BASALIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	18.48
5	18.40
7	18.48
16	18.48
28	11.18
37	11.08
38	10.00
39	10.40
40	10.00
41	9.28
42	8.40
43	8.08
44	7.58
45	6.78
46	6.70
47	6.18
48	5.80
53	5.28
61	5.18
63	4.98
81	4.78
119	5.08
158	5.18
178	4.88
268	4.58
348	4.60
708	3.90

PLATFORM- CENRAN

POSITION- 52 26W 197 17N

MARSEN SQUARE 106 81E DEGREE SQUARE 27

DATE- AUG 26, 1968 TIME- 73

INSTRUMENT TYPE- SATMY BASLIN- TEMP- 10.70

DEPTH (P)	TEMP (C)
0	10.70
30	10.60
40	10.50
41	10.00
42	9.60
43	8.30
44	6.80
45	6.30
46	6.00
47	5.90
49	5.50
50	4.90
52	4.90
70	4.70
83	4.50
93	4.50
97	4.70
127	4.50
136	4.60
168	4.30
249	4.10
402	4.10
406	4.30
459	3.80
541	3.80

PLATFORM- CENRAN

POSITION- 51 30W 197 20N

MARSEN SQUARE 106 81E DEGREE SQUARE 17

DATE- AUG 26, 1968 TIME- 120

INSTRUMENT TYPE- SATMY BASLIN- TEMP- 10.70

DEPTH (P)	TEMP (C)
0	10.30
12	10.40
15	10.60
17	10.40
18	10.30
34	9.00
35	8.00
36	8.50
37	7.20
38	5.00
39	5.70
43	5.40
71	5.10
87	4.60
96	4.50
121	4.40
157	4.60
234	4.20
447	4.20
483	4.00
708	3.80

PLATFORM- CENRAN

POSITION- 50 47N 197 23W

MARSEN SQUARE 106 81E DEGREE SQUARE 7

DATE- AUG 26, 1968 TIME- 100

INSTRUMENT TYPE- SATMY BASLIN- TEMP- 10.60

DEPTH (P)	TEMP (C)
0	10.40
30	10.40
41	10.50
42	10.30
43	10.00
44	9.40
45	8.90
46	8.30
47	8.10
48	7.80
49	7.10
50	6.80
51	6.30
52	5.40
60	4.90
70	4.70
90	4.20
172	4.10
222	3.80
412	3.00
708	3.50



PLATFORM- CENRAP

POSITION- 50 74 157 204

MARSDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE- AUG 26, 1968 TIME- 2000

INSTRUMENT TYPE- BATNY BASALIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	18.40
32	18.40
35	18.40
36	18.40
37	18.40
38	18.40
39	18.40
40	18.40
41	18.40
42	18.40
43	18.40
44	18.40
45	18.40
46	18.40
47	18.40
48	18.40
49	18.40
50	18.40
51	18.40
52	18.40
53	18.40
54	18.40
55	18.40
56	18.40
57	18.40
58	18.40
59	18.40
60	18.40
61	18.40
62	18.40
63	18.40
64	18.40
65	18.40
66	18.40
67	18.40
68	18.40
69	18.40
70	18.40
71	18.40
72	18.40
73	18.40
74	18.40
75	18.40
76	18.40
77	18.40
78	18.40
79	18.40
80	18.40
81	18.40
82	18.40
83	18.40
84	18.40
85	18.40
86	18.40
87	18.40
88	18.40
89	18.40
90	18.40
91	18.40
92	18.40
93	18.40
94	18.40
95	18.40
96	18.40
97	18.40
98	18.40
99	18.40
100	18.40
101	18.40
102	18.40
103	18.40
104	18.40
105	18.40
106	18.40
107	18.40
108	18.40
109	18.40
110	18.40
111	18.40
112	18.40
113	18.40
114	18.40
115	18.40
116	18.40
117	18.40
118	18.40
119	18.40
120	18.40
121	18.40
122	18.40
123	18.40
124	18.40
125	18.40
126	18.40
127	18.40
128	18.40
129	18.40
130	18.40
131	18.40
132	18.40
133	18.40
134	18.40
135	18.40
136	18.40
137	18.40
138	18.40
139	18.40
140	18.40
141	18.40
142	18.40
143	18.40
144	18.40
145	18.40
146	18.40
147	18.40
148	18.40
149	18.40
150	18.40
151	18.40
152	18.40
153	18.40
154	18.40
155	18.40
156	18.40
157	18.40
158	18.40
159	18.40
160	18.40
161	18.40
162	18.40
163	18.40
164	18.40
165	18.40
166	18.40
167	18.40
168	18.40
169	18.40
170	18.40
171	18.40
172	18.40
173	18.40
174	18.40
175	18.40
176	18.40
177	18.40
178	18.40
179	18.40
180	18.40
181	18.40
182	18.40
183	18.40
184	18.40
185	18.40
186	18.40
187	18.40
188	18.40
189	18.40
190	18.40
191	18.40
192	18.40
193	18.40
194	18.40
195	18.40
196	18.40
197	18.40
198	18.40
199	18.40
200	18.40

PLATFORM- CENRAP

POSITION- 50 74 157 174

MARSDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE- AUG 26, 1968 TIME- 2300

INSTRUMENT TYPE- BATNY BASALIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	18.40
32	18.40
35	18.40
36	18.40
37	18.40
38	18.40
39	18.40
40	18.40
41	18.40
42	18.40
43	18.40
44	18.40
45	18.40
46	18.40
47	18.40
48	18.40
49	18.40
50	18.40
51	18.40
52	18.40
53	18.40
54	18.40
55	18.40
56	18.40
57	18.40
58	18.40
59	18.40
60	18.40
61	18.40
62	18.40
63	18.40
64	18.40
65	18.40
66	18.40
67	18.40
68	18.40
69	18.40
70	18.40
71	18.40
72	18.40
73	18.40
74	18.40
75	18.40
76	18.40
77	18.40
78	18.40
79	18.40
80	18.40
81	18.40
82	18.40
83	18.40
84	18.40
85	18.40
86	18.40
87	18.40
88	18.40
89	18.40
90	18.40
91	18.40
92	18.40
93	18.40
94	18.40
95	18.40
96	18.40
97	18.40
98	18.40
99	18.40
100	18.40
101	18.40
102	18.40
103	18.40
104	18.40
105	18.40
106	18.40
107	18.40
108	18.40
109	18.40
110	18.40
111	18.40
112	18.40
113	18.40
114	18.40
115	18.40
116	18.40
117	18.40
118	18.40
119	18.40
120	18.40
121	18.40
122	18.40
123	18.40
124	18.40
125	18.40
126	18.40
127	18.40
128	18.40
129	18.40
130	18.40
131	18.40
132	18.40
133	18.40
134	18.40
135	18.40
136	18.40
137	18.40
138	18.40
139	18.40
140	18.40
141	18.40
142	18.40
143	18.40
144	18.40
145	18.40
146	18.40
147	18.40
148	18.40
149	18.40
150	18.40
151	18.40
152	18.40
153	18.40
154	18.40
155	18.40
156	18.40
157	18.40
158	18.40
159	18.40
160	18.40
161	18.40
162	18.40
163	18.40
164	18.40
165	18.40
166	18.40
167	18.40
168	18.40
169	18.40
170	18.40
171	18.40
172	18.40
173	18.40
174	18.40
175	18.40
176	18.40
177	18.40
178	18.40
179	18.40
180	18.40
181	18.40
182	18.40
183	18.40
184	18.40
185	18.40
186	18.40
187	18.40
188	18.40
189	18.40
190	18.40
191	18.40
192	18.40
193	18.40
194	18.40
195	18.40
196	18.40
197	18.40
198	18.40
199	18.40
200	18.40

PLATFORM- CENRAN

POSITION- 50 74 197 174

WABSEN SQUARE 106 ONE DEGREE SQUARE 7

DATE- AUG 27, 1968 TIME- 50-

INSTRUMENT TYPE- BATMY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	10.90
32	10.40
35	10.40
36	9.90
37	9.10
38	7.70
39	6.50
40	6.20
41	5.90
42	5.70
46	5.10
52	5.00
71	4.80
75	4.50
83	4.50
85	4.40
99	4.10
147	4.10
180	3.90
700	3.50

PLATFORM- CENRAN

POSITION- 46 504 197 104

WABSEN SQUARE 140 ONE DEGREE SQUARE 97

DATE- AUG 27, 1968 TIME- 00-

INSTRUMENT TYPE- BATMY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.00
25	10.60
28	10.00
31	10.40
34	9.00
35	9.40
36	9.30
37	8.10
38	7.80
39	5.00
42	5.40
56	5.10
67	5.10
66	4.90
102	4.60
127	4.10
184	4.10
212	3.60
430	3.60
700	3.50

PLATFORM- CENRAN

POSITION- 49 154 197 214

WABSEN SQUARE 140 ONE DEGREE SQUARE 97

DATE- AUG 27, 1968 TIME- 120-

INSTRUMENT TYPE- BATMY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.20
35	11.10
36	11.00
37	10.40
38	10.10
39	9.80
40	9.10
41	8.60
42	8.40
43	8.00
44	7.70
45	7.30
48	6.90
54	6.20
67	5.90
96	5.70
129	4.90
181	4.60
221	4.10
249	4.10
337	3.90
434	3.90
700	3.40

PLATFORM- CENRAN

POSITION- 40 41N 157 23W

MARSEN SQUARE 140 ONE DEGREE SQUARE 07

DATE- AUG 27, 1968 TIME- 100

INSTRUMENT TYPE- BATNY BASELIN TEMP- 10.60

DEPTH (M)	TEMP (C)
0	11.50
29	11.50
31	11.30
32	11.00
33	10.70
34	10.10
35	9.10
36	8.10
37	7.40
38	7.30
39	6.90
42	6.40
59	6.20
95	6.00
101	5.90
109	5.60
116	5.40
134	5.20
203	4.80
230	4.50
300	4.10
700	3.40

PLATFORM- CENRAN

POSITION- 40 31N 157 22W

MARSEN SQUARE 140 ONE DEGREE SQUARE 07

DATE- AUG 28, 1968 TIME- 13

INSTRUMENT TYPE- BATNY BASELIN TEMP- 10.60

DEPTH (M)	TEMP (C)
0	11.70
20	11.70
31	11.40
32	11.30
33	11.00
34	9.40
35	7.70
36	6.90
37	6.40
42	6.30
63	6.00
62	6.00
111	5.60
131	5.20
180	5.00
210	4.40
344	3.90
442	3.90
700	3.40

PLATFORM- CENRAN

POSITION- 40 31N 157 21W

MARSEN SQUARE 140 ONE DEGREE SQUARE 07

DATE- AUG 28, 1968 TIME- 40

INSTRUMENT TYPE- BATNY BASELIN TEMP- 10.60

DEPTH (M)	TEMP (C)
0	11.40
33	11.70
36	11.40
39	11.50
40	11.20
41	10.40
42	9.40
43	8.20
45	8.90
46	8.40
47	7.40
48	7.50
50	7.20
51	6.40
53	6.30
65	6.10
96	5.90
117	5.30
130	5.20
148	4.90
190	4.40
223	4.40
276	4.10
342	4.10

PLATFORM- CENRAH  
 POSITION- 47 49N 157 22W  
 WARDEN SQUARE 140 ONE DEGREE SQUARE 77  
 DATE- AUG 28, 1968 TIME- 03:  
 INSTRUMENT TYPE- BATWY BASLIN. TEMP- 16.60

DEPTH (M)	TEMP (C)
0	12.30
32	12.40
34	12.30
36	11.90
37	11.10
38	10.10
39	9.50
41	9.10
44	8.40
47	8.40
48	8.10
51	7.50
57	6.40
64	6.40
82	6.70
102	6.40
108	5.90
121	5.40
131	5.30
150	5.30
155	5.50
186	5.50
193	5.40
240	5.40
272	4.40
372	4.70
419	4.30
700	4.10

PLATFORM- CENRAH  
 POSITION- 47 7 N 157 21W  
 WARDEN SQUARE 140 ONE DEGREE SQUARE 77  
 DATE- AUG 28, 1968 TIME- 124-  
 INSTRUMENT TYPE- BATWY BASLIN. TEMP- 16.60

DEPTH (P)	TEMP (C)
0	12.40
30	12.40
35	12.40
38	11.50
39	10.50
40	10.00
41	9.40
47	8.50
51	8.10
54	7.40
56	7.00
68	6.40
85	6.50
95	6.30
103	6.00
119	5.90
125	5.90
127	6.00
174	5.90

PLATFORM- CENRAH  
 POSITION- 46 25N 157 22W  
 WARDEN SQUARE 140 ONE DEGREE SQUARE 67  
 DATE- AUG 28, 1968 TIME- 160  
 INSTRUMENT TYPE- BATWY BASLIN. TEMP- 16.60

DEPTH (P)	TEMP (C)
0	13.00
24	13.00
27	12.70
31	12.00
33	11.70
35	11.40
39	10.70
36	10.70
37	9.70
38	9.30
39	8.70
40	8.40
41	8.20
42	7.90
43	7.40
46	7.20
50	7.30
72	7.00
89	7.00
107	6.70
125	6.40
136	6.40
142	6.40
145	6.30
163	6.20
212	6.10
238	5.70
248	5.60
255	5.30
271	5.10
304	5.10
324	4.40
352	4.40
383	4.40
436	4.20
517	4.20
577	4.00
700	3.90

PLATFORM- CENRAD	POSITION- 46 24 157 19W	MARSDEN SQUARE 140 ONE DEGREE SQUARE 57	DATE- AUG 28, 1968	TIME- 2000	INSTRUMENT TYPE- BATHY BASELIN- TEMP- 16.40
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	13.20	0	13.30	0	14.30
25	13.10	21	13.10	7	14.30
23	13.00	32	12.70	9	14.10
24	12.90	35	12.40	15	14.10
27	12.00	36	11.70	18	13.80
31	11.80	37	11.40	24	13.50
33	11.40	38	11.00	30	12.90
36	10.90	39	10.50	34	12.20
37	10.40	40	10.10	36	11.40
38	9.90	46	9.00	37	11.20
39	9.60	47	8.60	39	10.40
40	9.30	49	8.50	43	10.00
44	8.70	53	8.00	44	9.40
45	8.20	54	7.70	45	9.40
47	7.90	80	7.40	46	9.20
50	7.80	97	7.00	47	8.70
54	7.40	120	7.00	48	8.40
70	7.10	124	6.80	49	8.10
87	7.10	131	6.30	50	7.40
102	6.40	178	6.50	75	7.40
120	6.40	201	6.50	119	7.00
128	7.00	234	6.20	119	6.00
137	6.90	301	5.40	123	6.00
142	6.40	343	4.90	129	7.00
152	6.40	413	4.50	135	6.90
168	6.20	537	4.50	139	7.10
217	6.30	700	4.20	140	7.10
235	6.10			153	6.00
241	5.80			160	6.70
250	5.80			176	6.00
262	5.50			187	6.90
314	4.90			197	6.70
466	4.10			212	6.70
562	3.90			252	6.00
638	3.90			264	6.00
700	3.70			287	5.80
				331	5.20
				421	4.90
				458	4.50
				520	4.20
				700	3.90

PLATFORM- CENRAD	POSITION- 45 43N 157 24 W	MARSDEN SQUARE 140 ONE DEGREE SQUARE 57	DATE- AUG 29, 1968	TIME-	INSTRUMENT TYPE- BATHY BASELIN- TEMP- 16.70
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	13.30	0	14.30	0	14.30
21	13.10	21	13.10	7	14.30
32	12.70	32	12.70	9	14.10
35	12.40	35	12.40	15	14.10
36	11.70	36	11.70	18	13.80
37	11.40	37	11.40	24	13.50
38	11.00	38	11.00	30	12.90
39	10.50	39	10.50	34	12.20
40	10.10	40	10.10	36	11.40
46	9.00	46	9.00	37	11.20
47	8.60	47	8.60	39	10.40
49	8.50	49	8.50	43	10.00
53	8.00	53	8.00	44	9.40
54	7.70	54	7.70	45	9.40
80	7.40	80	7.40	46	9.20
97	7.00	97	7.00	47	8.70
120	7.00	120	7.00	48	8.40
124	6.80	124	6.80	49	8.10
131	6.30	131	6.30	50	7.40
178	6.50	178	6.50	75	7.40
201	6.50	201	6.50	119	7.00
234	6.20	234	6.20	119	6.00
301	5.40	301	5.40	123	6.00
343	4.90	343	4.90	129	7.00
413	4.50	413	4.50	135	6.90
537	4.50	537	4.50	139	7.10
700	4.20	700	4.20	140	7.10

PLATFORM- CENRAD  
 POSITION- 44 37N 157 25W  
 MARSDEN SQUARE 1A0 ONE DEGREE SQUARE 47  
 DATE- AUG 29, 1968 TIME- 120L  
 INSTRUMENT TYPE- BATHY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	14.00
25	13.90
33	13.60
36	12.90
39	12.60
42	12.00
44	11.70
46	11.30
47	11.10
48	10.90
49	10.60
50	9.80
54	9.40
56	8.80
57	8.40
59	8.20
72	8.20
101	8.10
109	7.90
120	7.90
122	7.80
146	7.80
153	7.40
161	7.40
210	7.20
234	7.10
269	6.80
306	5.90
331	5.40
367	4.80
431	4.50
700	3.80

PLATFORM- CENRAD  
 POSITION- 44 9 N 157 20W  
 MARSDEN SQUARE 1A0 ONE DEGREE SQUARE 47  
 DATE- AUG 29, 1968 TIME- 100L  
 INSTRUMENT TYPE- BATHY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	15.50
21	15.50
23	15.40
26	15.10
33	14.10
34	14.00
36	13.70
39	13.20
37	12.40
38	12.10
39	11.70
40	11.40
41	11.20
43	10.90
46	10.50
48	10.50
51	10.30
53	9.90
54	9.60
56	9.10
64	8.70
77	8.70
84	8.30
90	8.30
92	8.10
99	8.30
121	8.30
131	8.10
151	8.10
176	7.70
224	7.80
239	7.40
252	7.30
268	6.80
276	6.90
287	6.70
327	6.20
364	5.40
378	5.40
416	5.00
461	4.60
505	4.50
578	4.10
690	3.80

PLATFORM- CENRAD  
 POSITION- 42 7N 157 20W  
 MARSDEN SQUARE 1A0 ONE DEGREE SQUARE 37  
 DATE- AUG 30, 1968 TIME- 1  
 INSTRUMENT TYPE- BATHY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	16.40
3	16.80
26	15.50
33	15.00
35	14.40
38	14.40
39	14.20
40	14.00
41	13.70
42	13.30
43	12.70
44	12.40
46	12.30
48	11.80
50	11.60
51	11.40
55	10.60
57	10.80
61	9.80
64	9.40
72	9.40
75	9.10
76	8.90
82	9.10
102	9.10
107	8.80
117	8.90
120	8.70
129	8.80
167	8.20
212	8.20
234	8.00
268	7.30
343	6.10
386	5.60
479	4.80
564	4.30
700	3.80

PLATFORM- CENRAP

POSITION- 43 1M 157 35W

MARSDEN SQUARE 1A0 ONE DEGREE SQUARE 37

DATE- ALG 30, 1968 TIME- 202

INSTRUMENT TYPE- BATNY BASELINE TEMP- 14.7H

DEPTH (M)	TEMP (C)
0	16.70
24	16.70
32	16.10
33	15.90
34	15.70
35	15.40
36	15.10
37	14.50
38	14.10
39	13.70
40	12.60
41	12.10
44	11.60
46	11.30
49	10.80
51	10.00
52	9.30
56	9.50
60	9.50
72	9.20
91	8.90
112	8.50
137	8.40
140	8.70
150	9.10
152	9.10
155	8.80
160	8.50
201	8.40
214	8.20
236	8.20
270	7.90
287	7.60
309	7.20
336	6.60
352	6.50
364	6.10
417	5.40
513	4.70
590	4.30
700	3.00

PLATFORM- CENRAP

POSITION- 42 53N 157 44W

MARSDEN SQUARE 1A0 ONE DEGREE SQUARE 27

DATE- ALG 30, 1968 TIME- 40

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	16.70
12	16.50
16	16.10
24	15.40
25	15.60
31	14.60
32	14.30
35	13.70
38	12.40
39	12.50
40	12.20
43	11.70
44	11.10
45	10.90
57	10.40
94	9.60
103	9.40
119	9.50
123	9.10
135	8.90
148	9.00
161	8.40
182	8.40
200	8.40
204	8.20
235	8.20
322	6.60
365	6.20
392	5.90
397	5.70
454	5.20
471	5.20
496	4.50
607	4.30
700	4.00

PLATFORM- CENRAP

POSITION- 42 16N 158 1W

MARSDEN SQUARE 1A0 ONE DEGREE SQUARE 30

DATE- ALG 30, 1968 TIME- 800

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	16.30
27	16.30
29	16.20
31	15.90
35	15.48
38	14.90
40	14.50
44	13.80
45	13.70
46	12.90
47	12.40
51	11.60
54	10.90
60	10.30
64	10.30
71	10.00
73	9.50
81	9.20
97	8.20
101	8.10
124	8.40
133	8.40
139	8.20
150	8.00
187	8.40
204	8.30
211	8.40
232	8.40
309	7.10
332	6.90
342	6.70
370	6.40
407	5.70
430	5.10
539	4.70

PLATFORM- CENRAD  
POSITION- 4241 W 158 14W

MARSDEN SQUARE 100 ONE DEGREE SQUARE 30

DATE- AUG 30, 1968 TIME- 1005

INSTRUMENT TYPE- BATNY BASLINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	16.40
23	16.30
24	16.10
25	15.40
26	15.40
28	14.40
29	14.50
30	13.40
35	12.50
41	11.70
42	11.40
43	11.30
45	10.90
46	10.40
49	10.00
58	9.20
65	9.00
108	8.80
125	8.40
137	8.30
149	8.40
161	8.10
198	8.20
216	8.20
265	7.50
284	7.10
303	7.00
309	6.80
379	5.80
436	5.20
450	5.120

PLATFORM- CENRAD

POSITION- 44 0N 150 22W

MARSDEN SQUARE 140 ONE DEGREE SQUARE 40

DATE- AUG 30, 1968 TIME- 2001

INSTRUMENT TYPE- BATNY BASLINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	15.70
24	15.70
30	15.60
33	15.40
34	14.90
35	14.50
36	13.90
37	13.20
40	12.70
41	12.50
42	11.90
43	11.10
44	10.70
49	10.40
50	10.00
52	9.40
70	8.60
74	8.00
105	8.40
121	8.60

PLATFORM- CENRAD

POSITION- 44 45N 150 25W

MARSDEN SQUARE 140 ONE DEGREE SQUARE 40

DATE- AUG 31, 1968 TIME- 1

INSTRUMENT TYPE- BATNY BASLINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	14.80
27	14.88
29	14.78
31	14.40
33	13.90
34	13.50
35	13.20
36	12.80
37	12.60
38	10.10
39	9.50
41	8.30
42	8.00
44	8.40
48	8.40
75	8.00
88	7.40
96	7.20
104	7.10
112	7.60
117	7.80
135	7.80
149	7.60
197	7.40
210	7.30
280	6.30
301	6.30
322	5.90
422	4.90
430	4.70
520	4.60
587	4.30



PLATFORM- CENRAD

POSITION- 45 20N 158 22W

MARSEN SQUARE 140 ENE DEGREE SQUARE 58

DATE- AUG 31, 1968 TIME- 40

INSTRUMENT TYPE- BATNY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	13.40
32	13.40
38	13.50
39	13.40
41	13.00
42	12.80
43	12.50
45	12.10
46	11.90
47	11.30
48	11.00
49	10.80
50	10.50
51	10.10
54	9.50
57	8.90
62	8.40
66	7.90
70	7.90
72	7.60
81	7.60
84	7.60
98	7.30
107	7.00
129	7.50
135	7.10
144	7.20
149	7.10
166	7.20
197	7.20
203	7.00
211	6.90
218	6.70
246	6.10
270	6.80
305	5.40
322	5.40
335	5.20
387	4.80

PLATFORM- CENRAD

POSITION- 45 53N 158 25W

MARSEN SQUARE 140 ENE DEGREE SQUARE 58

DATE- AUG 31, 1968 TIME- 40

INSTRUMENT TYPE- BATNY BASELIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	13.20
36	13.20
37	12.60
41	12.30
42	12.10
43	11.90
44	11.40
45	11.30
46	11.00
47	10.80
48	10.40
49	10.40
50	9.90
51	9.40
53	5.00
60	2.40
63	2.00
66	2.00
70	7.60
77	7.40
80	7.10
87	7.00
104	7.00
124	7.30
173	7.10
205	7.10
246	6.20
273	5.80
305	5.00
322	4.80
335	3.80
387	3.80

PLATFORM- CENRAD

POSITION- 46 30N 158 27W

MARSEN SQUARE 140 ENE DEGREE SQUARE 68

DATE- AUG 31, 1968 TIME- 120

INSTRUMENT TYPE- BATNY BASELIN- TEMP- 16.60

DEPTH (M)	TEMP (C)
0	12.90
22	12.90
24	12.80
25	12.40
26	11.90
27	11.50
28	11.00
29	10.30
30	9.50
31	9.00
35	8.60
40	7.40
43	7.30
45	7.00
51	6.80

PLATFORM- CENRAN	PLATFORM- CENRAN	PLATFORM- CENRAN
POSITION- 47 12N 150 10W	POSITION- 47 36N 150 21W	POSITION- 47 50N 150 22W
MARSEN SQUARE 140 ONE DEGREE SQUARE 70	MARSEN SQUARE 140 ONE DEGREE SQUARE 70	MARSEN SQUARE 140 ONE DEGREE SQUARE 70
DATE- AUG 31, 1968 TIME- 163	DATE- AUG 31, 1968 TIME- 190	DATE- AUG 31, 1968 TIME- 210
INSTRUMENT TYPE- BATMY BASELIN. TEMP- 16.70	INSTRUMENT TYPE- BATMY BASELIN. TEMP- 16.60	INSTRUMENT TYPE- BATMY BASELIN. TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	12.50	0	12.40	0	12.00
31	12.60	30	12.10	30	12.00
34	12.40	33	12.10	40	11.00
35	10.60	34	11.40	41	11.00
36	10.20	35	10.30	42	10.60
39	9.00	36	9.30	43	10.30
40	8.70	37	8.40	44	9.90
42	9.50	38	8.10	45	8.40
45	8.00	39	7.90	46	8.10
46	7.80	40	7.40	49	7.50
49	7.10	42	7.10	51	7.10
53	7.00	46	6.40	53	6.50
63	6.30	51	6.30	55	6.20
72	6.10	60	6.20	79	5.90
76	6.10	60	6.30	100	6.00
		68	6.20		
		88	6.30		
		91	6.20		
		93	5.90		
		95	5.80		
		96	5.40		
		99	5.20		
		109	4.90		
		130	5.20		
		136	5.40		
		145	5.30		
		154	5.40		
		165	5.40		
		168	5.30		
		195	4.90		
		200	4.70		
		234	4.30		
		700	3.70		

PLATFORM- CERNAN	PLATFORM- CERNAN	PLATFORM- CERNAN
POSITION- 42 24N 150 20W	POSITION- 40 54N 150 10W	POSITION- 45 32N 150 10W
MARSEN SQUARE 140 ONE DEGREE SQUARE 80	MARSEN SQUARE 140 ONE DEGREE SQUARE 80	MARSEN SQUARE 140 ONE DEGREE SQUARE 80
DATE- SEP 01, 1968 TIME-	DATE- SEP 01, 1968 TIME- 400	DATE- SEP 01, 1968 TIME- 000
INSTRUMENT TYPE- ECHIN BASLINI TEMP- 10.60	INSTRUMENT TYPE- BATNY BASLINI TEMP- 10.70	INSTRUMENT TYPE- BATNY BASLINI TEMP- 10.70
DEPTH (F) TEMP (C)	DEPTH (F) TEMP (C)	DEPTH (F) TEMP (C)
8 11.00	8 11.00	0 11.20
39 11.00	37 11.00	32 11.20
42 11.50	40 11.50	34 11.00
43 10.70	42 11.10	35 10.00
44 9.00	43 10.30	36 9.00
45 9.20	44 9.40	37 8.10
46 8.48	45 8.20	38 6.00
47 8.20	46 8.40	39 6.30
48 7.00	47 7.88	40 6.00
49 7.50	48 7.30	42 5.78
54 6.70	49 6.50	51 5.38
57 6.30	50 6.20	64 5.30
71 4.10	56 6.20	69 5.50
77 5.00	86 5.00	86 5.50
83 5.00		92 5.00
92 6.10		126 4.10
103 6.20		
109 6.20		
111 6.10		
112 5.40		
113 5.70		
115 5.70		
121 5.30		
122 5.00		
177 5.00		
217 4.50		
232 4.30		
277 5.00		

PLATFORM- CENRAP  
POSITION- 50 1M 190 16M  
MARSDEN SOLARE 100 ONE DEGREE SQUARE 0  
DATE- SEP 01, 1968 TIME- 1100

INSTRUMENT TYPE- BATMY BASLINJN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	10.40
33	10.40
40	10.40
41	9.70
42	9.70
43	2.10
44	7.20
45	6.00
46	6.40
47	6.10
48	5.00
52	5.00
61	4.00
82	4.90

PLATFORM- CENRAP  
POSITION- 50 20M 150 10M  
MARSDEN SOLARE 100 ONE DEGREE SQUARE 0  
DATE- SEP 01, 1968 TIME- 130

INSTRUMENT TYPE- BATMY BASLINJN- TEMP- 10.40

DEPTH (M)	TEMP (C)
0	10.40
29	10.40
33	10.70
34	10.10
35	9.60
36	9.30
37	6.00
38	7.40
39	6.40
40	6.10
41	5.00
42	5.40
43	5.10
47	4.90
66	4.70
83	4.20
98	4.10
114	4.90
130	4.00
169	4.00
227	4.40

PLATFORM- CENRAP  
POSITION- 50 52M 150 10M  
MARSDEN SOLARE 100 ONE DEGREE SQUARE 0  
DATE- SEP 01, 1968 TIME- 1600

INSTRUMENT TYPE- BATMY BASLINJN- TEMP- 10.50

DEPTH (M)	TEMP (C)
0	10.40
32	10.40
36	10.50
39	10.20
40	9.70
41	8.80
42	8.90
43	7.10
44	6.10
45	5.70
46	5.40
47	5.30
48	5.00
91	4.00
109	4.30
127	4.20
131	4.40
141	4.90
145	4.30
150	4.30
156	4.90
158	4.90
168	4.30
210	4.00
402	3.90
836	3.60

PLATFORM- CENRAN

POSITION- 51 21N 158 15W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 18

DATE- SEP 01, 1968 TIME- 2001

INSTRUMENT TYPE- BATMY BASLIN. TEMP- 16.60

DEPTH (M)	TEMP (C)
8	11.00
27	10.90
32	10.60
36	10.70
37	10.30
40	10.00
49	8.90
50	8.40
55	7.80
60	6.70
62	5.90
65	5.50
68	5.20
72	4.90
77	4.60
80	4.30
88	4.00
92	3.80
94	3.80
98	3.30

PLATFORM- CENRAN

POSITION- 51 47N 158 0W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 18

DATE- SEP 02, 1968 TIME- 30

INSTRUMENT TYPE- BATMY BASLIN. TEMP- 16.70

DEPTH (M)	TEMP (C)
8	10.70
17	10.40
29	10.40
32	10.20
33	9.70
34	7.68
35	7.00
36	6.70
37	5.80
38	5.50
39	5.30
40	5.10
48	4.80
75	4.70
86	4.10
130	3.80
303	3.80
700	3.30

PLATFORM- CENRAN

POSITION- 51 50 N 158 10W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 18

DATE- SEP 02, 1968 TIME- 501

INSTRUMENT TYPE- BATMY BASLIN. TEMP- 16.70

DEPTH (M)	TEMP (C)
8	10.70
24	10.40
29	10.30
30	10.10
31	9.90
32	9.40
33	8.40
34	8.20
36	7.30
37	6.70
38	6.30
39	5.90
40	5.80
41	5.40
44	5.20
48	4.90
71	4.80
87	4.40
94	4.40
100	4.00
130	4.00
170	3.80
403	3.60
700	3.20

PLATFORM- CENRAN	PLATFORM- CENRAN	PLATFORM- CENRAN
POSITION- 52 17N 158 16W	POSITION- 52 45N 158 20W	POSITION- 52 21N 158 19W
MARSDEN SQUARE 100 6NE DEGREE SQUARE 20	MARSDEN SQUARE 100 6NE DEGREE SQUARE 20	MARSDEN SQUARE 100 6NE DEGREE SQUARE 30
DATE- SEP 02, 1968 TIME- 00:	DATE- SEP 02, 1968 TIME- 120'	DATE- SEP 02, 1968 TIME- 100:
INSTRUMENT TYPE- BATHY BASLIN. TEMP. 10.00	INSTRUMENT TYPE- BATHY BASLIN. TEMP- 16.00	INSTRUMENT TYPE- BATHY BASLIN. TEMP- 16.00

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	10.50	0	10.00	0	10.00
21	10.40	20	10.00	34	10.00
26	10.20	30	10.00	36	10.70
29	9.70	39	10.00	37	10.00
30	9.30	40	9.50	38	9.00
31	8.00	41	8.00	39	9.40
32	6.20	42	8.30	40	7.00
33	7.30	47	7.70	41	6.00
34	6.00	48	7.50	42	5.00
36	5.70	49	6.00	43	5.40
38	5.10	53	4.70	44	5.00
39	4.30	56	4.00	47	4.50
73	4.20	75	4.00	57	4.50
96	4.50	104	4.00	71	3.90
119	4.50	136	4.40	109	4.20
157	4.20	211	4.10	143	4.30
194	3.90	309	3.40	203	4.00
370	3.50	526	3.70	451	3.00
700	3.50	700	3.50	700	3.40

PLATFORM- CENRAP

POSITION- 53 50N 150 21W

MARSDEN SOLARE 106 8ME DEGREE SQUARE 30

DATE- SEP 02, 1968 TIME- 2000

INSTRUMENT TYPE- BATMY BASLIN- TEMP- 10.00

DEPTH (M)	TEMP (C)
0	11.40
4	11.20
5	11.10
7	10.40
8	9.00
9	8.40
10	8.50
11	8.20
13	7.60
14	6.50
15	6.20
16	6.00
17	5.70
20	5.30
21	4.70
22	4.50
26	4.20
27	4.00
35	3.80
63	3.70
104	4.00
174	3.70

PLATFORM- CENRAP

POSITION- 54 23N 150 25W

MARSDEN SOLARE 106 8ME DEGREE SQUARE 40

DATE- SEP 02, 1968 TIME- 300

INSTRUMENT TYPE- BATMY BASLIN- TEMP- 17.00

DEPTH (M)	TEMP (C)
0	11.30
19	11.20
25	11.20
26	11.00
28	10.30
30	9.90
31	9.10
33	8.40
34	8.30
35	7.40
36	6.00
37	6.10
38	5.00
39	5.90
42	5.20
44	4.80
45	4.40
50	3.90
62	3.40
79	3.60
90	3.00

PLATFORM- CENRAP

POSITION- 54 23N 150 25W

MARSDEN SOLARE 106 8ME DEGREE SQUARE 40

DATE- SEP 02, 1968 TIME- 000

INSTRUMENT TYPE- BATMY BASLIN- TEMP- 17.00

DEPTH (M)	TEMP (C)
0	12.10
21	12.10
22	12.00
23	11.00
24	11.40
25	11.50
26	10.70
27	9.00
30	9.00
31	8.70
32	7.60
33	7.10
34	6.00
35	6.30
40	5.00
71	4.20

MSD <sub>1</sub> (n)	MSD <sub>2</sub> (n)
0	0
0	0
10	10
19	19
20	20
21	21
22	22
23	23
24	24
26	26
28	28
35	35
36	36
39	39
47	47
69	69
101	101
100	100
209	209

DEPTH (F)	TEMP (C)
0	11.00
25	11.00
26	10.00
27	0.70
28	0.10
29	7.50
34	0.00
36	0.50
45	0.30
65	0.10

DEPTH (m)	TEMP (C)
0	31.30
12	31.20
14	31.20
16	31.00
18	30.80
20	30.70
22	30.70
24	30.60
26	30.60
28	30.60
30	30.60
32	30.50
34	30.50
36	30.50
38	30.50
40	30.50
42	30.50
44	30.50
46	30.50
48	30.50
50	30.50
52	30.50
54	30.50
56	30.50
58	30.50
60	30.50
62	30.50
64	30.50
66	30.50
68	30.50
70	30.50
72	30.50
74	30.50
76	30.50
78	30.50
80	30.50
82	30.50
84	30.50
86	30.50
88	30.50
90	30.50
92	30.50
94	30.50
96	30.50
98	30.50
100	30.50



PLATFORM- CENRAP

POSITION- 54 33N 157 25W

MARSEN SOLARE 193 ONE DEGREE SQUARE 47

DATE- SEP 04, 1968 TIME-

INSTRUMENT TYPE- BATNY BASELINE TEMP- 17.06

DEPTH (M)	TEMP (C)
0	11.60
10	11.60
20	11.70
27	11.70
28	11.10
29	10.80
30	10.10
31	9.60
32	9.20
33	8.90
37	7.80
38	7.20
40	6.90
41	6.70
42	5.70
44	5.40
61	4.80
74	4.50
93	4.50
101	4.70
144	4.90
237	4.70
427	4.70
491	5.00
543	5.20
567	5.40
708	5.20

PLATFORM- CENRAP

POSITION- 5244 N 157 26W

MARSEN SOLARE 196 ONE DEGREE SQUARE 37

DATE- SEP 04, 1968 TIME- 00

INSTRUMENT TYPE- BATNY BASELINE TEMP- 17.10

DEPTH (F)	TEMP (C)
0	31.70
10	31.40
17	31.20
18	31.10
19	30.90
20	30.80
21	30.50
22	30.10
23	29.80
24	29.10
25	28.40
26	27.60
27	27.30
28	26.40
29	26.10
30	25.60
31	25.20
33	24.70
39	24.10
52	23.90
102	24.40
173	24.60
236	24.80
296	25.00
347	25.20
356	25.40
367	25.30
408	25.50
433	25.40
476	25.40
568	25.50
574	25.30
708	25.40

PLATFORM- CENRAP

POSITION- 52 14N 157 20W

MARSEN SOLARE 196 ONE DEGREE SQUARE 37

DATE- SEP 04, 1968 TIME- 1200

INSTRUMENT TYPE- BATNY BASELINE TEMP- 17.08

DEPTH (F)	TEMP (C)
0	18.80
24	18.80
26	18.70
31	18.30
33	9.90
34	9.30
36	8.50
37	7.10
38	6.10
39	5.70
40	5.20
41	5.60
42	4.80
45	4.50
53	4.30
71	4.20
91	4.00
132	4.00

PLATFORM- CENRAN

POSITION- 52 43N 157 35W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- SEP 04, 1968 TIME- 1600

INSTRUMENT TYPE- BATWY BASELINE TEMP- 17.00

DEPTH (M)	TEMP (C)
0	10.90
11	11.00
31	10.90
35	10.40
36	10.40
37	9.30
38	8.70
39	8.50
40	8.00
41	7.40
42	7.30
44	7.00
45	6.70
46	6.40
47	5.90
49	5.50
57	4.90
65	4.80
74	4.50
91	4.40
102	5.30
105	5.30
106	5.40
192	5.40
200	5.40
240	5.50
334	5.70
439	5.80
516	6.40
539	6.40
566	6.40
573	6.80
601	6.80
605	7.00
700	7.30

PLATFORM- CENRAN

POSITION- 52 22N 157 10W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- SEP 05, 1968 TIME-

INSTRUMENT TYPE- BATWY BASELINE TEMP- 17.00

DEPTH (M)	TEMP (C)
0	10.70
15	10.40
24	10.40
32	10.40
35	10.10
36	9.40
37	8.30
38	7.90
39	7.10
40	6.80
41	6.40
42	5.90
43	5.50
45	5.20
49	4.90
70	4.40
88	4.40
115	4.90
210	4.60
262	4.30
404	4.90
454	4.90
524	5.20
570	5.00
657	5.00
700	5.40

PLATFORM- CENRAN

POSITION- 52 37N 156 50W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 26

DATE- SEP 05, 1968 TIME- 480

INSTRUMENT TYPE- BATWY BASELINE TEMP- 17.00

DEPTH (M)	TEMP (C)
0	10.90
25	10.40
36	10.40
37	10.30
38	9.40
39	8.20
40	8.30
41	7.50
42	6.70
43	6.10
44	5.80
45	5.50
46	4.90
52	4.50
67	4.30
81	4.20
112	4.70
155	4.70
181	4.50
350	4.50
459	4.40
541	4.90
640	5.00
700	5.40

PLATFORM- CENRAN  
 POSITION- 52 45N 157 23W  
 MARSDEN SQUARE 196 ONE DEGREE SQUARE 27  
 DATE- SEP 05, 1968 TIME- 1230  
 INSTRUMENT TYPE- BATMY MASELIN- TEMP- 17.00

DEPTH (F)	TEMP (C)
0	11.00
27	11.00
30	10.90
31	10.70
33	10.10
34	9.80
35	9.40
36	8.90
37	6.30
38	5.40
39	5.20
40	4.90
57	4.50
71	4.40
98	5.10
211	5.30
241	5.10
245	5.60
292	5.70
319	5.40
351	6.10
357	6.30
367	6.30
371	6.50
385	6.50
395	6.70
408	6.70
421	6.90
422	7.10
437	7.40
467	7.60
473	7.90
487	8.20
498	8.20
503	8.30
511	8.30
515	8.50
528	8.68
568	8.46
579	8.40
596	8.73
631	8.90
648	8.90
681	9.10
690	9.40
700	9.40

PLATFORM- CENRAN

POSITION- 53 ON 157 20N

MARSDEN SQUARE 196 ONE DEGREE SQUARE 37

DATE- SEP 11, 1968 TIME- 100

INSTRUMENT TYPE- BATNY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)
0	10.50
33	10.50
35	10.40
36	10.20
37	6.60
38	9.90
39	7.10
40	7.40
41	6.20
42	5.50
43	5.10
44	4.80
45	4.20
53	4.10
71	4.10
84	4.50
101	4.20
218	4.20
457	3.90

PLATFORM- CENRAN

POSITION- 52 35N 198 3W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 28

DATE- SEP 12, 1968 TIME- 110C

INSTRUMENT TYPE- BATNY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)
0	10.60
36	10.40
39	10.40
40	7.60
41	6.50
42	6.00
43	5.50
44	5.20
45	4.70
46	4.40
52	4.10
67	4.50
108	4.10
209	4.10
457	3.80

PLATFORM- CENRAN

POSITION- 52 21N 157 54W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- SEP 12, 1968 TIME- 130C

INSTRUMENT TYPE- BATNY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)
0	10.20
6	10.30
40	10.30
41	10.20
42	9.40
43	7.50
44	7.20
45	6.40
46	5.90
47	5.50
48	5.30
49	4.90
52	4.70
69	4.70
87	4.10
97	4.30
112	4.50
179	4.20
257	4.00

PLATFORM- CENRAD	POSITION- 51 53N 150 7W	MARSDEN SOLARE 196	ONE DEGREE SQUARE 18	DATE- SEP 13, 1968	TIME- 1601	INSTRUMENT TYPE- BATMY	BASELINE TEMP- 16.60
DEPTH (M)	TEMP (C)						
0	16.40						
43	16.40						
45	16.30						
46	9.10						
47	8.40						
48	7.80						
49	7.40						
50	6.90						
51	6.80						
52	6.30						
53	6.00						
54	5.70						
55	5.50						
56	4.80						
57	4.50						
67	4.20						
79	4.20						
100	4.40						
104	4.40						
139	4.50						
181	4.50						
248	4.10						
294	3.60						

PLATFORM- CENRAD	POSITION- 51 19N 150 39W	MARSDEN SOLARE 196	ONE DEGREE SQUARE 18	DATE- SEP 13, 1968	TIME- 2000	INSTRUMENT TYPE- BATMY	BASELINE TEMP- 16.60
DEPTH (M)	TEMP (C)						
0	10.20						
23	10.20						
37	9.00						
38	9.40						
39	9.40						
40	7.80						
41	7.40						
42	7.20						
43	6.50						
44	6.00						
45	5.50						
46	4.90						
65	4.90						
69	4.60						
84	4.30						
140	4.40						
173	4.40						
195	4.20						
278	4.10						

PLATFORM- CENRAD	POSITION- 50 43N 150 34W	MARSDEN SOLARE 196	ONE DEGREE SQUARE 0	DATE- SEP 14, 1968	TIME- 1	INSTRUMENT TYPE- BATMY	BASELINE TEMP- 16.60
DEPTH (M)	TEMP (C)						
0	10.10						
42	10.10						
44	9.90						
45	9.70						
47	9.40						
48	8.90						
49	8.20						
50	7.40						
51	6.40						
52	5.60						
56	4.90						
79	4.10						

PLATFORM- CENRAP

POSITION- 50 0N 150 50W

MARSDEN SQUARE 100 ONE DEGREE SQUARE 0

DATE- SEP 14, 1968 TIME- 000

INSTRUMENT TYPE- BATMY BASELINE TEMP- 16.50

DEPTH (M)	TEMP (C)
0	10.40
31	10.50
32	10.56
36	9.78
37	9.50
38	9.00
39	8.40
40	5.40
45	5.10
56	4.00
74	4.00
89	4.30
114	4.20

PLATFORM- CENRAP

POSITION- 45 30N 150 50W

MARSDEN SQUARE 140 ONE DEGREE SQUARE 90

DATE- SEP 14, 1968 TIME- 000

INSTRUMENT TYPE- BATMY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)
0	10.70
40	10.70
51	10.40
52	10.10
54	9.90
55	9.40
56	8.10
57	6.90
58	6.40
59	7.70
60	7.00
62	5.40
67	5.40
95	5.20
106	4.70
110	4.98
113	4.70
141	4.90
163	4.90
188	4.70
207	4.70
234	4.20
267	4.00
457	3.80

PLATFORM- CENRAP

POSITION- 40 53N 159 0N

MARSDEN SQUARE 160 ONE DEGREE SQUARE 80

DATE- SEP 14, 1968 TIME- 1200

INSTRUMENT TYPE- BATMY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	11.40
39	11.40
48	11.50
42	11.00
43	10.90
44	10.60
45	10.40
46	10.00
47	9.40
48	9.10
49	8.40
50	7.90
51	7.10
52	6.50
55	6.30
70	6.20
75	6.10
86	6.10
91	5.90
98	5.90
102	6.10
105	5.70
137	5.40
124	5.40
127	5.10
133	5.10
151	5.20
174	5.30
179	5.40
216	5.20

PLATFORM- CENRAD  
 POSITION- 46 49 N 150 22W  
 MARSDEN SQUARE 160 ONE DEGREE SQUARE 63  
 DATE- SEP 15, 1968 TIME- 400  
 INSTRUMENT TYPE- BATIMY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	12.50
27	12.40
34	12.10
37	11.30
38	11.00
39	10.80
40	8.40
41	7.90
42	7.60
43	7.40
44	7.20
52	6.30
56	6.20
80	6.40
101	6.40
107	6.20
111	6.20
120	6.60
127	6.70
162	6.70
223	6.70
233	6.70
238	6.00
272	5.40
300	5.40

PLATFORM- CENRAD  
 POSITION- 47 20 N 150 41W  
 MARSDEN SQUARE 160 ONE DEGREE SQUARE 78  
 DATE- SEP 15, 1968 TIME- C  
 INSTRUMENT TYPE- BATIMY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	12.30
36	12.20
38	12.10
39	11.80
40	10.80
41	10.40
42	10.10
43	9.60
44	8.60
45	8.60
46	8.30
47	7.80
48	7.40
49	7.20
52	6.60
54	6.40
61	6.30
62	6.50
77	6.60
94	6.90
99	6.70
109	6.70
111	6.50
121	6.40
123	6.10
125	6.20
130	6.00
136	6.20
145	6.20
153	6.50
160	6.50
211	6.10
231	6.10
239	5.90
250	5.90
268	5.60
277	5.60
311	5.20

PLATFORM- CENRAD  
 POSITION- 47 51N 159 3N  
 MARSDEN SQUARE 160 ONE DEGREE SQUARE 79  
 DATE- SEP 16, 1968 TIME- 2000  
 INSTRUMENT TYPE- BATIMY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	11.80
28	11.80
39	11.70
41	11.50
42	11.10
43	10.80
44	10.20
45	8.40
46	8.10
47	7.80
48	7.40
49	7.00
54	6.70
59	6.10
70	6.00
86	6.00
101	6.30
113	6.10
118	5.70
122	5.60
125	5.30
134	5.10
195	5.10
218	4.80
251	4.70
286	4.30
328	4.70
338	4.10
353	4.20
457	3.90

PLATFORM- CENRAN	POSITION- 46 30N 157 31W	MARSDEN SOLAR 160 ONE DEGREE SQUARE 67	DATE- SEP 15, 1968 TIME- 00	INSTRUMENT TYPE- BATMY BASLINE TEMP- 16.70	
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	12.70	0	13.00	0	13.40
27	12.70	30	13.00	25	13.40
32	12.70	35	12.80	28	13.30
35	12.50	38	12.30	32	13.20
36	12.30	39	11.20	34	12.80
37	11.20	40	10.50	35	12.60
38	10.50	41	9.80	36	12.30
39	9.80	42	9.40	37	11.40
40	9.30	43	9.40	38	10.40
41	8.70	44	9.40	39	10.20
45	8.50	45	9.40	40	9.40
50	7.90	46	9.20	41	9.10
56	7.70	47	8.90	42	8.90
57	7.50	51	8.10	43	8.70
64	7.20	61	7.70	52	8.00
71	7.20	90	7.00	61	7.70
79	6.70	100	6.80	70	7.70
109	6.80	117	6.90	73	7.40
119	6.80	119	6.70	80	7.60
127	7.20	131	6.90	85	7.20
131	7.30	151	6.50	94	6.90
135	7.00	217	6.30	99	6.90
146	7.00	240	6.00	103	7.20
151	7.20	250	6.80	105	7.00
185	7.10	268	5.90	109	7.00
191	7.00	283	5.90	111	7.20
202	7.00	297	5.20	122	7.30
241	6.30	312	5.20	136	7.30
272	6.10	335	5.00	142	7.20
285	5.80	339	4.80	159	7.20
310	5.40	350	4.70	209	6.70
337	5.20	359	4.70	214	6.40
352	5.20	405	4.30	235	6.50
365	5.10	457	4.20	238	6.40
376	4.80			258	6.20
410	4.40			291	5.60
457	4.30			319	5.40
				327	5.20
				338	5.20
				353	4.90
				457	4.30



PLATFORM- CENTRA

POSITION- 44 52N 159 0N

MARSDEN SQUARE 140 ONE DEGREE SQUARE 49

DATE- SEP 16, 1968 TIME- 1000

INSTRUMENT TYPE- BATNY BASLINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	14.40
34	14.40
36	14.30
37	14.10
38	13.70
39	13.00
40	11.70
41	11.30
42	10.80
43	10.40
44	9.80
45	9.70
47	9.40
50	8.80
55	8.70
59	8.40
69	7.90
74	7.90
78	7.70
97	7.50
101	7.70
120	7.80
184	7.70
210	7.40
257	6.40
299	6.08
325	5.80
334	5.80
356	5.50
361	5.30
369	5.30
378	5.10
433	4.70
457	4.60

PLATFORM- CENTRA

POSITION- 44 12N 159 0N

MARSDEN SQUARE 140 ONE DEGREE SQUARE 49

DATE- SEP 16, 1968 TIME- 2000

INSTRUMENT TYPE- BATNY BASLINE TEMP- 16.00

DEPTH (M)	TEMP (C)
0	15.00
33	15.00
36	14.80
37	14.20
38	13.80
39	13.20
40	11.60
41	11.20
42	10.70
44	10.30
45	10.10
46	9.80
47	9.60
48	9.30
49	9.10
50	8.70
51	8.50
52	8.30
53	8.00
56	7.90
61	8.30
73	8.60
90	8.60
104	8.50
113	8.10
132	7.70
202	7.60
212	7.60
237	7.40
245	7.10
256	7.10
270	6.60
285	6.60
303	6.40
313	6.10
354	5.50
417	4.90
457	4.70

PLATFORM- CENTRA

POSITION- 43 26N 159 3N

MARSDEN SQUARE 140 ONE DEGREE SQUARE 39

DATE- SEP 17, 1968 TIME- 400

INSTRUMENT TYPE- BATNY BASLINE TEMP- 16.60

DEPTH (M)	TEMP (C)
6	15.70
36	15.70
36	15.50
37	15.50
38	15.00
41	11.70
42	11.50
43	11.20
46	10.80
48	10.50
56	10.20
51	10.00
53	9.90
56	9.60
58	9.20
66	8.90
101	8.00
134	8.30
144	8.10
154	8.20
159	8.50
171	8.50
188	8.20
225	8.20
274	7.30
294	7.10
303	7.00
316	6.40
348	6.30
377	5.90
389	5.60
425	5.10
457	5.00

NOTE: Time and position questionable.

PLATFORM- CENRAD

POSITION- 42 46N 159 1W

MARSDEN SQUARE 140 ONE DEGREE SQUARE 29

DATE- SEP 17, 1968 TIME- 00

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	16.50
10	16.50
21	16.40
24	16.10
25	15.60
26	15.40
27	15.40
28	14.90
29	13.40
31	13.20
32	13.00
33	12.70
35	12.10
39	11.40
42	11.10
43	10.40
45	10.40
47	10.40
50	10.20
55	10.00
63	9.00
80	9.50
97	9.40
104	9.00
112	8.90
118	9.40
126	9.20
147	9.20
155	9.10
156	8.90
173	8.80
195	8.50
196	8.40
235	8.20
269	7.70
288	7.30
301	7.20
310	6.80
321	6.80
338	6.50
350	6.90
377	6.10
457	5.10

NOTE: Time and position questionable

PLATFORM- CENRAD

POSITION- 42 5N 159 2W

MARSDEN SQUARE 140 ONE DEGREE SQUARE 29

DATE- SEP 17, 1968 TIME- 1200

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	17.40
26	17.30
31	17.10
32	16.90
33	16.40
34	15.00
35	14.20
39	13.70
40	13.40
41	13.30
42	13.10
43	12.80
44	12.70
45	12.40
48	11.90
50	11.70
52	11.50
53	11.40
62	10.50
78	10.30
97	9.70
104	9.60
142	9.50
233	8.70
271	7.90
291	7.70
312	7.30
319	7.30
336	6.80
393	6.00
457	5.40

NOTE: Time and position questionable

PLATFORM- CENRAD

POSITION- 41 27N 159 3W

MARSDEN SQUARE 140 ONE DEGREE SQUARE 19

DATE- SEP 17, 1968 TIME- 1000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	17.70
28	17.70
33	17.30
34	16.80
35	15.40
36	15.10
37	14.40
38	14.30
39	14.80
42	13.70
44	12.40
45	12.70
46	12.40
47	11.90
48	11.40
50	11.30
51	11.10
56	10.80
64	10.20
82	9.90
89	9.40
114	9.30
125	9.00
145	9.00
147	9.20
159	9.30
181	9.10
204	8.40
236	8.40
319	7.30
322	7.30
343	6.10
365	6.40
487	5.90
497	5.30

NOTE: Time and position questionable

PLATFORM- CENRAN

POSITION- 40 53N 159 0N

MARSDEN SQUARE 140 ONE DEGREE SQUARE 9

DATE- SEP 10, 1968 TIME-

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	18.70
22	18.50
26	18.40
29	18.20
33	17.50
34	16.40
35	15.50
36	15.00
37	14.40
39	14.10
40	13.50
41	13.30
42	12.90
43	12.70
53	11.40
55	11.50
57	11.00
63	11.00
68	10.90
78	11.00
82	10.90
90	10.40
105	10.40
110	10.10
114	10.00
120	10.10
126	10.70
133	10.00
155	10.10
163	10.10
171	9.90
187	9.40
193	9.60
226	9.40
249	9.00
297	9.00
296	8.40
299	8.20
315	8.00
345	7.40
350	7.40
353	7.20
382	6.40
457	5.50

PLATFORM- CENRAN

POSITION- 39 43N 158 54N

MARSDEN SQUARE 124 ONE DEGREE SQUARE 98

DATE- SEP 10, 1968 TIME- 000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	19.40
28	19.50
30	19.80
31	19.00
32	18.50
33	16.70
34	16.20
35	15.90
39	15.10
40	14.90
43	14.50
46	14.00
47	13.70
48	13.40
49	13.20
51	13.20
52	12.70
54	12.20
62	11.70
71	11.40
74	11.20
80	11.20
86	10.70
103	10.50
126	10.40
148	10.40
170	10.20
195	10.20
202	9.90
207	9.70
235	9.30
256	9.10
289	8.90
304	8.40
334	8.20
358	7.70
385	7.40
421	6.40
457	6.10

PLATFORM- CENRAN

POSITION- 39 9N 158 59W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 98

DATE- SEP 10, 1968 TIME- 1200

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	20.48
21	20.48
22	20.48
23	20.28
24	19.48
25	19.10
26	18.40
27	18.00
28	17.90
29	16.40
30	15.90
31	15.40
35	15.20
39	14.70
44	14.00
45	13.90
49	13.40
50	13.30
53	13.00
68	12.20
75	11.60
81	11.70
101	11.80
104	11.70
109	12.00
131	12.00
135	11.80
147	11.70
180	11.10
185	10.90
239	10.10
270	9.90
308	9.20
313	9.00
335	8.80
353	8.30
372	7.90
379	7.70
408	7.40
410	7.20
422	7.20
427	7.00
436	7.00
445	6.20
456	6.40

PLATFORM- CENRAN

POSITION- 30 34N 150 57W

MARSDEN SOLARE 124 ONE DEGREE SQUARE 80

DATE- SEP 12, 1968 TIME- 1037

INSTRUMENT TYPE- SATWY BASLLIM- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	21.30
22	21.30
23	21.20
24	21.20
25	21.30
26	19.20
27	16.50
30	16.00
32	15.40
38	15.00
40	14.40
41	14.40
42	14.10
44	14.00
45	13.80
48	13.50
49	13.20
50	13.00
60	12.40
73	12.10
137	11.40
170	11.30
201	10.70
204	10.70
236	10.10
243	10.10
249	9.00
268	9.00
289	9.10
341	8.50
383	7.40
410	7.30
423	7.00
457	6.40

PLATFORM- CENRAN

POSITION- 30 04 150 57W

MARSDEN SOLARE 124 ONE DEGREE SQUARE 80

DATE- SEP 12, 1968 TIME- 2207

INSTRUMENT TYPE- SATWY BASLLIM- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	22.40
16	22.40
22	22.40
23	21.80
24	20.50
25	19.00
26	18.40
27	19.00
28	19.40
29	17.90
30	17.50
31	16.80
35	16.10
36	15.70
38	15.40
41	15.30
44	15.00
45	14.70
46	14.40
50	14.00
54	13.80
67	12.80
84	12.20
95	12.20
99	12.10
136	11.70
154	11.70
213	11.00
291	9.70
308	9.50
320	9.30
358	8.40
357	8.60
372	8.30
414	7.70
457	6.70

PLATFORM- CENRAN

POSITION- 37 52N 150 56W

MARSDEN SOLARE 124 ONE DEGREE SQUARE 70

DATE- SEP 19, 1968 TIME- 1

INSTRUMENT TYPE- SATWY BASLLIM- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	22.90
20	22.40
27	22.50
28	22.10
29	21.70
30	20.40
31	20.10
32	18.20
33	17.90
34	17.50
35	17.30
37	16.70
39	16.50
40	16.40
45	15.80
47	15.70
48	15.40
49	15.10
52	15.10
54	14.50
57	14.20
60	13.40
68	12.90
74	12.80
78	12.40
104	12.00
122	11.90
129	11.60
140	11.40
170	11.40
195	10.00
208	10.00
228	10.40
243	10.40
255	10.20
271	10.10
302	9.90
308	9.40
359	8.50
381	8.00
408	7.30
457	6.50

PLATFORM- CENRAN

POSITION- 37 27N 158 52W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 78

DATE- SEP 19, 1968 TIME- 400

INSTRUMENT TYPE- BATNY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	23.10
12	22.90
18	22.80
19	22.10
20	21.70
21	21.40
22	21.00
23	20.80
24	20.40
25	20.30
26	19.80
28	19.50
29	19.10
30	18.80
32	18.10
34	17.70
35	17.20
40	16.70
42	16.40
44	16.30
46	16.00
47	15.80
48	15.40
50	15.10
51	14.80
55	14.30
58	14.10
63	13.50
67	13.00
72	12.90
76	12.60
89	12.10
132	11.70
161	11.70
197	11.30
206	11.00
229	10.80
260	10.30
288	10.00
308	9.70
323	9.30
334	9.20
350	8.70
372	8.50
399	7.80

PLATFORM- CENRAN

POSITION- 36 54N 158 57W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 68

DATE- SEP 19, 1968 TIME- 80

INSTRUMENT TYPE- BATNY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	23.50
13	23.40
19	23.20
21	23.10
22	22.90
23	22.40
24	21.40
25	21.40
26	19.70
30	18.20
31	18.00
34	17.10
41	16.40
43	16.10
44	15.80
45	15.50
49	15.20
50	14.90
52	14.50
56	14.40
57	14.20
61	14.00
62	13.30
67	13.30
68	13.20
69	13.00
73	12.80
83	12.10
89	12.10
92	12.00
116	11.40
127	11.50
142	11.20
150	11.20
161	10.60
193	10.40
219	10.10
245	9.90
258	9.50
276	9.40
298	8.90
309	8.80
344	8.00
365	7.80
390	7.20

PLATFORM- CENRAN

POSITION- 36 11N 158 58W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 68

DATE- SEP 19, 1968 TIME- 1300

INSTRUMENT TYPE- BATNY BASLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)
0	24.00
14	24.00
16	23.90
17	23.40
22	23.20
23	22.80
24	22.80
25	22.50
26	21.30
27	20.20
30	19.20
32	18.40
34	17.80
38	17.10
49	16.40
41	16.40
47	13.70
49	15.40
51	15.40
52	15.20
54	14.00
68	14.20
63	14.20
78	13.80
75	13.40
93	12.70
106	12.40
116	12.50
128	12.10
139	12.10
156	11.90
173	11.50
191	11.40
216	10.80
268	10.30
289	9.80
321	9.40
345	8.90
359	8.90
386	8.30
392	8.30
411	7.70
440	7.10
445	7.00
457	6.80

PLATFORM- CENAN

POSITION- 35 44N 158 50W

MARSEN SOLAF 124 6NE DEGREE SQUARE 58

DATE- SEP 15, 1968 TIME- 1601

INSTRUMENT TYPE- BATHY BASLINING TEMP- 16.80

DEPTH (P)	TEMP (C)
0	24.30
20	24.20
21	23.50
22	22.90
23	21.90
24	21.70
25	20.80
26	20.50
27	20.20
28	19.90
30	19.20
31	19.00
32	18.40
33	18.20
35	17.90
36	17.20
37	16.70
40	15.90
44	15.40
54	14.40
56	14.10
64	13.90
70	13.50
92	12.40
99	12.40
111	12.50
143	12.20
173	11.40
232	10.40
292	10.00
325	9.30
363	8.40
396	8.10
412	7.70
423	7.40
457	6.80

PLATFORM- CENAN

POSITION- 35 13N 159 0W

MARSEN SOLAF 124 6NE DEGREE SQUARE 59

DATE- SEP 15, 1968 TIME- 202

INSTRUMENT TYPE- BATHY BASLINING TEMP- 16.80

DEPTH (P)	TEMP (C)
0	25.10
20	24.90
21	24.40
22	24.20
23	23.80
24	22.90
25	22.20
26	21.70
27	20.40
28	20.40
29	20.00
31	19.40
33	18.40
35	18.50
36	18.20
37	17.40
38	17.40
39	17.10
42	16.20
43	16.00
45	15.80
46	15.30
47	15.10
52	14.90
56	14.60
62	14.30
71	13.30
81	13.40
98	13.40
109	13.00
113	13.00
115	12.90
123	12.46
130	12.40
166	12.10
220	11.20
248	10.90
307	10.00
310	9.40
349	8.30
389	8.50
403	8.10
457	7.10

PLATFORM- CENAN

POSITION- 35 14N 159 0W

MARSEN SOLAF 124 6NE DEGREE SQUARE 59

DATE- SEP 15, 1968 TIME- 2354

INSTRUMENT TYPE- BATHY BASLINING TEMP- 16.70

DEPTH (P)	TEMP (C)
0	25.30
20	25.00
21	24.40
22	24.40
23	24.00
24	23.70
25	22.80
26	21.10
27	20.30
28	19.90
38	18.10
40	18.16
41	17.98
42	17.00
43	16.40
47	16.10
48	15.20
51	15.20
63	14.80
65	14.00
67	13.70
74	13.40
81	13.40
103	13.20
118	12.80
122	12.50
144	12.20
175	11.90
189	11.80
199	11.50
231	10.00
256	10.70
283	10.40
308	9.80
359	9.10
403	8.00
457	7.00

PLATFORM- CENRAN	POSITION- 34 30N 158 59W	MARSDEN SQUARE 174	ONE DEGREE SQUARE 40	DATE- SEP 20, 1968	TIME- 40	INSTRUMENT TYPE- BATHY	BASELIN- TEMP- 10.70
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.40	0	25.90	0	25.90	0	25.90
17	25.40	21	25.90	21	25.90	21	25.90
21	25.50	25	25.90	25	25.90	25	25.90
22	25.50	27	25.70	27	25.70	27	25.70
23	22.40	29	25.40	29	25.40	29	25.40
24	22.50	30	25.10	30	25.10	30	25.10
25	21.50	31	24.60	31	24.60	31	24.60
26	20.90	32	23.70	32	23.70	32	23.70
27	20.40	33	22.80	33	22.80	33	22.80
28	19.50	34	21.80	34	21.80	34	21.80
30	19.50	37	20.70	37	20.70	37	20.70
31	19.00	38	20.20	38	20.20	38	20.20
34	17.80	40	19.50	40	19.50	40	19.50
39	17.40	41	18.20	41	18.20	41	18.20
40	17.50	49	18.20	49	18.20	49	18.20
41	17.10	50	18.00	50	18.00	50	18.00
43	16.90	53	17.70	53	17.70	53	17.70
47	16.10	57	16.90	57	16.90	57	16.90
48	15.80	68	16.00	68	16.00	68	16.00
51	15.80	72	15.50	72	15.50	72	15.50
56	15.40	77	15.30	77	15.30	77	15.30
57	15.10	78	15.20	78	15.20	78	15.20
64	14.70	90	15.10	90	15.10	90	15.10
87	14.30	95	14.70	95	14.70	95	14.70
91	14.00	109	14.50	109	14.50	109	14.50
96	14.00	113	14.10	113	14.10	113	14.10
98	13.90	131	14.00	131	14.00	131	14.00
104	13.90	137	13.70	137	13.70	137	13.70
120	13.20	147	13.40	147	13.40	147	13.40
137	13.20	174	12.90	174	12.90	174	12.90
147	12.80	237	12.00	237	12.00	237	12.00
208	12.00	278	11.00	278	11.00	278	11.00
237	11.40	298	10.90	298	10.90	298	10.90
260	11.20	314	10.30	314	10.30	314	10.30
279	10.60	337	10.10	337	10.10	337	10.10
289	10.40	382	9.30	382	9.30	382	9.30
328	10.13	436	8.00	436	8.00	436	8.00
329	9.90	447	8.00	447	8.00	447	8.00
370	9.50	457	7.70	457	7.70	457	7.70
457	7.60						

PLATFORM- CENRAN	POSITION- 34 0N 158 59W	MARSDEN SQUARE 174	ONE DEGREE SQUARE 40	DATE- SEP 20, 1968	TIME- 00	INSTRUMENT TYPE- BATHY	BASELIN- TEMP- 10.60
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.90	0	25.90	0	25.90	0	25.90
25	25.88	25	25.90	25	25.90	25	25.90
26	25.60	26	25.90	26	25.90	26	25.90
27	25.28	27	25.70	27	25.70	27	25.70
28	24.48	28	25.40	28	25.40	28	25.40
29	23.88	29	25.10	29	25.10	29	25.10
30	22.48	30	24.60	30	24.60	30	24.60
31	21.50	31	23.70	31	23.70	31	23.70
32	21.20	32	22.80	32	22.80	32	22.80
33	21.00	33	21.80	33	21.80	33	21.80
34	20.70	34	21.80	34	21.80	34	21.80
35	20.10	37	20.70	37	20.70	37	20.70
37	19.20	38	20.20	38	20.20	38	20.20
40	19.00	40	19.50	40	19.50	40	19.50
43	18.40	41	18.20	41	18.20	41	18.20
44	18.00	49	18.20	49	18.20	49	18.20
46	17.88	50	18.00	50	18.00	50	18.00
48	17.80	53	17.70	53	17.70	53	17.70
52	17.40	57	16.90	57	16.90	57	16.90
56	16.80	68	16.00	68	16.00	68	16.00
57	16.80	72	15.50	72	15.50	72	15.50
62	16.20	77	15.30	77	15.30	77	15.30
66	15.80	78	15.20	78	15.20	78	15.20
78	15.80	90	15.10	90	15.10	90	15.10
79	15.70	95	14.70	95	14.70	95	14.70
90	14.90	109	14.50	109	14.50	109	14.50
96	14.50	113	14.10	113	14.10	113	14.10
116	14.50	131	14.00	131	14.00	131	14.00
128	14.10	137	13.70	137	13.70	137	13.70
141	14.10	147	13.40	147	13.40	147	13.40
145	13.80	174	12.90	174	12.90	174	12.90
151	13.50	237	12.00	237	12.00	237	12.00
167	13.40	278	11.00	278	11.00	278	11.00
170	13.30	298	10.90	298	10.90	298	10.90
192	13.20	314	10.30	314	10.30	314	10.30
208	12.80	337	10.10	337	10.10	337	10.10
210	12.60	382	9.30	382	9.30	382	9.30
224	12.30	436	8.00	436	8.00	436	8.00
229	12.10	447	8.00	447	8.00	447	8.00
246	12.00	457	7.70	457	7.70	457	7.70
259	11.70						
270	11.60						
278	11.40						
353	10.20						
357	10.00						
395	9.40						
402	9.40						
410	9.10						
457	8.00						

PLATFORM- CENRAN  
POSITION- 32 40N 158 58W

MARSDEN SQUARE 124 6NE DEGREE SQUARE 28

DATE- SEP 20, 1968 TIME- 1600

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	26.00
32	26.00
34	25.80
35	25.50
36	24.80
37	24.10
38	22.10
39	21.70
40	21.00
45	20.20
46	20.20
49	19.40
50	19.40
54	18.80
58	18.70
66	18.70
70	17.70
73	17.40
78	17.10
81	17.00
84	16.80
93	16.30
103	15.90
123	15.40
133	14.80
147	14.40
193	13.50
196	13.30
211	13.00
215	12.80
228	12.60
235	12.30
243	12.30
259	11.80
275	11.70
297	11.10
325	10.70
347	10.20
374	9.60
418	8.60
457	8.10

PLATFORM- CENRAN

POSITION- 32 13N 158 57W

MARSDEN SQUARE 124 6NE DEGREE SQUARE 28

DATE- SEP 21, 1968 TIME-

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	26.30
20	26.20
26	26.10
32	25.90
34	25.70
35	25.30
36	24.60
37	24.30
38	23.50
39	22.80
40	22.10
41	21.90
42	21.60
43	21.30
44	20.90
50	20.20
52	19.80
54	19.60
55	19.40
59	18.90
62	18.10
75	17.50
117	16.40
124	16.40
143	15.80
154	15.40
162	14.90
183	14.10
189	14.10
198	13.60
211	13.10
221	13.00
226	12.70
237	12.60
258	12.00
363	10.20
381	9.60
457	7.90

PLATFORM- CENRAN

POSITION- 31 36N 158 58W

MARSDEN SQUARE 124 6NE DEGREE SQUARE 18

DATE- SEP 21, 1968 TIME- 410

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	401	9.20
19	26.30	422	8.80
22	26.10	437	8.30
23	25.80	457	7.00
24	25.50		
28	25.20		
29	25.00		
30	24.70		
31	24.80		
32	23.20		
33	22.50		
34	22.80		
36	21.40		
37	21.20		
38	20.70		
43	19.70		
46	19.40		
47	19.40		
51	18.90		
54	18.40		
57	18.30		
74	17.40		
78	17.20		
90	16.70		
99	16.50		
103	16.40		
106	16.10		
110	16.10		
130	14.90		
142	14.40		
145	14.40		
150	14.40		
156	14.10		
178	13.90		
201	13.30		
206	13.00		
216	12.70		
224	12.40		
227	12.50		
231	12.20		
274	11.40		
295	11.10		
298	11.00		
341	10.40		
364	9.40		



PLATFORM- CENRAD

POSITION- 30 59N 150 42W

MARSEN SQUARE 124 ONE DEGREE SQUARE 8

DATE- SEP 21, 1968 TIME- 80.

INSTRUMENT TYPE- BATNY BASELIN: TEMP- 16.60

DEPTH (M)	TEMP (C)
0	26.50
25	26.40
26	26.40
27	26.10
28	25.70
29	23.90
30	22.50
31	22.20
32	21.90
35	21.40
38	20.70
44	19.40
49	19.40
52	19.00
57	18.90
66	18.10
71	17.90
74	17.40
105	16.20
116	16.00
119	15.40
135	15.00
143	14.90
152	14.50
165	14.10
207	13.50
234	12.70
288	11.70
293	11.50
301	11.50
328	11.00
346	10.50
355	10.50
380	9.40
387	9.40
393	9.50
400	9.40
433	8.40
451	8.10
454	7.90
457	7.90

PLATFORM- CENRAD

POSITION- 30 21N 150 35W

MARSEN SQUARE 124 ONE DEGREE SQUARE 8

DATE- SEP 21, 1968 TIME- 120C

INSTRUMENT TYPE- BATNY BASELIN: TEMP- 16.60

DEPTH (M)	TEMP (C)
0	26.90
25	26.80
26	26.70
30	26.10
31	25.90
32	25.60
33	25.50
34	25.10
35	24.10
36	22.50
39	21.90
40	21.00
41	20.00
43	20.40
45	20.30
46	20.00
48	19.70
49	19.40
52	19.00
53	19.00
58	18.40
62	18.30
63	18.10
67	18.00
68	18.00
69	17.90
75	17.50
77	17.00
81	16.40
83	16.40
93	16.10
112	15.50
117	15.50
145	14.60
148	14.60
167	14.00
170	14.00
172	13.40
177	13.00
189	13.40
208	13.10
209	12.90
230	12.60
243	12.10
256	12.10

PLATFORM- CENRAD

POSITION- 25 43N 150 20W

MARSEN SQUARE 124 ONE DEGREE SQUARE 98

DATE- SEP 21, 1968 TIME- 160'

INSTRUMENT TYPE- BATNY BASELIN: TEMP- 16.60

DEPTH (M)	TEMP (C)
0	27.10
26	27.10
31	26.90
34	26.40
35	25.90
36	25.70
37	25.10
38	24.40
41	23.40
43	23.10
44	22.90
45	22.60
46	22.30
47	22.10
48	21.70
49	21.40
52	20.70
60	20.30
68	19.50
70	19.00
84	18.40
91	18.30
95	17.90
98	17.90
105	17.30
116	16.40
131	16.20
135	16.20
143	15.90
150	15.30
169	14.70
182	14.40
199	13.90
218	13.50
229	13.10
235	12.40
268	12.10
282	12.00
304	11.50
324	11.20
335	10.90
352	10.70
356	10.50
372	10.10
383	10.00

PLATFORM- CENRAD  
POSITION- 25 47 150 22M

MARSEN SQUARE 80 ONE DEGREE SQUARE 98

DATE- SEP 21, 1968 TIME- 200

INSTRUMENT TYPE- BATNY BASLIN- TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	275	11.70
26	26.40	280	11.40
29	26.50	284	11.40
32	26.20	316	10.70
35	26.20	320	10.40
38	26.10	338	10.50
42	25.40	345	9.90
43	25.10	372	9.70
44	24.40	376	9.70
45	23.70	382	9.40
46	23.30	388	9.40
47	22.70	414	8.40
48	22.50	422	8.40
49	22.40	429	8.30
50	22.20	433	8.30
51	21.60	440	8.30
52	21.10	440	8.30
55	20.80	457	7.80
56	20.40		
59	20.40		
61	20.00		
71	19.20		
73	18.90		
74	18.20		
77	18.50		
79	18.30		
80	18.40		
95	17.00		
101	16.70		
109	16.50		
110	16.40		
120	15.40		
133	15.80		
134	15.30		
146	14.80		
150	14.80		
155	14.50		
157	14.20		
172	13.70		
181	13.20		
195	12.90		
198	12.70		
212	12.40		
232	12.40		
249	12.00		
253	11.80		

PLATFORM- CENRAD

POSITION- 25 54N 150 22M

MARSEN SQUARE 80 ONE DEGREE SQUARE 88

DATE- SEP 21, 1968 TIME- 210

INSTRUMENT TYPE- BATNY BASLIN- TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	353	10.70
26	26.80	372	10.80
28	26.70	382	9.80
29	26.50	389	9.50
31	26.20	410	9.40
34	25.50	416	8.90
36	24.40	424	8.90
37	24.30	443	8.50
39	22.80	448	8.50
40	22.30	457	8.10
41	22.00		
42	21.70		
44	21.40		
45	21.20		
50	20.90		
51	20.40		
56	20.30		
61	19.80		
63	19.20		
66	18.80		
68	18.80		
74	18.50		
79	18.00		
92	17.60		
97	17.10		
103	16.80		
114	16.40		
122	16.10		
135	15.70		
159	14.30		
176	14.10		
189	13.40		
203	13.30		
222	13.00		
226	12.80		
231	12.70		
236	12.40		
252	12.30		
255	11.90		
274	11.80		
297	11.40		
303	11.10		
319	10.80		
345	10.50		

PLATFORM- CENRAD

POSITION- 25 37N 150 22M

MARSEN SQUARE 80 ONE DEGREE SQUARE 88

DATE- SEP 21, 1968 TIME- 220

INSTRUMENT TYPE- BATNY BASLIN- TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	392	9.50
29	26.40	406	9.10
33	26.30	414	9.10
36	25.80	425	8.90
39	25.10	436	8.50
40	23.40	447	8.40
41	23.40	448	8.10
42	23.00	457	7.80
43	22.20		
44	22.00		
45	21.20		
49	20.90		
50	20.70		
51	20.40		
52	20.00		
53	19.70		
57	19.20		
64	18.50		
75	17.70		
77	17.50		
81	17.20		
85	17.10		
102	16.50		
122	16.10		
133	15.40		
138	15.30		
163	14.20		
167	13.90		
170	13.40		
177	13.00		
184	13.00		
197	13.30		
209	13.20		
209	13.00		
228	12.40		
248	12.40		
265	11.90		
287	11.40		
294	11.40		
297	11.10		
325	10.80		
343	10.50		
353	10.10		
370	9.90		
379	9.80		

PLATFORM- CENRAD

POSITION- 28 40N 150 22W

MARSEN SQUARE 88 6NE DEGREE SQUARE 88

DATE- SEP 21, 1968 TIME- 230

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	421	9.20
12	26.40	425	8.90
27	26.40	433	8.40
32	26.50	441	8.50
34	26.20	448	8.40
37	25.70	477	8.10
38	25.30		
39	24.40		
40	23.70		
41	22.90		
42	21.90		
43	21.50		
44	21.10		
45	20.40		
46	20.40		
47	19.2		
55	19.20		
60	19.10		
66	18.80		
71	18.70		
75	18.50		
78	18.10		
93	17.20		
96	17.00		
97	16.80		
111	16.40		
132	16.10		
135	15.80		
137	15.70		
141	15.30		
153	15.40		
161	15.30		
167	15.00		
174	14.90		
199	14.10		
209	13.50		
228	13.00		
235	12.60		
270	12.10		
299	11.70		
319	11.20		
354	10.60		
355	10.30		
400	9.70		
414	9.20		

PLATFORM- CENRAD

POSITION- 28 30N 150 22W

MARSEN SQUARE 86 6NE DEGREE SQUARE 88

DATE- SEP 22, 1968 TIME-

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.30	232	12.40
8	26.90	247	12.40
18	26.90	258	12.30
26	26.70	274	12.10
30	26.20	281	11.00
32	26.10	288	11.70
34	25.70	343	10.50
37	25.40	366	10.20
38	25.20	371	10.00
39	25.50	403	9.50
40	23.60	415	9.20
41	23.00	426	9.10
42	22.10	441	8.50
43	21.40	451	8.40
44	21.20	457	8.00
45	20.90		
46	20.70		
47	20.30		
48	20.20		
49	19.90		
54	19.30		
57	19.20		
59	18.80		
67	18.30		
70	18.30		
73	18.40		
78	18.30		
81	18.10		
87	18.10		
100	17.30		
109	16.90		
113	16.90		
129	16.40		
132	16.20		
135	16.20		
141	15.80		
144	15.60		
157	15.10		
165	15.00		
178	14.40		
181	14.40		
181	14.00		
181	14.00		
194	13.00		
211	13.30		
216	13.30		

PLATFORM- CENRAD

POSITION- 28 21N 150 21W

MARSEN SQUARE 88 6NE DEGREE SQUARE 88

DATE- SEP 22, 1968 TIME- 10

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.50	180	13.80
8	27.10	186	13.70
23	26.90	189	13.50
29	26.50	190	13.40
31	26.70	206	13.30
36	25.40	215	13.30
37	25.50	221	14.00
39	24.80	221	14.00
40	24.50	246	14.80
41	24.20	251	14.50
42	24.10	260	14.60
43	23.80	273	14.50
46	23.30	277	14.30
47	23.20	283	14.30
49	22.90	280	14.22
52	22.60	291	14.00
53	22.30	298	13.90
56	21.90	315	13.20
59	21.90	320	13.20
62	21.46	323	13.10
65	21.20	334	13.20
66	21.10	348	12.70
69	20.80	356	12.70
73	20.40	387	11.90
75	20.40	393	11.50
81	20.60	400	11.40
89	19.80	403	11.20
93	19.40	413	10.90
97	19.30	436	10.80
103	19.10	441	10.50
108	18.70	455	10.50
112	18.70	457	10.30
122	18.30		
125	17.90		
136	17.50		
141	17.70		
145	17.70		
147	17.90		
158	17.40		
155	17.10		
161	17.00		
162	16.80		
163	16.70		
167	16.50		
170	16.40		

PLATFORM- CENRAD				PLATFORM- CENRAD				PLATFORM- CENRAD			
POSITION- 20 20N 150 21W				POSITION- 20 15N 150 10W				POSITION- 20 4N 150 10W			
MARSDEN SQUARE 00				MARSDEN SQUARE 00				MARSDEN SQUARE 00			
DATE- SEP 25, 1968 TIME- 20'				DATE- SEP 22, 1968 TIME- 50'				DATE- SEP 22, 1968 TIME- 60'			
INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60				INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70				INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70			
DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)
0	27.40	0	27.20	0	27.20	0	27.40	0	27.40	0	27.40
10	27.10	10	26.90	10	26.90	10	27.10	10	27.10	10	27.10
20	27.10	20	26.90	20	26.90	20	27.10	20	27.10	20	27.10
30	26.90	30	26.90	30	26.90	30	27.10	30	27.10	30	27.10
31	26.90	31	26.90	31	26.90	31	27.10	31	27.10	31	27.10
36	25.70	36	25.70	36	25.70	36	25.70	36	25.70	36	25.70
39	24.70	39	24.70	39	24.70	39	24.70	39	24.70	39	24.70
40	24.70	40	24.70	40	24.70	40	24.70	40	24.70	40	24.70
41	23.90	41	23.90	41	23.90	41	23.90	41	23.90	41	23.90
45	23.50	45	23.50	45	23.50	45	23.50	45	23.50	45	23.50
46	23.10	46	23.10	46	23.10	46	23.10	46	23.10	46	23.10
47	22.90	47	22.90	47	22.90	47	22.90	47	22.90	47	22.90
50	22.40	50	22.40	50	22.40	50	22.40	50	22.40	50	22.40
52	22.30	52	22.30	52	22.30	52	22.30	52	22.30	52	22.30
56	21.80	56	21.80	56	21.80	56	21.80	56	21.80	56	21.80
58	21.50	58	21.50	58	21.50	58	21.50	58	21.50	58	21.50
63	20.80	63	20.80	63	20.80	63	20.80	63	20.80	63	20.80
65	20.80	65	20.80	65	20.80	65	20.80	65	20.80	65	20.80
71	20.30	71	20.30	71	20.30	71	20.30	71	20.30	71	20.30
75	19.90	75	19.90	75	19.90	75	19.90	75	19.90	75	19.90
85	19.70	85	19.70	85	19.70	85	19.70	85	19.70	85	19.70
90	19.50	90	19.50	90	19.50	90	19.50	90	19.50	90	19.50
91	19.30	91	19.30	91	19.30	91	19.30	91	19.30	91	19.30
96	19.00	96	19.00	96	19.00	96	19.00	96	19.00	96	19.00
101	18.90	101	18.90	101	18.90	101	18.90	101	18.90	101	18.90
120	17.90	120	17.90	120	17.90	120	17.90	120	17.90	120	17.90
125	17.50	125	17.50	125	17.50	125	17.50	125	17.50	125	17.50
128	17.40	128	17.40	128	17.40	128	17.40	128	17.40	128	17.40
136	16.90	136	16.90	136	16.90	136	16.90	136	16.90	136	16.90
142	16.80	142	16.80	142	16.80	142	16.80	142	16.80	142	16.80
146	16.40	146	16.40	146	16.40	146	16.40	146	16.40	146	16.40
148	16.40	148	16.40	148	16.40	148	16.40	148	16.40	148	16.40
153	16.30	153	16.30	153	16.30	153	16.30	153	16.30	153	16.30
158	15.40	158	15.40	158	15.40	158	15.40	158	15.40	158	15.40
161	15.40	161	15.40	161	15.40	161	15.40	161	15.40	161	15.40
164	15.30	164	15.30	164	15.30	164	15.30	164	15.30	164	15.30
170	15.20	170	15.20	170	15.20	170	15.20	170	15.20	170	15.20
175	15.00	175	15.00	175	15.00	175	15.00	175	15.00	175	15.00
177	14.80	177	14.80	177	14.80	177	14.80	177	14.80	177	14.80
185	14.40	185	14.40	185	14.40	185	14.40	185	14.40	185	14.40
192	14.40	192	14.40	192	14.40	192	14.40	192	14.40	192	14.40
202	14.00	202	14.00	202	14.00	202	14.00	202	14.00	202	14.00
203	13.90	203	13.90	203	13.90	203	13.90	203	13.90	203	13.90
209	13.90	209	13.90	209	13.90	209	13.90	209	13.90	209	13.90
219	13.40	219	13.40	219	13.40	219	13.40	219	13.40	219	13.40

PLATFORM- CENRAD

POSITION- 27 54N 158 19W

MARSEN SQUARE 80 ONE DEGREE SQUARE 78

DATE- SEP 22, 1968 TIME- 70

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	384	9.40
12	27.10	396	9.10
41	27.10	415	8.90
46	26.90	423	8.80
47	26.80	442	8.40
48	26.40	450	8.00
49	25.40	457	7.60
50	25.20		
51	25.00		
52	24.90		
54	24.30		
58	23.40		
60	22.90		
67	22.30		
72	22.20		
76	22.00		
81	21.20		
91	20.50		
115	19.00		
120	18.90		
134	18.00		
139	18.00		
146	17.80		
158	17.20		
161	16.80		
176	16.20		
187	16.00		
196	15.50		
203	14.80		
208	14.70		
222	14.10		
234	13.40		
235	13.10		
277	12.90		
281	12.70		
284	12.30		
285	11.50		
314	11.20		
327	10.90		
337	10.40		
354	10.00		
367	10.00		
374	9.70		
381	9.70		

PLATFORM- CENRAD

POSITION- 27 44N 158 17W

MARSEN SQUARE 80 ONE DEGREE SQUARE 78

DATE- SEP 22, 1968 TIME- 80

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.30	236	13.70
5	27.30	246	13.30
6	27.20	252	12.90
13	27.00	266	12.50
36	27.00	278	11.80
39	26.90	283	11.80
40	26.70	285	11.20
41	26.40	304	11.00
42	26.30	327	10.80
43	26.10	329	10.40
46	25.80	341	10.40
47	25.40	356	10.00
48	25.10	368	9.80
50	24.70	372	9.40
52	24.30	391	9.30
57	23.40	398	8.90
60	23.20	406	8.90
65	22.80	420	8.50
69	22.80	436	7.90
70	22.40	441	7.90
83	22.10	451	7.90
91	21.50	457	7.40
99	21.20		
105	20.80		
110	20.30		
112	20.30		
115	20.00		
119	19.90		
120	19.70		
125	19.40		
132	19.40		
145	18.70		
149	18.70		
162	18.10		
165	17.90		
177	17.40		
197	16.30		
198	15.90		
207	15.60		
211	15.10		
221	14.70		
225	14.40		
231	14.20		
234	14.00		
235	13.80		

PLATFORM- CENRAD

POSITION- 27 34N 158 18W

MARSEN SQUARE 80 ONE DEGREE SQUARE 78

DATE- SEP 22, 1968 TIME- 90

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	246	14.10
5	27.20	247	13.90
10	26.90	255	13.70
35	26.90	257	13.50
47	26.70	258	13.20
48	26.50	264	13.10
49	26.20	272	12.50
52	25.90	289	11.80
55	25.30	301	11.70
58	25.30	304	11.50
61	24.70	309	11.40
65	24.20	313	11.10
68	23.50	318	11.00
69	23.40	322	10.70
71	23.30	338	10.50
73	23.00	345	10.10
77	22.80	369	9.90
78	22.40	384	9.40
80	22.10	392	9.40
83	22.00	404	9.00
85	21.70	420	8.40
92	21.19	449	8.20
100	21.00	457	7.90
109	20.30		
120	19.80		
124	19.20		
137	19.00		
146	18.90		
149	18.40		
161	18.40		
164	18.10		
165	17.90		
169	17.40		
181	17.40		
183	17.00		
191	16.90		
197	16.80		
200	16.40		
203	16.10		
213	15.40		
217	15.30		
220	15.10		
228	14.90		
236	14.50		
242	14.40		

PLATFORM- CENRAD			
POSITION- 27 24N 150 19W			
MARSDEM SQUARE 80 ONE DEGREE SQUARE 78			
DATE- SEP 22, 1968 TIME- 1000			
INSTRUMENT TYPE- BATHY BASLIN- TEMP- 16.70			
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	0	27.20
15	26.90	13	26.90
31	26.70	272	26.70
37	26.70	283	26.70
39	26.20	289	26.20
41	26.20	291	26.20
43	26.20	308	26.20
47	25.20	322	25.20
48	25.20	341	25.20
52	24.80	347	24.80
54	24.20	349	24.20
61	23.60	354	23.60
62	23.40	360	23.40
64	22.70	366	22.70
67	22.60	376	22.60
69	22.40	395	22.40
76	22.20	407	22.20
78	21.80	414	21.80
86	21.50	424	21.50
87	21.30	427	21.30
93	21.20	429	21.20
98	20.80	457	20.80
103	20.80		
104	20.80		
110	20.40		
113	20.20		
122	19.90		
124	19.70		
135	19.30		
139	18.90		
142	18.70		
143	18.40		
154	18.10		
160	18.00		
170	17.30		
180	16.70		
200	16.10		
204	15.70		
214	15.30		
217	15.10		
224	14.80		
226	14.60		
235	14.20		
238	13.90		
245	13.80		
260	13.00		

PLATFORM- CENRAD			
POSITION- 27 13N 150 16W			
MARSDEM SQUARE 80 ONE DEGREE SQUARE 78			
DATE- SEP 22, 1968 TIME- 1100			
INSTRUMENT TYPE- BATHY BASLIN- TEMP- 16.70			
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	285	13.30
13	26.90	307	12.90
36	26.00	316	12.30
42	26.50	328	12.10
45	26.10	346	11.40
46	25.80	367	10.80
47	25.50	411	10.10
49	25.30	426	9.40
52	24.90	445	9.30
56	24.60	453	9.10
57	24.50	457	8.90
62	23.40		
70	23.00		
71	22.80		
74	22.60		
78	22.00		
82	21.80		
85	21.30		
87	21.00		
98	20.40		
105	20.40		
116	19.90		
120	19.70		
125	19.40		
138	19.30		
141	18.10		
144	18.70		
148	18.40		
159	18.00		
161	17.80		
166	16.90		
194	16.50		
218	15.90		
223	15.50		
227	15.40		
230	15.10		
242	14.90		
247	14.80		
251	14.60		
259	14.30		
260	14.10		
271	13.70		
279	13.70		
284	13.50		

PLATFORM- CENRAD			
POSITION- 27 2N 150 17W			
MARSDEM SQUARE 80 ONE DEGREE SQUARE 78			
DATE- SEP 22, 1968 TIME- 1200			
INSTRUMENT TYPE- BATHY BASLIN- TEMP- 16.70			
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	273	14.10
31	27.00	296	13.70
38	26.50	308	13.50
41	26.80	302	13.20
42	26.40	319	12.90
43	26.20	325	12.50
44	25.90	340	12.30
48	25.70	351	11.80
49	25.40	357	11.70
51	25.00	362	11.40
52	24.80	378	11.40
55	24.50	391	10.80
56	24.20	399	10.50
59	23.80	406	10.40
61	23.50	422	9.80
63	23.30	436	9.30
66	22.80	443	8.80
68	22.50	457	8.30
70	22.40		
73	22.00		
77	21.70		
78	21.40		
86	21.10		
94	20.50		
99	20.20		
107	20.10		
113	19.70		
117	19.60		
122	19.30		
126	18.40		
131	18.40		
138	18.40		
147	17.90		
152	17.70		
153	17.60		
167	17.00		
173	16.90		
178	16.70		
200	16.30		
208	15.90		
213	15.60		
222	15.90		
230	15.40		
247	14.80		
262	14.40		

PLATFORM- CONRAD

POSITION- 26 52N 150 17W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 80

DATE- SEP 22, 1968 TIME- 1300

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	0	27.20
4	26.90	4	26.90
24	26.90	24	26.90
30	26.90	30	26.90
34	26.90	34	26.90
35	26.90	35	26.90
36	26.90	36	26.90
41	26.90	41	26.90
43	26.90	43	26.90
48	26.90	48	26.90
50	26.90	50	26.90
56	26.90	56	26.90
57	26.90	57	26.90
67	26.90	67	26.90
72	26.90	72	26.90
74	26.90	74	26.90
78	26.90	78	26.90
81	26.90	81	26.90
97	26.90	97	26.90
107	26.90	107	26.90
111	26.90	111	26.90
113	26.90	113	26.90
122	26.90	122	26.90
129	26.90	129	26.90
143	26.90	143	26.90
149	26.90	149	26.90
156	26.90	156	26.90
160	26.90	160	26.90
166	26.90	166	26.90
174	26.90	174	26.90
185	26.90	185	26.90
194	26.90	194	26.90
206	26.90	206	26.90
207	26.90	207	26.90
210	26.90	210	26.90
222	26.90	222	26.90
226	26.90	226	26.90
235	26.90	235	26.90
243	26.90	243	26.90
254	26.90	254	26.90
265	26.90	265	26.90
270	26.90	270	26.90
290	26.90	290	26.90

PLATFORM- CONRAD

POSITION- 26 41N 150 17W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 80

DATE- SEP 22, 1968 TIME- 1400

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	0	27.20
40	26.90	40	26.90
41	26.90	41	26.90
42	26.90	42	26.90
43	26.90	43	26.90
44	26.90	44	26.90
45	26.90	45	26.90
47	26.90	47	26.90
50	26.90	50	26.90
51	26.90	51	26.90
52	26.90	52	26.90
56	26.90	56	26.90
57	26.90	57	26.90
64	26.90	64	26.90
67	26.90	67	26.90
74	26.90	74	26.90
82	26.90	82	26.90
86	26.90	86	26.90
93	26.90	93	26.90
95	26.90	95	26.90
100	26.90	100	26.90
114	26.90	114	26.90
121	26.90	121	26.90
123	26.90	123	26.90
129	26.90	129	26.90
132	26.90	132	26.90
139	26.90	139	26.90
144	26.90	144	26.90
154	26.90	154	26.90
158	26.90	158	26.90
161	26.90	161	26.90
166	26.90	166	26.90
167	26.90	167	26.90
168	26.90	168	26.90
170	26.90	170	26.90
173	26.90	173	26.90
175	26.90	175	26.90
186	26.90	186	26.90
189	26.90	189	26.90
195	26.90	195	26.90
216	26.90	216	26.90
224	26.90	224	26.90
241	26.90	241	26.90
254	26.90	254	26.90

PLATFORM- CONRAD

POSITION- 26 32N 150 10W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 80

DATE- SEP 22, 1968 TIME- 1500

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.30	0	27.30
34	27.20	34	27.20
45	26.90	45	26.90
51	26.90	51	26.90
57	26.90	57	26.90
63	26.90	63	26.90
64	26.90	64	26.90
66	26.90	66	26.90
67	26.90	67	26.90
70	26.90	70	26.90
71	26.90	71	26.90
72	26.90	72	26.90
73	26.90	73	26.90
77	26.90	77	26.90
78	26.90	78	26.90
79	26.90	79	26.90
80	26.90	80	26.90
82	26.90	82	26.90
83	26.90	83	26.90
85	26.90	85	26.90
87	26.90	87	26.90
91	26.90	91	26.90
95	26.90	95	26.90
100	26.90	100	26.90
102	26.90	102	26.90
104	26.90	104	26.90
115	26.90	115	26.90
117	26.90	117	26.90
120	26.90	120	26.90
122	26.90	122	26.90
125	26.90	125	26.90
130	26.90	130	26.90
133	26.90	133	26.90
135	26.90	135	26.90
138	26.90	138	26.90
140	26.90	140	26.90
142	26.90	142	26.90
144	26.90	144	26.90
146	26.90	146	26.90
148	26.90	148	26.90
150	26.90	150	26.90
152	26.90	152	26.90
154	26.90	154	26.90
156	26.90	156	26.90
158	26.90	158	26.90
160	26.90	160	26.90
162	26.90	162	26.90
164	26.90	164	26.90
166	26.90	166	26.90
168	26.90	168	26.90
170	26.90	170	26.90
172	26.90	172	26.90
174	26.90	174	26.90
176	26.90	176	26.90
178	26.90	178	26.90
180	26.90	180	26.90
182	26.90	182	26.90
184	26.90	184	26.90
186	26.90	186	26.90
188	26.90	188	26.90
190	26.90	190	26.90
192	26.90	192	26.90
194	26.90	194	26.90
196	26.90	196	26.90
198	26.90	198	26.90
200	26.90	200	26.90
202	26.90	202	26.90
204	26.90	204	26.90
206	26.90	206	26.90
208	26.90	208	26.90
210	26.90	210	26.90
212	26.90	212	26.90
214	26.90	214	26.90
216	26.90	216	26.90
218	26.90	218	26.90
220	26.90	220	26.90
222	26.90	222	26.90
224	26.90	224	26.90
226	26.90	226	26.90
228	26.90	228	26.90
230	26.90	230	26.90
232	26.90	232	26.90
234	26.90	234	26.90
236	26.90	236	26.90
238	26.90	238	26.90
240	26.90	240	26.90
242	26.90	242	26.90
244	26.90	244	26.90
246	26.90	246	26.90

72



PLATFORM- CENRAN

POSITION- 25 51N 150 19W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 50

DATE- SEP 22, 1968 TIME- 1900

INSTRUMENT TYPE- BATHY BASLINE- TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	260	14.20
26	26.90	261	14.00
49	26.70	274	13.40
53	26.40	294	12.50
59	26.30	306	12.40
60	26.00	310	12.10
64	25.70	313	12.10
65	25.40	319	11.70
68	24.80	330	11.40
69	24.50	342	11.30
70	24.30	352	10.90
76	24.10	364	10.40
77	23.90	369	10.40
83	23.50	375	10.20
86	23.10	397	9.70
89	22.40	404	9.30
95	22.50	414	9.30
106	21.40	422	8.90
116	21.10	427	8.90
120	21.10	439	8.40
126	20.90	451	8.40
131	20.40	457	8.10
132	20.30		
135	20.10		
146	19.40		
151	19.30		
154	18.80		
164	18.40		
174	18.00		
176	17.60		
186	17.40		
190	17.00		
193	17.50		
197	17.20		
203	17.10		
204	17.00		
206	16.70		
209	16.70		
221	16.10		
229	15.60		
232	15.40		
234	15.30		
238	15.20		
243	14.40		
250	14.50		
257	14.40		

PLATFORM- CENRAN

POSITION- 25 42N 156 19W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 50

DATE- SEP 22, 1968 TIME- 2000

INSTRUMENT TYPE- BATHY BASLINE TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	356	10.30
34	26.90	367	10.20
45	26.70	373	9.90
47	26.40	386	9.40
48	26.20	395	9.40
56	25.50	407	9.20
58	25.10	423	9.10
62	24.40	427	8.40
65	24.00	438	8.70
69	23.40	443	8.40
71	23.60	457	8.10
79	23.70		
92	22.20		
101	21.70		
104	21.70		
114	20.60		
120	20.70		
125	20.70		
133	20.20		
149	19.10		
155	18.90		
166	18.20		
170	18.10		
174	18.00		
175	17.70		
179	17.50		
194	17.20		
196	17.00		
200	16.90		
204	16.50		
208	16.40		
226	15.00		
233	14.90		
234	14.70		
244	14.40		
254	13.90		
269	13.40		
270	13.10		
272	13.20		
281	12.90		
288	12.50		
301	12.20		
312	11.40		
320	11.30		
333	11.00		

PLATFORM- CENRAN

POSITION- 25 31N 156 19W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 50

DATE- SEP 22, 1968 TIME- 2100

INSTRUMENT TYPE- BATHY BASLINE TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.40	274	12.50
12	27.30	277	12.20
20	26.90	298	11.90
36	26.40	295	11.40
42	26.40	299	11.20
44	26.30	317	10.40
49	25.40	327	10.40
50	25.40	345	10.30
51	25.40	364	9.90
52	25.10	373	9.40
54	24.40	391	9.30
57	24.70	402	8.80
61	23.80	408	8.40
65	23.50	432	8.40
68	23.20	435	8.50
73	23.00	437	8.20
75	22.70	447	7.80
77	22.40	457	7.90
81	22.20		
83	22.40		
87	21.70		
93	21.30		
95	21.30		
102	20.40		
117	20.40		
150	18.40		
154	18.40		
166	18.50		
170	18.20		
175	18.00		
177	17.80		
187	17.50		
203	17.20		
206	17.00		
208	16.40		
214	16.40		
216	16.10		
221	15.90		
227	15.40		
228	15.00		
235	14.60		
238	14.50		
246	14.00		
247	13.40		
256	13.10		

PLATFORM- CENRAN

POSITION- 25 23N 158 10W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 58

DATE- SEP 22, 1968 TIME- 2200

INSTRUMENT TYPE- BATHTY BASBLIN- TEMP- 10.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.30	268	12.40
10	27.20	287	11.90
20	27.00	295	11.50
31	26.80	300	11.50
44	26.80	328	10.90
48	26.70	336	10.70
50	26.60	342	10.40
54	26.60	365	9.80
59	25.40	371	9.80
60	25.20	396	9.10
61	24.90	399	8.80
62	24.60	408	8.80
64	24.00	416	8.50
68	23.70	424	8.50
69	23.40	434	8.10
75	23.30	442	8.10
79	23.00	457	7.80
85	22.90		
87	22.80		
94	22.10		
106	21.60		
110	21.20		
125	20.40		
130	20.00		
150	19.50		
159	18.90		
164	18.50		
168	18.40		
170	18.10		
175	17.90		
179	17.40		
193	16.70		
201	16.60		
203	16.40		
206	16.10		
207	16.00		
217	15.50		
223	15.40		
226	14.80		
233	14.20		
244	13.70		
247	13.40		
252	13.20		
257	13.20		
260	12.80		

PLATFORM- CENRAN

POSITION- 25 10N 158 10W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 58

DATE- SEP 22, 1968 TIME- 2300

INSTRUMENT TYPE- BATHTY BASBLIN- TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.70	372	12.40
10	27.20	376	12.50
26	27.20	379	12.50
43	26.90	389	11.80
48	26.60	396	11.70
49	26.40	302	11.20
51	26.10	310	11.10
54	26.00	318	10.80
58	25.50	325	10.80
60	24.80	331	10.40
63	24.60	339	10.10
65	24.30	362	9.60
70	23.60	387	9.20
71	23.40	403	8.70
74	23.10	416	8.80
75	23.00	423	8.30
76	22.80	446	7.90
77	22.60	457	7.60
83	22.20		
85	22.20		
104	21.10		
111	20.70		
118	20.10		
129	19.80		
132	19.60		
136	19.60		
143	19.00		
158	18.20		
170	17.60		
172	17.50		
192	16.90		
196	16.70		
202	16.60		
203	16.40		
208	16.30		
211	16.00		
214	15.50		
221	15.10		
220	15.00		
233	14.60		
235	14.50		
245	14.20		
257	13.30		
262	13.20		
269	12.90		

PLATFORM- CENRAN

POSITION- 25 0W 158 19 W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 58

DATE- SEP 23, 1968 TIME- C

INSTRUMENT TYPE- BATHTY BASBLIN- TEMP- 10.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.70	215	15.80
35	27.40	225	14.30
43	27.40	241	13.90
44	26.90	249	13.40
46	26.70	260	13.20
52	26.50	264	12.80
57	26.20	276	12.30
61	25.90	282	12.70
63	25.10	288	11.90
65	24.80	307	11.40
66	24.40	315	10.80
68	24.30	317	10.50
70	23.90	323	10.30
74	23.60	359	9.50
75	23.40	365	9.50
76	23.20	370	9.10
83	22.60	379	9.80
88	22.40	393	8.80
90	21.90	405	8.50
93	21.80	411	8.50
97	21.30	422	8.00
100	21.20	446	7.80
104	20.90	451	7.50
111	20.40		
114	20.10		
136	19.10		
140	19.10		
154	18.50		
158	18.10		
162	18.10		
165	17.60		
167	17.70		
169	17.60		
170	17.30		
171	17.10		
178	17.00		
183	16.80		
186	16.50		
189	16.30		
192	16.00		
202	15.70		
204	15.40		
209	15.30		

PLATFORM- CENRAN

POSITION- 24 51N 158 19 W

MARSDEN SQUARE 48 ONE DEGREE SQUARE 48

DATE- SEP 23, 1968 TIME- 10

INSTRUMENT TYPE- BATHY BASELIN- TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.70	0	27.70
6	27.40	6	27.20
29	27.30	13	26.90
37	27.10	34	26.40
51	26.90	48	26.40
52	26.40	49	26.50
58	26.40	50	26.30
61	25.90	51	26.00
64	25.40	52	25.50
72	25.10	54	25.10
73	24.80	58	24.70
74	24.70	63	24.20
75	24.50	68	23.50
77	24.20	72	23.30
80	24.10	74	23.00
87	22.90	78	22.70
89	22.40	80	22.20
99	22.00	96	21.20
102	21.40	98	21.00
113	20.80	103	21.00
121	20.30	111	20.40
125	20.30	120	20.20
140	19.40	123	19.90
154	18.90	134	19.20
158	18.90	132	18.40
171	18.20	156	18.30
173	18.20	144	17.80
192	17.70	173	17.50
196	17.40	176	17.20
202	16.70	182	17.00
205	16.50	185	16.80
206	16.40	189	16.30
212	15.80	197	15.70
218	15.60	200	15.30
227	15.10	211	14.80
235	14.40	211	14.70
243	14.20	223	14.40
246	14.00	224	14.30
248	13.70	226	14.00
255	13.40	241	13.10
263	13.40	249	12.40
272	13.20	253	12.20
281	12.40	258	12.20
287	12.50	266	11.80
303	11.40	270	11.80

PLATFORM- CENRAN

POSITION- 24 30N 157 51W

MARSDEN SQUARE 47 ONE DEGREE SQUARE 47

DATE- SEP 23, 1968 TIME- 40

INSTRUMENT TYPE- BATHY BASELIN- TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.30	0	27.30
6	27.20	35	27.20
13	26.90	39	27.00
34	26.40	41	26.70
48	26.40	47	26.40
49	26.50	48	26.70
50	26.30	50	26.70
51	26.00	51	26.00
52	25.50	52	25.40
54	25.10	55	25.20
58	24.70	55	24.40
63	24.20	67	23.40
68	23.50	71	23.40
72	23.30	75	23.20
74	23.00	77	22.90
78	22.70	81	22.70
80	22.20	106	21.50
96	21.20	110	21.30
98	21.00	114	21.00
103	21.00	116	20.80
111	20.40	125	20.30
120	20.20	127	20.10
123	19.90	132	20.10
134	19.20	141	19.90
132	18.40	144	19.70
156	18.30	146	19.50
144	17.80	153	19.10
173	17.50	155	19.00
176	17.20	164	18.60
182	17.00	166	18.40
185	16.80	170	18.30
189	16.30	177	17.70
197	15.70	179	17.70
200	15.30	184	17.30
211	14.80	193	16.90
211	14.70	194	16.70
223	14.40	200	16.60
224	14.30	208	16.10
226	14.00	215	15.70
241	13.10	226	15.00
249	12.40	228	15.00
253	12.20	229	14.70
258	12.20	237	14.40
266	11.80	239	14.30
270	11.80	241	14.10

PLATFORM- CENRAN

POSITION- 24 20N 157 30W

MARSDEN SQUARE 47 ONE DEGREE SQUARE 47

DATE- SEP 23, 1968 TIME- 00


INSTRUMENT TYPE- BATHY BASELIN- TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.30	0	27.30
35	27.20	35	27.20
39	27.00	39	27.00
41	26.70	41	26.70
47	26.40	47	26.40
48	26.70	48	26.70
50	26.70	50	26.70
51	26.00	51	26.00
52	25.40	52	25.40
55	25.20	55	25.20
67	23.40	67	23.40
71	23.40	71	23.40
75	23.20	75	23.20
77	22.90	77	22.90
81	22.70	81	22.70
106	21.50	106	21.50
110	21.30	110	21.30
114	21.00	114	21.00
116	20.80	116	20.80
125	20.30	125	20.30
127	20.10	127	20.10
132	20.10	132	20.10
141	19.90	141	19.90
144	19.70	144	19.70
146	19.50	146	19.50
153	19.10	153	19.10
155	19.00	155	19.00
164	18.60	164	18.60
166	18.40	166	18.40
170	18.30	170	18.30
177	17.70	177	17.70
179	17.70	179	17.70
184	17.30	184	17.30
193	16.90	193	16.90
194	16.70	194	16.70
200	16.60	200	16.60
208	16.10	208	16.10
215	15.70	215	15.70
226	15.00	226	15.00
228	15.00	228	15.00
229	14.70	229	14.70
237	14.40	237	14.40
239	14.30	239	14.30
241	14.10	241	14.10

## **R/V Flip XBT Data**

FLIP XBT

DATA LOCATIONS



# PLATFORM- FLIP

POSITION- 27 21N 157 41W

PARADEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 15, 1968 TIME- 1125

INSTRUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	27.5	446.1	9.4
3.0	27.4	483.3	8.7
6.1	26.9	475.5	8.5
36.6	26.6	481.6	8.2
51.8	26.3	493.8	8.1
54.9	26.0	506.0	7.8
57.9	25.4	535.5	7.3
61.0	24.6	566.9	6.6
64.0	24.5	582.2	6.2
67.1	24.1	616.7	6.0
73.2	23.7	634.0	5.7
82.3	23.2	721.0	5.3
88.4	23.2		
100.6	21.9		
118.9	21.1		
140.2	20.3		
146.3	19.9		
161.5	19.7		
164.6	19.4		
170.7	19.3		
186.0	18.8		
194.1	18.1		
204.2	17.7		
213.4	17.1		
222.5	16.7		
228.6	16.6		
231.6	16.2		
240.8	16.0		
253.0	15.5		
256.1	15.0		
265.2	14.9		
266.2	14.6		
277.4	14.5		
283.5	14.1		
304.8	13.5		
307.8	13.3		
320.0	13.2		
329.2	12.8		
338.3	12.7		
353.6	12.0		
356.6	12.0		
368.8	11.2		
384.0	10.9		
387.1	10.7		
442.0	9.4		

# PLATFORM- FLIP

POSITION- 27 18N 157 48W

PARADEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 15, 1968 TIME- 0005

INSTRUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	27.4	414.5	10.0
5.1	27.1	426.8	9.8
21.3	27.0	435.9	9.4
27.4	26.7	460.2	8.0
36.6	26.6	506.0	8.1
45.7	26.0	533.4	7.4
48.8	25.7	557.8	6.9
51.8	25.3	573.0	6.8
54.9	24.8	606.5	6.2
57.9	24.7	721.0	5.5
61.0	24.3		
73.2	23.8		
76.2	23.3		
82.3	23.3		
88.4	22.8		
94.5	22.4		
100.6	22.2		
106.7	22.0		
112.8	21.8		
118.9	21.7		
125.0	21.1		
131.1	20.1		
137.2	19.9		
143.3	19.6		
149.4	19.4		
155.5	19.4		
161.6	19.4		
167.7	19.4		
173.8	18.4		
179.9	18.4		
186.0	17.9		
192.1	17.1		
198.2	16.6		
204.3	16.2		
210.4	15.9		
216.5	15.7		
222.6	15.4		
228.7	15.4		
234.8	14.8		
240.9	14.7		
247.0	14.4		
253.1	14.4		
259.2	13.6		
265.3	13.2		
271.4	13.2		
277.5	12.7		
283.6	12.1		
289.7	11.6		
295.8	11.1		
301.9	10.8		
308.0	10.5		
314.1	10.4		

# PLATFORM- FLIP

POSITION- 27 28N 157 45W

PARADEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 15, 1968 TIME- 2007

INSTRUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	27.4	506.0	7.6
5.1	27.0	524.3	7.3
21.3	26.5	533.4	7.0
27.4	26.4	551.7	6.8
36.6	25.9	563.9	6.5
45.7	25.4	643.1	5.5
54.9	24.5	676.6	5.5
64.0	24.3	701.0	5.2
76.2	24.3		
82.3	23.8		
88.4	23.2		
94.5	22.9		
100.6	22.4		
106.7	21.9		
112.8	21.7		
118.9	21.5		
125.0	20.8		
131.1	19.7		
137.2	19.7		
143.3	18.9		
149.4	18.1		
155.5	18.0		
161.6	17.5		
167.7	16.8		
173.8	16.6		
179.9	16.1		
186.0	15.8		
192.1	15.2		
198.2	15.2		
204.3	14.6		
210.4	13.9		
216.5	13.7		
222.6	13.2		
228.7	13.2		
234.8	12.9		
240.9	12.9		
247.0	12.5		
253.1	12.3		
259.2	12.3		
265.3	11.4		
271.4	11.0		
277.5	10.9		
283.6	10.4		
289.7	10.4		
295.8	10.1		
301.9	9.2		
308.0	8.9		
314.1	8.9		
320.1	8.6		

PLATFORM- FLIP

POSITION- 27 20N 157 45W

MARSDEN SQUARE 80 6NE DEGREE SQUARE 77

DATE- AUG 16, 1968 TIME- 1220

INSTRUMENT TYPE- BATNY

DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)
0.0	27.2	494.9	7.9
12.2	27.2	521.2	7.4
19.3	27.0	573.0	6.7
24.4	26.7	586.3	6.6
33.5	26.6	594.4	6.3
36.6	26.3	634.0	5.8
42.7	26.2	682.8	5.4
48.8	25.6	701.0	5.4
54.9	25.3		
57.9	24.7		
61.0	24.5		
67.1	24.0		
70.1	23.8		
73.2	23.3		
76.2	23.2		
82.3	23.2		
85.3	22.9		
100.6	22.0		
112.8	21.6		
118.9	21.2		
137.2	20.2		
146.2	19.9		
210.5	18.9		
222.5	18.8		
240.8	18.0		
243.8	17.7		
246.9	15.6		
253.0	15.2		
262.1	14.6		
271.3	14.2		
286.4	13.5		
296.7	13.1		
307.8	12.7		
317.0	12.6		
326.1	12.1		
336.3	12.1		
359.7	11.1		
368.8	11.0		
371.9	10.8		
405.4	10.0		
424.7	9.8		
426.8	9.4		
454.2	8.9		
463.3	8.6		
467.7	8.0		

PLATFORM- FLIP

POSITION- 27 18N 157 45W

MARSDEN SQUARE 80 6NE DEGREE SQUARE 77

DATE- AUG 16, 1968 TIME- 1810

INSTRUMENT TYPE- BATNY

DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)
0.0	27.5	356.6	11.2
6.1	27.2	365.6	10.8
24.4	27.1	371.9	10.8
36.6	26.6	384.0	10.3
39.6	26.5	396.1	10.2
42.7	26.2	393.2	9.9
45.7	25.8	425.4	9.8
48.8	25.7	420.6	9.1
51.0	25.1	432.0	8.9
54.9	24.8	445.0	8.6
64.0	24.3	475.2	8.2
70.1	23.7	505.0	7.8
73.2	23.4	521.2	7.4
76.2	23.0	542.5	7.2
85.3	22.8	566.8	6.9
94.5	22.3	576.1	6.5
97.5	22.2	615.7	5.9
106.6	21.9	627.9	5.9
135.7	21.8	643.1	5.7
136.9	21.5	701.0	5.4
138.9	21.1		
131.1	20.7		
137.2	20.1		
143.3	19.8		
146.3	19.6		
158.5	19.2		
144.6	19.0		
176.8	18.4		
175.8	18.4		
192.1	17.5		
204.2	17.3		
222.5	16.8		
231.8	16.3		
234.7	16.0		
253.0	14.8		
262.1	14.4		
265.2	14.4		
277.4	13.7		
286.5	13.6		
292.6	13.4		
298.7	13.0		
326.1	12.3		
332.2	12.1		
344.4	11.4		
350.5	11.1		

PLATFORM- FLIP

POSITION- 27 18N 157 50W

MARSDEN SQUARE 80 6NE DEGREE SQUARE 77

DATE- AUG 17, 1968 TIME- 0050

INSTRUMENT TYPE- BATNY

DEPTH (F)	TEMP (C)
8.0	27.1
38.5	26.9
33.5	26.6
39.6	26.3
42.7	26.3
45.7	26.2
51.0	25.3
57.9	24.6
61.0	24.4
74.2	23.5
82.3	23.0
91.4	22.6
94.5	22.6

PLATFORM- FLIP

POSITION- 27 20N 157 41W

PARDEN SQUARE 88 ONE DEGREE -JUNE 77

DATE- AUG 17, 1968 TIME- 0558

INSTRUMENT TYPE- BATMY

DEPTH (M)	TEMP (C)
0.0	26.9
21.3	26.9
33.5	26.5
38.6	26.2
48.7	25.4
56.9	25.0
67.1	24.3
78.1	24.0
88.4	23.8
91.4	23.7
97.5	23.5
103.6	23.8
109.7	21.6
116.7	21.5
125.0	21.0
134.1	21.0
140.1	20.6
157.2	20.0
170.2	19.7
182.0	18.2
192.5	17.4
204.2	17.2
219.5	16.6
231.6	16.0
240.8	15.4
259.1	14.3
262.1	14.0
283.3	13.7
286.5	13.6
289.6	13.0
317.0	12.3
326.1	11.9
335.3	11.7
344.4	11.3
367.1	10.2
399.3	10.1
408.4	9.7
429.8	9.2
435.9	8.6
472.5	8.4
487.7	8.4
490.7	8.0
521.2	7.2
554.7	6.6
591.3	6.0
701.0	5.3

PLATFORM- FLIP

POSITION- 27 20N 157 41W

PARDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 17, 1968 TIME- 1220

INSTRUMENT TYPE- BATMY

DEPTH (M)	TEMP (C)
0.0	26.9
24.4	26.8
38.5	26.5
33.5	26.1
38.6	26.1
45.7	25.4
52.8	25.1
56.9	24.8
64.0	24.0
73.2	23.3
84.5	22.2
106.7	21.4
112.8	21.0
125.0	20.7
134.1	20.4
140.1	20.0
157.2	19.7
167.6	18.9
176.7	18.6
201.2	17.4
210.3	17.3
219.5	16.7
224.7	16.4
243.8	15.7
259.1	15.0
268.2	14.7
271.3	14.5
274.3	14.1
280.4	13.8
283.5	13.2
289.6	13.5
310.9	12.5
326.1	11.9
337.5	11.3
359.7	11.2
367.1	10.2
387.1	9.8
420.6	9.3
442.0	9.2
484.6	8.3
490.7	7.9
515.1	7.6
524.3	7.4

PLATFORM- FLIP

POSITION- 27 20N 157 49W

PARDEN SQUARE 87 ONE DEGREE SQUARE 77

DATE- AUG 17, 1968 TIME- 1758

INSTRUMENT TYPE- BATMY

DEPTH (M)	TEMP (C)
0.0	26.9
24.4	26.9
33.5	26.4
38.6	25.9
48.7	25.9
52.8	25.4
56.9	25.2
64.0	24.0
73.2	23.1
84.5	22.9
91.4	22.8
97.5	22.3
103.6	22.0
112.8	22.0
131.1	20.0
137.2	19.9
152.4	19.5
158.5	19.1
170.7	18.5
176.7	18.4
182.9	18.1
192.0	18.0
201.2	17.4
207.3	17.3
213.6	16.8
231.6	-6.0
237.7	15.9
246.9	15.4
265.2	14.7
280.4	13.8
283.5	13.7
289.6	13.2
323.1	11.9
335.3	11.7
353.6	11.0
370.0	10.6
387.1	10.0
394.2	9.8
411.5	9.2
429.8	8.8
442.0	8.7
445.0	8.6
463.3	8.5
469.4	8.4



PLATFORM- FLIP

POSITION- 27 20N 157 45W

PARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 18, 1968 TIME- 0035

INSTRUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	27.1	0.0	26.9
16.3	26.8	21.3	26.9
36.6	26.8	478.5	26.9
42.7	26.2	506.0	26.1
46.8	25.8	515.1	26.6
57.9	24.8	540.8	25.7
67.1	24.0	566.5	25.0
73.2	23.5	594.4	24.4
85.3	23.4	624.8	23.7
88.4	22.9	646.2	23.4
91.4	22.8	655.3	23.3
97.5	22.6	701.0	22.9
112.8	21.3		22.7
121.9	20.7		22.1
125.0	20.3		21.9
131.1	19.9		21.4
137.2	19.4		20.4
158.5	18.5		19.9
173.7	17.5		19.4
195.1	17.2		18.4
210.3	16.6		18.1
222.5	16.2		17.6
228.6	15.6		17.4
234.7	15.6		16.7
240.8	15.2		16.3
249.9	15.0		15.5
253.0	14.9		15.1
271.3	14.1		14.8
274.3	13.6		14.6
280.5	13.1		14.3
295.7	12.6		14.0
320.0	11.9		13.7
323.1	11.6		13.4
338.3	11.2		13.0
353.6	11.0		12.7
362.7	10.6		12.3
396.2	9.8		11.3
406.4	9.6		10.6
445.0	8.7		9.9
448.1	8.7		9.7
457.2	8.3		9.5
475.5	8.3		9.4
			9.0
			8.7

PLATFORM- FLIP

POSITION- 27 20N 157 45W

PARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 18, 1968 TIME- 0605

INSTRUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9	0.0	26.9
21.3	26.9	460.2	26.8
30.5	26.1	478.5	26.7
36.6	26.6	484.6	25.3
39.6	25.7	521.2	24.9
48.8	25.0	535.4	24.5
57.9	24.4	679.7	24.5
61.0	23.7	701.0	23.1
67.1	23.4		23.4
73.2	23.3		22.8
82.3	22.9		22.6
85.3	22.7		22.2
91.4	22.1		21.8
94.5	21.9		21.0
100.6	21.4		20.7
112.8	20.4		20.1
125.0	19.9		19.7
126.0	19.9		19.1
137.2	19.4		18.8
143.3	19.4		18.5
156.5	18.4		18.3
173.7	18.1		17.8
189.0	17.6		17.8
195.1	17.4		17.4
213.4	16.7		16.9
222.5	16.3		16.6
234.7	15.5		16.3
237.7	15.1		15.7
246.9	14.8		15.7
249.9	14.6		15.7
253.0	14.3		15.7
256.0	14.0		15.7
271.3	13.7		15.7
277.4	13.4		15.7
289.6	13.0		15.7
292.6	12.7		15.7
335.3	11.3		15.7
362.7	10.6		15.7
374.9	10.5		15.7
383.2	9.9		15.7
405.4	9.7		15.7
408.4	9.5		15.7
420.6	9.4		15.7
429.8	9.0		15.7
457.2	8.7		15.7

PLATFORM- FLIP

POSITION- 27 20N 157 45W

PARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 18, 1968 TIME- 1300

INSTRUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9	0.0	26.9
24.4	26.8	460.2	26.8
27.6	26.7	475.5	26.8
36.6	25.3	481.6	25.3
45.7	24.9	484.6	24.9
48.8	24.5	493.8	24.5
51.8	24.4	506.0	24.4
73.2	23.1	542.5	23.1
82.3	22.8	545.4	22.8
85.3	22.6	565.9	22.6
88.4	22.2	578.1	22.2
91.4	21.8	658.4	21.8
109.7	21.0	701.0	21.0
112.8	20.7		
115.8	20.7		
125.0	20.1		
131.1	19.7		
149.2	19.1		
161.5	18.8		
164.6	18.5		
173.7	18.0		
185.9	17.8		
192.0	17.4		
207.3	17.2		
216.4	16.9		
219.5	16.6		
224.6	16.3		
237.7	15.7		
240.8	15.7		
249.9	14.9		
262.1	14.4		
271.3	14.1		
280.4	13.9		
286.5	13.3		
298.7	13.1		
317.0	12.6		
323.1	12.2		
335.3	12.1		
356.6	11.5		
362.7	11.1		
381.0	10.9		
396.2	10.5		
408.4	10.1		
429.8	9.8		
438.9	9.3		

PLATFORM- FLIP  
 POSITION- 27 13N 157 44W  
 PARSDEN SQUARE 88 ONE DEGREE SQUARE 77  
 DATE- AUG 18, 1968 TIME- 1830  
 INSTRUMENT TYPE- BATNY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9	0.0	9.2
30.5	26.9	429.8	8.7
38.5	26.8	442.0	8.4
42.7	26.2	460.2	8.4
48.0	25.5	475.5	8.4
51.6	25.2	484.6	7.8
54.9	24.9	496.9	7.7
57.9	24.7	518.2	7.3
61.0	24.3	530.4	7.3
73.2	23.6	560.8	6.6
76.2	23.2	603.5	6.0
85.3	22.7	649.2	5.6
94.5	22.2	701.0	5.3
97.5	21.7		
100.6	21.6		
106.7	21.4		
112.6	21.0		
115.8	20.6		
128.0	20.1		
137.2	19.4		
146.3	19.0		
156.5	18.9		
167.6	18.2		
173.7	18.2		
182.9	17.6		
192.0	17.5		
201.2	17.2		
210.3	16.7		
215.4	16.6		
225.5	15.9		
231.6	15.6		
237.7	15.3		
240.8	14.9		
262.1	14.0		
271.3	13.4		
286.5	12.8		
307.8	12.0		
326.1	11.7		
329.2	11.5		
341.4	11.4		
347.5	11.1		
365.8	10.8		
371.9	10.5		
417.6	9.7		
423.7	9.5		

PLATFORM- FLIP  
 POSITION- 27 13N 157 44W  
 PARSDEN SQUARE 88 ONE DEGREE SQUARE 77  
 DATE- AUG 18, 1968 TIME- 2205  
 INSTRUMENT TYPE- BATNY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9	0.0	8.1
24.4	26.8	472.4	8.1
30.5	26.7	478.5	7.7
36.6	26.4	484.6	7.6
39.6	25.8	496.8	7.2
45.7	24.8	509.0	7.2
54.9	24.0	524.3	6.8
61.0	23.5	542.5	6.0
67.1	23.1	605.5	6.0
73.2	22.9	648.1	5.8
79.2	22.6	658.4	5.6
82.3	21.9	701.0	5.3
94.5	21.3		
100.6	20.9		
112.6	20.4		
121.9	20.3		
128.0	19.8		
140.2	19.5		
143.3	19.1		
156.5	18.8		
161.5	18.5		
167.6	18.4		
179.8	17.7		
189.0	17.6		
204.2	17.2		
207.3	17.0		
220.6	16.4		
231.6	15.9		
240.8	15.5		
253.0	14.7		
259.1	14.6		
277.4	13.4		
286.5	13.3		
289.6	13.0		
313.9	12.3		
323.1	11.8		
350.5	11.2		
368.8	10.7		
381.0	10.2		
390.1	9.9		
414.5	9.6		
424.8	9.0		
435.9	9.0		
454.2	7.7		
469.4	8.3		

PLATFORM- FLIP  
 POSITION- 27 13N 157 45W  
 PARSDEN SQUARE 88 ONE DEGREE SQUARE 77  
 DATE- AUG 19, 1968 TIME- 0558  
 INSTRUMENT TYPE- BATNY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9	0.0	26.9
18.3	26.8	476.5	8.2
26.7	26.7	502.9	7.5
27.4	26.7	506.0	7.2
36.6	26.2	524.3	7.0
39.6	25.6	533.4	6.7
42.7	25.3	556.4	5.8
48.8	25.1	606.5	5.3
51.8	24.6	701.0	5.2
57.9	24.5		
67.1	23.6		
85.3	22.4		
88.4	22.3		
94.5	21.8		
100.6	21.1		
109.7	20.7		
112.6	20.3		
125.0	19.7		
133.3	19.3		
146.4	18.9		
152.4	18.8		
159.4	18.4		
164.6	18.1		
176.8	17.6		
182.9	17.2		
192.0	16.3		
210.3	16.2		
215.4	16.0		
225.5	15.5		
231.6	15.2		
237.7	14.7		
240.8	14.6		
259.1	13.4		
268.2	13.1		
307.8	11.4		
323.1	11.2		
336.3	11.1		
347.5	11.0		
353.6	10.7		
387.1	9.3		
393.2	9.0		
409.4	8.4		
411.5	8.1		
417.6	7.7		
440.1	6.5		
460.2	5.1		

PLATFORM- FLIP

POSITION- 27 13N 157 45W

PARSDEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 19, 1968 TIME- 1215

INSTRUMENT TYPE- BATNY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9		
27.4	26.9		
30.6	26.7		
34.6	26.1		
42.7	26.0		
45.7	25.6		
48.8	25.1		
51.8	24.6		
57.9	24.4		
64.0	23.8		
67.1	23.5		
73.2	22.9		
91.4	22.0		
94.5	21.9		
115.8	20.7		
128.0	20.3		
131.1	20.0		
143.3	19.4		
146.4	19.0		
158.5	18.9		
161.5	18.7		
164.6	18.5		
173.7	18.2		
189.0	17.4		
198.1	17.3		
210.3	16.6		
222.5	16.3		
228.6	16.0		
237.7	15.5		
243.8	15.4		
246.9	15.2		
259.1	14.7		
265.2	14.4		
274.3	13.7		
284.5	13.4		
295.7	13.0		
304.8	12.8		
310.9	12.3		
332.2	11.8		
338.3	11.7		
378.0	10.5		
406.4	9.8		
420.6	9.6		
438.9	9.0		
454.2	8.7		

PLATFORM- FLIP

POSITION- 27 06N 157 45W

PARSDEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 19, 1968 TIME- 1800

INSTRUMENT TYPE- BATNY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9		
30.5	26.8		
33.5	26.7		
39.6	26.1		
42.7	25.5		
45.7	25.1		
48.8	24.8		
57.9	24.1		
61.0	23.5		
70.1	22.9		
73.2	22.6		
85.3	21.8		
88.4	21.7		
106.7	20.7		
121.9	19.9		
146.3	19.1		
149.4	19.1		
158.5	18.7		
164.6	18.2		
182.9	17.8		
185.0	17.4		
204.2	17.1		
216.3	16.6		
240.8	15.3		
243.8	15.0		
253.0	14.3		
268.2	13.7		
277.4	13.2		
286.6	12.8		
295.7	12.4		
307.8	11.8		
326.1	11.5		
334.2	11.3		
337.5	11.0		
356.6	10.6		
396.2	9.8		
414.5	9.2		
426.7	9.1		
432.8	8.8		
451.1	8.4		
466.2	8.0		
513.1	7.0		
539.5	6.8		
557.8	6.3		
603.5	6.0		

PLATFORM- FLIP

POSITION- 27 06N 157 44W

PARSDEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 19, 1968 TIME- 2255

INSTRUMENT TYPE- BATNY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9		
15.2	26.9		
21.4	26.7		
30.5	26.3		
38.6	26.0		
39.6	25.2		
42.7	24.6		
48.8	24.0		
51.8	23.7		
54.9	23.4		
61.0	23.1		
67.1	23.1		
73.2	22.5		
82.3	21.8		
88.4	21.6		
121.9	19.9		
125.0	19.9		
140.2	19.3		
149.4	19.0		
152.4	18.9		
155.4	18.5		
170.7	18.0		
185.9	17.4		
204.2	17.0		
210.3	16.9		
222.5	16.2		
225.6	16.0		
234.7	15.3		
240.8	15.1		
246.9	14.9		
256.0	14.3		
265.2	13.8		
274.3	13.4		
280.4	13.3		
307.8	12.5		
329.2	11.6		
368.8	10.5		
378.0	10.5		
402.3	10.0		
426.8	9.0		
479.5	7.9		
496.9	7.5		
521.2	7.0		
563.9	6.3		

# PLATFORM- FLIP

POSITION- 27 06N 157 44W

PARSDEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 20, 1968 TIME- 0600

INSTRUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9	0.0	5.2
24.4	26.8	731.0	
30.5	26.7		
36.6	26.2		
39.6	25.9		
42.7	25.5		
45.7	24.7		
48.8	23.5		
51.9	23.0		
55.0	22.2		
58.1	21.8		
61.0	21.1		
64.0	20.7		
67.1	20.4		
70.2	19.5		
73.2	19.4		
76.3	18.4		
79.4	18.2		
82.5	18.0		
85.6	17.8		
88.7	17.0		
91.8	17.0		
94.9	17.0		
98.0	17.3		
101.1	17.3		
104.2	16.9		
107.3	16.7		
110.4	16.7		
113.5	16.3		
116.6	16.0		
119.7	15.8		
122.8	15.4		
125.9	15.4		
129.0	14.7		
132.1	14.2		
135.2	13.1		
138.3	11.8		
141.4	11.5		
144.5	11.0		
147.6	10.5		
150.7	10.1		
153.8	9.4		
156.9	9.4		
160.0	8.9		
163.1	8.0		
166.2	7.8		
169.3	6.7		
172.4	6.3		
175.5	6.3		
178.6	6.0		
181.7	5.4		

# PLATFORM- FLIP

POSITION- 26 59N 157 38W

PARSDEN SQUARE 80 ONE DEGREE SQUARE 67

DATE- AUG 20, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9		
27.4	26.9		
30.5	26.8		
36.6	26.0		
39.6	25.6		
42.7	25.2		
45.7	25.0		
48.8	24.3		
51.9	24.0		
55.0	23.6		
58.1	23.5		
61.0	22.4		
64.0	21.5		
67.1	21.3		
70.2	20.9		
73.2	20.8		
76.3	20.2		
79.4	19.9		
82.5	19.6		
85.6	19.3		
88.7	18.8		
91.8	18.4		
94.9	18.5		
98.0	18.0		
101.1	17.6		
104.2	17.4		
107.3	17.3		
110.4	16.9		
113.5	16.3		
116.6	16.1		
119.7	15.6		
122.8	15.2		
125.9	13.9		
129.0	13.8		
132.1	13.3		
135.2	12.5		
138.3	11.9		
141.4	11.4		
144.5	11.4		
147.6	11.3		
150.7	10.7		
153.8	10.0		
156.9	10.0		
159.0	9.8		
162.1	9.5		
165.2	9.1		

# PLATFORM- FLIP

POSITION- 26 58N 157 38W

PARSDEN SQUARE 80 ONE DEGREE SQUARE 67

DATE- AUG 21, 1968 TIME- 0050

INSTRUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.8		
30.5	26.8		
36.6	26.4		
39.6	26.2		
42.7	26.0		
45.7	24.9		
48.8	24.3		
51.9	23.6		
55.0	23.3		
58.1	22.9		
61.0	22.7		
64.0	22.4		
67.1	21.5		
70.2	20.8		
73.2	20.5		
76.3	19.6		
79.4	19.4		
82.5	19.2		
85.6	18.9		
88.7	18.2		
91.8	18.0		
94.9	17.5		
98.0	17.1		
101.1	16.7		
104.2	16.3		
107.3	16.0		
110.4	15.4		
113.5	14.0		
116.6	13.3		
119.7	12.7		
122.8	12.1		
125.9	11.7		
129.0	11.4		
132.1	11.3		
135.2	10.9		
138.3	10.7		
141.4	10.4		
144.5	10.4		
147.6	9.2		
150.7	8.7		
153.8	7.8		
156.9	7.7		
159.0	7.3		
162.1	6.5		
165.2	5.9		
168.3	5.5		
171.4	5.3		

## PLATFORM- FLIP

POSITION- 26 58N 157 30E

PARSDEN SQUARE 88 ONE DEGREE SQUARE 67

PAGE- AUG 21, 1968 TIME- 0550

INSTRUMENT TYPE- DAYMY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.8	438.9	8.6
33.5	26.8	451.1	8.4
36.6	26.5	453.1	8.0
45.7	26.5	518.2	6.8
51.8	25.9	542.5	6.4
61.0	24.4	603.5	6.0
64.0	23.8	615.6	5.8
70.2	23.3	652.3	5.6
79.2	22.8	676.8	5.4
85.3	22.7	701.0	5.2

FLAYFORM- FLIP

POSITION- 26 54N 157 30W

PARSDEN SQUARE 80 ONE DEGREE SQUARE 67

DATE	ALT	21	1968	TIME	1220
10/21/68	1000	1000	1000	1000	1000
10/22/68	1000	1000	1000	1000	1000
10/23/68	1000	1000	1000	1000	1000
10/24/68	1000	1000	1000	1000	1000
10/25/68	1000	1000	1000	1000	1000
10/26/68	1000	1000	1000	1000	1000
10/27/68	1000	1000	1000	1000	1000
10/28/68	1000	1000	1000	1000	1000
10/29/68	1000	1000	1000	1000	1000
10/30/68	1000	1000	1000	1000	1000
10/31/68	1000	1000	1000	1000	1000
11/01/68	1000	1000	1000	1000	1000
11/02/68	1000	1000	1000	1000	1000
11/03/68	1000	1000	1000	1000	1000
11/04/68	1000	1000	1000	1000	1000
11/05/68	1000	1000	1000	1000	1000
11/06/68	1000	1000	1000	1000	1000
11/07/68	1000	1000	1000	1000	1000
11/08/68	1000	1000	1000	1000	1000
11/09/68	1000	1000	1000	1000	1000
11/10/68	1000	1000	1000	1000	1000
11/11/68	1000	1000	1000	1000	1000
11/12/68	1000	1000	1000	1000	1000
11/13/68	1000	1000	1000	1000	1000
11/14/68	1000	1000	1000	1000	1000
11/15/68	1000	1000	1000	1000	1000
11/16/68	1000	1000	1000	1000	1000
11/17/68	1000	1000	1000	1000	1000
11/18/68	1000	1000	1000	1000	1000
11/19/68	1000	1000	1000	1000	1000
11/20/68	1000	1000	1000	1000	1000
11/21/68	1000	1000	1000	1000	1000
11/22/68	1000	1000	1000	1000	1000
11/23/68	1000	1000	1000	1000	1000
11/24/68	1000	1000	1000	1000	1000
11/25/68	1000	1000	1000	1000	1000
11/26/68	1000	1000	1000	1000	1000
11/27/68	1000	1000	1000	1000	1000
11/28/68	1000	1000	1000	1000	1000
11/29/68	1000	1000	1000	1000	1000
11/30/68	1000	1000	1000	1000	1000
12/01/68	1000	1000	1000	1000	1000
12/02/68	1000	1000	1000	1000	1000
12/03/68	1000	1000	1000	1000	1000
12/04/68	1000	1000	1000	1000	1000
12/05/68	1000	1000	1000	1000	1000
12/06/68	1000	1000	1000	1000	1000
12/07/68	1000	1000	1000	1000	1000
12/08/68	1000	1000	1000	1000	1000
12/09/68	1000	1000	1000	1000	1000
12/10/68	1000	1000	1000	1000	1000
12/11/68	1000	1000	1000	1000	1000
12/12/68	1000	1000	1000	1000	1000
12/13/68	1000	1000	1000	1000	1000
12/14/68	1000	1000	1000	1000	1000
12/15/68	1000	1000	1000	1000	1000
12/16/68	1000	1000	1000		

**INSTRUMENT TYPE- BATHY**

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	20.9	374.9	10.3
27.4	22.4	381.0	10.3
30.5	22.3	390.2	9.8
33.5	22.0	404.4	9.1
36.6	22.5	420.7	9.1
39.6	23.0	438.9	9.0
42.6	23.1	450.1	8.8
54.9	23.4	451.0	8.2
57.9	22.5	464.3	8.2
73.2	22.2	472.4	8.1
82.3	22.0	481.6	7.8
84	21.5	500.0	7.3
91	21.4	531.4	6.8
9	20.0	557.7	6.6
109.7	20.4	557.8	6.4
109.7	20.1	586.3	5.9
118.9	19.6	603.1	5.5
121.9	19.3	701.0	5.2

REF ID: A61712

POSITION. 26 47N 157 37W

PARSDEN SQUARE RD ONE DEGREE SQUARE 67

PAGE- AUG 21, 1968 TIME- 1800

INSTRUMENT TYPE: DATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.0	306.2	9.4
30.5	26.7	309.3	9.4
33.5	26.5	405.4	9.0
36.6	26.4	422.7	8.5
42.7	25.3	478.5	7.0
45.7	25.0	490.7	7.4
57.9	24.1	502.9	7.3
64.0	23.5	530.4	6.6
67.1	23.0	608.5	5.7
76.2	22.4	701.0	5.0
79.2	22.3		
89.4	21.8		
97.5	20.5		
100.7	20.2		
112.0	19.0		
115.0	19.0		
121.9	19.5		
128.0	19.4		
140.2	18.4		
143.5	18.4		
152.4	18.1		
161.5	17.6		
170.7	17.6		
173.7	17.3		
179.0	17.2		
185.0	16.8		
195.1	16.4		
201.2	16.1		
222.5	15.1		
228.0	14.0		
240.0	14.0		
249.0	13.5		
256.0	13.5		
268.2	13.0		
277.4	12.7		
280.4	12.7		
289.0	12.5		
317.0	11.7		
325.1	11.6		
326.2	11.3		
344.4	10.9		
350.5	10.9		
365.0	10.5		
371.9	10.2		
393.2	10.2		

PLATFORM- FLIP				PLATFORM- FLIP				PLATFORM- FLIP			
POSITION- 26 43N 157 40W				POSITION- 26 41N 157 41W				POSITION- 26 36N 157 45W			
PARSDEN SQUARE 80 ONE DEGREE SQUARE 67				PARSDEN SQUARE 80 ONE DEGREE SQUARE 67				PARSDEN SQUARE 80 ONE DEGREE SQUARE 67			
DATE- AUG 22, 1968 TIME- 0600				DATE- AUG 22, 1968 TIME- 1200				DATE- AUG 22, 1968 TIME- 1800			
INSTRUMENT TYPE- BATNY				INSTRUMENT TYPE- BATNY				INSTRUMENT TYPE- BATNY			
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	27.0	0.0	27.0	0.0	27.0	0.0	27.0	0.0	27.0	0.0	27.0
33.5	26.8	33.5	26.8	33.5	26.8	33.5	26.8	33.5	26.8	33.5	26.8
36.6	26.8	36.6	26.8	36.6	26.6	36.6	26.6	36.6	26.6	36.6	26.6
42.7	26.0	42.7	26.0	42.7	25.7	42.7	25.7	42.7	25.7	42.7	25.7
45.7	25.6	45.7	25.6	45.7	25.1	45.7	25.1	45.7	24.6	45.7	24.6
48.0	24.5	48.0	24.5	48.0	23.9	48.0	23.9	48.0	24.5	48.0	24.5
57.9	23.8	57.9	23.8	57.9	23.1	57.9	23.1	57.9	24.2	57.9	24.2
61.0	23.6	61.0	23.6	61.0	22.6	61.0	22.6	61.0	24.0	61.0	24.0
64.0	23.2	64.0	23.2	64.0	22.5	64.0	22.5	64.0	23.0	64.0	23.0
73.2	22.5	73.2	22.5	73.2	22.0	73.2	22.0	73.2	22.7	73.2	22.7
76.2	22.4	76.2	22.4	76.2	21.6	76.2	21.6	76.2	21.9	76.2	21.9
82.3	22.0	82.3	22.0	82.3	21.3	82.3	21.3	82.3	21.5	82.3	21.5
97.5	21.2	97.5	21.2	97.5	20.9	97.5	20.9	97.5	21.5	97.5	21.5
106.7	20.9	106.7	20.9	106.7	20.6	106.7	20.6	106.7	20.8	106.7	20.8
115.8	20.5	115.8	20.5	115.8	20.2	115.8	20.2	115.8	20.1	115.8	20.1
118.9	20.5	118.9	20.5	118.9	19.7	118.9	19.7	118.9	20.1	118.9	20.1
125.0	20.0	125.0	20.0	125.0	19.6	125.0	19.6	125.0	18.9	125.0	18.9
134.1	19.8	134.1	19.8	134.1	19.3	134.1	19.3	134.1	18.4	134.1	18.4
143.3	19.3	143.3	19.3	143.3	19.1	143.3	19.1	143.3	18.4	143.3	18.4
155.4	18.5	155.4	18.5	155.4	18.4	155.4	18.4	155.4	17.7	155.4	17.7
164.6	18.0	164.6	18.0	164.6	18.0	164.6	18.0	164.6	17.5	164.6	17.5
175.0	17.7	175.0	17.7	175.0	17.5	175.0	17.5	175.0	16.9	175.0	16.9
189.0	17.1	189.0	17.1	189.0	17.2	189.0	17.2	189.0	16.8	189.0	16.8
198.1	16.7	198.1	16.7	198.1	16.9	198.1	16.9	198.1	16.1	198.1	16.1
204.2	16.7	204.2	16.7	204.2	16.7	204.2	16.7	204.2	16.1	204.2	16.1
207.3	16.4	207.3	16.4	207.3	16.2	207.3	16.2	207.3	15.7	207.3	15.7
216.4	16.2	216.4	16.2	216.4	15.7	216.4	15.7	216.4	15.1	216.4	15.1
225.5	15.8	225.5	15.8	225.5	15.6	225.5	15.6	225.5	14.7	225.5	14.7
236.6	15.2	236.6	15.2	236.6	15.1	236.6	15.1	236.6	14.4	236.6	14.4
251.6	14.9	251.6	14.9	251.6	14.7	251.6	14.7	251.6	14.0	251.6	14.0
268.9	14.3	268.9	14.3	268.9	14.6	268.9	14.6	268.9	13.7	268.9	13.7
285.9	13.3	285.9	13.3	285.9	13.9	285.9	13.9	285.9	13.4	285.9	13.4
298.2	13.3	298.2	13.3	298.2	13.9	298.2	13.9	298.2	13.2	298.2	13.2
311.3	13.1	311.3	13.1	311.3	13.6	311.3	13.6	311.3	13.1	311.3	13.1
320.4	12.7	320.4	12.7	320.4	12.7	320.4	12.7	320.4	12.6	320.4	12.6
329.6	12.4	329.6	12.4	329.6	12.7	329.6	12.7	329.6	12.3	329.6	12.3
336.1	12.1	336.1	12.1	336.1	12.6	336.1	12.6	336.1	12.2	336.1	12.2
359.7	11.2	359.7	11.2	359.7	12.1	359.7	12.1	359.7	11.6	359.7	11.6
374.9	10.6	374.9	10.6	374.9	11.7	374.9	11.7	374.9	11.0	374.9	11.0
378.0	10.3	378.0	10.3	378.0	11.4	378.0	11.4	378.0	10.8	378.0	10.8
383.2	9.9	383.2	9.9	383.2	11.4	383.2	11.4	383.2	10.1	383.2	10.1
390.2	9.7	390.2	9.7	390.2	11.0	390.2	11.0	390.2	9.1	390.2	9.1
411.5	9.4	411.5	9.4	411.5	10.5	411.5	10.5	411.5	9.1	411.5	9.1
442.0	8.4	442.0	8.4	442.0	9.8	442.0	9.8	442.0	9.1	442.0	9.1

# PLATFORM- FLIP

POSITION- 26 35N 157 42W

PARSDEN SQUARE 00 ONE DEGREE SQUARE 67

DATE- AUG 23, 1968 TIME- 0100

INSTRUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9	0.0	9.1
36.6	26.8	414.5	8.8
42.7	26.6	429.8	8.6
45.7	25.9	432.8	8.6
48.0	25.6	438.9	8.6
51.8	25.1	440.2	8.1
54.9	24.7	447.7	7.6
57.9	24.6	450.4	6.7
61.0	24.1	453.2	5.9
64.1	23.7	460.1	5.4
67.2	23.4	468.4	5.4
70.2	23.3	471.0	5.0
73.2	22.8		
76.2	22.5		
79.2	22.4		
82.3	22.4		
85.4	22.4		
88.4	21.4		
91.4	20.6		
94.4	20.2		
97.4	20.0		
100.4	19.9		
103.4	19.6		
106.4	18.9		
109.4	18.9		
112.4	18.1		
115.4	17.8		
118.4	17.6		
121.4	16.9		
124.4	16.8		
127.4	16.3		
130.4	15.9		
133.4	15.7		
136.4	15.0		
139.4	14.7		
142.4	14.6		
145.4	14.1		
148.4	13.5		
151.4	13.0		
154.4	12.6		
157.4	12.0		
160.4	11.0		
163.4	10.1		
166.4	9.9		
169.4	9.3		
172.4	9.3		

# PLATFORM- FLIP

POSITION- 26 35N 157 42W

PARSDEN SQUARE 00 ONE DEGREE SQUARE 67

DATE- AUG 23, 1968 TIME- 0600

INSTRUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.8	0.0	6.3
33.5	26.7	524.3	6.3
36.6	26.6	536.4	6.0
42.7	25.3	542.5	5.5
45.7	24.3	609.6	5.0
48.0	23.3		
51.8	23.2		
54.9	22.7		
57.9	22.3		
61.0	22.3		
64.1	22.1		
67.2	21.7		
70.2	21.5		
73.2	21.3		
76.2	20.9		
79.2	20.5		
82.3	20.1		
85.4	19.7		
88.4	18.4		
91.4	18.4		
94.4	17.5		
97.4	17.2		
100.4	17.0		
103.4	16.7		
106.4	16.2		
109.4	15.9		
112.4	15.0		
115.4	14.4		
118.4	12.3		
121.4	13.0		
124.4	12.8		
127.4	11.7		
130.4	11.2		
133.4	10.8		
136.4	10.5		
139.4	10.3		
142.4	10.1		
145.4	9.9		
148.4	9.2		
151.4	9.2		
154.4	8.8		
157.4	8.2		
160.4	7.8		
163.4	6.9		
166.4	6.9		

# PLATFORM- FLIP

POSITION- 26 35N 157 42W

PARSDEN SQUARE 00 ONE DEGREE SQUARE 67

DATE- AUG 23, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.8	0.0	7.9
36.6	26.7	431.1	7.5
39.6	26.1	440.3	7.3
42.7	25.8	493.8	6.7
45.7	25.1	521.2	5.8
48.0	24.4	570.1	5.4
51.8	24.2	646.1	5.1
54.9	23.3		
57.9	23.0		
61.0	21.7		
64.1	21.4		
67.2	20.6		
70.2	20.0		
73.2	19.9		
76.2	19.6		
79.2	19.4		
82.3	18.8		
85.4	18.2		
88.4	17.8		
91.4	17.5		
94.4	17.1		
97.4	16.9		
100.4	16.2		
103.4	15.8		
106.4	15.3		
109.4	14.9		
112.4	14.9		
115.4	14.4		
118.4	14.1		
121.4	13.9		
124.4	13.7		
127.4	12.7		
130.4	12.3		
133.4	12.0		
136.4	11.7		
139.4	11.6		
142.4	10.9		
145.4	10.5		
148.4	10.2		
151.4	10.0		
154.4	9.6		
157.4	9.6		
160.4	8.9		
163.4	8.6		

PLATFORM- FLIP

POSITION- 26 30N 157 22W

PARSDEN SQUARE 80 ONE DEGREE SQUARE 67

DATE- JUL 23, 1968 TIME- 1930

INSTRUMENT-TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9	457.2	8.3
12.2	26.8	481.6	7.9
36.6	26.8	496.8	7.3
39.6	26.5	527.3	6.9
42.7	25.7	530.4	6.7
45.7	25.3	545.6	6.6
54.9	24.5	551.7	6.3
61.0	24.3	576.1	6.2
64.0	23.5	640.1	5.6
70.1	23.3	701.0	4.9
76.2	22.9		
91.4	21.9		
97.5	21.6		
103.6	21.2		
106.7	21.0		
112.8	20.6		
116.9	20.2		
120.0	20.1		
131.1	19.3		
131.1	19.3		
140.2	18.6		
146.3	18.0		
161.5	16.0		
170.7	17.8		
176.8	17.4		
182.9	17.4		
204.2	16.4		
216.4	16.2		
222.5	15.8		
228.6	15.7		
234.7	15.1		
240.8	14.9		
253.0	14.0		
259.1	13.9		
265.2	13.6		
310.9	12.4		
323.1	11.8		
344.4	11.2		
380.5	11.2		
371.9	10.5		
381.0	10.3		
395.3	9.8		
414.5	9.5		
417.6	9.3		
430.9	8.9		

PLATFORM- FLIP

POSITION- 26 30N 157 39W

PARSDEN SQUARE 80 ONE DEGREE SQUARE 67

DATE- AUG 24, 1968 TIME- 0030

INSTRUMENT-TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.8	448.1	8.4
36.6	26.6	457.2	8.0
42.7	26.5	466.3	7.9
45.7	25.9	478.5	7.4
51.8	25.1	502.9	7.1
54.9	24.4	512.1	6.8
61.0	24.1	536.4	6.6
67.1	23.6	551.7	6.2
76.2	23.2	619.6	5.7
86.4	22.1	701.0	5.0
103.6	21.6		
106.7	21.4		
112.8	20.9		
116.9	20.3		
120.0	20.3		
131.1	19.6		
137.2	19.6		
143.3	19.5		
146.3	19.1		
155.4	18.9		
164.6	18.4		
176.8	18.2		
185.0	17.4		
201.2	17.1		
204.2	17.0		
237.3	16.7		
213.4	16.5		
219.5	16.1		
231.6	15.3		
249.9	14.2		
265.2	14.0		
274.3	13.4		
289.6	13.1		
296.7	12.8		
337.8	12.1		
329.2	11.4		
336.3	11.4		
350.3	10.9		
353.6	10.9		
362.7	10.4		
384.0	9.7		
400.1	9.7		
414.5	9.2		
435.9	8.6		
438.9	8.4		

PLATFORM- FLIP

POSITION- 26 30N 158 12W

PARSDEN SQUARE 80 ONE DEGREE SQUARE 68

DATE- AUG 24, 1968 TIME- 1200

INSTRUMENT-TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.8	521.2	6.4
30.3	26.7	527.8	6.0
33.5	26.7	524.8	5.8
36.6	26.1	634.0	5.4
42.7	25.6	701.0	5.2
46.8	25.1		
51.8	24.3		
54.9	24.3		
57.9	23.8		
70.1	23.5		
73.2	23.2		
85.3	22.9		
97.5	22.2		
103.6	21.6		
106.7	20.9		
121.9	20.5		
126.0	20.3		
137.2	19.8		
140.2	19.7		
152.4	19.2		
167.6	18.3		
176.8	17.6		
192.0	17.6		
213.4	16.6		
219.5	16.3		
228.6	15.5		
246.9	14.8		
256.1	14.5		
262.1	13.9		
271.3	13.4		
280.4	13.3		
320.0	11.4		
329.2	11.5		
334.2	11.1		
347.5	10.7		
350.3	10.4		
361.0	9.5		
417.6	8.8		
432.8	8.2		
446.1	7.8		
490.7	7.0		
496.6	7.0		
532.9	6.8		
512.1	6.7		



PLATFORM- FLIP  
 POSITION- 26 27N 158 16W  
 PARSDEN SQUARE 80 ONE DEGREE SQUARE 68  
 DATE- AUG 24, 1968 TIME- 2035  
 INSTRUMENT TYPE- BATNY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.8	488.7	7.5
0.0	26.6	509.0	7.0
39.6	25.8	525.3	7.0
42.7	25.5	527.3	6.8
45.7	25.5	542.5	6.5
51.6	24.9	571.0	6.2
57.9	24.6	574.1	5.9
61.0	24.2	579.1	5.5
70.1	24.0	624.8	5.5
79.2	23.3	640.1	5.5
85.3	22.8	667.5	5.2
97.5	22.0	701.0	5.0
106.7	21.7		
115.8	21.4		
118.9	20.9		
125.0	20.8		
131.1	20.2		
140.2	19.9		
143.3	19.9		
152.4	19.7		
155.4	19.3		
167.6	18.6		
179.8	18.2		
182.9	18.0		
195.1	17.7		
210.3	16.9		
215.5	16.8		
228.6	16.3		
237.7	16.1		
245.9	15.4		
248.2	14.6		
274.3	14.4		
283.5	13.9		
286.5	13.7		
313.9	13.3		
317.0	12.2		
323.1	12.0		
344.4	11.3		
378.0	10.4		
393.2	9.8		
423.7	9.0		
429.6	8.7		
446.1	8.5		
460.2	8.2		
465.4	7.8		

PLATFORM- FLIP  
 POSITION- 26 27N 158 20W  
 PARSDEN SQUARE 80 ONE DEGREE SQUARE 68  
 DATE- AUG 25, 1968 TIME- 0000  
 INSTRUMENT TYPE- BATNY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9	429.8	9.1
0.0	26.7	451.2	8.3
30.5	26.6	466.3	7.9
33.5	26.4	496.8	7.5
36.6	26.2	502.9	7.1
39.6	25.4	509.0	7.0
42.7	24.7	521.3	6.5
44.9	24.3	533.4	6.0
54.9	24.0	570.0	5.8
61.0	23.2	597.4	5.4
64.0	22.9	603.5	5.7
70.2	22.6	619.7	5.2
82.3	21.7	673.6	5.1
88.4	21.6		
94.5	21.4		
100.6	20.9		
106.7	20.9		
112.8	20.6		
121.9	19.7		
140.3	19.2		
148.3	18.4		
167.6	18.1		
173.7	17.2		
176.8	16.8		
201.2	16.4		
210.3	16.3		
216.4	16.6		
222.5	15.9		
228.6	15.9		
249.9	15.5		
250.0	15.5		
254.1	13.9		
268.2	13.8		
271.3	13.5		
274.3	13.1		
286.5	12.2		
304.4	11.4		
307.8	11.4		
320.0	11.3		
329.2	11.0		
347.5	10.7		
350.5	10.2		
367.1	9.4		
408.4	9.1		
420.6			

PLATFORM- FLIP  
 POSITION- 26 28N 157 53W  
 PARSDEN SQUARE 80 ONE DEGREE SQUARE 67  
 DATE- AUG 25, 1968 TIME- 0600  
 INSTRUMENT TYPE- BATNY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.7	451.1	8.2
35.6	26.7	460.2	7.5
39.6	26.6	481.6	7.5
42.7	26.1	490.7	7.5
45.7	25.9	512.1	7.0
51.6	25.4	530.4	7.0
57.9	24.6	536.6	6.7
61.0	24.0	545.6	6.6
64.0	23.7	574.0	6.3
73.2	23.6	573.0	6.3
82.3	22.4	585.2	6.3
97.5	22.0	603.5	6.0
104.6	21.5	615.7	5.9
112.8	21.3	621.8	5.9
115.8	20.9	634.0	6.0
125.0	20.9	652.3	5.8
131.1	20.1	667.5	5.6
143.3	20.1	701.0	
152.4	19.4		
155.4	18.6		
161.5	18.4		
170.7	17.8		
182.9	17.3		
190.1	17.3		
201.2	17.1		
204.2	16.6		
222.5	15.1		
231.6	16.0		
234.7	15.5		
246.9	15.5		
254.1	15.2		
262.1	13.0		
280.4	12.2		
310.9	11.9		
317.0	11.4		
326.1	11.1		
336.3	10.7		
350.5	10.6		
357.7	10.3		
362.7	10.3		
374.9	10.0		
378.0	9.5		
399.3	9.3		
414.5	9.0		
420.6	8.6		
442.0			

PLATFORM- FLIP

POSITION- 27 JUN 157 300

MANSDEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 27, 1964 TIME- 0000

INSINUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.9	490.7	7.0
15.2	26.0	495.9	7.0
30.6	26.0	500.0	7.0
42.7	25.0	521.2	7.2
45.7	24.0	536.4	6.0
46.8	24.0	576.1	6.1
57.9	23.0	605.6	5.8
61.0	22.5	621.4	5.5
64.0	22.5	701.0	5.1
67.1	22.3		
70.1	21.9		
74.2	21.0		
76.7	21.2		
79.7	20.0		
85.3	20.6		
91.4	20.4		
94.5	20.1		
97.5	19.9		
109.7	19.1		
137.2	17.9		
145.4	17.3		
153.4	16.7		
161.5	16.7		
167.6	16.4		
173.7	16.1		
176.8	16.0		
182.9	15.0		
201.2	15.2		
204.2	15.0		
220.6	14.3		
237.7	13.0		
247.9	13.5		
259.1	13.2		
268.5	12.6		
295.7	12.3		
341.4	11.4		
360.8	11.1		
371.9	10.6		
387.1	10.4		
394.3	10.3		
408.4	10.1		
440.0	8.9		
454.2	8.7		
472.4	8.2		
489.6	8.2		

PLATFORM- FLIP

POSITION- 27 JUN 157 414

MANSDEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 27, 1964 TIME- 0655

INSINUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.8	417.4	9.7
21.3	26.7	426.7	9.1
24.4	26.4	430.9	8.8
27.4	25.9	440.1	8.4
30.5	24.7	470.5	6.1
33.4	24.0	481.6	7.8
36.6	23.9	496.4	7.7
43.7	23.5	521.2	7.3
46.8	23.3	537.5	6.0
51.0	23.1	545.6	6.5
54.9	22.5	565.3	6.0
57.9	22.0	591.4	5.7
60.0	21.6	607.5	5.2
72.2	21.3	701.0	5.1
85.3	20.7		
97.5	19.7		
109.7	19.2		
115.8	18.7		
125.0	18.1		
134.1	17.8		
137.2	17.5		
140.3	17.2		
147.4	16.9		
155.4	16.8		
159.5	16.7		
167.6	16.2		
176.8	16.1		
182.9	15.8		
210.3	15.0		
231.6	14.2		
237.7	14.1		
245.9	13.7		
265.2	13.4		
271.3	13.0		
283.5	12.7		
292.6	12.7		
327.2	11.7		
335.3	11.6		
347.5	11.3		
370.9	10.9		
387.1	10.7		
387.1	10.5		
385.0	9.8		

PLATFORM- FLIP

POSITION- 27 JUN 157 414

MANSDEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 27, 1964 TIME- 1200

INSINUMENT TYPE- BATHY

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.8	426.7	10.0
30.5	26.6	430.9	9.7
33.5	26.4	435.9	9.0
36.4	25.5	440.1	9.3
37.6	24.4	450.2	9.0
45.7	24.0	460.3	8.9
49.6	23.4	475.5	8.5
57.9	22.9	490.7	8.2
64.0	22.4	506.0	8.2
70.1	22.1	521.2	7.8
74.2	21.9	551.7	7.1
76.2	21.6	560.4	6.8
82.3	21.3	582.3	5.7
85.3	21.2	652.3	5.7
94.5	20.3	674.6	5.7
109.6	20.3	691.9	5.6
109.6	20.2	701.0	5.4
116.9	20.1		
125.0	18.9		
134.1	18.5		
143.3	18.4		
147.4	18.2		
161.5	17.4		
167.6	17.2		
182.9	16.8		
195.1	16.2		
213.4	15.6		
219.5	15.0		
220.6	15.4		
230.7	14.9		
259.1	14.3		
277.4	13.6		
290.7	12.9		
313.9	12.1		
323.1	12.1		
325.2	11.6		
335.3	11.1		
341.4	11.0		
347.5	11.7		
365.4	11.5		
387.1	11.0		
393.2	10.6		
405.4	10.5		
420.6	10.1		



PLATFORM- FLIP

POSITION- 27 21N 157 50E

MARSHEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 28, 1968 TIME- 1200

INSUMENT TYPE- BATNY

DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)
0.0	26.8	460.2	9.8
35.6	26.7	490.8	9.8
35.6	25.4	510.1	9.8
42.7	25.1	530.4	9.8
42.7	24.8	536.4	9.8
42.7	24.5	560.4	7.1
51.8	24.0	575.1	7.0
61.0	23.5	600.5	6.4
67.1	22.8	612.6	6.1
76.2	22.3	627.9	6.1
82.3	21.8	634.0	5.9
94.5	20.9	652.3	5.9
97.5	20.6	658.4	5.8
100.6	20.4	701.0	5.5
115.8	19.7		
128.5	18.6		
137.2	18.2		
140.2	17.7		
150.4	16.8		
155.4	16.5		
167.4	15.9		
182.4	15.7		
195.1	15.4		
210.4	14.8		
213.4	14.6		
219.5	14.4		
231.4	14.4		
237.4	14.1		
240.7	13.9		
242.1	13.9		
248.7	13.4		
253.0	13.2		
254.1	12.8		
262.1	12.7		
271.3	12.3		
280.4	12.3		
283.5	12.0		
292.6	11.1		
295.7	10.9		
300.4	10.5		
307.5	10.1		
313.9	10.0		
320.0	9.9		
320.1	9.8		
335.3			
338.3			
347.5			
354.5			
357.7			
384.0			
408.4			
420.6			
430.4			
431.1			
454.2			

PLATFORM- FLIP

POSITION- 27 21N 157 50E

MARSHEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 28, 1968 TIME- 1200

INSUMENT TYPE- BATNY

DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)
0.0	26.8	460.2	9.8
35.6	26.7	490.8	9.8
35.6	25.4	510.1	9.8
42.7	25.1	530.4	9.8
42.7	24.8	536.4	9.8
42.7	24.5	560.4	7.1
51.8	24.0	575.1	7.0
61.0	23.5	600.5	6.4
67.1	22.8	612.6	6.1
76.2	22.3	627.9	6.1
82.3	21.8	634.0	5.9
94.5	20.9	652.3	5.9
97.5	20.6	658.4	5.8
100.6	20.4	701.0	5.5
115.8	19.7		
128.5	18.6		
137.2	18.2		
140.2	17.7		
150.4	16.8		
155.4	16.5		
167.4	15.9		
182.4	15.7		
195.1	15.4		
210.4	14.8		
213.4	14.6		
219.5	14.4		
231.4	14.4		
237.4	14.1		
240.7	13.9		
242.1	13.9		
248.7	13.4		
253.0	13.2		
254.1	12.8		
262.1	12.7		
271.3	12.3		
280.4	12.3		
283.5	12.0		
292.6	11.1		
295.7	10.9		
300.4	10.5		
307.5	10.1		
313.9	10.0		
320.0	9.9		
320.1	9.8		
335.3			
338.3			
347.5			
354.5			
357.7			
384.0			
408.4			
420.6			
430.4			
431.1			
454.2			

PLATFORM- FLIP

POSITION- 27 20N 157 50E

MARSHEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 29, 1968 TIME- 0100

INSUMENT TYPE- BATNY

DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)
0.0	27.1	460.2	9.8
10.2	26.7	475.5	9.7
35.5	26.6	500.0	7.9
35.5	26.4	515.5	7.4
35.5	25.5	530.7	6.9
35.5	24.7	545.2	6.3
42.7	24.6	560.3	5.8
42.7	24.4	575.3	5.4
42.7	23.8	590.0	
57.9	23.4	605.0	
61.0	22.9	620.0	
64.0	22.4	635.0	
73.2	21.7	650.0	
82.3	21.4	665.0	
85.3	21.1	680.0	
91.4	21.0	695.0	
94.5	20.6	710.0	
100.6	20.0		
105.7	20.0		
125.0	19.2		
145.3	18.9		
154.5	18.1		
167.4	18.0		
182.4	17.3		
185.0	16.8		
207.3	16.0		
235.0	15.0		
262.1	14.6		
277.4	13.7		
292.6	13.4		
307.4	13.0		
317.0	12.7		
329.2	12.5		
332.2	12.2		
341.4	12.1		
353.4	11.9		
356.4	11.8		
365.4	11.3		
374.4	10.8		
402.3	10.5		
402.4	10.4		
414.5	9.9		
457.2	9.2		

PLAIFORM- FLIP	PLAIFORM- FLIP	PLAIFORM- FLIP
POSITION- 27 20N 157 50W	POSITION- 27 20N 157 50W	POSITION- 27 22N 158 03W
MANSDEN SQUARE 88 ONE DEGREE SQUARE 77	MANSDEN SQUARE 88 ONE DEGREE SQUARE 77	MANSDEN SQUARE 88 ONE DEGREE SQUARE 7A
DATE- AUG 29, 1968 TIME- 0600	DATE- AUG 29, 1968 TIME- 1245	DATE- AUG 30, 1968 TIME- 0000

[illegible]

701.0	600.0	5.0	5.0	21.0	21.0	70.2
20.7	88.4	21.0	12.0	19.4	21.3	21.0
20.4	100.6	183.3	18.0	10.5	20.1	88.4
20.1	104.6	150.5	10.0	106.7	19.5	94.5
19.6	104.7	189.0	17.0	121.0	18.2	20.4
19.3	130.1	192.0	17.3	189.0	17.0	104.6
19.3	130.1	195.1	17.1	190.1	17.0	104.7
18.2	150.5	213.4	10.0	213.4	17.0	130.1
18.1	167.6	231.6	10.3	222.5	17.1	150.5
17.2	182.9	250.8	10.2	237.7	16.7	167.6
16.9	195.1	256.0	15.7	259.1	16.4	182.9
201.2	201.2	265.2	15.2	277.4	15.5	195.1
210.3	210.3	271.3	15.1	280.4	15.1	201.2
16.4	16.4	277.4	14.7	283.5	15.1	210.3
15.7	15.7	283.5	14.5	292.6	14.0	16.4
220.6	220.6	280.5	14.3	299.7	14.1	15.7
230.7	230.7	292.6	14.1	307.8	13.1	220.6
15.1	15.1	307.8	13.4	311.0	13.1	230.7
240.9	240.9	313.9	13.3	320.0	13.1	240.9
250.0	250.0	313.9	13.3	320.0	13.0	250.0
260.2	260.2	320.0	12.9	320.0	13.0	260.2
260.6	260.6	320.2	12.0	320.2	12.9	260.6
300.8	300.8	320.2	12.0	335.3	12.9	300.8
307.8	307.8	335.3	12.4	340.4	12.5	307.8
320.1	320.1	350.6	12.0	350.6	12.5	320.1
330.2	330.2	360.8	11.7	350.6	12.1	330.2
11.9	11.9	360.8	11.6	350.6	12.1	360.8
11.4	11.4	360.8	11.1	350.6	12.1	360.8
350.5	350.5	360.8	10.0	350.6	12.1	350.5
350.6	350.6	360.8	10.0	350.6	12.1	350.6
381.0	381.0	360.8	9.2	350.6	12.1	381.0
390.1	390.1	400.0	8.0	350.6	12.1	390.1
400.0	400.0	460.3	8.0	350.6	12.1	400.0
420.7	420.7	460.3	8.0	350.6	12.1	420.7
440.0	440.0	460.3	8.0	350.6	12.1	440.0
450.7	450.7	460.3	8.0	350.6	12.1	450.7
460.0	460.0	460.3	8.0	350.6	12.1	460.0
470.5	470.5	460.3	8.0	350.6	12.1	470.5
480.0	480.0	460.3	8.0	350.6	12.1	480.0
490.0	490.0	460.3	8.0	350.6	12.1	490.0
500.0	500.0	460.3	8.0	350.6	12.1	500.0
510.2	510.2	460.3	8.0	350.6	12.1	510.2
520.0	520.0	460.3	8.0	350.6	12.1	520.0
530.4	530.4	460.3	8.0	350.6	12.1	530.4

PLATFORM- FLIP	POSITION- 27 23N 158 08 W	WAMSIEN SQUARE 80 ONE DEGREE SQUARE 78	DATE- AUG 30, 1964	TIME- 1200	INSTRUMENT TYPE- MATHY
DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)
0.0	26.8	0.0	26.7	0.0	26.8
35.6	26.5	27.4	26.6	515.1	10.6
46.8	25.3	35.6	26.4	530.4	9.8
46.8	25.1	35.6	26.4	531.4	9.4
54.4	24.4	35.6	25.8	551.4	9.4
54.4	24.4	42.7	25.2	560.4	9.1
67.1	23.4	45.7	24.9	560.4	9.1
70.1	23.6	51.4	23.6	570.1	8.7
73.2	23.2	60.0	23.1	610.4	7.9
73.2	23.3	70.1	22.6	610.4	7.2
85.3	22.8	91.4	21.3	610.4	6.8
94.4	22.1	94.4	20.9	701.0	
100.7	21.4	112.9	20.2		
110.7	21.3	115.4	20.0		
115.4	20.6	131.1	19.6		
116.4	20.4	137.2	19.0		
125.0	19.9	147.4	18.9		
131.1	19.4	153.4	18.7		
140.3	18.8	167.6	18.3		
152.4	18.2	204.2	17.4		
157.5	18.2	210.3	17.4		
161.5	18.2	216.4	17.2		
167.6	18.2	225.6	17.1		
170.8	17.7	231.4	16.8		
210.3	17.2	237.7	16.8		
246.9	15.7	265.2	16.1		
250.0	15.6	292.7	15.5		
265.2	15.1	317.0	14.8		
277.4	14.7	320.1	14.7		
289.6	14.5	332.3	14.5		
294.7	14.0	335.3	14.2		
317.0	13.6	347.5	14.1		
320.0	13.4	350.6	13.6		
335.3	13.1	365.4	13.4		
341.4	12.7	370.0	13.0		
347.5	12.7	381.1	12.7		
350.5	12.5	390.1	12.7		
357.7	12.2	402.3	12.7		
371.9	11.6	406.4	12.5		
376.0	11.6	411.5	12.3		
393.7	11.0	423.7	12.2		
420.7	10.7	442.0	11.7		
432.4	10.4	460.2	11.6		
436.9	10.0	470.5	11.1		
440.1	10.0	487.7	11.1		
460.2	9.4	493.4	10.8		

PLATFORM- FLIP	POSITION- 27 21N 158 10W	WAMSIEN SQUARE 80 ONE DEGREE SQUARE 74	DATE- AUG 31, 1964	TIME- 1200	INSTRUMENT TYPE- MATHY
DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)	DEPTH (F)	TEMP (C)
0.0	26.8	0.0	26.8	0.0	26.8
35.6	26.5	32.5	26.5	350.6	12.2
46.8	25.3	35.6	26.3	384.0	11.5
46.8	25.1	42.7	24.6	390.2	11.4
54.4	24.4	45.7	24.4	395.3	11.1
54.4	24.4	51.4	24.4	423.7	10.4
67.1	23.4	51.4	24.4	450.2	9.5
70.1	23.6	61.0	23.0	460.3	9.4
73.2	23.3	61.0	23.3	475.4	9.0
73.2	23.1	67.1	22.5	475.4	8.9
85.3	22.8	73.2	22.5	484.6	8.7
94.4	22.1	70.2	22.4	493.4	8.6
100.7	21.4	85.3	22.0	509.0	8.0
110.7	21.3	85.3	21.1	515.1	7.8
115.4	20.6	97.5	20.7	542.5	7.2
116.4	20.4	104.6	20.7	546.4	6.7
125.0	19.9	112.4	20.3	589.4	6.3
131.1	19.4	125.0	19.3	640.1	6.2
140.3	18.8	125.0	18.4	655.3	5.9
152.4	18.2	147.4	18.4	701.0	
157.5	18.2	153.4	18.5		
161.5	17.7	154.4	18.5		
167.6	17.2	160.4	18.2		
170.8	17.2	164.9	18.1		
210.3	15.7	170.2	17.8		
246.9	15.6	192.0	17.6		
250.0	15.1	195.1	17.4		
265.2	14.7	222.5	16.4		
277.4	14.5	225.6	16.3		
289.6	14.0	237.7	15.9		
294.7	13.6	240.4	15.8		
317.0	13.4	243.4	15.8		
320.0	13.1	247.9	15.5		
335.3	12.7	250.1	15.0		
341.4	12.7	265.2	14.9		
347.5	12.5	280.2	14.7		
350.5	12.2	285.2	14.5		
357.7	11.6	274.3	14.5		
371.9	11.6	283.5	14.5		
376.0	11.0	280.5	14.0		
393.7	10.7	293.7	14.0		
420.7	10.4	296.7	13.9		
432.4	10.0	307.4	13.4		
436.9	10.0	320.1	13.2		
440.1	10.0	350.5	12.4		
460.2	9.4				

PLATFORM- FLIP  
 POSITION- 27 21N 158 16W  
 MARDEN SQUARE 88 ONE DEGREE SQUARE 7A  
 DATE- SEP 01, 1964 TIME- 1200

INSUMENT TYPE- RAINY


DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0.0	26.4	490.7	8.5
2.4	26.0	504.9	8.3
30.5	26.5	515.1	7.8
38.6	25.7	542.5	7.1
42.7	24.5	576.1	6.7
47.8	24.2	597.4	6.2
51.4	24.0	621.8	6.0
54.9	23.6	637.0	5.7
57.4	23.2	652.1	5.7
70.1	22.5	673.6	5.4
73.2	22.2	701.0	5.3
82.3	21.5		
88.4	21.0		
91.4	20.8		
97.5	20.4		
104.7	19.7		
115.4	19.6		
121.9	19.3		
125.0	19.3		
140.2	18.6		
170.7	17.9		
176.4	17.5		
187.0	17.2		
201.2	17.1		
237.7	16.3		
249.4	16.1		
247.9	15.9		
254.1	15.3		
286.2	14.9		
280.4	14.3		
283.5	13.9		
292.4	13.4		
292.7	13.4		
323.1	12.8		
341.4	12.2		
361.5	12.1		
371.9	11.4		
374.0	11.1		
390.1	10.9		
402.3	10.4		
411.5	10.3		
417.6	10.0		
420.7	10.0		
434.9	9.8		
472.4	8.7		

## USS Marysville XBT Data



# MARYSVILLE XBT

## DATA LOCATIONS



# PLATFORM- HARTSVIL

POSITION- 24 5/4 157 52W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 47

DATE- AUG 20, 1960 TIME- 200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	261	12.00
43	27.00	267	11.00
44	26.00	272	11.00
47	26.00	282	11.00
50	26.00	290	11.00
51	25.50	300	11.10
52	25.10	310	10.70
54	24.40	320	8.30
55	24.10	420	7.00
56	23.50	433	7.00
60	23.20	487	6.00
63	22.00	516	6.00
65	22.00	535	6.20
66	22.00	554	5.00
69	22.10	642	5.00
77	21.40		
80	21.20		
84	20.00		
85	20.00		
90	20.00		
100	20.00		
110	19.00		
114	19.10		
122	18.00		
130	18.50		
135	18.20		
147	17.90		
151	17.90		
154	17.00		
160	17.20		
164	17.00		
169	16.70		
172	16.70		
187	15.80		
194	15.50		
199	15.00		
206	14.00		
207	14.00		
209	14.20		
210	14.00		
214	13.70		
229	13.40		
242	12.60		
256	12.20		

# PLAT-30M- HARTSVIL

POSITION- 25 21N 157 54W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 57

DATE- AUG 20, 1960 TIME- 440

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	333	10.40
14	26.00	345	10.00
23	26.00	350	10.00
40	26.00	372	9.30
50	26.20	391	9.20
51	25.00	397	8.00
53	25.40	416	8.50
54	24.00	418	8.30
56	24.50	430	8.00
60	24.00	444	7.00
65	22.00	464	7.20
71	22.00	507	6.70
80	21.00	520	6.70
84	21.50	571	6.00
86	21.30	637	5.00
89	20.00		
105	19.00		
121	19.00		
129	19.00		
132	18.70		
140	18.40		
155	18.00		
156	17.00		
160	17.00		
173	17.30		
184	17.20		
191	17.00		
192	16.00		
202	16.70		
211	16.10		
213	15.70		
220	15.00		
223	14.00		
227	14.70		
232	14.30		
244	13.90		
254	13.20		
265	13.00		
269	12.70		
272	12.30		
283	12.00		
289	11.00		
310	11.10		
319	11.00		
325	10.90		

# PLATFORM- HARTSVIL

POSITION- 25 30N 157 50W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 57

DATE- AUG 20, 1960 TIME- 615

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	313	11.50
30	26.00	319	11.00
42	26.40	323	10.70
45	26.00	325	10.30
47	25.00	340	10.10
60	25.70	350	9.00
51	25.30	372	9.00
54	24.50	393	9.20
57	24.20	395	9.10
64	23.40	396	8.00
70	23.10	410	8.30
76	22.50	444	7.90
83	22.00	451	7.50
90	21.70	473	7.40
97	21.00	508	6.70
100	21.20	530	6.30
111	20.00	542	5.00
116	20.70	574	5.00
120	20.30	595	5.00
127	20.10	700	5.10
136	19.30		
139	19.00		
145	18.00		
153	18.30		
156	18.20		
160	17.70		
176	17.30		
179	17.20		
183	16.00		
195	16.40		
203	16.30		
208	16.00		
211	16.00		
218	15.00		
221	15.10		
230	14.70		
232	14.70		
236	14.40		
256	13.80		
264	13.40		
269	13.30		
283	12.40		
289	12.30		
295	11.00		
306	11.00		

PLATFORM- MARYSVIL  
 POSITION- 26 30N 157 50W  
 WARDEN SQUARE 88 ONE DEGREE SQUARE 67  
 DATE- AUG 28, 1968 TIME- 1809  
 INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	365	10.30
37	26.50	366	10.10
38	26.40	390	9.00
39	26.00	408	9.00
40	25.50	419	9.10
41	25.30	428	8.00
42	24.90	437	8.00
43	24.50	447	8.20
44	24.20	464	8.10
45	23.80	484	7.50
46	23.50	530	6.70
47	23.30	557	6.40
48	22.70	574	6.30
49	22.00	598	6.00
50	21.90	635	5.00
51	21.30	700	5.20
52	20.50		
53	20.40		
54	20.00		
55	19.80		
56	19.40		
57	19.00		
58	18.90		
59	18.00		
60	18.00		
61	18.40		
62	17.70		
63	17.00		
64	17.00		
65	16.30		
66	15.00		
67	15.00		
68	15.10		
69	14.90		
70	14.00		
71	13.90		
72	13.00		
73	13.30		
74	13.10		
75	12.90		
76	12.00		
77	12.20		
78	12.20		
79	11.00		
80	11.70		
81	11.00		
82	11.00		
83	11.50		
84	11.30		
85	11.10		

PLATFORM- MARYSVIL  
 POSITION- 26 18N 157 55W  
 WARDEN SQUARE 88 ONE DEGREE SQUARE 67  
 DATE- AUG 28, 1968 TIME- 1636  
 INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	330	11.10
34	26.00	350	10.75
40	26.20	353	10.40
41	25.60	365	10.00
42	25.30	375	10.00
43	24.90	421	8.90
44	24.00	433	8.40
45	23.80	443	8.40
46	22.90	448	8.10
47	22.50	468	8.40
48	22.20	484	7.50
49	22.10	521	6.00
50	21.00	585	6.10
51	21.00	646	5.00
52	21.10	691	5.50
53	20.90	700	5.30
54	20.20		
55	19.80		
56	19.30		
57	19.00		
58	18.00		
59	18.00		
60	17.90		
61	17.00		
62	16.70		
63	16.20		
64	16.00		
65	15.00		
66	15.70		
67	15.40		
68	15.10		
69	15.10		
70	14.50		
71	13.00		
72	13.00		
73	12.70		
74	12.70		
75	12.50		
76	12.20		
77	11.70		
78	11.70		
79	11.00		
80	11.50		
81	11.30		
82	11.10		

PLATFORM- MARYSVIL

POSITION- 26 30N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- AUG 29, 1968 TIME- 130

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	307	10.70
7	26.80	304	10.60
14	26.60	402	10.30
32	26.60	408	10.20
35	26.50	425	9.40
36	26.20	461	8.90
38	25.80	495	8.10
39	25.60	505	8.00
41	25.20	590	7.10
43	24.00	571	6.60
44	24.50	590	6.00
53	23.80	601	6.30
57	23.00	616	6.30
62	22.80	647	5.90
67	22.30	700	5.70
74	22.00		
78	21.70		
82	21.60		
89	20.90		
94	20.50		
97	20.40		
114	19.40		
130	18.40		
143	18.20		
144	18.20		
150	17.80		
161	17.60		
167	17.50		
177	16.90		
181	16.90		
187	16.50		
211	15.60		
230	15.10		
234	14.90		
244	14.70		
251	14.30		
256	14.30		
274	13.60		
289	13.10		
305	12.00		
350	11.80		
361	11.40		
378	11.20		
384	11.00		

PLATFORM- MARYSVIL

POSITION- 27 13N 157 58W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 29, 1968 TIME- 745

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	442	9.30
14	26.60	462	9.10
41	26.60	503	8.30
42	26.20	520	7.90
43	25.60	524	7.50
44	25.30	535	7.40
45	25.00	544	6.70
48	24.60	591	6.30
54	24.50	700	5.90
68	23.00		
71	22.70		
74	22.50		
76	22.20		
82	22.00		
89	21.00		
104	20.40		
121	19.00		
126	19.00		
127	19.70		
141	19.00		
144	18.70		
157	18.40		
165	17.90		
175	17.00		
187	17.40		
192	17.00		
214	16.70		
226	16.50		
250	15.00		
255	15.30		
275	14.50		
281	14.10		
293	13.80		
298	13.50		
323	12.70		
329	12.70		
330	12.10		
350	11.00		
373	11.40		
377	11.20		
383	11.10		
395	10.60		
404	10.00		
428	9.70		

PLATFORM- MARYSVIL  
 POSITION- 29 11N 157 50W  
 MARSDEN SQUARE 88 ONE DEGREE SQUARE 97  
 DATE- AUG 30, 1968 TIME- 400  
 INSTRUMENT TYPE- BATHTH BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	400	8.00
2	26.80	426	8.20
4	26.80	447	7.90
11	26.50	467	7.30
13	26.00	483	7.00
14	26.20	490	6.90
20	25.01	522	6.20
21	25.50	514	5.80
22	25.20	543	5.80
25	24.20	570	5.30
26	23.00	700	5.30
27	22.00		
28	22.40		
29	22.10		
32	21.40		
34	20.20		
44	18.00		
55	18.70		
61	18.50		
70	17.00		
85	17.30		
87	17.10		
95	17.00		
100	16.70		
108	16.50		
112	16.20		
116	16.20		
132	15.40		
136	15.30		
140	15.00		
156	14.40		
166	14.20		
173	13.90		
184	13.70		
201	12.90		
225	12.40		
240	12.20		
244	11.20		
260	10.50		
320	10.40		
346	10.10		
341	9.60		
363	9.30		
381	9.00		
392	9.00		

PLATFORM- MARYSVIL  
 POSITION- 28 30N 159 50W  
 MARSDEN SQUARE 88 ONE DEGREE SQUARE 89  
 DATE- AUG 29, 1968 TIME- 1000  
 INSTRUMENT TYPE- BATHTH BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.60	332	11.20
44	26.40	346	10.70
48	26.30	362	10.60
52	26.00	371	10.20
53	25.90	419	9.40
54	25.60	461	8.50
55	24.80	464	8.30
56	24.30	474	8.20
57	23.00	495	7.70
58	23.30	528	7.10
59	22.80	619	6.20
63	21.80	635	5.90
64	21.50	700	5.60
66	21.20		
72	20.80		
74	20.30		
82	20.10		
84	19.50		
94	19.20		
99	19.00		
102	18.60		
106	18.50		
109	18.20		
111	18.20		
116	17.80		
120	17.50		
135	17.00		
140	16.70		
144	16.70		
149	16.40		
150	16.20		
157	15.90		
162	15.90		
176	15.40		
179	15.30		
195	14.60		
204	13.90		
226	13.70		
231	13.40		
253	13.00		
263	12.90		
287	12.00		
290	11.80		
310	11.70		
318	11.00		

PLATFORM- MARYSVIL  
 POSITION- 27 59N 157 50W  
 MARSDEN SQUARE 88 ONE DEGREE SQUARE 77  
 DATE- AUG 29, 1968 TIME- 1500  
 INSTRUMENT TYPE- BATHTH BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.60	323	12.10
49	26.50	345	11.70
52	26.40	355	11.70
54	25.70	373	11.10
57	25.50	381	11.10
58	25.10	409	10.50
60	24.40	422	10.30
61	23.90	432	10.20
62	23.00	443	10.00
63	23.60	447	9.80
67	23.30	480	9.00
81	21.90	497	9.00
82	21.40	532	8.30
94	20.90	550	8.10
103	20.50	571	8.10
115	20.40	578	8.00
119	20.30	596	8.00
127	19.90	612	7.80
136	19.00	624	7.50
147	18.30	635	7.60
154	18.20	657	7.20
156	18.00	700	7.30
164	17.90		
170	17.50		
181	17.20		
194	17.10		
201	16.80		
207	16.80		
211	16.60		
226	16.40		
234	15.90		
242	15.70		
243	15.60		
249	15.40		
253	15.10		
263	14.60		
267	14.60		
272	14.40		
276	14.40		
284	13.90		
296	13.60		
299	13.30		
315	12.80		
322	12.30		
330	12.30		

PLATFORM- MARYSVIL

POSITION- 30 24N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 7

DATE- AUG 30, 1960 TIME- 1000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.90
24	25.80
30	25.60
31	25.10
32	24.00
33	23.00
34	23.10
35	22.10
36	22.40
40	21.50
41	21.30
50	20.30
51	20.00
56	19.90
57	19.00
61	19.20
65	18.70
66	18.60
77	18.00
88	17.60
121	15.70
130	16.30
135	16.30
141	15.00
144	15.50
169	14.10
177	13.00
203	13.00
222	12.70
228	12.40
252	12.20
287	11.60
300	11.20
353	10.20
375	9.40
420	8.60
439	8.20
451	8.10
483	7.40
506	7.10
520	6.70
572	6.00
611	5.70
760	5.00

PLATFORM- MARYSVIL

POSITION- 31 18N 157 40W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 17

DATE- AUG 31, 1960 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.10
4	26.10
12	25.80
33	25.50
34	25.40
37	24.30
38	22.40
39	22.30
40	22.00
46	21.20
49	20.00
50	20.70
54	20.10
57	19.20
58	19.20
61	18.00
71	18.50
74	18.10
90	17.10
105	17.60
119	16.40
125	16.30
129	16.10
130	15.00
135	15.00
141	15.50
147	15.00
173	14.30
178	13.90
191	13.70
200	13.00
217	13.00
231	12.00
263	12.50
279	12.00
335	11.00
350	11.00
365	11.00
370	11.20
383	11.20
414	10.00
424	10.70
434	10.30
458	10.00
465	9.00

PLATFORM- MARYSVIL

POSITION- 31 30N 157 40W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 17

DATE- AUG 31, 1960 TIME- 629

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.80
7	25.00
15	25.50
32	25.30
33	24.30
34	22.30
35	21.60
36	21.00
38	21.10
40	20.00
43	20.60
45	20.40
46	20.20
49	20.00
50	19.50
52	19.50
54	19.30
56	19.00
59	18.50
70	18.50
75	18.10
77	17.80
84	17.40
105	16.60
108	16.60
110	16.00
120	15.80
137	15.30
163	15.30
168	14.70
177	14.20
182	14.10
189	13.80
204	13.60
226	13.10
233	12.60
240	12.20
301	11.40
306	11.20
348	10.80
372	10.00
389	9.90
431	8.60
453	8.20
474	7.40
497	7.30
513	6.90
555	6.30
601	5.70
629	5.50
640	5.20

PLATFORM- MARYSVIL  
 POSITION- 33 IN 197 94W  
 MARSSEN SQUARE 124 ONE DEGREE SQUARE 34  
 DATE- AUG 31, 1968 TIME- 2200  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.00
10	25.70
20	25.60
30	25.40
31	24.30
32	23.00
33	22.40
34	20.00
35	20.00
36	20.10
37	20.00
38	20.10
39	20.10
40	19.30
41	18.70
42	18.00
43	17.00
44	16.40
45	15.40
46	14.80
47	13.80
48	13.60
49	13.00
50	12.30
51	12.10
52	11.40
53	10.70
54	10.30
55	9.50
56	8.90
57	8.70
58	7.90
59	7.20
60	6.80
61	6.80

PLATFORM- MARYSVIL  
 POSITION- 32 39N 197 95W  
 MARSSEN SQUARE 124 ONE DEGREE SQUARE 27  
 DATE- AUG 31, 1968 TIME- 1630  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.50
20	25.40
31	25.20
32	25.10
34	24.30
35	24.00
36	22.60
37	21.30
38	21.10
39	20.70
40	20.00
41	19.70
42	18.80
43	18.00
44	17.20
45	16.70
46	16.50
47	16.30
48	15.00
49	15.70
50	15.00
51	14.10
52	13.80
53	13.50
54	13.20
55	13.00
56	12.10
57	12.00
58	11.50
59	11.10
60	10.70
61	10.10
62	9.70
63	8.90
64	8.70
65	8.40
66	7.50
67	6.90
68	6.90

PLATFORM- MARYSVIL  
 POSITION- 32 IN 197 91W  
 MARSSEN SQUARE 124 ONE DEGREE SQUARE 27  
 DATE- AUG 31, 1968 TIME- 1315  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.60
33	25.00
34	25.30
35	23.00
36	22.70
37	22.10
38	21.00
39	21.40
40	20.30
41	20.00
42	19.70
43	19.00
44	18.60
45	18.50
46	17.40
47	17.00
48	16.80
49	16.30
50	16.00
51	15.30
52	15.00
53	14.10
54	13.80
55	13.10
56	13.00
57	12.30
58	12.20
59	11.80
60	11.10
61	9.80
62	9.20
63	8.80
64	8.10
65	6.90
66	6.70

PLATFORM- MARYSVIL

POSITION- 33 30N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- SEP 01, 1960 TIME- 30

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.70
7	25.40
30	25.40
32	25.30
33	25.30
34	23.60
35	22.20
36	21.00
39	20.30
40	20.10
42	19.70
45	19.40
49	18.90
52	18.36
66	17.40
70	17.10
78	16.80
97	15
111	15.50
120	14.50
144	13.80
189	12.80
207	11.26
314	10.78
353	10.20
374	9.50
402	9.20
411	8.90
423	8.80
446	8.30
477	7.90
505	7.20
546	6.70
599	6.40
592	5.90
626	5.60
700	5.20

PLATFORM- MARYSVIL

POSITION- 34 11N 157 40W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE- SEP 01, 1960 TIME- 730

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.40
0	25.40
12	25.30
21	25.30
25	25.20
27	25.00
28	24.70
30	24.50
31	24.30
32	23.70
33	23.40
34	22.70
35	22.20
36	21.60
37	20.20
38	19.80
39	19.50
40	19.30
41	18.70
42	18.60
43	18.40
45	18.20
50	17.60
52	17.50
53	17.30
54	16.80
59	16.50
74	15.10
84	14.60
103	14.30
117	13.80
139	13.90
151	13.40
160	13.20
166	12.60
211	12.60
214	12.40
229	12.20
235	11.90
240	11.40
311	11.00
342	10.60
350	10.20
434	9.80
451	8.30

PLATFORM- MARYSVIL

POSITION- 34 30N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE- SEP 01, 1960 TIME- 1300

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.20
13	25.20
21	25.10
24	24.80
26	24.30
27	24.00
28	23.40
29	23.00
30	21.90
31	20.60
32	20.30
33	20.10
34	19.80
35	19.40
36	19.10
37	18.60
38	18.30
39	17.90
44	17.40
45	17.30
49	17.10
55	16.60
60	16.40
67	15.70
71	15.30
77	14.90
92	14.40
110	14.20
122	13.70
130	13.40
167	13.30
171	13.00
182	12.80
190	12.50
197	12.40
207	12.10
216	12.10
235	11.70
274	11.10
286	11.00
315	10.40
355	9.90
362	9.60
410	8.80
424	8.40



PLATFORM- MARYSVIL

POSITION- 35 0N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 57

DATE- SEP 01, 1968 TIME- 1940

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	24.00
10	24.00
20	24.00
21	24.00
22	24.00
23	24.00
24	24.00
25	23.70
26	23.10
27	22.20
28	21.50
29	19.70
30	19.00
31	19.30
32	19.00
33	19.30
34	19.10
35	18.00
36	18.00
37	17.90
38	17.50
39	17.30
40	17.10
41	17.00
42	17.00
43	17.10
44	16.90
45	16.90
46	16.80
47	16.80
48	16.80
49	16.80
50	16.80
51	16.80
52	16.80
53	16.80
54	16.80
55	16.80
56	16.80
57	16.80
58	16.80
59	16.80
60	16.80
61	16.80
62	16.80
63	16.80
64	16.80
65	16.80
66	16.80
67	16.80
68	16.80
69	16.80
70	16.80

PLATFORM- MARYSVIL

POSITION- 35 0N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 57

DATE- SEP 01, 1968 TIME- 2000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	24.00
10	24.00
20	24.00
21	24.00
22	24.00
23	24.00
24	24.00
25	23.90
26	23.30
27	22.40
28	21.00
29	20.40
30	20.20
31	19.60
32	19.60
33	19.60
34	19.60
35	19.60
36	19.60
37	19.60
38	19.60
39	19.60
40	19.60
41	19.60
42	19.60
43	19.60
44	19.60
45	19.60
46	19.60
47	19.60
48	19.60
49	19.60
50	19.60
51	19.60
52	19.60
53	19.60
54	19.60
55	19.60
56	19.60
57	19.60
58	19.60
59	19.60
60	19.60
61	19.60
62	19.60
63	19.60
64	19.60
65	19.60
66	19.60
67	19.60
68	19.60
69	19.60
70	19.60

PLATFORM- MARYSVIL

POSITION- 35 0N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 57

DATE- SEP 01, 1968 TIME- 2200

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.00
10	24.00
20	24.00
21	24.00
22	24.00
23	24.00
24	24.00
25	24.00
26	24.00
27	24.00
28	24.00
29	24.00
30	24.00
31	24.00
32	24.00
33	24.00
34	24.00
35	24.00
36	24.00
37	24.00
38	24.00
39	24.00
40	24.00
41	24.00
42	24.00
43	24.00
44	24.00
45	24.00
46	24.00
47	24.00
48	24.00
49	24.00
50	24.00
51	24.00
52	24.00
53	24.00
54	24.00
55	24.00
56	24.00
57	24.00
58	24.00
59	24.00
60	24.00
61	24.00
62	24.00
63	24.00
64	24.00
65	24.00
66	24.00
67	24.00
68	24.00
69	24.00
70	24.00

PLATFORM- MARYSVIL

POSITION- 36 ON 157 50W

MARDEN SQUARE 124 ONE DEGREE SQUARE 67

DATE- SEP 02, 1968 TIME- 560

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	24.00	474	7.20
14	24.00	497	6.80
17	24.00	512	6.70
18	23.70	528	6.30
19	22.70	544	5.90
20	21.00	560	5.50
21	20.00	576	5.00
22	20.40	592	5.00
24	20.00	608	
27	19.50	624	
28	19.10	640	
32	18.40	656	
33	18.10	672	
34	17.80	688	
35	17.50	704	
40	16.90		
43	16.50		
46	16.10		
49	15.60		
53	15.40		
56	15.20		
63	14.00		
67	14.00		
69	14.00		
72	14.10		
74	13.60		
77	13.50		
79	13.30		
88	12.90		
99	12.60		
106	12.50		
109	12.50		
115	12.00		
121	12.00		
124	12.00		
154	12.50		
191	11.90		
222	11.70		
248	11.10		
305	10.40		
334	10.00		
364	9.30		
392	8.90		
409	8.40		
432	8.20		

PLATFORM- MARYSVIL

POSITION- 36 30N 157 50W

MARDEN SQUARE 124 ONE DEGREE SQUARE 67

DATE- SEP 02, 1968 TIME- 900

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	24.20	446	9.30
16	24.20	468	8.90
17	24.00	484	8.00
18	23.80	500	7.40
19	22.40	516	7.30
20	20.60		
21	20.10		
22	19.10		
23	18.80		
24	18.60		
25	18.30		
29	17.90		
31	17.40		
40	17.10		
41	17.00		
42	16.70		
43	16.60		
44	16.40		
46	16.20		
47	15.90		
48	15.80		
49	15.50		
53	15.30		
61	14.70		
63	14.70		
67	14.90		
72	14.70		
79	14.90		
87	14.60		
97	14.40		
99	14.40		
107	14.30		
114	13.80		
132	13.70		
134	13.90		
139	13.90		
143	13.60		
150	13.60		
154	13.80		
173	13.00		
180	13.00		
211	13.50		
261	12.80		
357	11.10		
395	10.30		

PLATFORM- MARYSVIL

POSITION- 37 7N 157 50W

MARDEN SQUARE 124 ONE DEGREE SQUARE 77

DATE- SEP 02, 1968 TIME- 1000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	23.00	527	5.90
17	23.00	547	5.70
18	23.70	567	5.70
19	23.10	587	5.30
20	21.70	607	5.00
21	21.00	627	4.90
22	20.30		
23	19.50		
24	19.00		
25	18.80		
26	18.50		
28	18.00		
29	17.70		
30	17.40		
31	17.10		
32	16.90		
34	16.00		
37	15.70		
39	15.50		
40	15.30		
41	15.10		
45	14.90		
47	14.80		
57	14.50		
59	14.30		
75	13.90		
84	13.00		
110	12.50		
122	12.20		
132	12.20		
137	12.00		
154	11.90		
179	11.50		
224	11.00		
257	10.40		
268	10.30		
270	10.20		
289	10.80		
292	9.80		
307	9.70		
334	8.90		
421	7.40		
498	6.20		
522	6.10		

PLATFORM- MARYSVIL

POSITION- 37 36N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 77

DATE- SEP 02, 1968 TIME- 2200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	23.78
14	23.70
17	23.60
19	23.30
20	21.98
21	19.10
22	18.08
24	18.30
29	17.30
35	16.00
42	16.00
43	15.00
48	15.30
53	14.50
58	14.00
68	14.00
65	13.50
70	13.20
73	13.00
90	12.70
100	12.30
108	12.40
177	11.00
191	11.60
206	11.20
230	10.80
271	10.20
301	9.80
341	9.10
367	8.40
385	8.20
418	7.40
424	7.40
477	6.40
484	6.40
497	6.10
509	6.00
540	5.60
578	5.40
607	5.10
700	4.00

PLATFORM- MARYSVIL

POSITION- 38 0N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 87

DATE- SEP 03, 1968 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	23.10
19	23.40
21	23.40
22	23.10
23	22.70
24	20.30
25	19.50
26	18.90
28	18.20
30	17.70
34	16.80
37	16.70
41	16.20
42	15.90
43	15.60
47	15.20
48	14.00
50	14.70
53	14.30
60	13.90
65	13.50
73	13.40
79	13.20
96	12.80
132	12.80
156	12.60
168	12.20
209	11.70
231	11.62
239	11.40
292	10.90
307	10.60
315	10.60
331	10.40
333	10.20
375	9.60
396	9.20
404	8.90
410	8.90
435	8.30
449	8.20
464	7.90
525	7.00
577	6.80
700	6.70

PLATFORM- MARYSVIL

POSITION- 38 0N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 87

DATE- SEP 03, 1968 TIME- 1901

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	23.00
18	22.90
24	22.70
25	22.30
26	21.90
27	19.40
28	19.00
35	17.40
36	17.20
37	16.00
38	16.50
42	16.00
45	15.00
49	15.50
52	15.00
60	13.00
62	13.40
64	13.10
71	12.00
75	12.60
80	12.30
109	12.20
113	12.20
114	12.00
136	11.80
154	11.60
161	11.80
174	11.60
183	11.30
190	11.30
194	11.00
219	10.60
230	10.30
278	10.00
284	9.70
291	9.70
298	9.40
323	9.10
335	8.80
343	8.80
353	8.50
381	8.20
412	7.30
433	6.90
471	6.40

PLATFORM- MARYSVIL	POSITION- 36 30N 157 50W	MARSDEN SQUARE 124 ONE DEGREE SQUARE 87	DATE- SEP 03, 1968 TIME- 2230	INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70	
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	22.00	0	21.70	0	21.70
10	22.00	13	21.90	13	21.70
12	22.00	14	21.50	14	21.70
13	22.10	15	21.40	15	21.70
14	21.00	16	20.80	16	21.70
15	21.00	17	20.40	17	21.70
16	19.40	18	19.50	18	21.70
17	18.00	19	18.50	19	21.70
18	16.10	20	18.10	20	21.70
19	17.00	21	17.70	21	21.70
20	16.90	22	17.50	22	21.70
22	16.50	23	17.20	23	21.70
23	16.20	30	16.60	30	21.70
24	16.00	32	16.40	32	21.70
26	15.80	46	15.90	46	21.70
27	15.40	41	15.60	41	21.70
32	15.20	43	15.30	43	21.70
34	14.90	47	14.90	47	21.70
36	14.50	48	14.70	48	21.70
37	14.50	50	14.50	50	21.70
39	14.20	53	14.20	53	21.70
42	13.70	56	13.70	56	21.70
43	13.70	59	13.40	59	21.70
44	13.50	65	13.10	65	21.70
46	13.20	72	13.10	72	21.70
54	11.80	88	12.80	88	21.70
59	11.80	101	12.80	101	21.70
61	11.90	108	12.40	108	21.70
72	11.60	120	12.00	120	21.70
87	11.60	124	12.40	124	21.70
104	11.40	143	12.30	143	21.70
111	11.50	155	12.10	155	21.70
147	11.40	161	11.80	161	21.70
161	11.30	201	11.40	201	21.70
171	11.00	208	11.20	208	21.70
179	10.90	242	10.90	242	21.70
189	10.60	260	10.50	260	21.70
210	10.10	305	10.10	305	21.70
254	9.70	333	9.40	333	21.70
259	9.50	349	8.90	349	21.70
285	9.20	391	8.40	391	21.70
304	8.70	398	8.40	398	21.70
353	8.10	433	7.80	433	21.70
362	7.60	448	7.70	448	21.70
411	6.90	487	7.10	487	21.70

PLATFORM- MARYSVIL	POSITION- 39 0N 157 50W	MARSDEN SQUARE 124 ONE DEGREE SQUARE 97	DATE- SEP 04, 1968 TIME- 030	INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70	
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	21.70	0	21.70	0	21.70
15	21.70	517	7.10	15	21.70
18	21.60	530	6.80	18	21.60
20	21.70	570	6.70	20	21.70
21	21.30	603	6.40	21	21.30
22	20.90	700	6.20	22	20.90
23	19.30			23	19.30
24	18.30			24	18.30
25	17.40			25	17.40
32	16.60			32	16.60
34	16.10			34	16.10
36	15.90			36	15.90
39	15.60			39	15.60
43	15.50			43	15.50
46	15.00			46	15.00
47	14.70			47	14.70
48	14.50			48	14.50
49	14.10			49	14.10
52	14.00			52	14.00
57	13.30			57	13.30
63	12.80			63	12.80
70	13.00			70	13.00
78	13.10			78	13.10
82	12.80			82	12.80
94	12.80			94	12.80
96	12.60			96	12.60
116	12.30			116	12.30
132	12.30			132	12.30
138	12.50			138	12.50
157	12.30			157	12.30
160	12.20			160	12.20
194	11.70			194	11.70
219	11.70			219	11.70
260	11.00			260	11.00
314	10.80			314	10.80
372	8.90			372	8.90
388	8.90			388	8.90
387	8.70			387	8.70
400	8.70			400	8.70
428	8.10			428	8.10
530	7.10			530	7.10
553	6.90			553	6.90
582	6.70			582	6.70
623	6.70			623	6.70
651	6.50			651	6.50
700	6.40			700	6.40

PLATFORM- MARYSVIL

POSITION- 39 30N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE- SEP 04, 1968 TIME- 1030

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	20.00
23	20.00
24	20.20
25	19.00
26	18.00
27	17.70
28	17.10
30	16.50
34	15.00
36	15.00
38	15.20
44	14.10
45	13.90
46	13.00
47	13.20
52	12.00
53	12.00
54	12.10
60	11.70
70	11.70
77	11.50
101	11.50
120	11.20
127	11.40
143	11.40
146	11.00
157	10.00
163	10.00
174	10.00
185	10.00
201	10.50
209	10.20
240	10.10
282	9.50
288	9.30
297	9.30
347	8.40
362	8.30
396	7.60
399	7.40
423	7.20
434	7.10
438	6.90
473	6.50
556	5.00
608	6.00
674	5.00
700	5.00

PLATFORM- MARYSVIL

POSITION- 40 ON 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- SEP 05, 1968 TIME- 001

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	20.00
10	20.00
20	20.20
21	19.50
22	18.70
23	17.10
24	16.00
27	15.10
28	15.00
30	15.10
31	14.00
34	14.00
41	13.00
42	13.70
43	13.00
46	13.10
47	12.00
48	12.00
51	12.00
54	11.70
67	11.10
70	10.90
80	10.90
92	11.00
122	10.70
137	10.00
145	11.00
161	11.10
163	10.90
170	10.70
173	11.00
194	10.70
215	10.20
250	9.00
292	9.20
325	8.50
337	8.40
350	8.00
393	7.50
394	7.30
402	7.30
423	6.00
451	6.70
456	6.50
464	6.50

PLATFORM- MARYSVIL

POSITION- 40 ON 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- SEP 05, 1968 TIME- 900

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	20.00
13	20.00
14	20.50
15	20.00
16	19.40
17	18.70
18	18.00
19	17.00
20	17.50
21	17.20
22	16.00
23	16.20
24	15.50
28	15.00
33	14.40
35	13.90
36	13.00
37	13.40
38	13.10
44	12.10
54	11.40
56	11.00
75	11.00
143	11.10
161	11.00
168	10.00
170	10.00
172	11.00
176	11.10
204	10.00
210	10.10
234	10.00
263	9.70
274	9.30
308	8.00
322	8.00
328	8.30
371	7.00
408	7.10
440	6.40
440	6.00
470	6.10
500	5.00
551	5.70
620	5.30
700	5.10

PLATFORM- MARYSVIL

POSITION- 40 2N 157 42W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- SEP 05, 1968 TIME- 1403

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	20.00	411	6.40
20	20.00	430	6.20
21	20.50	472	5.00
22	19.00	522	5.10
23	19.30	536	5.10
24	18.00	540	4.90
25	17.50	700	4.30
26	16.00		
27	16.40		
28	16.10		
29	15.00		
32	15.50		
33	15.30		
34	15.00		
36	16.60		
39	16.10		
40	13.70		
41	13.40		
43	13.10		
45	12.70		
46	12.50		
48	12.40		
53	11.70		
56	11.60		
66	10.90		
71	10.70		
82	10.60		
100	10.00		
119	10.00		
131	10.60		
152	10.50		
164	10.30		
199	10.00		
210	9.60		
240	9.40		
260	9.10		
277	8.70		
287	8.70		
320	8.10		
334	7.80		
350	7.40		
370	7.40		
390	7.00		
391	6.90		
400	6.00		

PLATFORM- MARYSVIL

POSITION- 40 2N 157 42W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- SEP 05, 1968 TIME- 1517


INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	21.00	476	6.20
6	20.00	490	5.00
7	20.00	532	5.70
8	19.20	536	5.00
9	18.00	630	5.10
10	17.00	673	5.10
11	16.40	700	4.90
12	16.10		
15	15.40		
17	15.40		
18	15.10		
19	14.90		
20	14.70		
24	14.00		
26	13.70		
28	13.10		
31	12.90		
32	12.50		
37	11.90		
43	11.40		
54	10.90		
62	10.90		
65	11.10		
86	11.20		
100	11.00		
174	10.90		
199	10.90		
203	10.70		
213	10.70		
219	10.50		
249	10.20		
260	9.70		
275	9.70		
281	9.00		
294	9.50		
300	8.30		
346	8.30		
352	8.10		
373	7.70		
381	7.70		
394	7.40		
398	7.20		
419	6.90		
430	6.00		
445	6.50		

**R/V Mikimiki XBT Data**

MIKIMIKI XBT

DATA LOCATIONS





PLATFORM- MIKIMIKI  
 POSITION- 23 32N 157 50W  
 HARSØEN SQUARE 80 ONE DEGREE SQUARE 37  
 DATE- AUG 14, 1968 TIME- 010  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.40
5	26.30
10	26.10
15	25.70
20	25.40
25	25.20
30	25.00
35	24.80
40	24.60
45	24.40
50	24.20
55	24.00
60	23.80
65	23.60
70	23.40
75	23.20
80	23.00
85	22.80
90	22.60
95	22.40
100	22.20
105	22.00
110	21.80
115	21.60
120	21.40
125	21.20
130	21.00
135	20.80
140	20.60
145	20.40
150	20.20
155	20.00
160	19.80
165	19.60
170	19.40
175	19.20
180	19.00
185	18.80
190	18.60
195	18.40
200	18.20
205	18.00
210	17.80
215	17.60
220	17.40
225	17.20
230	17.00
235	16.80
240	16.60
245	16.40
250	16.20
255	16.00
260	15.80
265	15.60
270	15.40
275	15.20
280	15.00
285	14.80
290	14.60
295	14.40
300	14.20
305	14.00
310	13.80
315	13.60
320	13.40
325	13.20
330	13.00
335	12.80
340	12.60
345	12.40
350	12.20
355	12.00
360	11.80
365	11.60
370	11.40
375	11.20
380	11.00
385	10.80
390	10.60
395	10.40
400	10.20
405	10.00
410	9.80
415	9.60
420	9.40
425	9.20
430	9.00
435	8.80
440	8.60
445	8.40
450	8.20
455	8.00
460	7.80
465	7.60
470	7.40
475	7.20
480	7.00
485	6.80
490	6.60
495	6.40
500	6.20
505	6.00
510	5.80
515	5.60
520	5.40
525	5.20
530	5.00
535	4.80
540	4.60
545	4.40
550	4.20
555	4.00
560	3.80
565	3.60
570	3.40
575	3.20
580	3.00
585	2.80
590	2.60
595	2.40
600	2.20
605	2.00
610	1.80
615	1.60
620	1.40
625	1.20
630	1.00
635	0.80
640	0.60
645	0.40
650	0.20
655	0.00
660	-0.20
665	-0.40
670	-0.60
675	-0.80
680	-1.00
685	-1.20
690	-1.40
695	-1.60
700	-1.80

PLATFORM- MIKIMIKI  
 POSITION- 23 50N 157 47W  
 HARSØEN SQUARE 80 ONE DEGREE SQUARE 37  
 DATE- AUG 14, 1968 TIME- 2000  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	26.60
5	26.40
10	26.20
15	26.00
20	25.80
25	25.60
30	25.40
35	25.20
40	25.00
45	24.80
50	24.60
55	24.40
60	24.20
65	24.00
70	23.80
75	23.60
80	23.40
85	23.20
90	23.00
95	22.80
100	22.60
105	22.40
110	22.20
115	22.00
120	21.80
125	21.60
130	21.40
135	21.20
140	21.00
145	20.80
150	20.60
155	20.40
160	20.20
165	20.00
170	19.80
175	19.60
180	19.40
185	19.20
190	19.00
195	18.80
200	18.60
205	18.40
210	18.20
215	18.00
220	17.80
225	17.60
230	17.40
235	17.20
240	17.00
245	16.80
250	16.60
255	16.40
260	16.20
265	16.00
270	15.80
275	15.60
280	15.40
285	15.20
290	15.00
295	14.80
300	14.60
305	14.40
310	14.20
315	14.00
320	13.80
325	13.60
330	13.40
335	13.20
340	13.00
345	12.80
350	12.60
355	12.40
360	12.20
365	12.00
370	11.80
375	11.60
380	11.40
385	11.20
390	11.00
395	10.80
400	10.60
405	10.40
410	10.20
415	10.00
420	9.80
425	9.60
430	9.40
435	9.20
440	9.00
445	8.80
450	8.60
455	8.40
460	8.20
465	8.00
470	7.80
475	7.60
480	7.40
485	7.20
490	7.00
495	6.80
500	6.60
505	6.40
510	6.20
515	6.00
520	5.80
525	5.60
530	5.40
535	5.20
540	5.00
545	4.80
550	4.60
555	4.40
560	4.20
565	4.00
570	3.80
575	3.60
580	3.40
585	3.20
590	3.00
595	2.80
600	2.60
605	2.40
610	2.20
615	2.00
620	1.80
625	1.60
630	1.40
635	1.20
640	1.00
645	0.80
650	0.60
655	0.40
660	0.20
665	0.00
670	-0.20
675	-0.40
680	-0.60
685	-0.80
690	-1.00
695	-1.20
700	-1.40

PLATFORM- MIKIMIKI  
 POSITION- 25 14N 157 52W  
 HARSØEN SQUARE 80 ONE DEGREE SQUARE 57  
 DATE- AUG 15, 1968 TIME- 000  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	26.60
5	26.40
10	26.20
15	26.00
20	25.80
25	25.60
30	25.40
35	25.20
40	25.00
45	24.80
50	24.60
55	24.40
60	24.20
65	24.00
70	23.80
75	23.60
80	23.40
85	23.20
90	23.00
95	22.80
100	22.60
105	22.40
110	22.20
115	22.00
120	21.80
125	21.60
130	21.40
135	21.20
140	21.00
145	20.80
150	20.60
155	20.40
160	20.20
165	20.00
170	19.80
175	19.60
180	19.40
185	19.20
190	19.00
195	18.80
200	18.60
205	18.40
210	18.20
215	18.00
220	17.80
225	17.60
230	17.40
235	17.20
240	17.00
245	16.80
250	16.60
255	16.40
260	16.20
265	16.00
270	15.80
275	15.60
280	15.40
285	15.20
290	15.00
295	14.80
300	14.60
305	14.40
310	14.20
315	14.00
320	13.80
325	13.60
330	13.40
335	13.20
340	13.00
345	12.80
350	12.60
355	12.40
360	12.20
365	12.00
370	11.80
375	11.60
380	11.40
385	11.20
390	11.00
395	10.80
400	10.60
405	10.40
410	10.20
415	10.00
420	9.80
425	9.60
430	9.40
435	9.20
440	9.00
445	8.80
450	8.60
455	8.40
460	8.20
465	8.00
470	7.80
475	7.60
480	7.40
485	7.20
490	7.00
495	6.80
500	6.60
505	6.40
510	6.20
515	6.00
520	5.80
525	5.60
530	5.40
535	5.20
540	5.00
545	4.80
550	4.60
555	4.40
560	4.20
565	4.00
570	3.80
575	3.60
580	3.40
585	3.20
590	3.00
595	2.80
600	2.60
605	2.40
610	2.20
615	2.00
620	1.80
625	1.60
630	1.40
635	1.20
640	1.00
645	0.80
650	0.60
655	0.40
660	0.20
665	0.00
670	-0.20
675	-0.40
680	-0.60
685	-0.80
690	-1.00
695	-1.20
700	-1.40

PLATFORM- MIKIMIKI

POSITION- 26 52N 157 51W

MARSDEN SQUARE 67 ONE DEGREE SQUARE 67

DATE- AUG 15, 1968 TIME- 1900

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	395	11.00
13	26.90	361	11.00
16	26.80	309	10.70
32	26.40	390	10.30
41	25.90	412	10.20
42	25.80	423	9.70
43	25.50	444	9.30
48	25.20	460	8.80
48	25.10	466	8.80
56	24.30	476	8.50
61	24.20	495	8.20
83	22.90	497	8.00
84	22.60	500	7.50
84	22.30	545	6.80
95	21.50	565	6.70
112	20.30	606	5.90
117	20.00	657	5.60
120	20.00	674	5.30
129	20.70	700	5.20
127	20.40		
134	20.20		
143	19.70		
153	19.10		
162	18.90		
169	18.50		
179	18.20		
184	17.90		
201	17.40		
205	17.20		
215	17.00		
222	16.80		
230	16.30		
236	16.20		
240	15.20		
275	15.00		
294	14.10		
306	14.00		
303	13.60		
310	13.30		
321	13.10		
329	13.00		
331	12.60		
342	12.30		
350	12.30		
354	12.10		

PLATFORM- MIKIMIKI

POSITION- 28 14N 157 49W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 87

DATE- AUG 16, 1968 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	434	9.40
12	26.80	448	8.90
24	26.80	461	8.60
29	26.40	474	8.60
31	26.00	484	8.50
33	25.50	507	7.90
34	25.30	520	7.70
35	24.70	531	7.30
41	23.50	546	7.20
42	23.20	550	7.00
47	22.40	563	6.70
62	20.80	590	6.50
66	20.40	601	6.50
72	19.90	613	6.20
80	19.30	700	5.60
96	18.70		
96	18.70		
104	18.10		
110	18.00		
123	17.20		
135	16.70		
161	16.00		
164	15.80		
172	15.70		
179	15.50		
191	15.30		
196	15.00		
202	15.00		
219	14.00		
230	14.00		
254	13.40		
260	13.20		
276	12.80		
287	12.80		
296	12.60		
305	12.20		
321	12.10		
334	11.80		
346	11.20		
354	11.10		
360	10.80		
381	10.50		
388	10.20		
413	9.70		
418	9.50		

PLATFORM- MIKIMIKI

POSITION- 29 42N 157 55W

MARSDEN SQUARE 86 ONE DEGREE SQUARE 97

DATE- AUG 16, 1968 TIME- 1000

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.30	516	6.00
23	26.20	544	6.10
29	26.00	601	5.20
30	25.80	611	5.00
31	25.20	634	5.30
32	24.40	700	5.00
33	24.10		
35	23.10		
36	22.60		
37	22.00		
38	21.70		
39	21.40		
47	20.30		
55	19.90		
59	19.40		
71	18.80		
73	18.40		
78	18.20		
83	17.70		
93	17.10		
110	16.70		
132	16.30		
145	15.70		
156	15.50		
162	15.40		
173	14.80		
184	14.40		
190	14.30		
197	13.70		
233	12.60		
244	12.70		
262	12.30		
273	12.20		
293	11.70		
304	11.20		
314	11.20		
335	10.60		
350	10.20		
374	10.10		
380	9.60		
393	9.60		
419	8.70		
447	8.20		
454	7.80		
504	7.10		

PLATFORM- MIKIMIKI

POSITION- 31 20N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 17

DATE- AUG 17, 1968 TIME- 000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (m)	TEMP (C)	DEPTH (m)	TEMP (C)
0	25.70	0	25.80
23	25.64	23	25.80
28	25.30	25	25.80
29	24.90	26	25.80
30	24.50	28	24.50
31	24.06	33	24.00
32	23.86	34	23.60
35	22.94	35	22.80
36	22.50	38	22.10
37	22.00	39	21.90
39	21.00	40	21.50
40	21.00	41	20.00
41	21.00	44	20.70
45	21.00	54	19.00
48	20.20	68	18.40
53	19.70	71	18.30
58	19.10	74	18.00
63	18.50	90	17.20
72	18.00	131	16.70
75	18.10	149	16.10
80	18.30	164	16.00
106	17.20	168	15.80
140	16.10	180	15.20
150	15.30	185	14.60
164	15.10	196	14.10
171	14.50	203	14.00
182	14.30	207	13.70
191	13.84	214	13.30
200	13.77	223	13.30
212	13.20	254	12.40
227	12.50	292	11.70
243	12.50	322	10.00
271	12.10	371	10.10
284	11.70	378	9.80
297	11.70	424	8.80
304	11.40	438	8.40
317	11.30	470	7.90
327	10.90	477	7.60
337	10.60	561	6.10
357	10.30	597	5.60
371	10.10	700	4.90
395	9.20		
404	8.40		
441	8.40		
466	7.80		

PLATFORM- MIKIMIKI

POSITION- 32 45 N 157 97W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- AUG 17, 1968 TIME- 1000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (m)	TEMP (C)
0	25.80
23	25.80
25	25.80
26	25.40
28	24.50
33	24.00
34	23.60
35	22.80
38	22.10
39	21.90
40	21.50
41	20.00
44	20.70
54	19.00
68	18.40
71	18.30
74	18.00
90	17.20
131	16.70
149	16.10
164	16.00
168	15.80
180	15.20
185	14.60
196	14.10
203	14.00
207	13.70
214	13.30
223	13.30
254	12.40
292	11.70
322	10.00
371	10.10
378	9.80
424	8.80
438	8.40
470	7.90
477	7.60
561	6.10
597	5.60
700	4.90

PLATFORM- MIKIMIKI

POSITION- 23 29N 157 48W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 18, 1968 TIME- 0

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.00

DEPTH (m)	TEMP (C)	DEPTH (m)	TEMP (C)
0	26.30	0	26.30
16	26.20	16	26.20
21	26.10	21	26.10
24	25.60	24	25.60
25	25.50	25	25.50
27	25.20	27	25.20
29	24.70	29	24.70
30	24.40	30	24.40
31	23.10	31	23.10
32	22.80	32	22.80
33	22.40	33	22.40
34	22.10	34	22.10
35	21.80	35	21.80
36	21.60	36	21.60
41	20.70	41	20.70
43	20.30	43	20.30
49	19.50	49	19.50
54	19.20	54	19.20
55	18.90	55	18.90
64	18.70	64	18.70
66	18.10	66	18.10
70	17.40	70	17.40
85	17.30	85	17.30
92	16.90	92	16.90
99	16.80	99	16.80
104	16.40	104	16.40
112	16.50	112	16.50
127	16.00	127	16.00
150	15.30	150	15.30
155	15.00	155	15.00
174	14.30	174	14.30
179	14.20	179	14.20
186	13.80	186	13.80
209	13.20	209	13.20
245	12.50	245	12.50
258	12.10	258	12.10
275	11.90	275	11.90
287	11.50	287	11.50
359	10.50	359	10.50
366	9.80	366	9.80
410	9.20	410	9.20
429	8.20	429	8.20
436	8.00	436	8.00
474	8.30	474	8.30
493	7.70	493	7.70

PLATFORM- MIKIMIKI

POSITION- 34 25N 157 49W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE- AUG 18, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
8	25.50	444	7.90
12	25.50	543	6.50
16	25.20	597	5.80
20	24.70	700	5.00
22	24.40		
23	24.80		
24	23.40		
27	22.80		
28	22.40		
29	22.10		
30	21.60		
31	20.60		
34	20.20		
35	19.50		
36	18.90		
37	18.60		
38	18.40		
42	18.10		
43	17.80		
47	17.40		
48	17.20		
53	16.90		
54	16.70		
55	16.40		
58	15.80		
67	15.70		
68	15.30		
73	15.20		
84	14.70		
90	14.70		
94	14.50		
123	13.70		
134	13.70		
144	13.40		
163	13.20		
171	12.80		
184	12.70		
189	12.50		
202	12.40		
242	11.70		
296	11.00		
359	9.80		
402	9.20		
423	8.70		
435	8.60		

PLATFORM- MIKIMIKI

POSITION- 35 20N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 57

DATE- AUG 18, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	24.90
13	24.90
14	24.50
16	22.20
17	21.80
18	21.10
19	20.60
20	20.40
21	20.20
23	19.90
24	19.70
32	18.20
34	17.60
36	17.30
37	16.90
42	16.30
46	16.00
68	15.20
69	14.90
76	14.10
80	13.90
96	13.60
114	13.20
128	12.70
143	12.40
154	12.40
162	12.10
174	12.10
187	11.80
214	11.50
330	9.70
390	8.40
491	8.10
498	6.80
515	6.80
560	5.40
628	4.80
708	4.40

PLATFORM- MIKIMIKI

POSITION- 37 25N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 77

DATE- AUG 19, 1968 TIME- 010

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	23.50
9	23.50
11	23.40
12	23.10
13	22.10
14	22.00
15	21.70
16	21.40
17	21.00
18	20.40
19	20.20
20	20.00
21	19.40
22	19.10
23	18.50
24	18.30
26	17.80
27	17.40
34	16.70
35	16.40
47	15.10
49	15.00
54	14.20
56	13.60
58	13.60
62	13.20
76	12.40
95	11.90
107	11.90
129	11.40
164	11.20
234	10.30
263	10.30
323	9.10
334	8.70
386	7.90
398	7.50
419	7.20
431	6.90
472	6.40
482	6.10
554	5.30
618	4.70
700	4.30

PLATFORM- MIKIMIKI

POSITION- 39 0N 157 47W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE- AUG 19, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	22.90
4	22.80
9	22.70
11	22.60
14	21.80
15	21.50
16	21.20
17	20.60
18	19.80
19	19.30
20	18.90
21	18.60
22	18.30
25	17.80
27	17.30
28	16.80
29	16.50
30	16.20
38	15.20
41	14.70
42	14.50
43	14.30
48	13.50
51	13.30
57	12.80
64	12.00
77	12.00
94	11.70
113	11.00
117	11.00
130	11.30
190	10.30
260	9.40
282	9.40
313	8.80
332	8.70
350	8.20
433	6.90
454	6.30
476	6.10
479	6.00
511	5.50
570	4.90
646	4.40
700	4.30

PLATFORM- MIKIMIKI

POSITION- 40 49N 157 57W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- AUG 20, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	21.00
5	20.90
7	20.50
12	20.30
13	19.80
14	19.70
15	19.50
16	18.80
17	18.00
18	17.40
19	17.10
20	16.70
21	16.20
22	16.00
23	15.80
25	15.40
33	14.90
44	13.80
45	13.60
47	13.30
48	13.10
51	12.40
54	11.70
63	11.00
64	10.80
65	10.60
72	10.40
103	10.30
107	10.30
113	10.50
147	10.40
174	10.10
190	9.70
224	9.60
303	8.30
330	7.50
366	7.20
384	6.70
444	6.00
479	5.50
552	4.80
700	4.10

PLATFORM- MIKIMIKI

POSITION- 41 40N 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 17

DATE- AUG 20, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	18.70
4	18.70
6	18.40
8	18.10
12	17.50
16	16.80
18	16.50
19	16.00
20	15.30
23	15.00
24	14.70
33	14.00
34	13.70
35	13.40
36	12.90
40	12.10
41	11.70
42	11.40
43	11.10
47	10.60
73	10.20
96	10.20
106	9.90
124	9.40
140	9.30
236	8.00
275	8.30
277	8.20
315	7.40
324	7.30
357	6.60
424	5.70
446	5.30
517	4.70
570	4.30
700	3.90

PLATFORM- MIKIMIKI

POSITION- 42 5N 157 54W

WARDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- AUG 21, 1968 TIME- 015

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	18.30
6	18.00
9	18.00
10	18.00
10	18.20
14	17.60
17	17.40
22	16.60
23	15.80
24	15.60
28	15.10
33	16.60
34	16.50
40	13.00
41	12.60
42	12.30
43	11.90
44	11.50
46	11.10
53	10.30
64	10.10
64	10.20
104	9.80
122	9.70
125	9.80
131	9.60
147	9.60
171	9.20
224	8.80
254	8.40
280	7.80
311	7.10
334	6.80
354	6.70
382	6.20
487	5.10
598	4.40
700	4.00

PLATFORM- MIKIMIKI

POSITION- 42 30N 157 50W

WARDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- AUG 21, 1968 TIME- 1000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	18.30
9	18.20
12	18.00
20	17.20
23	16.80
24	16.30
26	15.80
28	14.90
31	14.70
32	14.50
34	14.30
36	13.80
40	13.40
41	13.20
42	12.70
43	12.50
44	12.20
45	12.00
54	11.10
64	10.40
82	10.20
97	10.20
104	10.00
121	10.00
127	9.60
140	9.60
172	9.10
213	8.80
246	8.40
253	8.20
280	7.80
300	7.30
351	6.60
383	6.00
471	5.10
580	4.30
700	3.90

PLATFORM- MIKIMIKI

POSITION- 42 50 N 157 47W

WARDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- AUG 22, 1968 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	17.90
0	17.90
11	17.00
12	17.60
14	17.20
17	16.80
18	16.40
19	16.00
20	15.40
21	15.30
25	15.10
30	13.90
40	13.70
42	13.40
43	13.20
44	13.00
45	12.70
46	12.20
47	12.00
48	11.70
52	11.20
54	10.80
56	10.40
60	10.20
61	10.10
81	9.60
100	9.30
134	8.40
144	7.40
148	7.40
153	9.20
173	8.90
202	8.00
221	7.70
255	7.10
268	6.80
313	7.10
417	5.40
441	5.20
542	4.00
618	4.20
700	4.00

PLATFORM- MIKIMIKI

POSITION- 43 19N 157 52E

MARSDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- AUG 22, 1968 TIME- 1000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	16.90
10	16.90
19	16.40
20	16.30
21	15.90
22	15.50
23	15.30
24	14.80
25	14.30
28	13.80
33	13.70
38	13.20
43	12.50
44	12.10
45	11.80
46	11.60
47	11.40
48	11.20
49	11.00
50	10.70
54	9.80
60	9.50
63	9.10
81	8.00
96	8.00
115	8.00
118	9.00
138	8.80
149	8.90
155	9.20
164	9.10
189	8.40
201	8.40
283	8.60
230	8.40
266	8.80
278	7.70
295	7.70
322	7.30
393	5.90
447	5.30
490	4.80
554	4.40
708	4.00

PLATFORM- MIKIMIKI

POSITION- 45 4N 157 49W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE- AUG 23, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.73

DEPTH (M)	TEMP (C)
0	16.10
10	16.10
19	16.00
20	13.70
21	13.50
24	13.30
26	13.10
28	12.00
30	12.10
34	11.00
36	11.50
38	11.30
41	11.10
43	10.70
48	10.20
57	9.70
60	9.00
61	8.70
62	8.40
63	8.10
67	7.80
70	7.30
76	7.10
89	7.10
99	6.90
167	6.00
202	6.60
286	6.40
232	6.10
268	5.90
338	4.90
413	4.40
532	3.90
708	3.70

PLATFORM- MIKIMIKI

POSITION- 46 14N 157 55W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 67

DATE- AUG 24, 1968 TIME- 19

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	13.15
19	12.00
25	12.00
31	12.40
32	12.00
34	11.50
35	11.10
36	10.00
38	10.10
39	9.70
46	8.50
50	8.00
56	7.60
67	7.50
75	7.30
80	7.00
86	6.80
109	7.00
113	6.80
141	6.80
149	7.00
168	7.00
182	6.50
203	6.50
212	6.20
234	6.10
266	5.60
299	5.10
381	4.70
397	4.40
510	4.00
700	3.80

PLATFORM- MIKIMIKI

POSITION- 47 15N 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 77

DATE- AUG 24, 1968 TIME- 1200

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	12.40
13	12.40
31	12.20
34	12.10
36	11.80
37	10.60
38	9.40
39	8.60
40	8.15
41	7.90
42	7.40
47	6.00
48	6.60
54	6.20
74	6.20
85	6.10
92	5.70
96	5.70
110	6.00
112	5.90
116	5.60
120	5.30
144	5.30
168	5.50
199	3.50
251	4.70
293	4.80
521	4.60
700	4.10

PLATFORM- MIKIMIKI

POSITION- 48 30N 158 4 W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 85

DATE- AUG 25, 1968 TIME- 125

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.60
30	11.50
42	11.30
45	11.10
46	10.60
47	10.30
48	9.80
49	9.30
50	8.80
51	8.10
54	7.10
58	6.70
64	6.10
81	6.60
96	5.90
101	5.70
111	5.80
119	5.80
132	5.50
140	5.10
148	4.90
188	4.80
210	4.40
242	4.00
328	3.80
444	3.80
700	3.40

PLATFORM- MIKIMIKI

POSITION- 48 30N 157 49W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 87

DATE- AUG 25, 1968 TIME- 1200

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	11.40
33	11.30
37	10.70
38	10.00
39	9.50
40	9.20
41	8.60
42	7.60
43	7.00
44	6.60
45	6.30
51	6.10
62	6.10
64	5.90
85	5.90
104	5.70
114	5.50
120	5.00
131	4.70
182	4.70
215	4.30
242	4.30
295	4.10
700	3.50



PLATFORM- MIKIMIKI

POSITION- 48 30N 157 50W

MARSEN SQUARE 160 ONE DEGREE SQUARE 87

DATE- AUG 25, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	11.70
43	11.60
45	11.50
48	11.20
49	10.80
54	9.10
56	8.30
62	7.10
84	6.20
99	6.10
111	5.90
123	5.60
180	5.00
226	4.80
295	4.30
700	3.90
	3.40

PLATFORM- MIKIMIKI

POSITION- 48 13N 157 50W

MARSEN SQUARE 160 ONE DEGREE SQUARE 87

DATE- AUG 25, 1968 TIME- 2305

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	11.90
28	11.80
29	11.70
30	11.20
31	10.90
32	9.40
33	9.60
34	8.40
36	7.70
37	7.20
38	6.90
41	6.30
50	6.10
61	6.10
71	5.70
75	5.70
81	6.00
85	6.10
90	5.90
94	5.60
96	5.60
102	5.30
126	4.80
154	4.90
174	4.90
261	4.10
700	3.30

PLATFORM- MIKIMIKI

POSITION- 47 52N 157 13W

MARSEN SQUARE 160 ONE DEGREE SQUARE 77

DATE- AUG 26, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	12.20
24	12.20
31	12.00
32	11.90
33	11.30
34	10.60
36	9.60
37	9.60
38	8.60
39	8.20
40	7.90
41	7.50
42	7.20
43	7.00
48	6.30
94	6.40
104	6.30
119	5.50
135	5.00
161	5.10
190	5.10
224	4.70
295	4.30
549	3.70
700	3.50

PLATFORM- MIKIMIKI

POSITION- 47 31N 157 40W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 77

DATE- AUG 27, 1968 TIME- 3

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	12.50
26	12.40
31	12.20
32	12.00
34	11.60
35	11.10
36	10.40
39	8.60
40	8.00
41	7.70
44	7.20
46	6.80
47	6.60
49	6.30
71	6.10
99	6.20
108	6.00
113	5.40
134	5.20
149	5.40
171	5.50
247	4.50
346	3.20
489	3.80
700	3.40

PLATFORM- MIKIMIKI

POSITION- 46 52N 157 51W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 67

DATE- AUG 27, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	13.80
23	13.00
24	12.80
26	12.30
29	12.00
30	11.60
31	11.00
32	10.30
33	9.40
34	9.00
36	8.70
38	8.30
39	8.20
45	7.80
49	7.40
57	7.40
61	6.80
71	6.60
104	6.70
127	6.50
136	6.20
148	6.00
166	5.90
168	5.80
150	5.90
162	5.70
180	5.90
183	5.90
193	5.50
201	5.40
207	5.40
218	5.50
237	5.30
246	5.00
287	4.80
304	4.80
313	4.60
337	4.50
359	4.30
412	4.00
621	3.80
700	3.60

PLATFORM- MIKIMIKI

POSITION- 45 53N 157 49W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE- AUG 28, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	13.20
13	13.20
24	13.10
30	12.00
31	12.70
34	12.10
36	11.40
40	10.80
41	10.20
42	9.70
47	8.80
54	8.00
62	7.40
70	7.10
95	6.80
109	6.90
115	6.90
118	6.80
126	6.90
136	6.80
142	6.50
160	6.50
166	6.10
196	6.20
226	6.20
450	5.70
273	5.70
298	5.30
317	4.90
351	4.80
364	4.50
486	4.80
700	3.70

PLATFORM- MIKIMIKI

POSITION- 45 IN 157 48W

MARS DEN SQUARE 160 ONE DEGREE SQUARE 57

DATE- AUG 20, 1968 TIME- 1200

INSTRUMENT TYPE- BATHTY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	14.10
24	14.00
30	13.80
32	13.60
35	13.00
36	12.70
37	12.20
38	12.00
39	11.80
40	11.40
41	11.00
42	10.50
43	10.20
48	9.50
49	9.00
51	8.60
58	8.10
71	7.50
89	7.10
94	5.90
105	6.90
117	7.00
12	7.50
13	7.30
134	7.30
194	7.30
266	6.40
276	6.10
306	5.80
314	5.50
343	5.40
380	4.90
426	4.80
555	4.00
700	3.80

PLATFORM- MIKIMIKI

POSITION- 44 ON 157 47W

MARS DEN SQUARE 160 ONE DEGREE SQUARE 47

DATE- AUG 29, 1968 TIME- 1

INSTRUMENT TYPE- BATHTY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	15.60
26	15.60
33	15.10
36	14.50
38	14.10
39	13.60
42	13.10
43	12.50
44	12.20
45	11.80
46	11.50
47	11.10
59	9.90
64	9.50
71	9.20
84	8.80
102	8.90
111	8.60
118	8.60
123	8.60
131	8.60
139	8.90
149	8.90
158	8.60
177	8.30
202	8.20
219	7.50
251	7.50
313	6.60
370	6.00
378	5.80
425	5.30
462	4.90
543	4.50
700	4.00

PLATFORM- MIKIMIKI

POSITION- 43 ON 157 50W

MARS DEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- AUG 29, 1968 TIME- 1200

INSTRUMENT TYPE- BATHTY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	16.50
24	16.50
29	16.30
32	16.00
35	15.40
36	15.00
37	14.50
38	14.30
39	14.00
40	13.60
41	13.40
43	13.00
44	12.80
47	12.10
49	11.90
51	11.40
55	11.00
57	10.60
71	10.20
80	10.00
100	9.80
103	9.60
112	9.60
118	9.40
130	9.40
134	9.70
141	9.60
150	9.90
188	9.70
230	9.30
240	9.10
247	8.80
267	8.60
296	7.90
316	7.50
330	7.30
393	6.60
410	6.10
450	5.70
514	5.30
549	5.30
572	5.00
700	4.60

PLATFORM- MIKIMIKI

POSITION- 43 ON 157 46W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- AUG 30, 1968 TIME- 1800

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)
0	16.70
20	16.70
22	16.50
24	16.10
33	15.40
34	15.20
35	15.00
36	14.70
37	13.78
38	13.20
39	12.00
40	12.40
41	12.40
45	11.90
46	11.50
49	11.20
57	10.70
66	10.30
86	10.10
99	9.70
104	9.30
120	9.30
126	9.10
128	8.90
130	8.60
141	8.60
144	8.60
146	8.60
148	8.60
153	8.60
167	8.20
185	8.20
200	8.50
211	8.40
214	8.40
220	8.20
228	8.00
230	7.40
244	7.10
248	6.20
250	6.20
262	5.80
277	5.30
402	5.20
406	5.20
408	4.30
700	4.00

PLATFORM- MIKIMIKI

POSITION- 42 58N 157 48W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- AUG 31, 1968 TIME- 10

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	16.40
17	16.30
25	16.20
38	16.00
33	15.50
36	15.30
38	14.90
39	14.80
40	14.50
41	14.30
42	14.00
43	13.90
44	13.60
45	13.40
46	13.20
48	13.00
50	12.80
52	12.40
53	12.10
55	11.50
60	11.20
63	10.80
64	10.70
65	10.40
71	9.60
74	9.20
79	8.90
92	8.90
96	9.20
99	9.20
108	8.70
120	8.70
131	8.80
136	9.20
145	9.20
149	9.40
163	9.40
166	9.20
172	9.20
177	9.00
190	8.90
197	8.49
224	8.80
246	8.70
274	8.30

PLATFORM- MIKIMIKI

POSITION- 43 ON 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- AUG 31, 1968 TIME- 000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	16.30
27	16.30
31	16.10
33	15.70
34	15.40
35	14.90
36	14.10
37	13.10
38	12.70
39	12.40
40	12.10
41	11.90
42	11.40
46	10.70
55	9.40
60	9.30
65	8.80
76	8.70
83	8.70
89	8.90
100	9.00
123	8.50
128	8.60
134	9.10
148	9.10
171	8.50
210	8.50
242	8.10
254	7.60
322	6.60
372	6.60
396	5.90
502	4.90
610	4.30
700	4.00

PLATFORM- MIKIMIKI

POSITION- 42 57N 157 44W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- AUG 31, 1966 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	16.00
23	16.00
30	16.50
34	16.40
36	16.00
37	15.70
38	15.60
39	14.90
40	14.40
42	13.90
43	13.10
53	12.70
54	12.40
56	11.80
60	11.40
61	10.80
64	10.30
67	10.00
70	9.60
74	9.10
81	8.60
122	8.90
126	8.60
130	8.50
141	8.70
147	8.70
156	9.30
173	8.90
185	8.70
212	8.80
215	8.60
242	8.50
270	7.90
289	7.30
313	7.30
356	6.80
373	6.40
400	5.40
610	4.70
700	4.40

PLATFORM- MIKIMIKI

POSITION- 43 34N 157 40W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- SEP 02, 1968 TIME- 700

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	16.20
36	16.00
38	15.90
40	15.70
41	15.40
43	15.10
44	14.80
45	14.50
46	14.10
47	13.80
48	13.40
49	12.40
50	11.90
52	11.40
53	11.00
54	10.70
56	9.80
59	9.30
61	9.20
69	9.40
73	9.50
84	9.20
103	9.20
120	8.70
149	8.70
153	9.10
162	9.10
167	8.90
175	8.80
191	8.40
212	8.40
226	8.60
237	8.60
260	7.60
344	6.50
387	6.30
417	5.80
495	5.40
538	4.90
591	4.60
700	4.30

PLATFORM- MIKIMIKI

POSITION- 44 15N 157 45W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 47

DATE- SEP 02, 1968 TIME- 1900

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	15.40
33	15.10
36	15.00
38	14.70
39	14.50
40	14.00
41	13.70
42	13.30
43	12.40
44	12.10
45	10.90
46	10.40
49	10.20
50	10.00
52	9.20
55	8.80
62	8.60
94	8.60
110	8.50
140	8.10
231	7.90
254	7.50
269	7.10
283	7.10
313	6.50
352	5.90
367	5.60
375	5.60
396	5.20
423	4.90
470	4.90
543	4.30
700	3.90

PLATFORM- MIKIMIKI

POSITION- 64.43 N 157.40W

MARSEN SQUARE 160 ONE DEGREE SQUARE 47

DATE- SEP 02, 1968 TIME- 2300

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.66

DEPTH (M)	TEMP (C)
0	16.80
7	16.70
10	16.60
23	16.00
31	13.60
35	13.30
37	12.80
38	12.50
42	11.80
43	11.60
44	11.30
45	11.00
46	10.70
47	10.40
48	10.30
49	9.50
55	8.60
57	8.10
69	7.80
76	7.40
90	7.00
114	6.90
130	7.20
146	7.10
166	7.20
232	7.20
239	6.80
296	5.70
320	5.40
326	5.20
412	4.50
555	4.00
700	3.70

PLATFORM- MIKIMIKI

POSITION- 45 0N 157.40W

MARSEN SQUARE 160 ONE DEGREE SQUARE 57

DATE- SEP 03, 1968 TIME- 700

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)
0	13.00
14	13.00
21	13.40
35	13.30
37	13.10
38	13.00
39	12.70
40	12.60
41	11.90
42	11.70
43	11.40
44	11.20
45	10.90
46	10.60
47	10.60
52	9.80
54	9.20
59	8.60
60	8.40
61	7.70
68	7.20
94	7.10
99	6.90
106	6.90
114	6.60
125	6.46
140	6.00
195	6.00
220	6.10
226	6.00
329	4.90
365	4.50
433	4.10
700	3.60

PLATFORM- MIKIMIKI

POSITION- 46 2N 157.40W

MARSEN SQUARE 160 ONE DEGREE SQUARE 67

DATE- SEP 04, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.00

DEPTH (M)	TEMP (C)
0	13.00
20	12.00
24	12.00
29	12.50
32	12.20
38	11.70
39	11.20
37	11.50
38	10.30
39	9.00
40	9.00
48	8.50
47	8.10
48	7.90
57	7.40
72	6.90
76	6.00
93	6.00
97	7.10
195	7.10
162	6.90
166	6.70
174	6.00
199	4.50
202	6.70
209	6.70
219	6.30
229	6.30
243	6.00
252	6.00
267	5.20
293	4.50
509	4.00
645	3.00
700	2.70

PLATFORM- MIKIMIKI

POSITION- 46 34N 46W

MARSEN SQUARE 100 ONE DEGREE SQUARE 67

DATE- SEP 04, 1968 TIME- 700

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	12.70
24	12.00
26	12.00
30	12.50
32	12.20
34	11.00
36	10.00
37	9.70
38	9.70
39	8.90
40	8.00
42	7.00
44	7.00
54	6.00
56	6.00
60	6.10
65	6.10
96	6.50
99	6.50
100	6.00
120	5.70
140	5.70
142	5.00
162	6.00
176	6.00
200	5.50
220	5.50
234	5.20
260	5.00
282	4.50
326	4.10
501	3.00
626	3.00
700	3.50

PLATFORM- MIKIMIKI

POSITION- 46 51N 157 49W

MARSEN SQUARE 100 ONE DEGREE SQUARE 67

DATE- SEP 04, 1968 TIME- 1130

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	12.00
24	12.70
26	12.00
30	12.00
32	12.30
33	11.70
34	10.00
35	10.10
36	9.10
37	8.40
38	8.00
39	8.00
44	7.20
45	7.00
51	6.20
61	6.10
68	6.30
83	6.50
92	6.50
95	6.20
106	6.00
119	6.20
130	6.20
136	6.00
163	6.10
182	6.00
185	5.00
194	5.00
200	5.00
230	5.00
251	5.00
287	5.00
312	4.40
335	4.50
364	4.10
450	3.00
700	3.00

PLATFORM- MIKIMIKI

POSITION- 47 4N 157 51W

MARSEN SQUARE 100 ONE DEGREE SQUARE 77

DATE- SEP 04, 1968 TIME- 1900

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)
0	12.00
18	13.00
27	13.00
32	12.00
35	12.10
36	11.70
37	10.70
38	9.90
39	9.30
40	9.10
41	8.00
48	7.00
54	7.30
55	7.30
60	6.90
62	6.50
64	6.40
80	6.40
89	6.30
105	6.00
111	6.00
119	6.00
122	6.00
127	6.00
130	6.20
140	6.30
144	6.00
174	6.20
187	6.20
190	6.00
212	5.00
226	5.40
234	5.20
352	4.00
420	4.00
441	4.40
520	4.40
642	4.00
700	4.10

PLATFORM- MIKIMIKI  
 POSITION- 47 52N 157 40W  
 MARSDEN SQUARE 160 ONE DEGREE SQUARE 77  
 DATE- SEP 04, 1960 TIME- 2300  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (m)	TEMP (C)
0	12.50
33	12.40
37	12.10
38	11.00
39	11.40
40	10.20
41	9.40
42	8.50
43	8.20
44	7.00
46	7.40
49	7.10
54	6.20
60	5.00
77	5.70
82	5.70
87	6.00
88	6.00
90	5.70
94	6.00
97	6.10
103	6.10
105	6.00
106	5.70
113	5.70
115	5.50
127	5.20
139	5.10
156	5.30
197	5.30
232	4.70
283	4.30
341	4.80
346	3.90
546	3.70
700	3.60

PLATFORM- MIKIMIKI  
 POSITION- 47 50N 157 50W  
 MARSDEN SQUARE 160 ONE DEGREE SQUARE 77  
 DATE- SEP 04, 1960 TIME- 2120  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.00

DEPTH (m)	TEMP (C)
0	12.60
7	12.50
9	12.70
26	12.00
32	12.30
33	12.20
34	11.90
35	11.70
36	11.40
37	10.90
38	10.20
39	9.00
40	9.20
41	8.00
43	8.40
44	7.90
45	7.60
47	7.20
54	6.50
86	6.50
99	6.30
105	6.00
110	6.00
119	5.60
127	5.00
129	5.30
132	5.40
140	5.40
144	5.20
152	5.10
159	5.30
180	5.30
206	4.90
257	4.40
314	4.10
544	3.90
626	3.80
700	3.50

PLATFORM- MIKIMIKI  
 POSITION- 47 21N 157 50W  
 MARSDEN SQUARE 160 ONE DEGREE SQUARE 77  
 DATE- SEP 04, 1960 TIME- 1000  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.00

DEPTH (m)	TEMP (C)
0	12.60
22	12.00
29	12.30
30	12.20
31	11.70
32	11.30
33	10.20
35	9.30
36	8.20
38	7.80
39	7.50
44	7.10
45	6.90
53	6.20
102	6.10
111	6.10
112	6.00
114	5.70
117	5.70
119	5.50
127	5.30
139	5.20
167	5.40
191	5.40
200	4.50
300	4.30
314	4.10
337	4.10
411	3.80
700	3.50



PLATFORM- MIKIMIKI  
 POSITION- 48 13N 157 52W  
 MARSDEN SQUARE 100 ONE DEGREE SQUARE 87  
 DATE- SEP 05, 1968 TIME- 300  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)
0	12.20
33	12.10
37	11.00
38	11.10
39	10.50
40	9.00
41	9.20
42	8.50
43	7.90
46	7.40
50	6.90
59	6.30
72	6.30
84	6.00
90	6.10
96	5.90
99	5.00
107	5.00
118	5.30
120	5.10
124	4.90
160	5.00
170	5.00
236	4.00
261	4.00
274	4.10
357	3.00
404	3.00
700	3.00

PLATFORM- MIKIMIKI

POSITION- 52 31N 157 50W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- SEP 12, 1968 TIME- 400

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.76

DEPTH (M)	TEMP (C)
0	18.36
48	18.30
49	18.20
50	18.10
51	9.90
52	9.40
53	8.60
54	7.48
55	6.80
56	6.00
57	5.90
59	5.30
61	4.80
71	4.30
82	4.10
97	4.80
116	4.40
240	4.00
700	3.40

PLATFORM- MIKIMIKI

POSITION- 52 0N 157 49W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- SEP 12, 1968 TIME- 2100

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.76

DEPTH (M)	TEMP (C)
0	18.48
47	18.30
48	18.20
49	8.00
50	6.90
51	6.30
52	5.80
55	5.20
63	4.50
82	4.10
103	4.10
119	4.30
149	4.40
150	4.20
158	3.90
212	3.70
411	3.70
700	3.30

PLATFORM- MIKIMIKI

POSITION- 52 3N 158 0W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 28

DATE- SEP 13, 1968 TIME- 030

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.76

DEPTH (M)	TEMP (C)
0	18.50
46	18.40
50	18.30
51	9.90
53	9.30
54	8.80
55	7.70
56	6.50
57	6.30
58	6.00
59	5.40
60	5.20
67	4.10
80	4.00
96	4.00
115	4.30
172	4.30
206	4.00
700	3.40

PLATFORM- WIKIMINI

POSITION- 51 53N 157 50W

MARSEN SQUARE 100 ONE DEGREE SQUARE 17

DATE- SEP 13, 1960 TIME- 1300

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.00

DEPTH (m)	TEMP (C)
0	10.30
45	10.30
47	10.20
50	9.60
51	8.70
52	8.20
53	7.30
54	6.00
55	6.30
56	4.00
59	5.10
67	4.70
82	4.70
85	4.50
97	4.30
124	4.30
134	4.50
206	4.50
297	4.10
700	3.00

PLATFORM- WIKIMINI

POSITION- 48 50N 157 42W

MARSEN SQUARE 100 ONE DEGREE SQUARE 87

DATE- SEP 14, 1960 TIME- 1300

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (m)	TEMP (C)
0	11.20
44	11.20
47	11.00
48	10.40
50	9.90
52	9.20
54	8.70
56	7.70
57	7.10
58	6.20
63	5.00
94	6.00
100	5.00
116	5.00
121	6.00
126	6.00
130	5.00
139	5.10
159	4.00
204	4.00
239	4.40
297	4.00
364	4.00
419	3.00
532	3.00
700	3.50

PLATFORM- WIKIMINI

POSITION- 46 57N 150 20

MARSEN SQUARE 100 ONE DEGREE SQUARE 60

DATE- SEP 15, 1960 TIME- 0

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (m)	TEMP (C)
0	12.40
30	12.20
34	12.20
36	12.00
38	11.40
39	11.40
40	11.10
41	10.50
42	9.50
43	8.90
44	8.30
45	8.00
49	7.70
51	7.20
53	6.70
58	6.00
63	6.10
70	6.10
73	6.20
90	6.30
98	6.30
117	5.70
132	5.00
142	5.00
146	5.30
150	5.30
155	5.60
182	5.00
236	4.70
345	4.10
474	3.00
535	3.00
700	3.50

PLATFORM- MIKIMIKI

POSITION- 46 13N 157 55W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 67

DATE- SEP 15, 1968 TIME- 530

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	12.00
30	12.00
30	12.70
40	12.40
41	12.10
42	11.00
43	11.40
44	10.00
45	9.90
46	9.00
48	9.10
51	8.90
52	8.70
53	8.20
60	7.00
75	6.00
80	6.00
96	6.00
105	6.00
121	6.00
124	6.90
149	7.00
160	6.70
200	6.50
227	6.00
270	5.00
320	5.00
377	4.50
562	3.90
700	3.00

PLATFORM- MIKIMIKI

POSITION- 45 0N 157 47W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE- SEP 16, 1968 TIME- 1100

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	13.70
27	13.70
32	13.00
33	13.30
35	12.00
36	12.50
37	11.70
38	11.40
39	11.10
40	11.00
41	10.00
42	10.10
43	9.00
48	9.40
50	8.70
54	8.30
68	7.90
73	7.90
81	7.40
91	7.20
97	7.40
105	7.10
109	7.40
110	7.50
120	7.00
120	7.70
134	7.20
139	6.90
140	6.90
152	7.10
150	7.10
164	6.90
177	6.90
183	6.70
201	6.70
245	6.00
253	6.00
272	5.70
331	5.10
415	4.50
492	4.20
700	3.00

PLATFORM- MIKIMIKI

POSITION- 44 20N 157 45W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 47

DATE- SEP 16, 1968 TIME- 1500

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	15.10
20	15.00
30	14.50
41	14.20
42	14.00
43	13.60
44	13.30
45	13.10
46	12.70
47	12.40
48	12.20
50	11.40
51	11.00
53	10.70
54	10.40
55	10.00
56	9.20
60	9.00
61	8.00
66	8.00
68	8.30
72	8.10
83	8.20
88	8.10
107	8.50
130	8.40
136	8.10
151	7.90
226	7.00
290	6.90
297	6.70
304	5.20
417	4.90
434	4.90
440	4.70
460	4.70
471	4.50
532	4.40
587	4.20
700	3.90

PLATFORM- MIKIMIKI

POSITION- 43 32N 157 46W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- SEP 15, 1968 TIME- 1800

INSTRUMENT TYPE- BATNY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)
0	15.70
33	15.70
44	15.60
46	15.40
47	15.00
48	14.30
49	13.30
50	12.70
51	12.50
52	11.80
57	10.50
62	10.00
63	9.70
64	9.60
67	9.50
72	9.00
97	8.70
111	8.70
121	8.40
134	8.40
138	8.20
162	8.30
167	8.00
224	7.90
240	7.00
282	6.90
323	6.50
373	5.70
436	5.10
510	4.50
700	3.90

PLATFORM- MIKIMIKI

POSITION- 43 13N 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- SEP 16, 1968 TIME- 2230

INSTRUMENT TYPE- BATNY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)
0	15.90
27	15.90
35	15.80
36	15.70
37	15.10
38	14.60
39	13.90
40	13.60
41	13.40
42	13.00
45	12.70
46	12.20
47	11.80
48	11.60
49	11.00
54	9.90
61	9.90
75	9.40
104	9.30
112	9.20
127	8.60
139	8.60
144	8.70
152	8.70
176	8.30
192	8.30
199	8.10
219	8.10
294	7.36
348	6.40
390	6.00
435	5.20
500	4.60
700	3.90

PLATFORM- MIKIMIKI

POSITION- 42 10N 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- SEP 17, 1968 TIME- 300

INSTRUMENT TYPE- BATNY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)
0	16.70
25	16.00
31	16.20
34	15.60
37	15.10
38	14.90
39	14.00
40	14.40
42	14.00
43	13.70
44	13.40
46	13.10
47	12.90
48	12.30
49	12.10
50	11.00
54	11.10
56	10.70
63	10.10
70	9.60
74	9.90
78	9.90
85	9.70
92	9.20
102	9.30
108	8.80
124	8.50
134	8.50
142	8.00
148	8.90
152	9.10
166	9.10
176	8.70
181	8.60
189	8.60
190	8.70
202	8.70
223	8.30
235	8.30
283	7.50
303	7.30
345	6.50
389	5.90
424	5.50
509	4.30
700	3.90

PLATFORM- MIKIMIKI

POSITION- 41 30N 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 17

DATE- SEP 17, 1960 TIME- 703

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	17.30
22	17.30
24	17.10
27	16.60
32	15.90
35	15.40
36	14.80
37	14.40
38	14.00
39	13.70
40	13.40
41	13.00
42	12.30
44	12.10
47	11.70
51	11.10
63	10.80
69	10.50
87	10.10
110	10.00
126	9.50
144	9.40
146	9.70
151	9.00
153	9.80
165	9.70
174	9.30
201	8.90
218	8.90
245	8.60
294	7.80
302	7.50
358	6.70
394	6.40
423	5.80
468	5.40
489	5.00
569	4.40
700	3.90

PLATFORM- MIKIMIKI

POSITION- 40 42N 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- SEP 17, 1960 TIME- 1100

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	16.10
11	16.20
13	16.00
14	17.40
15	16.60
16	16.00
17	16.70
18	14.30
27	13.60
29	13.30
30	13.00
31	12.70
33	12.10
45	11.50
49	11.10
55	10.90
84	10.80
95	10.60
117	10.40
122	10.10
130	10.50
137	10.30
168	10.20
203	9.50
236	8.90
259	8.80
278	8.60
318	7.50
359	7.20
359	6.90
425	6.00
458	5.80
512	5.00
624	4.30
700	4.00

PLATFORM- MIKIMIKI

POSITION- 39 57N 157 57W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE- SEP 17, 1960 TIME- 1900

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	20.00	432	6.00
5	20.00	465	5.30
9	19.70	559	4.60
10	19.20	700	4.00
11	17.00		
12	16.10		
13	15.70		
14	15.40		
16	15.10		
20	14.80		
22	14.40		
25	14.00		
27	13.50		
29	12.80		
37	11.80		
38	11.00		
41	11.50		
44	11.60		
46	11.40		
52	11.70		
55	11.20		
57	11.20		
69	11.00		
80	11.10		
84	10.90		
90	10.90		
102	11.20		
118	11.20		
143	10.90		
151	10.50		
167	10.40		
181	10.10		
199	10.10		
201	9.80		
237	9.60		
259	9.20		
263	8.90		
278	8.90		
294	8.30		
308	8.30		
328	7.80		
345	7.40		
368	6.90		
378	6.90		
409	6.50		

PLATFORM- MIKIMIKI

POSITION- 39 16N 157 57W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE- SEP 17, 1968 TIME- 2000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	19.00
15	19.00
18	19.50
19	19.30
20	18.80
21	18.70
22	16.70
23	16.30
24	15.80
32	14.50
36	14.00
37	13.70
39	13.20
40	12.90
41	12.70
47	12.10
48	11.80
50	11.50
56	10.90
67	10.50
75	10.40
90	10.70
147	10.60
159	10.60
170	10.30
184	10.50
189	10.50
196	10.10
216	9.70
243	9.50
260	8.90
284	8.00
321	7.00
351	7.00
372	7.00
400	6.60
409	6.60
424	6.20
495	5.20
550	4.70
700	4.00

PLATFORM- MIKIMIKI

POSITION- 38 45N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE- SEP 17, 1968 TIME- 2230

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	20.90
22	20.80
25	20.30
26	20.00
27	19.70
28	19.40
29	18.90
30	18.50
31	18.20
32	17.80
33	17.40
34	17.00
35	16.60
36	16.30
42	15.30
45	15.10
49	14.50
54	13.70
55	13.50
60	12.70
62	12.00
64	11.70
75	11.30
87	11.10
149	11.10
200	10.10
254	9.40
316	8.50
327	8.20
364	7.70
384	7.20
405	6.00
512	5.40
607	4.50
700	4.10

PLATFORM- MIKIMIKI

POSITION- 38 15N 157 57W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE- SEP 18, 1968 TIME- 200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	21.00
23	21.50
27	21.40
29	21.10
30	20.60
31	20.40
33	19.90
35	19.30
36	18.90
37	18.10
38	17.50
39	17.00
40	16.70
41	16.60
48	15.80
54	15.50
57	15.00
60	14.20
61	13.80
62	13.70
64	13.30
67	12.90
68	12.60
99	12.50
70	12.20
75	11.80
90	11.70
92	11.60
118	11.70
123	11.00
133	11.00
141	11.60
149	11.60
211	10.80
320	9.20
397	7.90
436	6.90
452	6.00
486	6.20
527	5.70
630	4.90
700	4.70

PLATFORM- MIKIMIKI	POSITION- 37 49N 157 49 W	DATE- SEP 18, 1968	TIME- 700	INSTRUMENT TYPE- BATHY	BASELINE TEMP- 16.70
WARSDEN SQUARE 124	ONE DEGREE SQUARE 77				
DEPTH (M)	TEMP (C)				
0	22.10				
12	22.10				
17	21.80				
18	20.20				
19	19.80				
20	18.90				
21	18.40				
22	18.00				
23	17.80				
24	17.60				
26	17.30				
29	16.90				
33	16.20				
34	15.80				
38	15.50				
39	15.30				
40	15.10				
42	14.70				
45	14.30				
46	13.90				
47	13.80				
49	13.30				
56	12.80				
62	12.30				
70	12.00				
77	11.80				
97	11.70				
122	11.30				
146	11.20				
193	10.40				
221	10.10				
237	10.00				
283	9.30				
314	8.70				
343	8.00				
387	7.30				
398	7.00				
471	6.00				
485	5.70				
543	5.00				
629	4.40				
700	4.20				

PLATFORM- MIKIMIKI	POSITION- 37 15N 157 41W	DATE- SEP 18, 1968	TIME- 1100	INSTRUMENT TYPE- BATHY	BASELINE TEMP- 16.70
WARSDEN SQUARE 124	ONE DEGREE SQUARE 77				
DEPTH (M)	TEMP (C)				
0	23.20				
7	23.20				
11	23.00				
13	22.70				
15	22.60				
17	22.40				
18	22.20				
19	20.80				
20	19.20				
21	18.50				
22	18.30				
23	18.00				
24	17.70				
29	17.30				
34	16.70				
38	16.40				
39	16.20				
45	15.30				
49	14.90				
50	14.50				
58	14.00				
62	13.50				
71	12.60				
77	12.20				
99	12.10				
108	11.70				
130	11.50				
145	11.00				
155	11.50				
163	11.30				
168	11.30				
180	11.10				
189	11.10				
194	10.90				
220	10.00				
223	10.40				
294	9.30				
362	8.20				
377	7.80				
426	6.90				
455	6.60				
493	6.00				
523	5.40				
575	4.80				
624	4.40				
700	4.10				

PLATFORM- MIKIMIKI	POSITION- 36 51N 157 37W	DATE- SEP 18, 1968	TIME- 1800	INSTRUMENT TYPE- BATHY	BASELINE TEMP- 16.70
WARSDEN SQUARE 124	ONE DEGREE SQUARE 67				
DEPTH (M)	TEMP (C)				
0	23.70				
2	23.50				
3	22.90				
4	21.30				
5	20.70				
6	20.20				
7	19.80				
8	18.30				
10	18.10				
12	17.70				
13	17.30				
14	16.90				
16	16.80				
20	16.10				
23	15.70				
32	14.60				
36	14.30				
38	14.10				
39	13.90				
41	13.70				
45	13.00				
47	13.40				
49	13.30				
55	12.60				
63	12.20				
83	11.80				
115	11.60				
124	11.40				
152	11.10				
164	11.10				
184	10.70				
244	10.00				
303	9.10				
345	8.20				
362	8.00				
368	7.70				
408	7.10				
418	6.80				
447	6.20				
491	5.60				
551	4.90				
700	4.10				



PLATFORM- MIKIMIKI

POSITION- 35 56N 157 45W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 57

DATE- SEP 18, 1968 TIME- 2000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	24.80
1	24.80
4	24.80
7	24.60
8	23.40
9	22.90
10	22.00
11	21.00
12	20.50
13	19.50
14	19.20
15	18.50
16	18.70
17	18.40
18	17.90
19	17.60
20	17.30
21	17.00
22	16.80
23	16.60
25	16.20
26	15.40
27	15.20
30	15.20
31	14.90
33	14.40
34	14.20
35	12.90
37	12.10
41	11.80
70	11.30
95	11.10
121	10.60
153	10.30
172	10.00
212	9.90
231	8.60
255	8.10
269	7.70
277	7.40
318	6.70
371	6.10
403	5.40
485	5.10
640	4.40
681	4.40

PLATFORM- MIKIMIKI

POSITION- 35 32N 157 41W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 57

DATE- SEP 18, 1968 TIME- 2205

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	25.10
12	25.10
14	25.00
18	24.40
19	24.00
20	23.10
21	22.20
22	21.50
23	20.70
24	20.20
25	19.50
26	19.00
27	18.50
28	18.20
29	17.80
33	17.40
35	16.80
47	15.60
53	15.20
54	14.90
59	14.40
80	13.30
100	12.70
125	12.60
147	12.20
171	12.00
195	11.80
230	11.10
251	10.90
283	10.30
294	10.30
318	9.80
332	9.40
367	8.50
426	7.60
459	7.10
470	6.70
538	5.60
612	4.90
700	4.40

PLATFORM- MIKIMIKI

POSITION- 34 57N 157 45W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE- SEP 19, 1968 TIME- 320

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	25.40
16	25.40
21	25.30
22	24.70
23	24.20
24	22.90
25	22.30
26	21.60
27	21.10
28	20.60
29	20.40
30	19.90
32	19.10
33	18.60
34	18.30
35	18.10
36	17.90
42	17.10
44	16.80
48	16.40
52	16.00
64	15.40
72	14.80
81	14.30
103	13.80
122	13.70
136	13.20
144	13.20
160	12.60
190	12.40
200	12.10
231	11.70
244	11.10
295	10.80
308	10.50
323	10.40
384	9.10
394	8.80
441	7.90
456	7.40
512	6.30
603	5.20
700	4.50

PLATFORM- MIKIMIKI  
 POSITION- 33 3N 157 50W  
 HANSEN SQUARE 124 ONE DEGREE SQUARE 37  
 DATE- SEP 19, 1960 TIME- 1900  
 INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.20
10	26.10
19	24.80
20	24.50
21	23.80
22	22.90
23	22.30
24	21.80
25	20.70
27	20.00
29	19.70
34	19.50
38	18.90
40	18.30
57	17.50
63	17.30
67	16.80
72	16.40
80	15.90
87	15.90
94	15.70
101	15.30
120	14.00
134	14.40
140	14.00
168	13.20
204	12.30
273	11.30
299	10.70
308	10.00
302	8.70
414	8.40
447	7.80
456	7.40
499	6.00
543	5.80
617	5.00
700	4.50

PLATFORM- MIKIMIKI  
 POSITION- 33 45N 157 44W  
 HANSEN SQUARE 124 ONE DEGREE SQUARE 37  
 DATE- SEP 19, 1960 TIME- 1100  
 INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.80
22	25.70
24	25.50
28	25.00
30	24.70
31	24.10
32	23.70
33	23.30
34	22.80
35	22.00
36	21.10
37	20.30
38	20.00
39	19.70
42	19.40
43	19.30
44	19.00
45	18.80
46	18.60
47	18.40
48	18.00
50	16.80
65	16.00
67	16.00
70	15.70
77	15.40
78	15.10
97	14.50
101	14.20
107	14.10
117	13.80
125	13.00
149	13.30
173	13.30
184	13.20
200	12.50
215	12.50
220	12.10
250	11.90
284	11.20
350	10.30
410	8.90
435	8.70
452	8.20
463	8.10

PLATFORM- MIKIMIKI  
 POSITION- 34 16 N 157 44W  
 HANSEN SQUARE 124 ONE DEGREE SQUARE 47  
 DATE- SEP 19, 1960 TIME- 700  
 INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.80
19	25.80
23	25.60
25	25.20
26	24.80
27	24.50
28	23.90
29	23.20
30	21.70
32	21.20
34	20.50
39	19.40
40	19.30
41	18.80
49	18.00
50	17.80
60	16.60
62	16.30
66	16.80
69	15.90
70	15.60
78	15.20
89	14.70
90	14.70
104	14.40
136	13.60
146	13.50
164	12.90
176	12.80
185	12.60
230	11.90
243	11.60
260	11.30
313	10.40
349	10.00
398	8.70
417	8.50
441	8.00
448	7.60
460	7.20
490	7.00
521	6.20
574	5.50
629	4.90
700	4.50

PLATFORM- MIKIMIKI

POSITION- 32 24N 157 40W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- SEP 19, 1960 TIME- 1000

INSTRUMENT TYPE- SATNAV BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.20
21	26.10
27	25.80
29	25.60
30	25.30
31	24.20
32	23.30
33	22.00
35	21.90
36	21.50
37	21.20
40	20.80
41	20.00
42	19.30
44	19.00
53	18.30
55	18.00
59	18.00
67	18.30
72	17.00
91	17.20
105	17.00
116	16.70
118	16.30
144	15.70
149	15.60
153	15.20
165	14.00
190	13.60
202	13.30
257	12.10
375	10.30
403	9.40
409	9.00
441	8.00
460	8.40
483	7.00
504	7.10
544	6.00
554	6.20
603	5.30
635	5.30
649	5.40
700	4.10

PLATFORM- MIKIMIKI

POSITION- 31 49N 157 42W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 17

DATE- SEP 19, 1960 TIME- 2300

INSTRUMENT TYPE- SATNAV BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	26.40
27	26.30
31	26.20
35	25.90
37	25.40
38	25.10
39	24.70
40	23.50
41	22.80
42	22.50
43	22.20
44	21.80
45	21.50
47	21.30
48	21.10
51	20.50
53	19.90
60	19.20
62	18.90
72	18.10
77	17.90
79	17.60
92	17.00
109	16.70
114	16.10
119	16.00
132	15.40
133	15.10
157	13.80
171	13.50
180	12.80
191	12.50
194	12.50
203	12.20
237	11.90
263	11.50
270	10.90
300	10.70
330	9.90
354	9.70
384	9.10
419	8.30
434	8.10
451	7.50
493	6.70
547	5.00
598	5.30
700	4.70

PLATFORM- MIKIMIKI

POSITION- 31 15N 157 41W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 17

DATE- SEP 20, 1960 TIME- 200

INSTRUMENT TYPE- SATNAV BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.00
29	26.50
31	26.30
34	25.80
35	25.50
36	25.10
37	23.80
38	23.50
39	23.20
40	22.80
41	22.40
42	22.00
43	21.70
44	21.40
45	21.20
55	19.40
61	19.30
72	18.40
95	17.80
107	17.00
115	16.80
120	16.10
145	15.50
152	15.10
153	14.90
167	13.90
171	13.00
184	13.30
193	12.80
211	12.20
216	12.10
219	11.90
239	11.60
257	11.10
269	11.10
290	10.70
296	10.50
332	9.90
370	8.90
404	8.40
437	7.50
470	6.70
501	6.20
527	5.80
570	5.20
604	4.90
700	4.40

PLATFORM- MIKIMIKI

POSITION- 30 20N 157 40W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 7

DATE- SEP 20, 1968 TIME- 700

INSTRUMENT TYPE- BATWY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.00
14	26.00
32	26.30
35	26.20
36	25.80
37	25.10
38	24.55
39	23.90
40	22.20
41	21.40
42	21.10
43	20.60
44	20.50
48	19.90
52	19.70
54	19.40
61	18.60
67	18.20
70	17.90
77	17.50
84	17.40
107	16.40
120	16.10
130	15.50
144	14.90
156	14.80
195	13.80
202	13.50
242	12.40
286	11.50
337	10.60
372	9.90
387	9.30
417	8.50
430	8.20
484	7.20
527	6.80
534	6.30
587	5.50
620	5.10
700	3.00

PLATFORM- MIKIMIKI

POSITION- 29 30N 157 45W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 97

DATE- SEP 20, 1968 TIME- 1300

INSTRUMENT TYPE- BATWY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	27.10
23	27.10
27	27.00
32	26.50
34	26.40
37	25.80
38	25.30
39	25.20
40	24.90
41	24.40
42	23.60
43	23.40
44	23.00
45	22.70
46	22.30
49	21.60
54	20.90
62	20.00
72	19.30
84	18.60
100	18.10
124	17.20
134	17.00
140	16.70
159	16.30
173	15.50
184	15.20
192	15.20
199	15.00
207	14.60
216	14.40
220	14.10
243	13.30
253	12.60
263	12.40
286	12.10
306	11.70
350	10.90
357	10.60
367	10.50
381	10.00
391	10.00
397	9.60
404	9.30

PLATFORM- MIKIMIKI

POSITION- 29 15N 157 45W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 97

DATE- SEP 20, 1968 TIME- 1000

INSTRUMENT TYPE- BATWY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.40
7	26.00
11	26.30
12	25.90
13	25.40
14	24.80
15	24.40
14	24.20
17	24.00
18	23.00
19	22.00
20	22.00
21	22.40
24	22.10
25	21.70
28	21.30
37	20.40
40	19.60
52	19.40
53	19.20
59	19.00
64	18.20
91	17.00
94	16.90
99	16.70
100	16.50
133	15.20
135	15.00
140	14.90
141	14.00
142	14.00
148	14.40
155	13.90
163	13.00
174	13.40
185	13.20
204	12.00
230	12.10
256	11.40
282	10.00
307	10.50
333	9.00
341	9.70
354	9.30

PLATFORM- MINIKINI

POSITION- 20 42N 157 42W

WARDEN SQUARE 00 ONE DEGREE SQUARE 07

DATE- SEP 20, 1960 TIME- 1120

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	292	11.20
5	26.80	310	11.00
10	26.50	328	10.80
15	26.20	346	10.60
20	25.90	364	10.40
25	25.60	382	9.70
30	25.30	400	9.60
35	25.00	418	9.70
40	24.70	436	9.20
45	24.40	454	8.80
50	24.10	472	8.80
55	23.80	490	7.90
60	23.50	508	7.40
65	23.20	526	6.60
70	22.90	544	6.60
75	22.60	562	6.20
80	22.30	580	5.60
85	22.00	598	5.60
90	21.70	616	5.30
95	21.40	634	5.30
100	21.10	652	4.90
105	20.80	670	
110	20.50	688	
115	20.20	706	
120	19.90		
125	19.60		
130	19.30		
135	19.00		
140	18.70		
145	18.40		
150	18.10		
155	17.80		
160	17.50		
165	17.20		
170	16.90		
175	16.60		
180	16.30		
185	16.00		
190	15.70		
195	15.40		
200	15.10		
205	14.80		
210	14.50		
215	14.20		
220	13.90		
225	13.60		
230	13.30		
235	13.00		
240	12.70		
245	12.40		
250	12.10		
255	11.80		
260	11.50		
265	11.20		
270	10.90		
275	10.60		
280	10.30		

PLATFORM- MINIKINI

POSITION- 20 29N 157 43W

WARDEN SQUARE 00 ONE DEGREE SQUARE 07

DATE- SEP 21, 1960 TIME- 145

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.00	450	7.50
23	26.00	493	6.80
26	26.70	512	6.40
28	26.40	515	6.50
29	26.10	548	6.10
32	25.30	554	5.90
33	24.00	617	5.20
34	24.50	700	4.70
35	23.70		
36	23.00		
37	21.00		
38	21.50		
39	21.30		
40	20.80		
43	20.50		
44	20.20		
46	19.00		
53	19.40		
54	18.00		
62	18.00		
69	18.10		
80	17.00		
90	17.20		
115	16.30		
122	15.90		
133	15.00		
135	15.40		
161	14.10		
172	13.90		
181	13.60		
188	13.50		
208	13.00		
217	12.00		
266	11.40		
293	10.90		
308	10.00		
348	11.20		
355	10.00		
367	9.00		
381	9.30		
404	8.00		
414	8.70		
428	8.40		
438	8.30		
467	7.00		

PLATFORM- MINIKINI

POSITION- 20 13N 157 43W

WARDEN SQUARE 00 ONE DEGREE SQUARE 07

DATE- SEP 21, 1960 TIME- 000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	467	7.00
26	23.70	487	6.90
31	20.40	567	6.70
39	20.00	541	6.00
40	25.30	595	6.00
43	24.00	572	5.70
46	24.20	647	5.00
47	24.00	700	4.00
48	23.80		
49	23.30		
50	22.40		
51	22.20		
52	21.90		
54	21.20		
58	20.70		
59	20.20		
62	19.70		
64	19.40		
73	18.70		
74	18.40		
84	17.60		
92	17.20		
97	17.10		
111	16.50		
127	15.70		
137	15.30		
163	15.10		
166	14.00		
176	14.40		
193	14.10		
207	13.50		
222	13.20		
233	12.70		
278	11.00		
300	11.00		
324	10.40		
334	10.40		
350	10.30		
352	10.10		
366	9.00		
372	9.50		
392	9.20		
422	8.30		
429	8.20		
446	7.00		

PLATFORM- MIKIMIKI

POSITION- 27 45M 157 43M

HARBOEN SQUARE 00 ONE DEGREE SQUARE 77

DATE- SEP 21, 1960 TIME. 1030

INSTRUMENT TYPE- BATWY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.30	406	9.10
21	27.30	419	9.00
25	27.20	437	8.40
32	26.90	451	8.20
41	26.40	461	7.80
42	26.40	474	7.60
43	26.00	480	7.20
44	25.80	536	6.40
45	25.40	543	6.40
46	25.90	557	6.00
47	26.00	588	5.60
48	26.40	630	5.30
49	26.10	655	5.20
50	23.90	700	4.80
51	23.40		
54	22.40		
55	22.20		
60	21.10		
62	20.80		
64	20.50		
66	20.30		
74	19.60		
76	19.10		
82	18.90		
96	17.90		
99	17.80		
110	17.30		
117	17.20		
131	16.50		
136	16.40		
142	16.10		
160	15.50		
167	15.00		
177	14.90		
185	14.70		
194	14.10		
213	13.50		
223	13.30		
237	12.70		
252	12.30		
260	12.30		
270	11.80		
302	11.50		
304	11.30		
329	11.10		

PLATFORM- MIKIMIKI

POSITION- 27 15M 157 42M

HARBOEN SQUARE 00 ONE DEGREE SQUARE 77

DATE- SEP 21, 1960 TIME. 1030

INSTRUMENT TYPE- BATWY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	395	9.30
6	27.10	409	8.80
30	26.40	422	8.60
35	26.30	427	8.40
37	25.90	440	8.10
38	25.60		
39	25.30		
40	25.10		
41	24.70		
42	24.30		
44	23.90		
47	23.70		
48	22.90		
49	22.50		
52	21.80		
57	21.40		
59	20.90		
61	20.30		
65	20.00		
69	19.90		
73	19.60		
76	19.30		
81	18.80		
82	18.50		
99	17.60		
100	17.30		
126	16.60		
140	16.30		
145	16.00		
170	15.70		
195	15.30		
198	14.40		
207	14.10		
216	13.90		
226	13.50		
244	13.00		
254	12.80		
276	12.30		
289	11.80		
302	11.60		
306	11.40		
331	10.90		
344	10.20		
364	10.00		
372	9.70		

PLATFORM- MIKIMIKI

POSITION- 26 45M 157 44M

HARBOEN SQUARE 00 ONE DEGREE SQUARE 67

DATE- SEP 21, 1960 TIME. 2030

INSTRUMENT TYPE- BATWY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	363	8.50
23	26.70	369	8.20
31	26.50	375	8.10
34	26.40	380	7.80
36	26.00	386	7.00
41	25.60	396	7.40
42	25.50	417	7.10
43	25.30	426	6.80
44	26.00	440	6.20
45	24.50	482	6.10
47	24.10	513	5.70
48	23.00	513	5.70
49	23.00	594	4.90
51	23.10	650	4.70
55	22.40	700	4.50
62	22.00		
64	21.00		
66	21.10		
73	20.00		
77	19.90		
81	19.60		
84	19.10		
97	18.40		
100	18.00		
109	18.00		
116	17.80		
126	17.10		
131	17.10		
140	16.70		
146	16.20		
153	15.00		
163	15.10		
180	14.30		
195	13.90		
233	13.00		
253	12.70		
264	12.40		
285	11.70		
290	11.30		
304	11.10		
314	10.70		
332	10.30		
337	10.00		
334	9.70		
354	9.10		

PLATFORM- MIKIMIKI

POSITION- 26 15N 157 41W

MARSEN SQUARE 86 ONE DEGREE SQUARE 87

DATE- SEP 22, 1968 TIME- 117

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	337	18.50
34	27.00	350	18.30
68	26.90	352	18.20
90	26.70	362	9.86
91	26.50	381	9.50
94	25.80	408	8.70
95	25.60	410	8.40
98	25.10	422	8.00
65	23.80	443	7.70
66	23.50	448	7.60
73	22.70	481	7.00
85	22.50	510	6.90
86	22.30	526	6.40
90	21.80	553	5.90
96	21.40	571	4.90
106	20.70	580	4.80
117	19.90	585	4.50
137	19.40	593	4.40
144	19.10		
153	18.00		
154	18.00		
168	18.40		
172	18.10		
179	18.00		
182	17.60		
190	15.90		
205	16.30		
206	16.70		
218	16.00		
215	16.10		
227	15.90		
233	15.20		
243	14.60		
244	14.50		
246	14.20		
249	14.10		
253	13.90		
258	13.40		
262	13.30		
268	12.90		
271	12.90		
275	12.00		
278	12.00		
299	11.80		
303	11.50		
318	11.20		

PLATFORM- MIKIMIKI

POSITION- 25 45N 157 42W

MARSEN SQUARE 88 ONE DEGREE SQUARE 87

DATE- SEP 22, 1968 TIME- 619

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.30	336	18.60
11	26.00	347	18.00
26	26.00	369	9.49
44	26.00	371	9.30
53	26.50	387	8.90
58	26.20	408	8.00
62	25.70	413	8.00
63	25.30	422	8.50
67	25.20	428	8.30
72	24.30	440	7.99
77	24.00	450	7.50
81	23.40	467	7.50
87	22.00	480	7.00
93	22.00	506	6.00
105	22.00	511	6.00
120	21.20	521	6.50
138	20.80	556	6.20
144	20.40	578	6.10
167	20.30	592	5.70
156	20.10	620	5.30
167	19.50	700	4.90
176	19.50		
177	19.00		
183	18.80		
199	18.00		
192	18.40		
198	18.10		
202	17.60		
223	16.50		
229	16.10		
242	15.50		
245	15.10		
254	14.50		
254	14.40		
264	13.90		
268	13.00		
271	13.40		
272	13.10		
281	12.90		
287	12.50		
300	12.10		
304	11.70		
316	11.50		
319	11.20		
330	10.70		

PLATFORM- MIKIMIKI

POSITION- 25 15N 157 44W

MARSEN SQUARE 88 ONE DEGREE SQUARE 87

DATE- SEP 22, 1968 TIME- 1100

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	450	7.00
7	27.20	471	7.20
12	26.90	513	6.70
34	26.90	530	6.20
41	26.00	550	6.20
45	26.40	578	5.70
48	25.90	580	5.70
52	25.70	612	5.50
59	24.00	618	5.30
64	24.50	644	4.90
68	24.20	700	4.00
90	22.70		
95	22.40		
118	21.20		
126	20.90		
128	20.70		
131	20.20		
134	20.90		
148	20.00		
151	19.80		
164	19.00		
169	19.40		
176	19.10		
180	18.10		
190	17.90		
208	16.90		
215	16.30		
222	16.10		
230	16.00		
243	14.40		
245	14.20		
249	13.90		
259	13.70		
263	13.30		
281	12.70		
289	12.40		
301	12.00		
314	11.40		
325	11.20		
340	10.00		
344	10.50		
362	10.10		
360	9.70		
412	8.70		
439	8.00		

PLATFORM- MIKIMIKI

POSITION- 24 45N 157 45W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 47

DATE- SEP 22, 1968 TIME- 1555

INSTRUMENT TYPE- SATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	0	8.10
35	27.00	418	7.50
39	26.90	431	7.20
49	26.20	450	7.00
51	25.90	461	6.80
55	25.10	480	6.50
57	24.70	512	6.20
63	24.20	516	6.00
66	23.90	528	5.80
67	23.70	525	5.60
69	23.40	594	5.00
84	22.40	700	
84	22.10		
92	21.80		
116	20.90		
120	20.50		
135	20.00		
148	19.20		
156	18.90		
167	18.30		
177	18.20		
193	17.30		
195	17.00		
202	16.80		
207	16.40		
215	15.60		
221	15.40		
222	15.20		
223	15.90		
227	14.70		
231	14.70		
247	13.50		
266	12.70		
266	12.60		
268	12.30		
283	11.90		
298	11.70		
311	11.20		
314	10.90		
348	10.00		
362	9.40		
382	8.90		
386	8.70		
394	8.70		
408	8.40		

PLATFORM- MIKIMIKI

POSITION- 23 44N 157 43W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- SEP 24, 1968 TIME- 1408

INSTRUMENT TYPE- SATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.50	0	18.20
6	27.50	356	18.10
14	27.30	367	9.70
44	27.30	380	9.10
48	26.90	394	9.00
51	26.80	412	8.30
53	27.10	427	7.90
56	27.10	439	7.80
61	26.70	446	7.50
71	25.80	472	7.20
72	25.50	475	7.00
78	24.60	508	6.70
81	24.60	522	6.30
88	25.00	544	6.30
92	23.90	564	6.20
95	23.50	584	5.90
96	23.20	601	5.80
101	22.70	610	5.40
105	22.70	610	5.20
111	22.20	669	5.20
116	22.20	700	5.00
118	22.00		
131	21.00		
154	19.70		
162	19.30		
166	17.90		
196	17.50		
216	16.70		
220	16.40		
221	16.10		
224	16.00		
228	15.80		
229	15.60		
231	15.30		
251	14.70		
254	14.40		
261	14.30		
273	13.80		
278	13.40		
282	13.30		
287	12.70		
306	11.70		
337	10.80		
344	10.80		
351	10.60		

PLATFORM- MIKIMIKI

POSITION- 23 15N 157 43W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- SEP 24, 1968 TIME- 505

INSTRUMENT TYPE- SATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.50	0	8.90
47	27.50	383	8.80
50	27.10	397	8.20
70	26.40	401	7.80
74	25.90	409	7.90
75	25.50	415	7.60
85	24.60	423	7.60
98	24.30	435	7.40
92	24.00	441	7.10
93	23.90	447	6.90
95	23.60	460	6.90
100	23.30	470	6.70
103	23.20	500	6.20
105	22.80	509	6.10
109	22.60	520	6.20
123	21.50	537	6.20
137	20.70	556	5.80
141	20.30	595	5.70
151	19.70	598	5.40
158	19.40	670	5.00
169	18.70	700	5.00
171	18.30		
176	18.10		
178	17.80		
180	17.60		
201	16.90		
208	16.80		
212	16.80		
226	16.20		
230	16.00		
231	15.70		
247	15.00		
249	14.60		
254	14.50		
259	14.00		
263	13.90		
277	13.00		
286	12.30		
303	11.30		
310	10.60		
324	10.70		
351	10.00		
357	9.60		
362	9.60		
381	9.10		



PLATFORM- MIKIMIKI  
 POSITION- 22 15N 157 44W  
 MARSSEN SQUARE 86 ONE DEGREE SQUARE 27  
 DATE- SEP 24, 1968 TIME- 1340  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	0	26.80
70	26.70	70	26.70
326	26.30	326	26.30
334	25.60	334	25.60
350	25.30	350	25.30
354	25.00	354	25.00
390	24.70	390	24.70
392	23.90	392	23.90
395	23.60	395	23.60
413	23.10	413	23.10
423	22.60	423	22.60
451	22.40	451	22.40
479	22.10	479	22.10
496	21.70	496	21.70
514	21.30	514	21.30
557	20.80	557	20.80
573	20.30	573	20.30
598	20.10	598	20.10
605	19.90	605	19.90
620	19.00	620	19.00
632	18.90	632	18.90
652	18.70	652	18.70
677	18.50	677	18.50
700	18.30	700	18.30

PLATFORM- MIKIMIKI  
 POSITION- 22 29N 157 44W  
 MARSSEN SQUARE 86 ONE DEGREE SQUARE 27  
 DATE- SEP 24, 1968 TIME- 1230  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	287	11.20
17	27.10	301	11.00
24	26.80	305	10.70
38	26.70	317	10.20
46	26.50	326	10.10
47	26.30	347	9.40
53	26.10	354	9.10
54	25.90	381	8.70
59	25.60	393	8.40
63	24.80	402	8.30
68	24.50	409	8.10
70	24.20	413	8.10
83	23.50	424	7.50
84	23.30	437	7.50
85	23.10	447	7.50
102	22.20	482	6.80
107	22.20	489	6.80
118	21.70	497	6.60
122	21.20	518	6.40
129	20.80	532	6.10
137	20.70	568	5.70
142	20.20	632	5.40
147	20.10	700	5.30
152	19.80		
153	19.50		
156	19.40		
158	19.10		
175	18.30		
185	17.70		
189	17.70		
194	16.80		
204	16.30		
217	16.00		
226	15.80		
232	15.10		
234	14.80		
236	14.60		
239	14.50		
241	14.10		
249	13.80		
260	12.90		
261	12.70		
276	12.00		
282	11.00		
284	11.40		

PLATFORM- MIKIMIKI  
 POSITION- 22 42N 157 45W  
 MARSSEN SQUARE 86 ONE DEGREE SQUARE 27  
 DATE- SEP 24, 1968 TIME- 945  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.40	360	10.20
31	27.40	381	9.30
36	27.10	397	9.20
51	26.80	408	9.00
57	26.90	417	8.50
60	26.70	427	8.30
62	26.10	433	8.00
64	25.80	457	7.60
65	25.50	463	7.40
72	25.30	496	7.20
76	25.00	502	7.00
78	24.60	531	6.70
83	24.20	552	6.10
89	24.00	570	5.60
96	23.40	594	5.60
115	22.40	612	5.30
132	21.50	624	5.30
133	21.30	700	5.00
140	20.90		
141	20.80		
147	20.40		
149	19.90		
160	19.30		
185	18.40		
188	18.10		
193	17.70		
197	17.70		
205	17.30		
207	17.00		
212	16.60		
223	16.10		
230	16.60		
240	15.50		
242	15.20		
256	14.40		
259	14.40		
260	13.70		
270	13.70		
282	12.90		
294	11.90		
306	11.90		
318	11.20		
327	11.10		
334	10.70		
345	10.50		


PLATFORM- MIKIMIKI  
 POSITION- 22 04 157 434  
 HARSØEN SQUARE 00 ONE DEGREE SQUARE 27  
 DATE- SEP 24, 1968 TIME- 1900  
 INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	350	10.20
34	26.80	381	10.00
41	26.70	393	9.40
42	26.70	396	9.40
43	26.50	400	8.70
45	26.30	423	8.40
46	26.10	429	8.20
59	25.30	444	8.10
75	25.00	477	7.90
86	24.70	510	7.30
95	23.70	539	6.50
105	23.00	562	6.30
113	22.70	569	6.10
122	22.50	586	6.10
127	22.20	603	5.80
128	22.00	646	5.60
144	21.80	659	5.60
151	21.10	700	5.50
176	20.60		
186	20.10		
189	19.80		
193	19.60		
197	19.30		
210	18.90		
218	18.30		
222	17.90		
227	17.80		
230	17.40		
240	17.00		
243	16.90		
246	16.40		
252	16.20		
255	16.10		
260	15.50		
261	15.30		
263	15.10		
268	15.00		
269	14.90		
276	14.00		
302	12.60		
309	12.40		
316	11.70		
322	11.40		
345	10.60		
352	10.50		

## M/V Pacific Appollo XBT Data

# PACIFIC APOLLO XBT

## DATA LOCATIONS



PLATFORM- P.APOLLO

POSITION- 27 26N 157 50W

MARDEN SQUARE 86 ONE DEGREE SQUARE 77

DATE- AUG 13, 1968 TIME- 5:00

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	424	9.20
1	27.10	441	8.90
17	26.60	462	8.30
43	26.20	486	8.00
64	26.00	527	6.90
91	25.30	539	6.90
68	24.80	546	6.70
67	23.70	562	6.60
72	23.00	590	6.00
81	22.00	598	5.30
91	22.00	598	5.00
104	21.00		
109	21.00		
117	20.70		
127	20.00		
134	20.10		
142	20.00		
150	19.50		
155	18.00		
161	18.00		
170	16.40		
184	18.10		
192	17.00		
203	17.00		
211	16.70		
223	16.10		
227	15.00		
232	15.40		
237	15.30		
252	14.30		
270	14.10		
284	13.50		
290	13.50		
304	13.10		
310	12.50		
311	12.50		
333	11.00		
340	11.70		
352	11.30		
367	10.90		
379	10.00		
392	10.60		
396	10.40		
409	9.60		
422	9.30		

PLATFORM- P.APOLLO

POSITION- 27 50N 157 50W

MARDEN SQUARE 86 ONE DEGREE SQUARE 77

DATE- AUG 13, 1968 TIME- 2239

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.40	319	12.70
3	27.40	325	12.70
5	27.20	340	12.30
13	26.90	354	11.00
14	26.70	365	11.40
32	26.40	367	11.20
41	25.90	374	11.00
44	25.40	378	10.80
48	24.90	384	10.70
51	24.90	388	10.40
68	23.60	399	10.40
72	23.40	407	10.20
79	22.80	408	10.10
83	22.70	421	9.60
86	22.40	429	9.50
91	22.20	437	8.90
103	21.10	455	8.30
116	20.70	474	8.30
140	20.30	494	8.10
147	20.30	514	7.70
161	19.00	527	7.30
163	19.50	534	7.20
164	19.30	543	6.50
168	19.10	543	6.00
170	18.90	590	6.00
191	18.40		
193	18.40		
199	17.90		
205	17.80		
209	17.40		
216	17.20		
219	17.00		
230	16.40		
239	16.50		
248	16.40		
242	16.10		
254	15.80		
259	15.60		
260	15.40		
265	15.00		
274	14.40		
278	14.40		
285	13.70		
288	13.50		
313	13.10		

PLATFORM- P.APOLLO

POSITION- 27 50N 157 50W

MARDEN SQUARE 86 ONE DEGREE SQUARE 77

DATE- AUG 10, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 10.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.40	310	12.10
4	27.40	325	12.10
4	27.00	345	11.00
10	26.90	352	11.00
24	26.50	365	11.00
43	26.30	374	10.00
48	26.10	376	10.00
50	26.80	385	10.00
54	25.40	390	10.40
61	24.40	404	10.30
62	24.20	410	10.20
64	23.60	420	9.50
68	23.40	433	9.30
71	23.40	450	8.00
74	22.90	465	8.00
79	22.40	482	8.00
87	22.30	505	7.50
91	22.10	516	7.00
97	21.40	526	6.00
108	21.20	543	6.70
113	20.90	547	6.50
127	20.70	564	6.50
131	20.50	572	6.30
143	20.30	607	5.90
150	20.10	700	5.20
150	19.40		
162	19.40		
165	19.10		
179	18.00		
184	16.20		
199	17.00		
204	17.40		
210	17.20		
215	16.70		
226	16.40		
229	16.10		
241	15.40		
255	14.80		
267	14.50		
275	13.90		
282	13.90		
291	13.50		
295	13.20		
301	13.00		
305	12.50		

PLATFORM- P.APOLLO

POSITION- 27 50N 157 50W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 14, 1968 TIME- 2315

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	350	11.00
10	26.80	354	10.90
20	26.70	358	10.80
29	26.30	362	10.60
33	26.20	373	10.20
38	26.00	407	9.70
37	25.50	417	9.20
43	25.10	448	8.20
45	24.80	489	7.60
46	24.50	498	7.30
49	24.00	561	6.30
50	23.70	612	5.90
52	23.30	631	5.60
58	22.80	700	5.20
62	22.40		
68	22.30		
72	21.80		
74	21.70		
77	21.40		
80	21.40		
82	21.60		
96	20.20		
101	19.70		
115	18.90		
130	18.50		
136	18.10		
140	18.10		
150	17.20		
180	16.50		
184	16.50		
205	15.60		
212	15.40		
224	15.20		
231	14.90		
246	14.50		
248	14.30		
261	13.70		
260	13.60		
273	13.40		
278	13.40		
303	12.60		
318	12.00		
332	11.70		
340	11.10		

PLATFORM- P.APOLLO

POSITION- 28 10N 157 50W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 87

DATE- AUG 15, 1968 TIME- 100

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	325	11.50
16	26.90	354	10.70
21	26.80	365	10.40
24	26.40	375	10.20
26	26.50	387	10.00
32	26.20	410	9.80
33	26.10	425	9.20
34	25.80	445	8.90
36	25.30	472	8.10
37	24.40	484	8.00
38	23.80	493	7.50
42	23.30	535	6.70
43	23.00	548	6.50
46	22.70	551	6.50
50	21.70	566	6.10
57	21.20	590	5.90
63	20.90	605	5.60
65	20.70	657	5.20
68	19.70	692	5.00
78	19.70	700	4.90
82	19.20		
90	19.20		
101	19.00		
114	18.10		
118	18.20		
122	17.90		
135	17.60		
137	17.40		
156	17.00		
162	16.70		
173	16.30		
185	16.30		
194	16.00		
207	15.50		
213	15.00		
237	14.40		
243	14.40		
254	13.80		
268	13.50		
278	12.80		
282	12.00		
287	12.50		
294	12.20		
311	12.00		
316	11.60		

PLATFORM- P.APOLLO

POSITION- 28 20N 157 50W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 87

DATE- AUG 15, 1968 TIME- 210

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	393	11.00
11	27.20	391	10.50
16	27.10	393	10.30
25	26.30	393	10.00
34	26.10	425	9.80
36	25.80	433	9.30
37	25.50	451	8.90
38	25.10	474	8.10
39	24.80	483	8.10
40	24.50	503	7.50
41	24.20	515	7.40
42	23.90	527	7.00
43	23.60	549	6.70
44	23.00		
51	22.40		
52	22.10		
53	21.10		
55	20.60		
66	20.50		
68	20.10		
72	19.80		
75	19.80		
83	19.30		
92	19.10		
102	18.30		
116	17.70		
120	17.50		
140	16.70		
148	16.50		
180	16.00		
186	15.00		
201	15.30		
209	15.20		
222	14.60		
233	14.40		
239	14.30		
244	14.00		
249	13.80		
264	13.60		
282	13.00		
295	12.80		
303	12.40		
327	11.60		
330	11.60		
349	11.20		

PLATFORM- P.APOLLO

POSITION- 28 30N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 87

DATE- AUG 15, 1968 TIME- 311

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	344	11.00
10	26.00	349	10.70
14	26.00	375	10.10
17	26.00	366	10.10
19	26.00	393	9.70
25	26.10	413	9.10
28	25.70	421	9.00
29	25.50	426	8.70
30	25.10	433	8.40
31	24.70	440	8.30
32	24.50	459	8.30
33	24.10	476	7.80
35	23.50	492	7.60
36	23.00	512	7.20
38	22.60	516	7.00
39	22.20	521	7.00
43	21.80	538	6.80
46	21.30	554	6.40
47	21.00	561	6.10
50	20.40	604	5.60
55	20.20	615	5.60
56	19.90	656	5.00
61	19.40	700	4.80
65	19.20		
70	18.00		
77	18.40		
81	18.20		
92	17.60		
130	16.00		
166	15.00		
182	15.10		
196	15.10		
192	14.90		
201	14.70		
209	14.40		
217	14.30		
220	13.90		
234	13.00		
243	13.50		
254	13.40		
269	12.40		
300	12.20		
321	11.40		
326	11.40		
336	11.00		

PLATFORM- P.APOLLO

POSITION- 25 37N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- AUG 15, 1968 TIME- 1000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	303	11.60
29	26.50	319	10.70
37	26.50	329	10.60
44	25.70	336	10.20
45	25.40	348	10.10
47	25.00	357	9.60
54	23.00	380	8.80
60	23.50	391	8.70
64	22.80	399	8.50
67	22.50	400	8.00
76	21.80	416	8.00
79	21.00	419	7.90
85	21.30	442	7.50
94	20.00	449	7.20
102	20.70	461	7.10
111	20.20	466	6.90
113	19.90	483	6.90
120	19.20	497	6.50
132	18.90	518	6.10
144	18.00	566	5.70
153	18.00	582	5.70
157	18.00	649	5.10
168	17.90	700	4.80
163	17.50		
169	17.40		
173	17.20		
174	17.00		
176	17.00		
177	16.70		
180	16.50		
192	16.30		
206	15.40		
214	15.20		
210	15.00		
220	14.80		
225	14.70		
230	14.30		
236	14.20		
253	13.20		
257	13.20		
261	12.90		
273	12.50		
279	12.10		
286	12.10		
287	11.90		

PLATFORM- P.APOLLO

POSITION- 25 0N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- AUG 16, 1968 TIME- 0

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	263	10.00
2	27.10	298	10.30
6	26.70	300	10.00
37	26.50	314	9.70
38	26.50	342	8.90
39	26.10	359	8.40
40	25.90	364	8.30
41	25.60	372	8.00
43	25.20	405	7.50
46	24.50	421	7.00
50	24.00	468	6.90
53	23.60	477	6.90
63	22.60	484	6.50
65	22.40	512	6.30
67	22.00	528	6.00
71	21.80	530	6.00
76	21.10	549	5.00
87	20.80		
90	20.50		
97	20.20		
108	19.60		
113	19.00		
121	18.50		
124	18.20		
129	18.20		
133	17.70		
136	17.70		
138	17.50		
144	17.30		
151	16.80		
152	16.40		
156	16.20		
161	15.80		
177	15.10		
180	14.90		
182	14.60		
187	14.50		
191	14.10		
194	14.10		
202	13.20		
211	13.00		
213	12.70		
225	12.50		
231	12.00		
249	11.20		

PLATFORM- P.APOLLO

POSITION- 25 44N 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- AUG 16, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	0	7.00
13	26.00	415	7.50
28	26.00	435	7.50
32	26.30	437	7.40
42	25.50	457	7.20
45	25.10	464	6.00
46	24.00	494	6.10
48	24.00	519	6.00
50	24.20	535	5.70
60	23.00	558	5.70
61	23.00	567	5.50
66	23.10	620	5.40
74	22.40	662	4.90
79	22.30	700	4.00
85	21.00		
96	21.70		
100	21.00		
116	20.00		
130	19.00		
136	19.00		
140	19.00		
141	19.30		
147	18.00		
148	18.00		
157	18.00		
163	18.00		
174	17.00		
191	16.70		
196	16.20		
201	16.00		
211	15.30		
216	15.10		
217	14.00		
235	13.00		
260	13.00		
264	12.00		
281	11.00		
297	11.00		
303	11.20		
310	10.70		
353	10.00		
368	9.20		
393	8.70		
398	8.40		
406	8.30		

PLATFORM- P.APOLLO

POSITION- 26 0N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- AUG 16, 1968 TIME- 900

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	287	11.00
0	26.00	293	11.70
14	26.00	298	11.40
24	26.30	314	11.10
32	25.00	335	10.00
34	25.00	349	10.00
37	25.20	361	9.70
39	24.00	382	8.00
40	23.00	400	8.30
57	23.00	420	7.00
59	23.10	436	7.00
67	22.70	447	7.00
71	22.30	477	6.50
73	22.30	503	6.30
80	21.00	516	6.20
89	21.50	525	5.50
91	21.30	548	5.00
100	21.10	565	4.00
103	20.90	700	4.00
112	20.00		
122	19.00		
131	19.50		
138	19.50		
141	19.30		
144	19.00		
148	18.90		
155	18.00		
157	18.30		
163	17.00		
164	17.00		
169	17.50		
177	17.30		
182	16.00		
194	16.20		
203	16.00		
214	15.50		
217	15.40		
221	14.00		
229	14.50		
235	14.00		
245	13.00		
250	13.10		
254	13.00		
260	12.50		
260	12.00		

PLATFORM- P.APOLLO

POSITION- 26 27N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- AUG 16, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	374	9.00
37	26.00	382	9.40
44	26.30	402	9.10
54	25.70	416	8.00
59	24.00	444	8.00
63	24.30	448	7.50
70	23.00	475	7.30
72	23.00	477	6.90
82	22.70	505	6.00
83	22.50	520	6.70
95	22.00	528	6.40
96	21.00	545	6.10
104	21.50	595	5.70
112	20.00	633	5.30
117	20.00	700	4.00
120	20.00		
137	19.00		
142	19.50		
146	19.10		
150	18.00		
170	18.30		
180	17.00		
187	17.00		
194	17.00		
203	17.00		
211	16.00		
215	16.20		
224	15.70		
228	15.00		
230	15.40		
237	15.20		
240	15.00		
244	14.00		
259	14.00		
264	13.50		
271	13.30		
279	12.00		
281	12.00		
291	12.30		
301	11.00		
304	11.00		
312	11.30		
322	11.20		
357	10.30		
363	9.00		



PLATFORM- P.APOLLO

POSITION- 27 0N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 16, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	342	12.30
20	26.90	345	12.30
29	26.80	346	11.58
31	26.50	368	11.38
39	26.50	389	10.48
46	26.30	397	10.40
53	25.80	407	10.10
60	24.80	420	9.90
64	24.30	425	9.68
70	24.00	435	9.48
73	23.60	452	8.88
79	23.40	499	7.90
85	22.80	506	7.50
89	22.70	518	7.48
92	22.30	524	7.10
100	21.90	526	6.80
104	21.80	597	6.80
120	21.20	650	5.50
126	20.60	700	5.30
130	20.60		
132	20.50		
136	19.90		
140	19.90		
143	19.60		
150	19.10		
165	18.90		
170	18.50		
175	18.50		
191	17.70		
200	17.60		
201	17.50		
207	17.40		
222	16.80		
228	16.70		
232	16.40		
236	16.40		
247	16.10		
265	15.30		
284	14.50		
293	14.10		
307	13.70		
311	13.50		
318	13.40		
324	13.00		
329	13.00		

PLATFORM- P.APOLLO

POSITION- 27 20N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 17, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	380	1.40
19	26.80	394	10.20
22	26.50	411	9.70
30	26.30	419	9.20
44	26.40	435	8.60
45	25.90	448	8.30
46	25.60	460	8.20
48	25.10	463	8.00
54	24.40	494	7.20
58	24.40	524	6.90
62	23.80	555	6.20
69	23.40	614	5.50
74	22.80	651	5.20
79	22.40	700	5.20
84	22.20		
90	22.00		
103	21.20		
126	20.30		
130	20.00		
132	19.60		
143	19.40		
144	19.10		
153	19.00		
155	18.80		
162	18.60		
163	18.50		
169	18.10		
183	17.80		
185	17.40		
205	16.70		
213	16.70		
229	16.20		
249	15.80		
254	14.50		
262	14.50		
268	14.30		
272	14.30		
287	13.50		
298	13.10		
305	12.80		
334	12.00		
336	11.90		
343	11.60		
354	11.30		
357	11.10		

PLATFORM- P.APOLLO

POSITION- 27 22N 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 17, 1968 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	372	10.90
25	26.80	376	10.60
30	26.70	380	10.60
35	26.40	392	9.80
44	26.40	399	9.40
47	26.20	405	9.40
52	25.40	413	9.40
68	23.70	422	9.20
72	23.50	426	8.90
87	22.40	436	8.60
92	21.80	447	8.50
103	21.50	450	8.20
105	21.40	475	7.80
110	20.80	491	7.60
112	20.60	494	7.40
122	19.90	504	7.40
130	19.50	527	7.00
137	19.40	531	6.80
140	19.10	551	6.50
150	18.90	559	6.10
152	18.70	591	5.90
156	18.60	621	5.50
164	18.30	677	5.00
181	17.90	700	4.90
184	17.70		
192	17.60		
205	17.10		
214	17.00		
219	16.90		
221	16.80		
222	16.70		
229	16.50		
233	16.20		
242	16.10		
244	15.90		
259	15.10		
275	14.50		
285	13.80		
290	13.60		
296	13.30		
309	13.00		
314	12.50		
330	11.90		
351	11.40		
355	11.40		

PLATFORM- P.APOLLO

POSITION- 27 40N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 17, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	318	11.90
16	26.90	350	11.30
17	26.80	353	11.10
19	26.50	367	10.90
22	26.20	374	10.70
27	25.70	404	10.10
28	25.60	421	9.60
29	25.30	428	9.10
31	24.90	434	8.60
34	24.40	443	8.70
35	24.10	446	8.60
41	23.10	474	8.10
42	22.90	484	7.80
43	22.70	489	7.80
44	22.50	520	6.90
47	22.00	563	6.90
57	21.40	624	5.50
61	21.00	639	5.50
67	20.80	667	5.20
73	20.20	700	5.00
83	19.80		
93	19.20		
102	18.80		
127	17.90		
152	17.10		
156	17.10		
172	16.50		
181	16.20		
194	16.10		
203	15.80		
211	15.40		
222	15.20		
227	15.00		
231	14.90		
241	14.50		
249	14.40		
253	14.30		
254	14.00		
263	13.90		
269	13.50		
274	13.50		
287	13.00		
292	12.80		
301	12.40		
313	12.20		

PLATFORM- P.APOLLO

POSITION- 28 0N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 87

DATE- AUG 17, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	274	12.70
23	26.60	295	11.90
24	26.60	322	11.70
31	26.00	337	11.30
37	25.40	353	11.20
39	25.00	361	10.90
40	24.40	370	10.00
41	24.10	377	10.40
42	23.30	382	9.40
43	22.80	394	9.80
44	22.60	404	9.70
46	22.20	433	9.10
48	21.90	448	8.80
51	21.00	451	8.70
54	21.10	459	8.60
57	20.80	464	8.30
66	20.50	484	8.00
72	20.00	485	7.90
74	19.70	493	7.60
80	19.40	520	7.20
90	19.10	528	6.80
94	18.90	544	6.50
98	18.80	567	6.30
103	18.60	576	6.20
104	18.40	615	5.70
107	18.10	654	5.20
114	17.90	700	5.00
122	17.40		
135	16.90		
141	16.80		
144	16.70		
154	16.50		
163	16.20		
168	15.50		
195	15.50		
207	15.10		
210	14.80		
215	14.80		
223	14.40		
231	14.20		
233	14.00		
239	13.80		
247	13.00		
265	13.10		
270	13.10		

PLATFORM- P.APOLLO

POSITION- 28 35N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 87

DATE- AUG 18, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.60	384	11.20
23	26.50	385	10.70
25	26.40	341	10.60
27	26.20	350	10.20
30	25.40	349	9.90
31	25.10	377	9.40
32	24.70	403	8.70
33	24.30	417	8.90
34	23.80	426	8.10
35	23.40	512	6.50
37	22.60	533	6.20
39	21.60	555	5.80
40	21.00	563	5.90
41	21.00	591	5.30
42	20.70	636	4.90
44	20.40	700	4.70
53	19.30		
67	18.50		
72	17.80		
78	17.70		
93	17.20		
99	16.90		
108	16.10		
112	16.10		
116	15.90		
127	15.70		
130	15.40		
140	14.90		
171	14.00		
181	13.90		
185	13.70		
192	13.60		
199	13.30		
205	13.20		
207	13.10		
212	13.10		
217	12.80		
234	12.40		
243	12.40		
254	12.10		
255	11.80		
275	11.80		
290	11.20		

PLATFORM- P.APOLLO

POSITION- 29 ON 157 90W

MARSDEN SQUARE 86 ONE DEGREE SQUARE 97

DATE- AUG 18, 1968 TIME- 800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.30	288	11.20
25	26.40	298	11.10
27	26.20	303	10.90
28	26.00	311	10.90
29	25.60	316	10.80
30	25.20	326	10.50
31	23.40	340	10.30
32	22.80	354	9.90
33	22.50	365	9.80
34	21.90	368	9.40
37	21.50	385	9.20
40	21.00	397	8.80
42	20.90	431	8.30
43	20.70	461	7.40
44	20.30	479	6.90
48	20.00	509	6.70
52	19.30	537	6.50
59	19.00	519	6.50
62	18.70	553	5.80
63	18.50	572	5.60
69	18.10	588	5.30
71	17.90	648	5.10
74	17.70	669	4.80
76	17.50	700	4.70
89	17.10		
92	16.80		
99	16.70		
110	16.20		
115	16.20		
120	16.20		
126	16.00		
129	16.00		
139	15.70		
153	15.00		
160	14.90		
176	14.00		
192	13.70		
197	13.50		
216	13.00		
230	12.70		
243	12.30		
250	12.20		
253	12.00		
261	11.90		
272	11.50		
285	11.40		

PLATFORM- P.APOLLO

POSITION- 29 SN 157 90W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 97

DATE- AUG 18, 1968 TIME- 830

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	288	11.20
16	26.40	298	11.10
17	26.20	303	10.90
18	26.10	311	10.90
19	23.20	316	10.80
20	22.60	326	10.50
22	22.20	340	10.30
23	21.90	354	9.90
27	21.40	365	9.80
33	20.50	368	9.40
35	20.00	385	9.20
48	18.90	397	8.80
52	18.20	431	8.30
56	18.20	461	7.40
71	17.60	479	6.90
72	17.40	509	6.70
85	16.90	537	6.50
90	16.80	519	6.50
92	16.70	553	5.80
126	15.00	572	5.60
144	15.10	588	5.30
147	14.80	648	5.10
173	14.10	669	4.80
181	13.60	700	4.70
191	13.50		
196	13.20		
211	13.10		
212	13.00		
220	12.60		
228	12.10		
266	11.40		
276	11.40		
283	11.20		
294	11.20		
363	9.60		
416	8.60		
446	8.00		
446	8.00		
455	7.60		
582	6.80		
515	6.50		
571	5.60		
654	5.10		
658	4.90		
700	4.80		

PLATFORM- P.APOLLO

POSITION- 29 31N 157 49W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 97

DATE- AUG 18, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.10	306	8.00
10	26.00	409	8.20
19	24.50	434	7.00
20	23.50	442	7.00
21	23.20	485	6.00
22	22.90	503	6.00
23	22.70	521	6.10
24	22.50	501	5.30
26	22.00	595	5.30
28	21.70	604	5.00
31	21.20	650	4.60
32	21.00	700	4.40
33	20.70		
35	20.20		
43	19.80		
49	19.50		
51	19.30		
57	18.90		
60	18.50		
69	18.00		
72	17.70		
74	17.10		
76	17.30		
85	16.90		
94	16.70		
110	16.20		
120	16.10		
132	15.80		
136	15.50		
151	15.10		
158	14.70		
165	14.60		
187	13.60		
196	13.40		
197	13.20		
201	12.90		
225	12.00		
230	12.00		
234	11.70		
263	11.50		
295	10.80		
310	10.60		
339	9.80		
351	9.70		
372	9.10		

PLATFORM- P.APOLLO

POSITION- 30 0N 157 49W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 7

DATE- AUG 16, 1968 TIME- 1020

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	463	7.00
37	26.00	477	7.50
38	25.00	490	7.40
39	26.50	501	7.00
40	24.30	533	6.50
41	24.00	610	5.50
42	23.50	660	5.00
43	22.30	700	5.00
44	22.10		
45	21.00		
47	21.40		
49	21.10		
51	21.00		
52	20.00		
61	20.00		
66	19.30		
70	18.60		
75	18.00		
78	18.00		
87	17.00		
92	17.30		
127	16.60		
146	16.00		
151	15.70		
158	15.70		
180	14.90		
194	14.10		
204	13.90		
210	13.50		
223	13.30		
227	13.00		
248	12.30		
282	12.00		
289	11.60		
298	11.60		
315	11.10		
325	11.00		
331	10.70		
360	10.10		
365	9.00		
380	9.40		
390	9.40		
396	9.20		
409	9.00		
444	8.20		

PLATFORM- P.APOLLO

POSITION- 29 50N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 97

DATE- AUG 16, 1968 TIME- 2120

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.10	31	26.00
31	26.00	33	25.90
34	26.00	34	26.00
35	26.00	35	26.00
36	23.60	37	22.50
37	22.50	38	22.20
38	22.20	39	21.90
39	21.90	42	21.70
42	21.70	43	21.50
43	21.50	44	21.20
44	21.20	47	20.00
47	20.00	48	20.70
48	20.70	57	19.00
57	19.00	61	18.50
61	18.50	64	19.10
64	19.10	66	19.00
66	19.00	68	18.70
68	18.70	73	18.10
73	18.10	84	18.00
84	18.00	96	17.30
96	17.30	116	16.70
116	16.70	141	16.20
141	16.20	160	15.20
160	15.20	187	14.90
187	14.90	191	14.90
191	14.90	213	13.80
213	13.80	236	13.30
236	13.30	262	13.10
262	13.10	268	12.60
268	12.60	275	12.30
275	12.30	299	12.00
299	12.00	342	10.80
342	10.80	368	10.50
368	10.50	378	10.00
378	10.00	393	9.70
393	9.70	407	9.10
407	9.10	426	8.50
426	8.50	456	8.10
456	8.10	488	7.60
488	7.60	505	6.90
505	6.90	538	6.50
538	6.50	543	6.20
543	6.20	598	5.40
598	5.40	637	4.80
637	4.80	700	4.50

PLATFORM- P.APOLLO

POSITION- 30 17N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 7

DATE- AUG 19, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	813	7.20
32	26.30	930	6.60
34	26.20	994	5.60
37	25.40	643	5.20
38	24.50	700	4.80
39	24.30		
40	23.60		
41	22.90		
42	22.30		
43	22.00		
44	21.80		
47	21.30		
48	20.00		
50	20.60		
51	20.20		
56	20.10		
57	19.80		
63	19.40		
67	18.00		
71	18.30		
76	17.70		
87	17.40		
94	17.00		
109	16.40		
129	15.90		
135	15.90		
155	15.50		
173	16.00		
186	16.50		
202	13.00		
222	13.20		
232	13.10		
279	12.10		
287	11.00		
311	11.50		
313	11.30		
328	11.00		
339	10.60		
349	10.40		
365	10.10		
376	10.10		
393	9.00		
401	7.50		
416	9.00		
441	8.40		

PLATFORM- P.APOLLO

POSITION- 31 1N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 17

DATE- AUG 19, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	25.70
10	25.70
21	25.40
22	25.20
23	24.70
24	24.80
25	23.80
27	22.50
32	21.70
36	20.80
39	20.20
43	19.80
53	19.30
55	19.00
58	18.90
60	18.80
63	18.30
64	18.00
72	17.70
81	17.70
99	16.90
104	16.90
113	16.60
118	16.30
124	16.20
133	16.20
145	15.60
148	15.30
176	13.70
191	13.20
221	12.60
241	12.10
257	11.60
269	11.40
278	11.40
285	11.10
329	10.50
356	9.70
364	9.60
387	9.10
407	8.40
477	7.00
511	6.50
532	6.00
564	5.50
614	5.00
700	4.50

PLATFORM- P.APOLLO

POSITION- 31 30N 157 49W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 17

DATE- AUG 19, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.80
23	25.90
24	25.70
25	24.80
26	24.30
27	23.60
30	23.00
31	22.80
36	21.50
38	20.70
39	20.50
48	19.30
58	18.40
60	17.90
96	17.00
110	16.70
121	16.20
130	16.10
140	15.70
146	15.20
152	15.00
159	14.50
174	14.00
206	13.30
212	13.00
216	13.00
226	12.60
239	12.40
250	11.80
284	11.40
289	11.20
319	10.90
340	10.30
365	9.90
394	9.80
436	8.30
459	7.70
479	7.40
503	6.80
548	6.00
567	5.80
593	5.40
655	4.80
700	4.70

PLATFORM- P.APOLLO

POSITION- 32 0N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- AUG 19, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.30
23	25.30
25	25.20
26	25.00
27	24.70
28	24.50
29	24.00
30	23.00
31	23.10
32	22.60
33	22.00
34	21.30
35	20.90
37	20.30
38	20.00
45	19.30
53	18.50
63	17.80
70	17.00
72	17.40
93	16.90
118	15.90
122	15.90
129	15.50
147	15.20
160	14.00
166	13.70
197	13.70
203	13.70
210	13.40
220	13.30
228	13.00
244	12.70
253	12.20
264	12.10
271	11.70
289	11.50
303	11.10
312	11.00
343	10.50
367	9.80
377	9.70
397	9.10
428	8.00
454	8.00
470	7.80

PLATFORM- P.APOLLO

POSITION- 32 0N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- AUG 19, 1968 TIME- 2100

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.40	468	7.90
20	25.40	473	7.40
24	25.20	513	6.90
25	25.10	547	6.10
26	24.70	505	6.00
27	24.30	501	5.70
28	23.40	451	5.10
29	23.10	673	5.10
30	22.60	700	4.90
31	22.00		
32	21.80		
33	21.20		
35	20.70		
39	20.00		
40	19.80		
41	19.00		
44	19.30		
46	19.00		
52	18.40		
60	18.00		
62	17.80		
72	17.40		
107	16.80		
123	16.40		
137	15.80		
142	15.60		
151	15.30		
161	15.10		
163	14.90		
170	14.50		
185	13.90		
195	13.70		
201	13.40		
237	12.70		
251	12.20		
276	11.80		
281	11.60		
316	11.00		
342	10.30		
364	10.00		
375	9.60		
395	9.30		
419	8.70		
447	8.20		
453	7.90		

PLATFORM- P.APOLLO

POSITION- 32 22N 157 49W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- AUG 20, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.60	40	20.50
22	25.60	41	20.30
25	25.40	47	19.70
26	23.80	52	19.20
27	23.20	54	18.80
28	22.90	64	18.40
29	22.60	69	18.10
33	22.10	90	17.40
35	21.80	133	16.60
36	21.50	159	15.90
40	20.50	174	15.00
41	20.30	185	14.40
47	19.70	189	14.40
52	19.20	191	14.10
54	18.80	202	13.50
64	18.40	213	13.30
69	18.10	224	12.60
90	17.40	252	12.20
133	16.60	257	12.00
159	15.90	282	11.70
174	15.00	320	10.90
185	14.40	334	10.70
189	14.40	393	9.80
191	14.10	396	9.30
202	13.50	421	8.90
213	13.30	445	8.30
224	12.60	461	8.10
252	12.20	489	7.60
257	12.00	496	7.30
282	11.70	529	6.80
320	10.90	544	6.30
334	10.70	555	6.20
393	9.80	624	5.40
396	9.30	659	5.00
421	8.90	700	4.90
445	8.30		
461	8.10		
489	7.60		
496	7.30		
529	6.80		
544	6.30		
555	6.20		
624	5.40		
659	5.00		
700	4.90		

PLATFORM- P.APOLLO

POSITION- 32 59N 157 51W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- AUG 20, 1968 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.60	95	17.30
24	25.60	101	17.30
25	25.50	131	16.60
27	25.10	159	16.00
29	24.60	158	15.40
30	24.10	163	15.20
31	22.70	170	14.90
33	22.30	172	14.50
34	21.70	187	13.60
36	21.30	195	13.50
45	20.60	204	13.10
47	20.20	234	12.50
48	20.10	268	12.20
53	19.30	285	11.30
67	18.60	303	11.00
73	18.10	318	11.00
95	17.30	362	10.30
101	17.30	427	8.80
131	16.60	452	8.10
159	16.00	479	7.60
158	15.40	491	7.30
163	15.20	531	6.80
170	14.50	535	6.60
185	14.40	563	6.00
189	14.40	567	6.10
191	14.10	601	5.60
202	13.50	700	5.00
213	13.30		
224	12.60		
252	12.20		
257	12.00		
282	11.70		
320	10.90		
334	10.70		
393	9.80		
396	9.30		
421	8.90		
445	8.30		
461	8.10		
489	7.60		
496	7.30		
529	6.80		
544	6.30		
555	6.20		
624	5.40		
659	5.00		
700	4.90		

PLATFORM- P.APOLLO

POSITION- 33 36N 157 52W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 23, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)
0	25.80
23	25.80
24	25.70
25	25.10
26	24.80
27	23.50
28	22.70
29	22.20
31	21.70
32	21.30
34	21.00
39	20.10
40	19.80
42	19.60
50	19.10
57	18.30
60	18.20
61	18.00
65	17.90
67	17.80
70	17.50
73	17.20
96	16.40
103	16.20
111	15.90
114	15.90
122	15.50
136	15.10
146	14.80
155	14.30
168	13.60
197	12.90
238	12.20
261	11.60
277	11.40
294	10.90
302	10.90
310	10.60
330	10.30
336	10.10
350	10.00
413	8.60
440	8.30
459	8.00
463	7.80

PLATFORM- P.APOLLO

POSITION- 33 36 N 157 53W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 21, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)
0	25.50
11	25.50
17	25.40
18	25.30
19	25.10
20	23.40
21	22.60
23	22.30
29	21.40
30	21.00
38	19.60
43	17.10
50	18.00
53	18.40
70	17.70
77	17.40
106	17.10
122	16.70
131	16.30
141	16.10
153	15.60
157	15.30
166	14.90
169	14.40
172	14.30
176	13.80
185	13.50
210	12.80
235	12.50
241	12.30
272	11.90
314	11.10
323	10.80
363	10.10
388	9.40
421	8.90
462	8.10
468	7.80
525	6.30
543	6.70
566	6.10
640	5.20
700	4.80

PLATFORM- P.APOLLO

POSITION- 33 37N 157 48W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 21, 1968 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)
0	26.90
26	25.90
28	25.80
29	25.30
30	25.30
31	22.40
32	22.18
33	21.40
35	20.90
37	20.80
41	20.80
43	19.70
54	18.90
59	18.30
74	17.30
88	16.78
109	16.20
136	15.80
142	14.90
167	13.80
180	13.30
201	13.18
225	12.50
240	12.20
262	11.80
291	11.20
308	11.10
327	10.50
344	10.30
356	10.80
375	9.70
398	9.30
451	8.10
499	7.30
528	6.80
553	6.50
574	6.80
637	5.30
780	5.00

PLATFORM- P.APOLLO	POSITION- 34 9N 157 50W	MARSDEN SQUARE 124 ONE DEGREE SQUARE 47	DATE- AUG 21, 1968 TIME- 1200	INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70	
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.40	0	25.20	0	6.70
20	25.40	16	25.10	520	6.60
30	25.20	19	24.90	532	6.50
31	22.20	20	23.90	557	5.90
32	20.90	21	22.50	633	5.00
36	19.90	22	22.10	700	4.00
40	19.10	23	21.70		
42	18.80	24	21.40		
47	18.50	25	21.30		
55	17.60	27	20.60		
60	16.70	30	20.10		
80	16.30	31	19.80		
85	16.00	32	19.40		
88	15.90	35	18.70		
91	15.60	40	17.80		
111	14.60	44	17.10		
124	14.30	46	16.80		
133	14.30	47	16.70		
144	14.10	50	16.10		
147	13.90	64	15.60		
157	13.60	66	15.30		
167	13.60	82	14.50		
174	13.50	105	13.90		
182	13.20	120	13.60		
209	12.50	132	13.60		
221	12.40	144	13.30		
258	11.50	152	13.30		
286	11.20	163	13.00		
313	10.60	168	13.00		
323	10.60	171	12.80		
340	10.30	179	12.60		
354	9.80	208	12.30		
363	9.70	214	12.00		
366	9.40	227	12.00		
372	9.40	247	11.60		
388	8.90	264	11.40		
439	8.10	277	11.10		
483	7.10	292	11.00		
540	6.30	325	10.50		
549	6.80	334	10.20		
612	5.30	344	10.20		
700	4.70	421	8.60		
		433	8.20		
		455	7.90		
		499	7.00		

PLATFORM- P.APOLLO	POSITION- 34 35N 157 49W	MARSDEN SQUARE 124 ONE DEGREE SQUARE 47	DATE- AUG 21, 1968 TIME- 1800	INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70	
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.20	0	6.70	0	25.10
16	25.10	16	6.60	17	25.00
19	24.90	19	6.50	18	24.40
20	23.90	20	6.50	19	23.30
21	22.50	21	5.90	20	22.80
22	22.10	22	5.00	21	21.70
23	21.70	22	4.00	22	21.40
24	21.40			23	21.10
25	21.30			26	20.60
27	20.60			27	20.20
30	20.10			29	20.00
31	19.80			31	19.50
32	19.40			32	19.30
35	18.70			34	18.70
40	17.80			35	18.30
44	17.10			36	18.10
46	16.80			41	17.30
47	16.70			42	17.10
50	16.10			44	16.90
64	15.60			45	16.70
66	15.30			47	16.50
82	14.50			51	16.20
105	13.90			52	16.00
120	13.60			63	15.90
132	13.60			85	14.70
144	13.30			102	14.30
152	13.30			113	13.80
163	13.00			130	13.50
168	13.00			152	13.30
171	12.80			164	12.70
179	12.60			173	12.70
208	12.30			177	12.50
214	12.00			192	12.40
227	12.00			198	12.20
247	11.60			226	11.80
264	11.40			232	11.60
277	11.10			276	11.10
292	11.00			333	10.10
325	10.50			342	10.00
334	10.20			390	8.90
344	10.20			432	8.40
421	8.60			455	7.90
433	8.20			464	7.80
455	7.90			486	7.20
499	7.00			520	6.50
				620	5.10
				635	5.10
				669	4.70
				700	4.50



PLATFORM- P.APOLLO  
 POSITION- 34 52N 157 53W  
 MARS DEN SQUARE 124 ONE DEGREE SQUARE 47  
 DATE- AUG 22, 1968 TIME- 600  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	24.00	483	6.90
15	24.00	521	6.10
19	24.50	534	6.10
20	24.20	570	5.50
21	23.50	700	4.50
22	23.00		
23	21.00		
24	21.10		
26	20.20		
27	20.00		
30	19.30		
31	19.10		
33	18.70		
34	18.50		
35	17.90		
36	17.60		
37	17.20		
38	16.90		
39	16.60		
44	15.00		
57	15.10		
64	14.00		
76	14.10		
85	14.00		
100	13.30		
117	13.00		
127	12.90		
161	12.30		
166	12.30		
177	12.00		
184	12.00		
209	11.50		
254	11.10		
279	10.60		
303	10.40		
320	9.80		
359	9.30		
384	8.70		
393	8.60		
397	8.40		
402	8.40		
415	7.90		
422	7.97		
436	7.70		
457	7.10		

PLATFORM- P.APOLLO  
 POSITION- 35 38N 157 50W  
 MARS DEN SQUARE 124 ONE DEGREE SQUARE 57  
 DATE- AUG 22, 1968 TIME- 1200  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	24.00	0	24.00
14	24.50	14	24.50
15	22.30	15	22.30
16	22.00	16	22.00
17	20.90	17	20.90
18	20.40	18	20.40
19	20.10	19	20.10
22	19.90	22	19.90
26	19.30	26	19.30
28	18.60	28	18.60
29	18.30	29	18.30
34	17.30	34	17.30
36	17.00	36	17.00
39	16.10	39	16.10
40	15.70	40	15.70
42	15.40	42	15.40
45	15.30	45	15.30
51	14.80	51	14.80
52	14.50	52	14.50
60	14.00	60	14.00
65	14.00	65	14.00
73	13.50	73	13.50
89	13.00	89	13.00
102	12.60	102	12.60
115	12.40	115	12.40
124	12.20	124	12.20
142	12.20	142	12.20
152	12.00	152	12.00
164	11.90	164	11.90
173	11.70	173	11.70
181	11.70	181	11.70
192	11.50	192	11.50
243	10.90	243	10.90
258	10.50	258	10.50
289	10.20	289	10.20
343	9.00	343	9.00
361	8.00	361	8.00
397	8.00	397	8.00
429	7.50	429	7.50
449	6.70	449	6.70
482	6.50	482	6.50
459	6.20	459	6.20
522	5.90	522	5.90
544	5.50	544	5.50
583	5.00	583	5.00
665	4.40	665	4.40
700	4.30	700	4.30

PLATFORM- P.APOLLO  
 POSITION- 36 0N 157 50W  
 MARS DEN SQUARE 124 ONE DEGREE SQUARE 67  
 DATE- AUG 22, 1968 TIME- 1800  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	23.00	0	23.00
9	23.00	9	23.00
11	23.00	11	23.00
12	21.00	12	21.00
13	19.00	13	19.00
16	19.40	16	19.40
17	19.30	17	19.30
18	19.00	18	19.00
22	18.50	22	18.50
23	18.30	23	18.30
24	18.10	24	18.10
26	17.50	26	17.50
27	17.30	27	17.30
31	16.50	31	16.50
34	16.00	34	16.00
37	15.30	37	15.30
40	15.20	40	15.20
44	14.50	44	14.50
49	14.30	49	14.30
56	13.60	56	13.60
64	13.30	64	13.30
85	12.60	85	12.60
111	12.20	111	12.20
120	11.90	120	11.90
146	11.70	146	11.70
192	11.10	192	11.10
213	10.70	213	10.70
330	8.90	330	8.90
344	8.50	344	8.50
420	7.00	420	7.00
520	5.50	520	5.50
560	5.00	560	5.00
700	4.30	700	4.30

PLATFORM- P.APOLLO

POSITION- 35 21N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 57

DATE- AUG 23, 1968 TIME- 6

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
1	24.60	510	5.90
14	24.40	563	5.40
15	24.00	571	5.20
16	23.10	630	4.80
17	21.90	700	4.50
18	21.00		
19	20.70		
20	20.20		
21	19.80		
22	19.40		
23	19.00		
25	18.80		
26	18.77		
27	18.30		
28	17.80		
29	17.50		
30	17.30		
31	16.90		
34	16.18		
37	15.80		
49	15.20		
53	14.70		
63	14.40		
72	13.90		
93	13.70		
112	13.30		
117	13.16		
128	12.90		
131	12.70		
143	12.60		
167	12.10		
175	12.18		
204	11.50		
229	11.20		
265	10.70		
269	10.50		
277	10.50		
316	9.70		
324	8.80		
360	7.90		
403	7.78		
418	7.50		
424	7.30		
434	7.10		
444			

PLATFORM- P.APOLLO

POSITION- 34 35N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE- AUG 23, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.07	108	13.60
8	25.00	127	13.10
12	24.80	153	12.80
13	24.00	156	12.60
14	22.10	164	12.60
15	21.30	168	12.40
16	20.80	192	11.90
17	20.00	209	11.80
18	19.50	224	11.40
19	19.30	325	10.00
20	16.00	362	9.20
27	17.90	370	8.90
30	17.00	406	8.37
35	16.70	444	7.30
42	15.70	509	6.10
47	15.50	577	5.20
53	15.00	700	4.40
72	14.30		
82	13.70		
90	13.00		
79	12.40		
92	12.30		
103	12.20		
122	12.20		
132	12.60		
144	12.18		
153	13.10		
177	13.10		
190	12.90		
211	12.00		
255	11.50		
276	11.00		
292	10.90		
315	10.50		
344	9.70		
410	8.50		
428	8.00		
441	7.90		
455	7.40		
479	7.00		
509	6.60		
522	6.30		
574	5.50		
648	4.80		
700	4.50		

PLATFORM- P.APOLLO

POSITION- 33 35N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 23, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.80	92	16.30
24	25.70	103	15.70
25	25.70	122	15.20
26	25.20	132	14.80
27	24.20	144	14.18
28	22.20	153	13.70
29	21.80	177	13.10
30	21.40	190	12.90
34	20.60	211	12.00
35	20.40	255	11.50
43	19.20	276	11.00
45	18.90	292	10.90
46	18.70	315	10.50
49	18.60	344	9.70
52	18.30	410	8.50
54	17.90	428	8.00
61	17.70	441	7.90
66	17.40	455	7.40
73	16.70	479	7.00
79	16.40	509	6.60
92	16.30	522	6.30
103	15.70	574	5.50
122	15.20	648	4.80
132	14.80	700	4.50
144	14.18		
153	13.70		
177	13.10		
190	12.90		
211	12.00		
255	11.50		
276	11.00		
292	10.90		
315	10.50		
344	9.70		
410	8.50		
428	8.00		
441	7.90		
455	7.40		
479	7.00		
509	6.60		
522	6.30		
574	5.50		
648	4.80		
700	4.50		

PLATFORM- P.APOLLO

POSITION- 32 43N 157 51W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- AUG 23, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.10
16	25.10
17	24.60
18	24.20
19	23.00
20	22.20
21	22.00
22	21.00
23	21.50
24	21.10
31	20.20
33	19.80
44	19.00
64	17.80
72	17.40
103	16.80
120	16.30
132	16.20
140	16.10
142	16.00
143	15.80
145	15.40
151	15.20
153	14.90
158	14.70
162	14.30
174	13.60
183	13.20
209	12.50
220	12.40
334	10.50
351	10.40
379	9.80
382	9.60
401	9.30
443	8.40
447	8.20
462	7.90
475	7.80
483	7.50
511	7.00
540	6.70
547	6.40
600	5.70
634	5.40
700	5.00

PLATFORM- P.APOLLO

POSITION- 32 2N 157.494

MARSDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- AUG 26, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	25.50
12	25.50
16	25.30
25	25.30
30	25.20
31	24.70
33	24.50
34	23.70
35	23.10
36	22.50
38	21.00
40	21.40
43	21.00
46	20.80
48	20.30
53	20.20
58	19.60
61	19.10
64	18.80
82	17.80
93	17.40
118	17.00
134	16.50
146	16.40
158	15.70
172	15.30
176	15.00
198	13.90
208	13.80
216	13.30
223	13.20
241	12.40
255	12.10
262	12.10
281	11.70
304	11.40
310	11.20
381	9.60
389	9.20
450	8.00
491	7.80
520	6.40
535	6.20
541	6.00
589	5.50
605	5.40
620	5.20
668	4.90

PLATFORM- P.APOLLO

POSITION- 31 19N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 17

DATE- AUG 26, 1968 TIME- 005

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.40
23	25.30
26	25.10
27	24.30
28	23.40
29	23.00
30	22.20
31	21.90
32	21.60
34	21.10
35	20.60
38	20.60
42	20.20
44	19.90
45	19.70
46	19.50
49	19.40
52	19.20
53	18.70
59	18.50
61	18.20
67	17.90
69	17.70
79	17.10
85	16.90
94	16.80
102	16.60
128	16.00
137	16.00
155	15.10
163	16.40
168	16.00
194	13.20
217	12.80
230	12.30
236	12.30
290	10.90
310	10.70
325	10.30
353	10.00
376	9.30
402	8.90
420	8.30
428	8.30
447	7.80

PLATFORM- P.APOLLO

POSITION- 3018 N 197 49N

MARSDEN SQUARE 124 ONE DEGREE SQUARE 7

DATE- AUG 24, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.60
31	25.60
32	25.30
33	24.10
34	22.60
36	21.70
37	21.50
39	21.20
39	20.80
40	20.50
42	20.30
45	19.90
47	19.70
48	19.40
50	19.00
53	18.90
56	18.50
70	17.60
73	17.20
83	16.70
111	16.10
144	14.90
161	14.60
165	14.30
168	14.30
176	13.90
180	13.90
194	13.40
208	13.00
232	12.60
249	12.20
312	11.20
333	10.80
334	10.60
392	9.50
407	8.80
411	8.90
426	8.50
452	8.00
461	7.60
470	7.40
520	6.50
555	6.00
564	5.70
612	5.20
700	4.50

PLATFORM- P.APOLLO

POSITION- 29 12N 197 50N

MARSDEN SQUARE 88 ONE DEGREE SQUARE 97

DATE- AUG 24, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.20
33	26.20
34	26.10
35	25.40
36	23.20
37	22.10
38	21.80
44	21.30
45	21.10
48	20.70
54	19.90
60	19.40
61	19.10
72	18.20
102	16.80
110	16.70
120	16.30
125	16.20
142	15.40
150	15.20
167	14.50
171	14.10
180	13.70
198	13.20
209	13.10
215	12.80
233	12.60
235	12.40
252	12.10
264	11.70
304	11.60
318	10.60
333	10.50
350	10.20
365	9.60
376	9.40
380	9.20
415	8.50
421	8.20
453	7.60
461	7.40
470	7.40
498	6.90
517	6.60

PLATFORM- P.APOLLO

POSITION- 28 27N 197 51N

MARSDEN SQUARE 88 ONE DEGREE SQUARE 87

DATE- AUG 25, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.50
26	26.40
29	26.30
29	25.90
31	25.40
34	24.60
36	24.20
37	24.00
38	23.70
42	23.40
45	23.10
52	22.70
54	22.40
71	21.10
75	21.00
84	20.30
94	20.00
96	19.80
104	19.60
110	19.20
114	19.20
126	18.50
132	18.30
140	17.80
150	17.40
154	17.30
154	16.80
162	16.30
175	16.00
211	14.70
212	14.50
220	14.00
230	13.40
249	13.20
250	13.00
261	12.80
271	12.20
305	11.60
313	11.30
332	10.90
340	10.90
360	10.20
383	10.00
398	9.40
416	9.20

PLATFORM- P.APOLLO  
 POSITION- 27 20N 150 3W  
 MARS DEN SQUARE 88 ONE DEGREE SQUARE 74  
 DATE- AUG 25, 1968 TIME- 000  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.30	373	10.50
24	26.30	381	10.40
27	26.10	384	10.10
31	25.20	421	9.40
32	24.90	427	9.10
34	24.50	466	8.30
35	24.10	491	7.30
43	23.00	510	7.10
47	23.30	521	6.80
55	22.40	536	6.70
59	22.30	544	6.40
61	22.00	562	6.10
67	21.70	573	6.10
72	21.30	626	5.50
85	20.70	700	4.80
95	20.10		
101	19.90		
108	19.50		
110	19.20		
115	18.90		
121	18.70		
132	18.00		
138	18.00		
167	17.00		
174	16.90		
186	16.50		
211	15.90		
214	15.70		
220	15.70		
226	15.30		
236	15.10		
248	14.50		
269	13.90		
274	13.60		
281	13.30		
287	13.30		
291	13.00		
296	13.00		
302	12.70		
305	12.40		
319	11.90		
338	11.50		
352	11.10		
355	10.80		
369	10.70		

PLATFORM- P.APOLLO

POSITION- 27 23N 157 37W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 27, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	474	8.10
12	26.50	480	7.00
36	26.40	507	7.50
38	26.20	512	7.30
39	25.90	519	7.30
40	25.30	534	6.90
41	25.00	574	6.80
42	24.80	610	5.90
43	24.10	637	5.80
44	23.90	641	5.60
45	23.60	678	5.60
46	23.30	700	5.40
47	23.00		
50	22.60		
51	22.30		
52	22.00		
54	20.90		
59	20.70		
71	20.10		
76	19.10		
80	19.10		
83	18.80		
87	18.76		
97	17.90		
107	17.60		
120	17.00		
144	16.20		
148	16.20		
150	15.70		
193	14.70		
217	14.60		
225	14.20		
231	13.80		
256	13.10		
283	12.70		
302	12.10		
334	11.50		
362	10.80		
385	10.40		
390	10.20		
397	10.10		
422	9.30		
449	8.90		
456	8.60		
469	8.40		

PLATFORM- P.APOLLO

POSITION- 26 44N 157 43W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- AUG 27, 1968 TIME- 400

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	302	11.40
10	26.40	305	11.20
13	26.30	334	10.30
24	26.30	342	10.30
25	26.20	350	10.20
26	26.00	357	9.70
27	25.80	363	9.70
29	25.30	367	9.50
31	24.90	385	9.20
32	24.50	387	9.00
33	24.20	394	8.90
35	23.60	404	8.60
37	23.40	420	8.50
38	23.20	441	8.00
39	23.00	453	7.90
40	22.70	461	7.50
48	21.90	478	7.40
57	21.40	490	6.90
63	20.70	509	6.50
64	19.60	562	5.80
95	19.40	625	5.40
96	19.00	645	5.20
104	18.70	700	4.90
107	18.50		
118	18.00		
121	17.90		
122	17.60		
133	17.40		
135	17.20		
159	16.70		
165	16.40		
174	16.20		
184	15.80		
190	15.30		
199	15.10		
213	15.10		
214	15.10		
219	14.60		
224	14.50		
227	14.00		
230	14.00		
237	13.40		
244	13.20		
255	12.50		
294	11.00		

PLATFORM- P.APOLLO

POSITION- 25 40N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- AUG 27, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	392	9.10
28	26.50	400	8.80
31	26.40	406	8.50
33	25.80	419	8.30
41	25.30	432	7.80
43	25.00	466	7.50
52	24.40	474	7.40
55	23.80	479	7.10
59	23.80	508	6.80
60	23.50	521	6.30
63	23.50	549	6.80
65	23.40	571	5.90
70	22.70	577	5.70
75	22.20	608	5.30
91	21.60	700	4.80
105	20.90		
114	20.20		
117	19.80		
136	19.20		
143	18.90		
152	18.60		
156	18.40		
168	18.20		
170	17.60		
180	17.40		
199	16.70		
202	16.50		
203	16.30		
205	16.00		
208	15.70		
217	15.50		
222	15.10		
233	14.70		
244	13.70		
249	13.30		
257	13.10		
261	12.70		
272	12.40		
274	12.20		
305	11.40		
313	11.00		
333	10.60		
346	10.20		
365	9.70		
375	9.20		

PLATFORM- P.APOLLO  
 POSITION- 24 50N 157 53W  
 MARS DEN SQUARE 88 ONE DEGREE SQUARE 47  
 DATE- AUG 27, 1968 TIME- 1800  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
6	26.80	353	9.40
37	26.80	376	9.30
39	26.70	397	8.60
41	26.50	401	8.40
43	26.10	411	8.30
46	25.60	417	8.10
47	25.50	425	8.10
49	25.20	439	7.60
50	24.80	447	7.60
59	23.60	463	7.20
60	23.30	475	7.20
64	22.80	488	6.90
72	22.20	502	6.80
75	22.10	529	5.90
79	21.70	568	5.40
92	20.90	656	4.80
97	20.10	700	4.70
114	19.70		
124	19.00		
130	18.80		
136	18.30		
143	18.10		
149	17.50		
154	17.30		
161	17.80		
166	16.80		
179	16.10		
185	15.60		
195	15.20		
197	15.00		
200	15.00		
203	14.70		
206	14.50		
210	14.20		
217	14.20		
223	14.00		
228	13.60		
241	13.20		
250	12.60		
269	11.70		
288	11.30		
298	11.20		
315	10.40		
320	10.40		
332	9.90		

PLATFORM- P.APOLLO  
 POSITION- 24 50N 157 53W  
 MARS DEN SQUARE 88 ONE DEGREE SQUARE 47  
 DATE- AUG 27, 1968 TIME- 1400  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.80

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
6	26.70	374	8.10
39	26.60	410	7.50
42	26.40	416	7.30
43	26.20	438	7.80
53	25.10	483	7.00
56	24.60	485	6.80
60	23.80	475	6.60
62	23.50	493	6.40
63	23.20	511	5.90
65	22.90	525	5.60
73	22.40	583	5.20
77	21.80	681	4.60
82	21.10		
93	20.50		
94	20.50		
95	20.30		
99	20.10		
102	19.90		
106	19.10		
117	18.50		
121	18.40		
134	17.90		
142	17.40		
153	16.90		
166	15.80		
172	15.60		
178	15.30		
179	15.10		
187	14.60		
189	14.40		
193	14.20		
195	13.80		
212	13.10		
215	13.10		
220	12.80		
222	12.40		
262	10.90		
287	10.40		
291	10.20		
303	9.70		
318	9.30		
330	9.20		
344	8.70		
353	8.40		
371	8.30		

PLATFORM- P.APOLLO  
 POSITION- 24 25N 157 47W  
 MARS DEN SQUARE 88 ONE DEGREE SQUARE 47  
 DATE- AUG 28, 1968 TIME- 0  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
6	27.30	265	12.20
11	27.10	295	11.30
34	27.10	304	11.20
37	26.90	311	11.00
39	26.50	326	10.80
48	26.30	337	10.40
48	25.90	354	10.00
42	25.30	358	9.80
50	24.70	380	9.30
52	24.70	385	9.00
60	24.20	394	8.90
62	23.90	404	8.50
64	23.60	412	8.50
73	23.20	421	8.20
76	23.00	425	7.90
81	22.80	440	7.30
87	22.50	460	6.90
93	22.00	468	6.80
94	22.00	473	6.30
111	20.90	483	6.30
113	20.70	524	6.10
119	20.40	578	5.40
130	19.70	645	4.90
135	19.60	700	4.70
140	19.30		
151	19.00		
156	18.40		
160	18.00		
165	18.20		
167	17.90		
170	17.70		
175	17.60		
181	17.10		
182	16.90		
184	16.70		
194	16.00		
201	16.00		
205	15.80		
209	15.40		
218	14.90		
230	13.80		
233	13.80		
236	13.40		
253	12.60		
257	12.60		
263	12.40		

PLATFORM- P.APOLLO

POSITION- 23 34N 157 53W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 28, 1968 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	272	12.80
1A	26.70	273	12.50
2A	26.50	277	12.50
4A	26.50	282	12.20
53	26.40	290	12.10
57	25.90	293	11.90
60	25.30	306	11.30
63	25.10	322	11.00
67	25.10	325	10.70
69	24.70	339	10.40
72	24.30	341	10.30
77	24.10	356	9.70
80	23.70	370	9.50
83	23.40	373	9.20
100	22.50	392	8.80
106	22.40	398	8.50
110	22.20	412	8.50
119	21.90	426	8.40
120	21.70	429	8.20
123	21.40	447	8.00
131	21.20	457	7.50
134	21.00	466	7.40
135	20.80	500	7.10
138	20.60	508	6.90
142	20.20	517	6.80
146	20.10	520	6.70
149	19.70	549	6.50
157	19.10	590	5.90
162	19.00	618	5.80
162	18.20	635	5.60
165	18.00	661	5.60
194	17.10	666	5.40
202	16.80	691	5.20
205	16.50	700	5.00
206	16.30		
208	16.10		
214	15.30		
217	15.10		
219	15.10		
230	14.40		
234	14.40		
241	13.90		
252	13.60		
260	13.10		
268	13.00		

PLATFORM- P.APOLLO

POSITION- 23 30N 157 53W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 28, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	351	9.60
53	26.70	362	9.40
55	26.60	366	9.20
56	26.30	367	9.10
58	26.10	374	9.10
61	25.60	379	8.70
62	25.40	384	8.60
63	25.20	398	8.10
70	24.50	406	8.20
71	24.20	421	8.00
72	23.80	423	7.80
95	23.00	430	7.50
101	22.90	443	7.40
104	22.20	449	7.10
110	22.10	456	6.90
116	21.70	468	6.90
125	21.30	473	6.50
127	21.00	490	6.70
135	20.90	499	6.60
137	20.60	502	6.30
140	20.40	531	6.10
142	20.20	542	5.80
143	20.00	625	5.20
144	19.90	655	5.10
156	19.30	663	4.90
161	19.30		
169	19.00		
180	18.30		
192	17.80		
200	17.30		
206	17.10		
214	16.70		
224	15.50		
239	15.10		
253	14.40		
281	12.70		
285	12.30		
288	12.00		
294	11.80		
300	11.50		
305	11.50		
316	11.20		
324	10.60		
336	10.30		
350	9.80		

PLATFORM- P.APOLLO

POSITION- 23 0N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 30, 1968 TIME- 2100

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	334	10.70
36	26.60	342	10.20
39	26.60	364	10.00
42	26.40	376	9.80
45	26.10	387	9.30
46	25.90	391	9.10
48	25.60	398	9.00
49	25.30	408	8.60
52	25.00	414	8.40
59	24.60	424	8.40
69	24.20	433	8.00
73	23.70	479	7.20
84	23.10	476	7.20
94	22.60	496	6.70
107	22.40	501	6.40
120	21.90	509	6.40
121	21.70	535	6.10
126	21.60	557	6.00
128	21.20	621	5.40
136	20.70	700	5.00
144	20.40		
154	20.20		
161	19.90		
164	19.60		
174	19.00		
177	18.50		
181	18.30		
183	18.10		
184	17.90		
185	17.80		
191	17.60		
198	16.80		
210	16.00		
217	15.70		
228	15.10		
234	14.80		
240	14.40		
267	13.30		
275	12.60		
290	12.00		
292	12.00		
297	11.70		
312	11.50		
317	11.40		
322	11.00		



PLATFORM- P.APOLLO

POSITION- 23 36N 157 47W

WARSDEM SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 31, 1968 TIME- 0

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.40	387	9.20
4	27.20	399	9.00
29	26.70	408	8.80
43	26.70	419	8.30
47	26.48	435	8.20
49	25.90	438	8.00
53	25.70	454	7.80
57	25.10	487	7.60
60	25.10	498	7.60
62	24.70	521	7.30
65	24.20	542	7.00
74	23.48	547	6.30
76	23.10	614	5.80
81	22.88	645	5.70
82	22.88	666	5.30
106	21.50	708	5.20
121	21.00		
132	20.30		
139	20.20		
144	19.70		
148	19.40		
151	19.40		
154	19.00		
159	18.90		
178	17.80		
182	17.70		
197	16.90		
200	16.50		
201	16.20		
204	15.90		
209	15.68		
215	15.38		
220	14.90		
268	12.40		
271	12.30		
287	11.70		
292	11.70		
296	11.40		
310	11.10		
314	10.80		
324	10.60		
326	10.30		
347	9.80		
360	9.80		
377	9.30		

PLATFORM- P.APOLLO

POSITION- 24 46N 157 51W

WARSDEM SQUARE 88 ONE DEGREE SQUARE 47

DATE- AUG 31, 1968 TIME- 600

INSTRUMENT TYPE- BATNY BASELINE TEMP- 15.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.32	319	11.80
8	27.30	324	11.50
21	27.10	336	11.30
38	27.10	353	10.70
42	26.90	353	10.60
45	26.70	375	10.10
49	26.20	385	10.00
50	25.80	405	9.40
52	25.40	436	8.78
58	25.10	443	8.70
61	24.60	468	8.40
62	24.30	479	7.80
66	24.00	495	7.50
70	23.90	502	7.30
72	23.60	513	7.20
75	23.40	519	7.00
77	23.10	536	6.90
78	22.80	553	6.60
84	22.40	586	6.30
95	21.70	606	6.30
98	21.70	621	6.10
104	21.20	643	5.90
109	21.10	708	5.80
112	21.30		
113	21.30		
115	21.00		
135	19.90		
136	20.20		
143	20.60		
145	20.60		
150	20.30		
153	19.70		
166	18.90		
169	18.80		
174	18.38		
187	17.50		
191	17.10		
197	16.90		
207	16.80		
213	16.20		
220	15.90		
245	14.90		
258	13.80		
294	12.60		
305	12.40		

PLATFORM- P.APOLLO

POSITION- 25 51N 157 59W

WARSDEM SQUARE 88 ONE DEGREE SQUARE 57

DATE- AUG 31, 1968 TIME- 1200

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	361	9.90
14	26.80	376	9.80
17	26.80	385	9.60
37	26.50	391	9.20
46	26.30	408	8.90
50	26.00	428	8.40
54	25.48	437	8.40
60	24.80	447	8.00
61	24.80	469	7.50
62	24.30	488	7.50
74	23.60	514	7.20
81	23.00	517	7.00
84	22.60	535	6.80
91	22.80	538	6.40
104	21.60	565	6.20
109	21.20	603	6.80
118	21.00	608	5.80
123	20.60	686	5.40
124	20.50	700	5.20
149	19.30		
168	18.48		
172	18.20		
188	17.70		
193	17.20		
200	17.00		
208	16.50		
211	16.48		
222	15.90		
227	15.80		
231	15.60		
238	14.90		
244	14.80		
251	14.10		
264	13.90		
268	13.48		
275	13.80		
284	12.80		
287	12.60		
290	12.20		
297	12.20		
303	12.00		
314	11.40		
318	11.30		
330	10.70		
344	10.60		

PLATFORM- P.APOLLO

POSITION- 26 33N 157 51W

MARSDEN SQUARE 66 ONE DEGREE SQUARE 67

DATE- AUG 31, 1968 TIME- 1806

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.50

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.60	421	9.10
20	26.10	441	8.50
22	26.00	464	8.10
23	25.80	476	8.00
24	25.60	496	7.40
25	25.00	526	7.00
27	24.50	547	6.50
28	24.00	606	5.00
29	23.50	646	5.00
30	22.90	663	5.40
31	22.50	700	5.30
34	21.80		
35	21.40		
40	21.20		
43	20.80		
47	20.50		
52	20.30		
57	19.90		
62	19.80		
84	18.30		
91	17.90		
98	17.20		
105	17.00		
108	16.70		
121	16.40		
124	16.20		
144	15.80		
148	15.50		
185	14.50		
191	14.40		
215	13.50		
235	12.90		
241	12.90		
273	12.10		
291	11.80		
300	11.00		
309	11.70		
315	11.50		
318	11.20		
329	11.00		
343	10.50		
362	10.30		
381	9.90		
385	9.60		
409	9.10		

PLATFORM- P.APOLLO

POSITION- 27 12N 150 5W

MARSDEN SQUARE 68 ONE DEGREE SQUARE 70

DATE- SEP 01, 1968 TIME- 0

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	378	11.50
4	26.90	383	11.20
9	26.60	397	10.00
35	26.50	404	10.50
43	26.30	415	10.50
45	26.10	439	9.60
48	25.60	453	9.50
51	25.20	468	8.90
54	24.80	477	8.90
55	24.40	486	8.60
59	23.80	492	8.60
67	23.30	497	8.60
69	23.00	502	8.40
72	22.50	509	8.00
82	22.00	538	7.40
96	21.20	546	7.10
95	20.90	593	6.30
109	20.40	642	5.80
111	20.30	700	5.50
114	20.00		
125	19.60		
132	19.50		
138	19.10		
145	18.90		
149	18.50		
154	18.20		
167	18.00		
173	17.40		
181	17.50		
197	16.90		
216	16.50		
232	16.30		
247	15.90		
251	15.60		
254	15.50		
263	15.20		
268	15.00		
286	14.40		
294	13.80		
329	13.30		
318	13.10		
320	12.60		
338	12.30		
347	12.00		
365	11.80		

PLATFORM- P.APOLLO

POSITION- 25 25N 150 0W

MARSDEN SQUARE 68 ONE DEGREE SQUARE 69

DATE- SEP 01, 1968 TIME- 600

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	328	10.40
22	26.60	350	9.90
27	26.50	356	9.80
31	26.20	364	9.40
32	25.90	369	9.30
34	24.90	385	8.60
35	24.60	412	8.20
37	24.00	425	7.90
38	23.80	435	7.80
39	23.60	464	7.50
43	23.10	464	7.40
55	22.40	484	7.20
62	21.60	487	7.30
73	21.50	494	7.20
77	20.90	498	7.20
86	20.30	502	6.90
95	20.20	510	6.90
101	19.80	513	6.50
108	19.30	515	6.50
117	19.20	525	6.50
129	18.40	528	6.20
143	17.90	567	6.30
145	17.60	624	5.50
154	17.40	700	5.10
164	16.80		
166	16.70		
180	15.90		
185	15.60		
192	15.40		
198	15.30		
207	15.30		
225	14.40		
230	14.00		
233	14.00		
244	13.40		
263	12.70		
273	12.50		
280	12.10		
288	11.90		
293	11.60		
296	11.40		
301	11.30		
312	10.70		
327	10.70		
332	10.40		

PLATFORM- P.APOLLO

POSITION- 25 30N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- SEP 01, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	317	10.50
39	26.80	327	10.40
44	26.80	334	10.10
44	26.70	346	9.90
52	25.90	374	8.80
57	25.20	402	8.50
59	24.50	429	7.60
62	24.00	446	7.20
63	23.80	463	7.00
64	23.60	483	6.70
75	22.70	509	6.90
77	22.30	513	6.70
84	21.60	534	6.30
92	21.40	545	6.30
96	21.10	591	5.50
109	20.30	612	5.50
111	20.10	638	5.20
119	19.80	649	4.90
123	19.50	708	4.70
126	19.40		
131	19.20		
132	19.00		
133	18.80		
135	18.60		
144	18.60		
159	17.80		
169	17.60		
174	17.20		
180	17.00		
185	16.10		
202	15.80		
205	15.40		
211	15.30		
215	15.10		
217	14.90		
227	14.70		
230	14.40		
231	14.20		
234	14.20		
242	13.50		
254	12.90		
264	12.20		
276	12.00		
294	11.10		
303	11.10		

PLATFORM- P.APOLLO

POSITION- 24 31N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 47

DATE- SEP 01, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	327	10.40
37	27.10	332	10.40
43	27.00	345	9.80
46	26.90	362	9.60
48	26.50	374	9.18
52	26.40	381	8.80
57	25.70	395	8.60
58	25.30	394	8.40
67	24.50	411	8.00
70	24.10	417	8.00
72	23.70	444	7.50
76	23.30	456	7.00
78	22.90	515	6.10
86	22.40	543	6.90
90	22.00	560	5.70
95	21.70	605	5.50
102	20.90	626	5.30
106	20.90	700	5.00
121	20.10		
133	19.20		
135	18.90		
142	18.50		
144	18.50		
151	17.90		
170	17.80		
171	17.40		
175	17.30		
176	17.30		
186	17.10		
191	16.90		
192	16.70		
198	16.50		
204	16.10		
209	15.90		
207	15.60		
214	15.20		
221	14.50		
228	14.20		
236	13.60		
249	13.10		
256	12.60		
265	12.40		
287	11.40		
303	11.40		
307	11.00		

PLATFORM- P.APOLLO

POSITION- 23 30N 157 47W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- SEP 02, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	340	9.70
29	27.10	344	9.70
48	26.90	355	9.30
41	26.70	365	9.20
42	26.40	382	8.70
43	26.10	401	8.50
47	25.60	414	8.10
44	25.30	437	7.90
50	25.10	445	7.70
51	24.00	462	7.60
54	24.40	477	7.20
60	24.30	492	7.10
63	24.10	517	6.70
67	23.60	533	6.70
76	23.20	585	6.80
82	22.60	597	6.80
86	22.30	642	5.40
115	21.20	659	5.40
127	20.50	664	5.20
151	19.40	680	5.20
160	18.80	692	5.80
162	18.50	700	4.90
171	17.90		
184	17.50		
191	17.60		
200	16.70		
209	15.80		
212	15.70		
214	15.20		
220	15.40		
222	14.70		
233	14.00		
238	13.90		
240	13.60		
245	13.20		
253	13.00		
258	12.60		
261	12.40		
266	12.20		
270	11.80		
283	11.30		
303	11.10		
317	10.50		
324	10.50		
332	10.00		

<p>PLATFORM- P.APOLLO</p> <p>POSITION- 23 30N 157 47N</p> <p>MARSDEN SQUARE 88 ONE DEGREE SQUARE 37</p> <p>DATE- SEP 02, 1968 TIME- 230</p> <p>INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70</p>	<p>PLATFORM- P.APOLLO</p> <p>POSITION- 22 51N 157 40W</p> <p>MARSDEN SQUARE 88 ONE DEGREE SQUARE 27</p> <p>DATE- SEP 02, 1968 TIME- 600</p> <p>INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70</p>	<p>PLATFORM- P.APOLLO</p> <p>POSITION- 22 30N 157 50W</p> <p>MARSDEN SQUARE 88 ONE DEGREE SQUARE 27</p> <p>DATE- SEP 02, 1968 TIME- 1000</p> <p>INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70</p>
--	--	---

<p>DEPTH (M)</p> <p>0</p> <p>52</p> <p>58</p> <p>63</p> <p>66</p> <p>73</p> <p>74</p> <p>82</p> <p>95</p> <p>100</p> <p>105</p> <p>109</p> <p>113</p> <p>117</p> <p>122</p> <p>131</p> <p>145</p> <p>152</p> <p>158</p> <p>166</p> <p>174</p> <p>181</p> <p>191</p> <p>202</p> <p>209</p> <p>210</p> <p>216</p> <p>220</p> <p>224</p> <p>232</p> <p>234</p> <p>236</p> <p>248</p> <p>252</p> <p>262</p> <p>290</p> <p>293</p> <p>302</p> <p>322</p> <p>332</p> <p>334</p> <p>341</p> <p>352</p> <p>359</p> <p>372</p>	<p>TEMP (C)</p> <p>27.20</p> <p>27.12</p> <p>26.80</p> <p>26.40</p> <p>26.00</p> <p>25.60</p> <p>25.10</p> <p>24.90</p> <p>24.10</p> <p>23.10</p> <p>22.90</p> <p>22.50</p> <p>22.30</p> <p>21.90</p> <p>21.70</p> <p>20.90</p> <p>20.30</p> <p>19.90</p> <p>19.70</p> <p>19.30</p> <p>18.60</p> <p>18.20</p> <p>18.00</p> <p>17.30</p> <p>16.80</p> <p>16.50</p> <p>16.30</p> <p>15.60</p> <p>15.40</p> <p>15.30</p> <p>14.70</p> <p>13.90</p> <p>13.50</p> <p>13.30</p> <p>12.10</p> <p>11.80</p> <p>11.30</p> <p>10.70</p> <p>10.50</p> <p>10.30</p> <p>10.30</p> <p>9.60</p> <p>9.50</p> <p>9.00</p>	<p>DEPTH (M)</p> <p>0</p> <p>394</p> <p>404</p> <p>416</p> <p>442</p> <p>462</p> <p>484</p> <p>503</p> <p>541</p> <p>544</p> <p>578</p> <p>603</p> <p>609</p> <p>645</p> <p>686</p> <p>695</p> <p>700</p>	<p>TEMP (C)</p> <p>8.50</p> <p>8.40</p> <p>8.00</p> <p>7.50</p> <p>7.40</p> <p>7.00</p> <p>6.50</p> <p>6.30</p> <p>6.00</p> <p>6.00</p> <p>5.80</p> <p>5.60</p> <p>5.50</p> <p>5.40</p> <p>5.00</p>
---	--	---	---

<p>DEPTH (M)</p> <p>0</p> <p>7</p> <p>9</p> <p>54</p> <p>60</p> <p>61</p> <p>67</p> <p>68</p> <p>69</p> <p>78</p> <p>73</p> <p>85</p> <p>94</p> <p>109</p> <p>113</p> <p>127</p> <p>131</p> <p>136</p> <p>138</p> <p>142</p> <p>144</p> <p>162</p> <p>167</p> <p>168</p> <p>172</p> <p>176</p> <p>193</p> <p>214</p> <p>219</p> <p>234</p> <p>241</p> <p>247</p> <p>255</p> <p>258</p> <p>262</p> <p>268</p> <p>273</p> <p>285</p> <p>289</p> <p>296</p> <p>310</p> <p>324</p> <p>331</p> <p>334</p> <p>356</p>	<p>TEMP (C)</p> <p>26.50</p> <p>26.70</p> <p>26.60</p> <p>26.60</p> <p>26.40</p> <p>26.00</p> <p>25.50</p> <p>25.30</p> <p>25.00</p> <p>24.90</p> <p>24.00</p> <p>23.10</p> <p>22.60</p> <p>22.30</p> <p>21.90</p> <p>21.50</p> <p>21.30</p> <p>21.10</p> <p>21.00</p> <p>20.70</p> <p>19.70</p> <p>19.40</p> <p>19.40</p> <p>18.90</p> <p>18.70</p> <p>17.60</p> <p>17.10</p> <p>16.20</p> <p>15.80</p> <p>15.80</p> <p>15.20</p> <p>14.98</p> <p>14.80</p> <p>14.20</p> <p>13.90</p> <p>13.60</p> <p>13.20</p> <p>13.10</p> <p>12.10</p> <p>11.60</p> <p>11.20</p> <p>10.90</p> <p>10.40</p>	<p>DEPTH (M)</p> <p>0</p> <p>372</p> <p>398</p> <p>425</p> <p>464</p> <p>478</p> <p>479</p> <p>480</p> <p>504</p> <p>521</p> <p>545</p> <p>566</p> <p>598</p> <p>619</p> <p>630</p> <p>700</p>	<p>TEMP (C)</p> <p>10.10</p> <p>9.20</p> <p>8.50</p> <p>7.80</p> <p>7.80</p> <p>7.20</p> <p>7.20</p> <p>6.90</p> <p>6.80</p> <p>6.20</p> <p>6.00</p> <p>6.00</p> <p>6.00</p> <p>5.90</p> <p>5.70</p> <p>5.60</p>
---	--	--	--

PLATFORM- P.APOLLO

POSITION- 22 36N 157 49W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- SEP 02, 1968 TIME- 1200

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	350	10.70
23	26.90	359	10.50
46	26.40	363	10.30
49	26.10	400	8.80
52	26.00	419	8.80
57	26.70	424	8.50
64	26.60	452	8.40
73	26.00	463	8.10
77	23.60	468	8.10
83	23.20	488	7.60
95	22.90	503	7.00
120	21.80	535	6.40
129	21.70	550	6.30
142	21.00	559	6.10
156	20.50	619	5.60
170	19.90	657	5.60
173	19.50	700	5.20
182	19.30		
185	19.00		
187	18.70		
193	17.90		
197	17.70		
198	17.50		
211	17.20		
214	16.90		
217	16.90		
229	16.40		
230	16.20		
231	16.00		
241	15.70		
246	15.40		
250	14.50		
259	14.40		
263	14.10		
276	13.70		
287	13.30		
293	13.20		
298	12.60		
303	12.50		
305	12.20		
308	12.20		
311	11.90		
314	11.70		
318	11.50		
340	11.10		

PLATFORM- P.APOLLO

POSITION- 22 45N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- SEP 02, 1968 TIME- 1800

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.00	363	9.80
29	26.90	381	9.20
35	26.70	389	8.70
42	26.70	404	8.50
46	26.40	413	8.20
50	26.20	434	7.90
52	26.10	444	7.10
54	25.80	502	6.80
62	25.10	517	6.50
67	24.60	557	6.20
74	24.40	571	5.90
81	23.70	607	5.70
88	23.30	612	5.60
93	23.20	700	5.60
117	22.20		
134	21.70		
140	21.30		
146	20.90		
151	20.80		
157	20.30		
167	20.10		
173	19.80		
178	19.10		
190	18.90		
193	18.80		
195	18.50		
202	18.30		
214	17.20		
229	16.70		
239	16.00		
251	15.70		
259	14.80		
262	14.60		
267	14.00		
268	13.70		
275	13.30		
284	13.10		
290	12.50		
297	12.10		
315	11.70		
320	11.40		
336	11.20		
340	10.60		
351	10.30		
358	10.10		

PLATFORM- P.APOLLO

POSITION- 22 59N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- SEP 02, 1968 TIME- 2000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	334	10.80
18	26.90	350	9.60
23	26.70	374	9.30
43	26.60	379	9.00
44	26.00	408	8.20
50	26.00	468	7.20
57	25.20	530	6.60
59	24.70	541	6.60
68	24.60	588	6.40
78	23.90	604	5.80
80	23.00	700	5.30
88	23.10		
95	23.00		
104	22.60		
108	22.30		
117	21.90		
124	21.00		
135	21.00		
141	20.80		
146	20.30		
162	19.70		
164	19.40		
165	19.20		
169	18.90		
177	18.90		
186	18.40		
191	18.40		
202	17.40		
206	17.00		
213	16.50		
223	16.30		
226	16.00		
236	15.80		
243	15.20		
247	14.60		
250	14.30		
255	13.50		
260	13.40		
273	12.60		
282	12.20		
302	11.80		
309	11.50		
319	11.30		
328	10.90		

PLATFORM- P.APOLLO

POSITION- 23 40N 157 49W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- SEP 03, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	374	9.10
19	27.10	386	9.10
24	27.10	400	8.60
26	26.80	403	8.48
34	26.80	417	8.30
35	26.50	420	8.20
43	25.60	425	7.90
44	25.40	432	7.80
51	25.20	443	7.10
57	24.80	467	7.00
61	23.50	483	7.00
62	23.30	492	6.80
67	23.00	496	6.50
74	22.90	508	6.30
79	22.50	510	6.30
84	22.10	514	6.50
93	22.00	524	6.50
102	21.80	541	6.80
115	20.80	553	5.90
116	20.60	557	5.70
132	20.80	588	5.60
138	19.50	595	5.50
145	19.10	676	5.20
146	18.80	700	5.00
162	18.40		
175	17.70		
177	17.30		
180	17.20		
183	16.70		
188	16.50		
201	15.70		
206	15.20		
210	14.80		
211	14.60		
217	14.10		
237	13.30		
249	12.60		
256	12.40		
262	11.90		
284	11.10		
298	10.90		
304	10.60		
324	10.80		
341	9.80		
350	9.50		

PLATFORM- P.APOLLO

POSITION- 24 0N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 47

DATE- SEP 03, 1968 TIME- 200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	256	13.70
54	27.10	260	13.50
57	26.80	268	12.80
58	26.50	275	12.50
60	26.50	276	12.20
61	26.40	280	12.00
62	26.20	281	11.90
63	25.40	286	11.50
64	25.20	289	11.50
65	24.60	296	11.10
72	23.60	314	10.40
73	23.40	343	9.70
81	23.30	346	9.40
87	22.90	358	9.30
92	22.80	383	8.60
96	22.60	388	8.10
99	22.40	414	7.60
107	21.80	437	7.40
113	21.40	454	7.20
115	21.10	460	7.00
118	20.80	468	6.40
121	20.70	498	6.00
125	20.50	551	
128	20.00		
143	19.40		
144	19.60		
151	19.30		
158	18.50		
166	18.10		
168	17.90		
170	17.70		
177	17.60		
185	17.30		
186	17.10		
189	16.98		
205	16.70		
208	16.60		
209	16.40		
214	16.30		
220	15.50		
232	15.20		
240	14.70		
243	14.50		
250	14.10		
254	13.78		

PLATFORM- P.APOLLO

POSITION- 24 0N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 47

DATE- SEP 03, 1968 TIME- 400

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	262	12.40
43	27.00	267	12.30
47	26.90	277	11.30
49	26.70	292	11.00
55	26.10	347	9.40
57	26.00	354	9.30
59	25.50	377	8.90
61	25.40	382	8.40
63	25.10	399	7.80
64	24.50	424	7.20
69	24.00	438	7.10
71	23.80	445	6.60
72	23.60	487	6.50
74	23.20	491	6.30
80	23.10	519	6.10
87	22.60	530	5.80
95	22.40	546	5.70
96	22.10	574	5.40
111	21.10	616	5.30
113	20.80	626	5.20
121	20.30	672	5.00
126	19.80	680	4.80
133	19.40	700	4.80
139	19.30		
142	19.00		
148	18.80		
151	18.70		
157	17.90		
163	17.80		
170	17.20		
183	16.70		
187	16.50		
205	16.10		
211	15.70		
214	15.70		
218	15.60		
224	15.10		
227	14.70		
232	14.50		
240	13.90		
243	13.90		
246	13.70		
251	13.10		
254	13.00		
260	12.70		

PLATFORM- P.APOLLO

POSITION- 24 20N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 47

DATE- SEP 03, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	341	10.00
49	26.90	372	9.00
54	26.90	382	8.00
59	26.40	404	8.10
60	26.10	414	8.00
64	25.70	418	7.80
65	25.40	429	7.60
71	24.40	431	7.50
72	24.10	440	7.00
73	23.50	471	6.80
79	23.30	496	6.50
94	22.79	508	6.20
101	21.90	515	6.20
108	21.70	543	5.80
110	21.30	564	5.70
118	20.90	581	5.40
120	20.40	708	4.80
125	20.00		
127	20.00		
130	19.90		
131	19.60		
140	19.40		
142	19.20		
150	19.00		
162	18.20		
170	18.00		
183	17.20		
186	16.90		
194	16.30		
202	16.20		
206	16.00		
209	15.60		
231	14.80		
235	14.60		
236	14.40		
246	14.00		
248	13.70		
264	12.80		
271	12.10		
292	11.40		
302	11.40		
312	11.20		
320	10.90		
323	10.70		
330	10.50		

PLATFORM- P.APOLLO

POSITION- 25 0N 157 49W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- SEP 03, 1968 TIME- 1000

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	241	13.00
37	27.80	244	13.70
40	26.80	249	13.10
41	26.70	253	13.00
42	26.50	262	12.80
43	25.90	268	12.00
44	25.50	274	11.60
45	25.30	280	11.30
47	25.20	304	11.30
48	24.90	322	10.80
57	24.50	336	10.10
58	24.40	351	9.70
59	24.10	357	9.60
63	23.50	371	9.30
64	23.10	381	9.10
66	22.90	394	8.60
69	22.50	407	8.50
75	22.50	419	8.20
80	21.50	421	8.00
87	21.10	424	7.90
94	21.00	440	7.90
104	20.50	447	7.50
110	19.90	456	7.20
120	19.40	487	6.80
124	18.70	504	6.70
134	18.70	532	6.30
139	18.30	541	6.00
152	17.00	576	5.50
157	17.50	700	4.70
159	17.30		
164	17.10		
172	16.80		
174	16.80		
174	16.50		
187	16.00		
191	15.90		
193	15.70		
204	15.20		
208	15.10		
213	14.40		
214	14.60		
221	14.40		
224	14.10		
230	14.10		
233	13.90		

PLATFORM- P.APOLLO

POSITION- 25 0N 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- SEP 03, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.00	300	11.00
24	26.90	307	10.40
44	26.40	314	10.40
47	26.00	322	10.20
49	25.60	348	10.00
50	25.40	352	9.40
51	25.10	364	9.10
55	24.80	373	8.90
54	24.30	386	8.70
60	24.30	396	8.40
61	23.70	405	8.40
62	23.20	413	8.10
64	22.80	420	8.10
67	22.60	435	7.60
71	22.30	453	7.50
72	22.00	462	7.10
77	21.60	474	7.10
79	21.20	491	6.70
80	21.00	517	6.40
90	20.90	531	6.40
105	20.20	551	6.10
110	20.10	578	5.50
114	19.70	595	5.50
114	19.50	604	5.30
120	19.40	651	5.00
132	18.70	658	4.90
148	18.20	700	4.80
154	17.90		
176	16.90		
178	16.60		
181	16.30		
186	16.30		
192	16.00		
194	15.70		
208	15.20		
208	15.10		
210	14.90		
213	14.60		
220	14.50		
239	13.40		
245	12.80		
252	12.70		
264	12.00		
272	11.00		

PLATFORM- P.APOLLO

POSITION- 26 41N 157 47W

MARSDEN SQUARE 86 ONE DEGREE SQUARE 67

DATE- SEP 94, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.10

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	401	8.70
14	26.60	421	8.50
33	26.50	434	8.00
41	26.20	446	7.50
43	26.10	452	7.60
45	25.90	487	7.20
47	25.50	495	6.90
48	25.30	490	6.90
49	25.20	506	6.70
51	23.10	527	6.20
52	22.50	575	5.70
55	22.30	635	5.30
56	21.70	654	5.30
57	21.50	677	5.00
60	20.20	700	4.90
72	19.70		
79	18.30		
84	18.30		
92	18.10		
100	17.50		
110	17.20		
114	16.60		
128	16.20		
133	16.00		
152	15.70		
163	15.40		
175	15.20		
182	15.20		
186	14.70		
203	14.10		
215	13.60		
220	13.40		
240	13.20		
248	12.90		
261	12.60		
269	12.30		
290	11.60		
300	11.90		
332	10.60		
343	9.90		
356	9.70		
371	9.40		
374	9.10		
383	8.90		

PLATFORM- P.APOLLO

POSITION- 26 34 157 50W

MARSDEN SQUARE 86 ONE DEGREE SQUARE 67

DATE- SEP 03, 1968 TIME- 2045

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	288	11.30
32	26.50	293	11.30
37	26.60	310	11.20
38	26.40	316	10.80
40	26.00	327	10.60
41	25.60	334	10.20
42	25.30	350	9.70
46	25.00	361	9.60
47	24.80	371	9.20
48	24.60	378	9.10
53	24.10	392	8.60
61	23.30	407	8.50
63	23.00	412	8.10
68	22.80	420	8.10
72	22.50	428	7.80
80	22.30	444	7.50
86	21.90	454	7.20
97	21.70	463	7.20
101	21.10	472	6.90
108	20.80	492	6.70
117	20.60	512	6.70
123	20.20	547	6.10
135	19.80	611	6.00
141	19.50	615	5.80
144	19.40	651	5.50
148	19.00	680	5.20
156	18.90	708	5.00
161	18.50		
166	18.40		
174	17.90		
186	17.60		
191	17.30		
198	16.40		
200	16.70		
201	16.50		
213	16.10		
218	15.80		
223	15.40		
226	15.10		
237	14.60		
249	14.20		
257	13.30		
261	13.20		
278	12.60		
283	12.30		

PLATFORM- P.APOLLO

POSITION- 26 0N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- SEP 03, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.00

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	353	10.10
33	26.70	367	9.30
36	26.50	404	9.10
37	26.00	426	8.40
38	25.40	432	8.40
40	25.30	447	7.90
43	24.80	450	8.00
44	24.40	458	7.60
48	24.30	486	7.10
55	23.50	520	7.00
58	23.20	541	6.50
72	22.60	556	6.50
74	22.30	560	6.30
84	22.20	569	6.30
90	21.80	592	6.00
94	21.30	612	6.00
99	21.60	631	5.80
101	21.30	635	5.70
105	21.20	638	5.80
108	20.90	657	5.30
129	20.60	700	5.10
122	20.50		
134	20.00		
141	19.50		
151	19.10		
160	18.90		
166	18.50		
173	18.30		
174	18.10		
186	17.90		
197	16.70		
201	16.40		
212	16.10		
218	15.70		
224	15.60		
234	15.20		
251	13.90		
253	13.50		
270	12.60		
274	12.40		
278	12.30		
294	12.30		
315	11.30		
323	10.90		
344	10.40		



PLATFORM- P.APOLLO

POSITION- 27 7N 158 12W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 7A

DATE- SEP 04, 1968 TIME- 400

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	297	13.60
21	26.70	303	13.20
36	26.70	318	12.90
40	26.60	330	12.20
41	26.60	354	11.30
42	26.40	375	11.30
43	26.20	391	11.00
44	25.90	412	10.30
48	25.60	415	10.00
50	25.20	428	9.60
51	24.40	430	9.40
52	23.80	446	8.90
54	23.20	449	8.60
58	22.90	470	8.60
67	22.60	481	8.40
72	22.20	486	8.10
85	21.80	492	8.00
101	21.40	520	7.00
104	20.70	577	6.50
112	20.40	589	6.20
114	20.30	640	5.80
119	20.20	678	5.30
120	19.90	700	5.20
126	19.80		
142	19.10		
151	18.80		
159	18.30		
164	18.20		
174	17.90		
181	17.70		
194	17.00		
203	16.70		
209	16.40		
214	16.30		
217	16.00		
229	15.90		
233	15.80		
247	15.10		
260	14.90		
262	14.90		
266	14.30		
282	13.90		
286	13.70		

PLATFORM- P.APOLLO

POSITION- 27 9N 158 13W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 7A

DATE- SEP 04, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	334	12.50
6	27.10	338	12.10
12	26.80	349	11.90
37	26.70	365	11.00
43	26.60	385	11.00
50	26.10	395	10.50
51	25.98	404	10.20
52	25.70	414	9.80
53	25.30	420	9.70
54	24.60	422	9.40
59	24.40	431	8.90
60	24.10	455	8.40
63	23.20	470	7.90
68	22.90	481	7.90
73	22.40	491	7.80
78	22.30	507	7.20
81	22.00	544	6.80
88	21.80	562	6.30
90	21.60	622	5.60
91	21.40	647	5.50
96	21.30	664	5.30
98	20.90	708	5.20
105	20.60		
112	20.00		
126	19.80		
129	19.60		
131	19.30		
136	18.90		
162	18.60		
168	18.40		
168	18.50		
159	18.10		
192	17.30		
207	16.80		
220	16.20		
247	15.50		
252	15.20		
253	14.90		
268	14.40		
285	14.10		
286	14.10		
287	13.80		
308	13.20		
327	12.80		
331	12.50		

PLATFORM- P.APOLLO

POSITION- 27 11N 158 34W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 7A

DATE- SEP 04, 1968 TIME- 800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	387	10.40
14	26.90	408	10.40
19	26.70	416	10.20
31	26.70	419	10.00
41	26.30	437	9.20
44	26.00	444	8.80
47	25.80	450	8.70
48	25.40	455	8.40
49	25.00	465	8.30
54	24.70	477	7.80
56	24.50	494	7.70
58	24.00	528	7.10
66	23.40	552	7.10
69	23.10	568	6.90
79	22.70	578	6.50
81	22.30	587	6.40
87	22.00	600	6.00
93	21.50	618	6.00
94	21.40	629	5.80
95	21.20	652	5.70
100	20.90	672	5.40
103	20.60	687	5.30
112	20.00	700	5.10
120	19.60		
139	18.90		
179	18.00		
204	17.00		
223	16.50		
244	15.60		
250	15.50		
257	15.20		
258	14.90		
262	14.70		
264	14.50		
272	14.30		
274	13.90		
285	13.60		
311	12.30		
319	12.10		
331	12.10		
338	11.90		
350	11.70		
357	11.40		
365	11.20		
372	10.80		

PLATFORM- P.APOLLO

POSITION- 27 10N 150 30W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 78

DATE- SEP 04, 1968 TIME- 900

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	336	12.40
19	26.80	337	12.30
34	26.50	340	11.70
37	26.40	353	11.50
41	25.80	366	11.10
42	25.50	379	11.00
44	25.40	385	10.60
46	25.10	391	10.60
47	24.80	393	10.40
51	24.40	444	9.40
52	24.20	453	9.40
58	23.70	462	9.10
62	22.90	470	9.10
74	22.60	504	8.00
75	22.10	510	8.00
90	21.40	515	7.70
94	21.10	532	7.50
102	20.90	542	7.20
105	20.60	554	7.10
116	20.30	580	6.40
122	19.80	594	6.30
132	19.60	612	5.90
135	19.20	652	5.70
140	18.90	677	5.30
145	18.80	700	5.20

PLATFORM- P.APOLLO

POSITION- 27 20N 150 30W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 78

DATE- SEP 04, 1968 TIME- 1000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	384	10.70
12	26.90	392	10.70
32	25.70	404	10.40
40	26.40	420	9.70
45	26.30	424	9.70
47	26.00	429	9.40
48	25.80	542	9.00
51	25.10	462	8.60
52	24.60	475	8.60
57	24.10	478	8.40
60	24.00	499	8.20
63	23.60	524	7.90
74	23.00	532	7.60
80	22.70	535	7.40
83	22.30	543	7.30
92	21.70	551	6.90
96	21.40	565	6.80
100	21.20	584	6.30
119	20.30	593	6.30
124	20.20	596	6.10
132	19.80	652	5.70
139	19.70	669	5.50
145	19.40	700	5.30

PLATFORM- P.APOLLO

POSITION- 27 30N 150 30W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 78

DATE- SEP 04, 1968 TIME- 1100

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	394	10.40
11	26.90	402	10.40
25	26.60	413	9.80
42	26.50	441	8.90
47	26.10	456	8.50
48	25.60	485	8.20
49	25.40	491	8.00
57	24.30	507	7.70
60	24.20	517	7.70
68	23.40	533	7.40
72	23.00	530	7.10
89	22.30	547	7.10
102	21.50	552	6.90
119	21.00	562	6.80
134	20.80	574	6.30
140	20.00	608	6.10
148	19.60	612	5.90
153	19.50	647	5.50
171	18.90	681	5.50
180	18.10	700	5.20

PLATFORM- P.APOLLO

POSITION- 27 40N 150 30W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 70

DATE- SEP 04, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	355	11.10
31	26.70	358	10.60
36	26.40	381	10.50
39	26.50	392	10.20
47	26.50	397	10.20
48	26.40	408	9.60
51	25.80	417	9.50
52	25.50	419	9.30
53	25.10	440	8.80
60	24.50	443	8.60
67	23.70	457	8.40
69	23.40	472	7.90
76	22.90	480	7.70
79	22.40	500	7.70
84	22.00	513	7.20
87	21.90	540	7.00
92	21.60	543	6.60
96	21.20	578	6.30
109	20.90	585	6.10
121	20.10	622	5.90
131	19.80	631	5.60
136	19.50	700	5.30
142	19.50		
148	19.30		
151	19.00		
154	19.00		
156	18.80		
164	18.40		
196	17.40		
199	17.10		
205	17.10		
214	16.80		
247	15.00		
253	14.50		
271	14.00		
274	13.70		
283	13.50		
294	12.80		
302	12.80		
307	12.40		
313	12.40		
318	12.10		
326	12.00		
333	11.60		
354	11.10		

PLATFORM- P.APOLLO

POSITION- 27 50N 150 30W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 70

DATE- SEP 04, 1968 TIME- 1300

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.80	373	10.50
18	26.90	378	10.30
43	26.60	394	10.20
44	26.50	417	9.50
45	26.30	436	9.20
46	26.10	464	8.10
48	25.70	480	7.80
53	24.90	511	7.60
54	24.50	532	7.10
58	23.80	542	7.10
60	23.40	550	6.70
67	22.70	578	6.30
73	22.70	584	6.10
84	21.20	663	5.40
88	21.10	700	5.40
109	20.00		
111	19.70		
125	19.00		
132	18.80		
135	18.50		
142	18.30		
145	18.00		
163	17.70		
169	17.40		
181	17.20		
186	16.90		
191	16.90		
198	16.40		
201	16.10		
212	15.70		
226	15.40		
234	15.10		
237	14.70		
244	14.40		
245	14.20		
256	13.80		
262	13.30		
268	13.30		
283	12.80		
302	12.50		
314	12.10		
318	12.10		
325	11.90		
335	11.30		
355	10.70		

PLATFORM- P.APOLLO

POSITION- 28 0N 150 30W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 80

DATE- SEP 04, 1968 TIME- 1400

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	386	10.50
31	26.90	393	10.20
38	26.60	408	9.80
40	26.40	415	9.50
41	26.20	423	9.40
43	25.90	433	9.10
44	25.70	443	9.00
45	25.40	478	8.20
46	25.20	488	7.90
49	25.20	496	7.40
54	24.50	499	7.60
57	23.80	513	7.30
60	23.20	528	7.20
64	22.40	537	7.00
65	22.30	598	6.10
66	22.00	668	5.50
74	21.60	700	5.40
83	21.80		
91	20.80		
93	20.60		
111	19.80		
115	19.50		
119	19.50		
140	18.30		
153	18.00		
177	16.80		
183	16.70		
192	16.30		
193	16.10		
202	15.70		
211	15.40		
219	15.20		
233	15.00		
237	14.80		
246	14.70		
252	14.20		
265	13.60		
272	13.60		
284	13.10		
294	13.00		
317	12.40		
321	12.10		
331	11.90		
337	11.50		
346	11.40		

PLATFORM- P.APOLLO

POSITION- 28 10N 158 38W

MARDEN SQUARE 88 ONE DEGREE SQUARE 8A

DATE- SEP 04, 1968 TIME- 1500

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.00	317	12.10
17	26.80	328	11.60
34	26.90	350	11.10
37	26.80	361	11.10
38	26.60	382	10.60
42	26.40	393	10.60
43	25.90	408	10.20
44	25.40	413	9.90
45	24.90	421	9.80
46	24.60	441	9.20
51	24.00	444	8.90
53	23.40	456	8.60
56	23.10	464	8.50
58	22.70	475	8.10
66	21.90	494	7.60
70	21.70	503	7.50
72	21.20	512	7.20
75	20.90	520	7.20
79	20.80	526	7.00
87	20.10	548	6.80
97	19.80	555	6.60
102	19.30	564	6.60
107	18.30	571	6.30
114	18.70	595	6.00
126	18.50	613	6.00
130	18.10	667	5.40
143	17.90	700	5.30
147	17.80		
149	17.40		
171	16.80		
172	16.70		
179	16.50		
183	16.10		
195	15.70		
201	15.60		
219	14.80		
222	14.80		
226	14.60		
238	14.30		
248	13.60		
258	13.50		
268	13.40		
279	13.00		
284	13.00		
311	12.10		

PLATFORM- P.APOLLO

POSITION- 28 22N 158 32W

MARDEN SQUARE 88 ONE DEGREE SQUARE 8A

DATE- SEP 04, 1968 TIME- 1900

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	482	8.10
28	26.70	485	7.80
34	26.80	494	7.60
41	26.70	504	7.30
42	26.30	526	6.80
43	26.00	569	6.30
44	25.30	573	6.10
45	25.10	582	6.10
47	24.80	608	5.60
48	24.40	672	5.40
50	24.00	700	5.00
57	22.40		
58	22.10		
71	21.20		
84	20.60		
88	19.90		
100	19.80		
105	19.50		
107	19.00		
114	18.90		
117	18.50		
120	18.30		
131	18.20		
148	17.30		
163	16.10		
192	16.00		
210	15.30		
212	15.30		
239	14.30		
244	13.90		
262	13.40		
278	12.80		
288	12.60		
310	11.90		
325	11.70		
334	11.50		
338	11.20		
359	11.00		
375	10.70		
394	10.60		
425	9.60		
454	9.00		
460	8.60		
467	8.50		
476	8.10		

PLATFORM- P.APOLLO

POSITION- 28 30N 158 36W

MARDEN SQUARE 88 ONE DEGREE SQUARE 8A

DATE- SEP 04, 1968 TIME- 1700

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.00	452	8.70
24	27.00	468	8.50
35	26.30	480	8.20
36	26.00	502	7.90
37	25.80	509	7.50
46	24.70	527	7.00
47	24.30	559	6.70
50	23.70	563	6.50
51	23.10	588	6.00
53	22.40	645	5.80
61	22.00	708	5.30
63	21.70		
67	21.20		
74	20.60		
81	20.30		
92	19.78		
95	19.40		
97	19.00		
104	18.90		
110	18.40		
122	18.30		
128	17.90		
135	17.70		
144	17.60		
164	16.80		
178	16.28		
192	16.00		
202	15.70		
210	15.30		
223	14.98		
245	14.00		
253	13.80		
259	13.50		
273	13.20		
279	12.98		
297	12.70		
314	12.10		
322	12.10		
346	11.50		
349	11.30		
384	10.60		
404	10.10		
415	9.70		
431	9.40		
436	9.10		

PLATFORM- P.APOLLO

POSITION- 29 ON 158 38W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 9A

DATE- SEP 04, 1968 TIME- 2000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	260	12.20
24	26.50	288	12.20
28	26.40	288	11.80
33	26.10	310	11.40
34	25.90	361	10.50
36	25.30	367	10.20
38	25.20	393	9.80
39	24.90	413	9.10
40	24.70	438	8.60
41	24.60	493	7.20
42	24.10	511	7.00
43	23.70	516	6.80
44	23.60	543	6.50
45	23.30	558	6.20
46	23.10	560	6.20
47	22.50	568	5.90
48	21.70	593	5.80
50	21.20	600	5.60
54	20.30	662	5.00
60	20.00	700	4.90
66	19.50		
68	19.50		
75	19.10		
78	18.70		
83	18.50		
90	18.10		
93	17.80		
96	17.50		
99	17.20		
105	17.00		
108	16.70		
120	16.50		
127	16.00		
149	15.30		
156	15.30		
163	15.80		
174	15.90		
178	14.80		
189	14.30		
200	13.70		
211	13.30		
220	13.30		
233	12.80		
243	12.60		
257	12.60		

PLATFORM- P.APOLLO

POSITION- 28 50N 158 38W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 8B

DATE- SEP 04, 1968 TIME- 1900

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	510	7.00
28	26.50	527	6.50
37	26.10	541	6.50
74	26.00	559	6.00
	25.80	580	6.00
	25.43	589	5.70
	24.80	611	5.40
	23.80	628	5.40
	23.40	700	4.60
	23.20		
	22.90		
	22.20		
	21.90		
	21.70		
	21.30		
	19.80		
	19.50		
	19.50		
	19.30		
	18.30		
	18.10		
	17.90		
	17.50		
	16.90		
	16.80		
	16.60		
	16.40		
	16.00		
	15.30		
	14.90		
	14.40		
	13.90		
	13.30		
	13.10		
	12.40		
	11.90		
	11.40		
	11.00		
	10.80		
	10.00		
	9.60		
	8.90		
	8.10		
	7.90		

PLATFORM- P.APOLLO

POSITION- 28 39N 158 38W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 8B

DATE- SEP 04, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	365	10.40
12	26.90	386	9.78
14	26.70	421	9.00
20	26.70	438	8.40
32	26.10	453	8.28
34	25.80	463	7.98
37	25.60	535	6.98
38	25.40	547	6.60
39	24.90	565	6.60
40	23.80	578	6.00
41	23.40	615	5.58
42	23.30	624	5.38
43	23.10	633	5.38
58	21.70	684	4.98
61	21.10	700	4.90
63	21.00		
69	20.30		
80	19.60		
85	19.10		
94	18.90		
104	18.40		
105	18.20		
108	18.00		
115	17.60		
127	17.30		
138	17.30		
134	16.90		
138	16.90		
162	15.80		
170	15.60		
187	15.00		
204	14.50		
208	14.20		
211	14.00		
219	14.00		
238	13.10		
245	13.10		
265	12.50		
271	12.20		
280	12.10		
284	11.80		
297	11.50		
305	11.50		
323	11.00		
332	11.00		
340	10.70		

PLATFORM- P.APOLLO  
 POSITION- 29 0N 158 15W  
 MARSDEM SQUARE 88 ONE DEGREE SQUARE 98  
 DATE- SEP 04, 1968 TIME- 2300  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	0	8.20
23	26.30	439	7.80
34	25.90	463	7.50
40	25.20	478	7.20
41	25.00	511	6.70
42	24.60	517	6.50
43	23.90	566	5.60
44	23.30	626	5.10
45	22.10	642	5.10
46	21.80	700	4.60
47	21.40		
48	21.10		
49	20.90		
50	20.50		
51	20.10		
53	19.70		
55	19.50		
64	19.30		
68	19.10		
69	19.00		
70	18.30		
72	18.10		
82	17.80		
84	17.40		
96	17.10		
98	16.70		
104	16.70		
108	16.70		
118	16.20		
124	16.00		
133	16.00		
139	16.00		
161	14.90		
168	14.70		
182	13.90		
189	13.60		
237	12.80		
259	12.10		
337	10.70		
344	10.70		
355	10.40		
360	10.10		
376	9.40		
421	8.70		
429	8.40		
434	8.40		

PLATFORM- P.APOLLO  
 POSITION- 28 50N 158 15W  
 MARSDEM SQUARE 88 ONE DEGREE SQUARE 88  
 DATE- SEP 05, 1968 TIME- 30  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	481	7.10
16	26.60	486	6.30
22	26.50	521	6.20
29	25.90	566	5.80
30	25.80	583	5.80
31	25.70	622	5.40
32	25.20	665	5.20
33	24.70	671	5.00
35	24.20	700	4.90
36	23.80		
37	22.90		
38	22.40		
39	21.80		
40	21.60		
41	21.20		
44	20.80		
45	20.60		
46	20.30		
47	20.10		
56	19.30		
61	19.00		
63	18.70		
68	18.40		
72	18.40		
76	17.90		
79	17.70		
87	17.40		
91	17.10		
105	16.50		
144	15.40		
151	15.30		
166	14.90		
188	13.70		
200	13.30		
228	12.90		
227	12.60		
250	12.30		
277	11.50		
315	11.00		
349	10.30		
361	9.80		
413	8.80		
451	7.80		
461	7.80		
462	7.60		

PLATFORM- P.APOLLO  
 POSITION- 28 40N 158 15W  
 MARSDEM SQUARE 88 ONE DEGREE SQUARE 88  
 DATE- SEP 05, 1968 TIME- 130  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	513	7.10
19	26.60	537	6.60
24	26.40	554	6.60
30	26.20	565	6.30
37	26.10	656	5.60
40	25.60	672	5.70
41	25.30	700	5.50
42	23.10		
43	21.80		
44	21.50		
45	21.10		
47	20.70		
49	20.50		
50	20.30		
52	19.60		
60	19.30		
61	19.00		
75	18.10		
77	17.80		
87	17.10		
93	16.80		
110	16.40		
115	16.00		
122	15.90		
127	15.60		
142	15.30		
157	14.70		
175	14.30		
187	13.80		
204	13.40		
212	13.30		
225	12.90		
238	12.70		
265	11.90		
283	11.80		
302	11.30		
376	10.80		
382	9.70		
391	9.70		
427	8.70		
434	8.60		
451	8.10		
475	7.70		
490	7.30		

PLATFORM- P. APOLLO

POSITION- 28 30N 150 15W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 88

DATE- SEP 05, 1968 TIME- 215

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	238	11.50
4	26.82	298	11.50
17	26.40	315	11.20
23	26.40	321	11.20
35	25.90	356	10.50
37	25.90	386	9.60
38	25.30	418	8.00
39	24.90	425	8.50
40	24.40	447	8.20
41	24.10	456	7.90
42	22.50	461	7.90
43	21.70	482	7.30
44	21.50	489	7.30
45	21.10	497	7.00
48	20.60	513	6.80
54	19.70	524	6.40
56	19.40	551	5.90
63	18.90	593	5.50
67	18.70	700	4.80
70	18.40		
72	18.10		
73	18.10		
75	17.80		
86	17.30		
89	16.90		
97	16.90		
101	16.30		
119	16.30		
123	16.30		
129	16.00		
145	15.70		
157	15.10		
165	15.00		
166	14.90		
175	14.60		
178	14.30		
197	13.60		
213	13.20		
222	13.10		
226	12.90		
236	12.70		
249	12.30		
269	12.10		
271	12.00		
285	11.80		

PLATFORM- P. APOLLO

POSITION- 28 20N 150 15W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 88

DATE- SEP 05, 1968 TIME- 445

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	472	7.80
8	26.90	475	7.80
21	26.70	508	7.30
22	26.60	507	7.00
23	26.40	537	6.30
30	25.90	567	6.10
31	25.40	578	5.90
36	24.50	589	5.90
37	24.20	611	5.70
38	23.10	685	5.40
39	22.20	700	5.20
40	21.80		
41	21.40		
42	21.20		
46	21.20		
48	21.00		
54	20.10		
56	19.70		
61	19.30		
70	19.00		
76	18.30		
83	17.80		
87	17.70		
94	17.30		
105	16.70		
158	15.20		
160	15.00		
180	14.20		
199	13.90		
220	13.40		
256	12.78		
262	12.50		
277	12.10		
285	12.10		
328	11.10		
373	10.30		
379	10.80		
392	9.60		
403	9.30		
412	9.20		
431	8.70		
434	8.70		
447	8.50		
454	8.00		
461	8.00		

PLATFORM- P. APOLLO

POSITION- 28 10N 150 15W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 88

DATE- SEP 05, 1968 TIME- 545

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	357	10.60
15	27.10	371	10.50
23	26.90	376	10.20
28	26.50	395	10.00
32	26.50	401	9.80
38	26.40	408	9.30
42	26.00	417	9.30
43	25.80	440	8.80
44	25.60	459	8.30
45	25.30	471	8.10
46	24.80	509	7.80
47	24.80	520	7.00
48	22.80	529	6.70
53	21.80	544	6.50
56	21.30	547	6.30
57	20.80	573	6.00
62	20.10	601	5.80
63	19.90	619	5.50
65	19.50	675	5.30
68	19.00	700	5.10
73	18.60		
79	18.20		
87	17.70		
99	17.10		
102	17.10		
112	16.50		
121	16.20		
126	15.90		
131	15.90		
138	15.50		
149	15.30		
154	15.00		
162	15.00		
187	14.40		
193	14.30		
204	13.90		
210	13.90		
218	13.50		
239	13.10		
245	12.80		
273	12.20		
287	12.20		
319	11.50		
329	11.40		
336	11.10		

PLATFORM- P.APOLLO

POSITION- 28 ON 150 15W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 88

DATE- SEP 05, 1968 TIME- 640

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	418	9.10
7	27.10	426	9.00
20	26.80	453	8.10
27	26.30	490	7.60
37	26.00	538	6.50
44	25.60	566	6.50
47	25.30	554	6.20
48	25.00	588	6.10
49	23.40	588	5.70
61	21.70	700	5.00
62	21.60		
63	21.30		
66	21.00		
70	20.40		
73	20.20		
76	19.70		
84	19.40		
85	19.00		
87	18.90		
94	18.10		
97	17.70		
111	17.20		
118	17.10		
130	16.90		
141	16.30		
149	16.20		
154	16.10		
157	15.70		
168	15.60		
171	15.40		
176	15.40		
208	14.60		
217	14.10		
223	14.10		
227	13.90		
234	13.80		
254	13.00		
265	12.80		
271	12.50		
317	11.60		
351	10.60		
365	10.70		
374	10.60		
391	10.00		
402	9.80		

PLATFORM- P.APOLLO

POSITION- 27 49N 150 15W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 78

DATE- SEP 05, 1968 TIME- 980

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	347	10.90
14	27.10	368	10.80
38	26.80	354	10.70
42	26.70	385	10.30
43	26.60	376	10.10
44	26.30	387	10.00
45	26.10	414	9.40
46	23.90	420	9.20
48	25.40	431	8.90
51	24.90	434	8.70
52	24.50	442	8.70
53	24.20	456	8.30
56	23.50	461	8.30
58	22.70	478	7.60
61	22.10	494	7.40
69	21.90	500	7.20
71	21.50	508	7.20
76	21.40	514	7.00
77	21.20	524	7.00
84	21.00	542	6.50
91	20.60	567	6.30
93	20.30	578	6.00
97	20.00	628	5.70
101	20.00	631	5.60
113	19.60	700	5.30
115	19.40		
118	19.40		
142	18.10		
158	17.60		
170	17.10		
171	16.90		
185	16.50		
193	16.00		
211	15.60		
224	15.00		
226	14.70		
235	14.30		
249	14.20		
260	13.90		
267	13.40		
276	13.20		
283	12.70		
295	12.50		
303	12.00		
327	11.30		

PLATFORM- P.APOLLO

POSITION- 27 49N 150 15W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 78

DATE- SEP 05, 1968 TIME- 950

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	317	11.50
13	27.10	335	11.00
17	26.90	356	10.30
34	26.80	365	10.30
39	26.70	374	10.10
53	26.60	381	10.00
60	26.20	404	9.30
61	25.90	423	8.90
62	25.60	432	8.60
63	25.20	448	8.40
67	24.70	464	8.20
69	24.40	477	8.10
70	24.20	484	7.80
73	23.50	492	7.78
79	23.00	499	7.40
80	22.60	519	7.40
84	22.10	537	7.20
85	21.90	553	6.78
88	21.70	575	6.60
92	21.30	579	6.39
106	20.30	640	5.88
116	20.10	670	5.70
125	19.40	682	5.60
147	18.60	700	5.50
153	18.30		
157	18.30		
174	17.40		
179	17.49		
185	16.90		
190	16.50		
202	15.90		
210	15.70		
214	15.40		
222	15.20		
228	14.90		
229	14.70		
234	14.40		
241	14.10		
248	14.10		
253	13.80		
259	13.50		
268	13.00		
288	12.20		
295	12.20		
306	12.00		



PLATFORM- P.APOLLO

POSITION- 27 30N 158 15W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 78

DATE- SEP 05, 1968 TIME- 1100

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	269	14.10
23	27.00	273	13.90
35	26.60	277	13.90
43	26.60	279	13.70
45	26.50	280	13.50
47	26.10	290	13.40
49	26.00	296	13.20
50	25.70	300	13.10
52	25.60	308	12.60
56	24.90	351	11.60
59	24.70	357	11.30
61	24.40	375	10.80
64	24.20	384	10.40
67	23.80	391	10.40
68	23.80	395	10.40
70	23.40	400	10.10
72	23.30	415	9.70
73	23.00	425	9.20
81	22.50	442	9.10
84	22.50	444	9.00
87	22.40	447	8.70
92	21.80	458	8.60
99	21.60	461	8.40
102	21.30	489	8.10
127	20.00	494	7.80
135	19.70	506	7.70
142	19.10	515	7.40
147	18.90	518	7.20
149	18.50	525	7.10
153	18.30	529	6.90
159	18.30	538	6.90
161	18.10	545	6.60
176	17.50	555	6.60
179	17.50	563	6.40
183	17.20	567	6.10
192	17.00	577	6.00
201	16.40	594	6.00
210	16.40	616	5.60
218	16.00	641	5.40
234	15.60	645	5.50
237	15.40	664	5.50
240	15.40	700	5.70
241	15.20		
258	14.80		
265	14.20		

PLATFORM- P.APOLLO

POSITION- 27 20N 158 15W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 7A

DATE- SEP 05, 1968 TIME- 1300

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	268	14.00
16	27.00	281	13.70
21	26.80	285	13.40
27	26.80	297	13.20
29	26.60	299	13.10
33	26.60	303	13.10
40	26.20	305	12.90
41	26.10	318	12.70
42	25.90	320	12.50
45	25.70	331	12.30
47	25.40	333	12.10
49	25.20	334	12.00
51	25.00	338	11.80
54	24.60	361	11.50
58	24.40	365	11.40
59	24.10	366	11.20
61	23.80	374	10.80
64	23.40	386	10.50
69	22.90	394	10.10
84	22.10	402	9.90
85	21.90	409	9.50
87	21.60	422	9.10
92	21.50	446	8.80
103	20.60	453	8.30
121	19.80	481	8.00
128	19.40	484	7.90
140	19.20	505	7.90
150	18.80	522	7.20
154	18.40	553	6.80
164	18.00	555	6.60
181	17.70	581	6.30
184	17.60	583	6.10
187	17.30	603	6.00
194	17.00	610	5.80
203	16.90	647	5.40
209	16.70	700	5.10
214	16.70		
219	16.40		
221	16.10		
226	16.00		
228	15.80		
229	15.60		
243	15.20		
247	14.90		
264	14.30		

PLATFORM- P.APOLLO

POSITION- 27 10N 158 15W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 7B

DATE- SEP 05, 1968 TIME- 1400

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.00	343	11.20
28	26.80	350	10.90
39	26.70	361	10.90
49	26.30	368	10.50
50	26.20	381	10.40
53	25.68	395	10.00
54	25.10	402	9.90
62	24.90	409	9.60
64	23.60	424	9.20
72	22.80	433	8.80
76	22.60	447	8.50
79	22.30	448	8.40
102	21.20	471	8.30
104	21.00	486	7.90
113	20.70	508	7.80
121	20.20	535	7.18
125	20.20	554	6.90
130	19.70	558	6.60
152	18.70	578	6.30
154	18.30	584	6.30
157	18.10	614	5.78
177	17.70	644	5.60
179	17.50	668	5.30
185	17.10	708	5.20
194	17.00		
218	16.70		
226	16.00		
228	15.80		
233	15.40		
241	15.30		
247	15.00		
249	14.70		
253	14.70		
260	14.10		
266	14.00		
271	13.70		
281	13.60		
291	13.00		
300	12.80		
303	12.50		
316	12.00		
318	12.00		
324	11.70		
332	11.60		
337	11.30		


PLATFORM- P.APOLLO  
 POSITION- 27 1N 158 11W  
 MARSDEN SQUARE 88 ONE DEGREE SQUARE 78  
 DATE- SEP 05, 1968 TIME- 1500  
 INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	383	10.30
28	26.90	389	10.10
31	26.90	401	9.90
36	26.40	406	9.60
37	26.20	419	9.40
38	25.70	442	8.90
39	25.50	474	8.30
41	25.10	486	7.90
43	24.80	504	7.50
53	23.60	528	7.30
57	23.40	532	7.10
61	22.80	537	6.90
62	22.70	543	6.30
70	22.30	580	6.10
76	21.80	589	6.10
67	21.20	603	5.80
92	21.00	614	5.40
104	20.90	657	5.20
114	20.40	700	
126	19.60		
144	19.30		
149	19.00		
161	18.80		
167	18.60		
170	18.30		
185	17.90		
189	17.60		
197	17.40		
199	17.20		
203	17.10		
208	16.90		
236	16.90		
241	16.60		
246	16.10		
246	15.20		
260	14.50		
264	14.30		
277	13.80		
296	13.40		
317	12.10		
323	11.80		
341	11.50		
343	11.30		
365	10.80		
368	10.60		

## USS Radford XBT Data

RADFORD XBT

DATA LOCATIONS



PLATFORM- RADFORD

POSITION- 21 50N 157 45W

MARSDEN SQUARE 00 ONE DEGREE SQUARE 17

DATE- AUG 27, 1968 TIME- 1

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	346	10.40
21	26.50	361	10.10
66	26.40	370	9.90
68	26.30	381	9.40
69	26.10	389	9.20
74	25.10	398	9.20
78	24.80	403	8.90
86	24.20	405	8.60
94	23.90	428	8.10
103	23.30	435	7.80
105	23.00	454	7.50
124	22.30	465	7.50
131	21.90	492	7.00
132	21.70	517	7.10
139	21.40	524	7.10
142	21.00	528	7.00
149	20.70	530	6.80
152	20.30	533	6.50
160	19.10	541	6.70
171	19.40	556	6.70
181	19.20	585	6.30
201	18.50	631	6.20
204	18.00	647	6.00
205	17.80	672	5.90
209	17.30	686	5.60
213	17.00	715	5.60
218	16.90	732	5.40
226	16.60	762	5.30
236	16.40		
239	15.70		
249	16.70		
250	16.60		
254	16.30		
258	13.70		
264	13.30		
265	13.00		
277	12.50		
282	12.40		
284	12.10		
294	11.70		
305	11.70		
306	11.50		
316	11.00		
330	10.90		

PLATFORM- RADFORD

POSITION- 22 0N 157 50W

MARSDEN SQUARE 00 ONE DEGREE SQUARE 27

DATE- AUG 27, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	389	11.80
64	26.40	395	11.60
68	26.10	399	11.20
69	26.00	327	10.60
71	25.50	338	10.40
73	25.00	342	10.10
76	24.90	347	9.90
83	24.30	349	9.70
86	24.30	363	9.30
95	23.60	381	9.10
114	22.90	403	8.50
117	22.50	417	8.40
129	22.00	426	8.10
134	21.60	432	8.10
146	20.90	453	7.50
151	20.80	476	7.30
162	20.30	485	7.10
167	19.80	498	6.70
185	18.80	514	6.70
189	18.70	525	6.40
193	18.30	584	6.00
201	18.00	632	6.00
214	17.20	650	5.70
216	16.80	680	5.60
223	16.50	688	5.50
225	16.30	728	5.40
226	15.80	736	5.20
232	15.40	751	5.20
235	15.50		
238	15.00		
243	14.80		
246	14.40		
251	14.30		
254	14.00		
259	13.90		
261	13.60		
269	13.40		
277	13.40		
281	13.20		
285	12.70		
287	12.70		
289	12.60		
293	12.20		
295	12.10		
298	12.00		

PLATFORM- RADFORD

POSITION- 22 0N 157 50W

MARSDEN SQUARE 00 ONE DEGREE SQUARE 27

DATE- AUG 27, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	284	13.20
63	26.50	292	12.60
67	26.20	312	11.70
68	26.10	319	11.60
71	25.50	333	11.10
72	25.10	337	10.70
75	24.90	344	10.30
82	24.80	350	10.30
83	24.70	363	9.70
84	24.40	378	9.60
91	23.70	376	9.20
93	23.60	380	9.20
94	23.40	395	8.50
109	23.10	427	7.90
115	22.60	436	7.90
123	22.10	430	7.70
134	21.90	460	7.70
142	21.40	460	7.40
156	20.50	479	7.40
159	20.30	487	7.10
161	20.30	498	6.90
164	20.00	501	6.70
176	19.90	536	6.40
181	19.60	560	6.40
189	19.00	586	6.70
192	18.90	650	6.10
195	18.50	697	5.80
198	18.30	706	5.60
203	17.80	738	5.60
207	17.00	743	5.30
212	17.60	762	
215	17.30		
217	16.80		
221	16.60		
226	15.80		
239	15.40		
241	15.30		
242	15.10		
248	14.90		
251	14.70		
254	14.70		
260	14.40		
267	13.90		
272	13.80		
278	13.30		

PLATFORM- RADFORD

POSITION- 22 0N 157 40W

MARSDEN SQUARE 86 ONE DEGREE SQUARE 27

DATE- AUG 27, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	293	12.50
5	26.50	294	12.20
10	26.50	295	12.20
15	26.50	296	12.20
20	26.50	297	12.20
25	26.50	298	12.20
30	26.50	299	12.20
35	26.50	300	12.20
40	26.50	301	12.20
45	26.50	302	12.20
50	26.50	303	12.20
55	26.50	304	12.20
60	26.50	305	12.20
65	26.50	306	12.20
70	26.50	307	12.20
75	26.50	308	12.20
80	26.50	309	12.20
85	26.50	310	12.20
90	26.50	311	12.20
95	26.50	312	12.20
100	26.50	313	12.20
105	26.50	314	12.20
110	26.50	315	12.20
115	26.50	316	12.20
120	26.50	317	12.20
125	26.50	318	12.20
130	26.50	319	12.20
135	26.50	320	12.20
140	26.50	321	12.20
145	26.50	322	12.20
150	26.50	323	12.20
155	26.50	324	12.20
160	26.50	325	12.20
165	26.50	326	12.20
170	26.50	327	12.20
175	26.50	328	12.20
180	26.50	329	12.20
185	26.50	330	12.20
190	26.50	331	12.20
195	26.50	332	12.20
200	26.50	333	12.20
205	26.50	334	12.20
210	26.50	335	12.20
215	26.50	336	12.20
220	26.50	337	12.20
225	26.50	338	12.20
230	26.50	339	12.20
235	26.50	340	12.20
240	26.50	341	12.20
245	26.50	342	12.20
250	26.50	343	12.20
255	26.50	344	12.20
260	26.50	345	12.20
265	26.50	346	12.20
270	26.50	347	12.20
275	26.50	348	12.20
280	26.50	349	12.20
285	26.50	350	12.20
290	26.50	351	12.20
295	26.50	352	12.20
300	26.50	353	12.20
305	26.50	354	12.20
310	26.50	355	12.20
315	26.50	356	12.20
320	26.50	357	12.20
325	26.50	358	12.20
330	26.50	359	12.20
335	26.50	360	12.20
340	26.50	361	12.20
345	26.50	362	12.20
350	26.50	363	12.20
355	26.50	364	12.20
360	26.50	365	12.20
365	26.50	366	12.20
370	26.50	367	12.20
375	26.50	368	12.20
380	26.50	369	12.20
385	26.50	370	12.20
390	26.50	371	12.20
395	26.50	372	12.20
400	26.50	373	12.20
405	26.50	374	12.20
410	26.50	375	12.20
415	26.50	376	12.20
420	26.50	377	12.20
425	26.50	378	12.20
430	26.50	379	12.20
435	26.50	380	12.20
440	26.50	381	12.20
445	26.50	382	12.20
450	26.50	383	12.20
455	26.50	384	12.20
460	26.50	385	12.20
465	26.50	386	12.20
470	26.50	387	12.20
475	26.50	388	12.20
480	26.50	389	12.20
485	26.50	390	12.20
490	26.50	391	12.20
495	26.50	392	12.20
500	26.50	393	12.20
505	26.50	394	12.20
510	26.50	395	12.20
515	26.50	396	12.20
520	26.50	397	12.20
525	26.50	398	12.20
530	26.50	399	12.20
535	26.50	400	12.20
540	26.50	401	12.20
545	26.50	402	12.20
550	26.50	403	12.20
555	26.50	404	12.20
560	26.50	405	12.20
565	26.50	406	12.20
570	26.50	407	12.20
575	26.50	408	12.20
580	26.50	409	12.20
585	26.50	410	12.20
590	26.50	411	12.20
595	26.50	412	12.20
600	26.50	413	12.20
605	26.50	414	12.20
610	26.50	415	12.20
615	26.50	416	12.20
620	26.50	417	12.20
625	26.50	418	12.20
630	26.50	419	12.20
635	26.50	420	12.20
640	26.50	421	12.20
645	26.50	422	12.20
650	26.50	423	12.20
655	26.50	424	12.20
660	26.50	425	12.20
665	26.50	426	12.20
670	26.50	427	12.20
675	26.50	428	12.20
680	26.50	429	12.20
685	26.50	430	12.20
690	26.50	431	12.20
695	26.50	432	12.20
700	26.50	433	12.20
705	26.50	434	12.20
710	26.50	435	12.20
715	26.50	436	12.20
720	26.50	437	12.20
725	26.50	438	12.20
730	26.50	439	12.20
735	26.50	440	12.20
740	26.50	441	12.20
745	26.50	442	12.20
750	26.50	443	12.20
755	26.50	444	12.20
760	26.50	445	12.20
765	26.50	446	12.20
770	26.50	447	12.20
775	26.50	448	12.20
780	26.50	449	12.20
785	26.50	450	12.20
790	26.50	451	12.20
795	26.50	452	12.20
800	26.50	453	12.20
805	26.50	454	12.20
810	26.50	455	12.20
815	26.50	456	12.20
820	26.50	457	12.20
825	26.50	458	12.20
830	26.50	459	12.20
835	26.50	460	12.20
840	26.50	461	12.20
845	26.50	462	12.20
850	26.50	463	12.20
855	26.50	464	12.20
860	26.50	465	12.20
865	26.50	466	12.20
870	26.50	467	12.20
875	26.50	468	12.20
880	26.50	469	12.20
885	26.50	470	12.20
890	26.50	471	12.20
895	26.50	472	12.20
900	26.50	473	12.20
905	26.50	474	12.20
910	26.50	475	12.20
915	26.50	476	12.20
920	26.50	477	12.20
925	26.50	478	12.20
930	26.50	479	12.20
935	26.50	480	12.20
940	26.50	481	12.20
945	26.50	482	12.20
950	26.50	483	12.20
955	26.50	484	12.20
960	26.50	485	12.20
965	26.50	486	12.20
970	26.50	487	12.20
975	26.50	488	12.20
980	26.50	489	12.20
985	26.50	490	12.20
990	26.50	491	12.20
995	26.50	492	12.20
1000	26.50	493	12.20

PLATFORM- RADFORD

POSITION- 23 12N 157 50W

MARSDEN SQUARE 86 ONE DEGREE SQUARE 37

DATE- AUG 28, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	359	9.40
5	26.00	360	9.20
10	26.00	361	9.00
15	26.00	362	8.80
20	26.00	363	8.60
25	26.00	364	8.40
30	26.00	365	8.20
35	26.00	366	8.00
40	26.00	367	7.80
45	26.00	368	7.60
50	26.00	369	7.40
55	26.00	370	7.20
60	26.00	371	7.00
65	26.00	372	6.80
70	26.00	373	6.60
75	26.00	374	6.40
80	26.00	375	6.20
85	26.00	376	6.00
90	26.00	377	5.80
95	26.00	378	5.60
100	26.00	379	5.40
105	26.00	380	5.20
110	26.00	381	5.00
115	26.00	382	4.80
120	26.00	383	4.60
125	26.00	384	4.40
130	26.00	385	4.20
135	26.00	386	4.00
140	26.00	387	3.80
145	26.00	388	3.60
150	26.00	389	3.40
155	26.00	390	3.20
160	26.00	391	3.00
165	26.00	392	2.80
170	26.00	393	2.60
175	26.00	394	2.40
180	26.00	395	2.20
185	26.00	396	2.00
190	26.00	397	1.80
195	26.00	398	1.60
200	26.00	399	1.40
205	26.00	400	1.20
210	26.00	401	1.00
215	26.00	402	0.80
220	26.00	403	0.60
225	26.00	404	0.40
230	26.00	405	0.20
235	26.00	406	0.00
240	26.00	407	-0.20
245	26.00	408	-0.40
250	26.00	409	-0.60
255	26.00	410	-0.80
260	26.00	411	-1.00
265	26.00	412	-1.20
270	26.00	413	-1.40
275	26.00	414	-1.60
280	26.00	415	-1.80
285	26.00	416	-2.00
290	26.00	417	-2.20
295	26.00	418	-2.40
300	26.00	419	-2.60
305	26.00	420	-2.80
310	26.00	421	-3.00
315	26.00	422	-3.20
320	26.00	423	-3.40
325	26.00	424	-3.60
330	26.00	425	-3.80
335	26.00	426	-4.00
340	26.00	427	-4.20
345	26.00	428	-4.40
350	26.00	429	-4.60
355	26.00	430	-4.80
360	26.00	431	-5.00
365	26.00	432	-5.20
370	26.00	433	-5.40
375	26.00	434	-5.60
380	26.00	435	-5.80
385	26.00	436	-6.00
390	26.00	437	-6.20
395	26.00	438	-6.40
400	26.00	439	-6.60
405	26.00	440	-6.80
410	26.00	441	-7.00
415	26.00	442	-7.20
420	26.00	443	-7.40
425	26.00	444	-7.60
430	26.00	445	-7.80
435	26.00	446	-8.00

PLATFORM- RADFORD

POSITION- 24 22N 157 56W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 47

DATE- AUG 28, 1968 TIME- 1200

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	243	13.10
49	27.20	247	13.00
50	27.10	251	12.70
51	26.90	272	11.80
53	26.80	291	11.10
60	26.80	295	11.10
61	25.70	299	11.00
62	25.40	303	10.70
64	25.20	308	10.70
71	24.60	319	10.40
73	24.30	327	10.30
77	23.60	337	9.90
89	22.60	349	9.60
91	22.30	357	9.40
95	21.90	363	9.30
112	21.40	372	8.80
115	21.10	401	8.50
121	20.90	417	8.10
129	20.30	426	7.70
136	20.30	471	6.70
143	20.00	497	6.40
146	19.60	511	6.00
152	19.40	520	5.80
161	18.70	530	5.70
164	18.60	562	5.70
165	18.50	565	5.60
166	18.30	618	5.10
168	18.00	642	5.10
171	17.90	654	4.90
172	17.60	738	4.40
173	17.40	762	4.40
174	17.30		
179	17.20		
180	16.50		
195	16.20		
197	15.90		
205	15.40		
206	15.30		
207	15.20		
214	15.00		
216	14.60		
226	14.50		
227	14.10		
234	13.70		
239	13.00		

PLATFORM- RADFORD

POSITION- 25 10N 157 52W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- AUG 28, 1968 TIME- 1000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	282	10.90
34	26.80	293	10.50
39	26.80	305	10.40
43	26.50	319	10.00
45	26.20	327	9.70
46	25.80	345	9.60
47	25.50	349	9.30
48	25.30	368	9.00
49	24.80	370	8.50
54	24.10	401	8.00
58	23.70	437	7.40
63	22.90	451	7.20
66	22.80	486	6.70
73	22.30	520	6.50
78	22.10	521	6.40
83	21.90	541	6.10
87	21.40	553	6.10
95	21.30	562	5.90
103	20.70	573	5.80
105	20.40	581	5.50
106	20.00	619	5.30
107	19.70	626	5.10
108	19.50	682	4.70
115	19.20		
122	19.20		
127	19.00		
137	18.30		
154	17.90		
159	17.40		
168	17.10		
170	16.80		
171	16.60		
172	16.60		
175	16.10		
193	15.00		
195	14.80		
197	14.40		
209	13.70		
216	13.60		
219	13.30		
232	12.70		
243	12.50		
246	12.20		
268	11.80		
280	11.60		

PLATFORM- RADFORD

POSITION- 26 1N 157 57N

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- AUG 29, 1968 TIME- 0

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	309	10.10
5	26.90	401	9.60
13	26.40	418	9.40
30	26.00	447	8.60
46	26.00	463	8.60
49	25.30	516	7.70
49	25.10	522	7.70
54	24.50	528	7.50
54	24.20	533	7.50
63	23.50	541	7.10
72	22.70	568	6.90
73	22.40	592	6.40
87	22.00	649	5.80
98	21.70	717	5.60
96	21.40	762	5.40
106	21.30		
108	21.20		
117	21.00		
121	20.70		
124	20.60		
130	20.20		
140	19.70		
152	19.50		
163	19.00		
168	18.00		
170	18.10		
184	17.80		
200	16.00		
228	15.90		
237	15.50		
247	15.20		
252	15.20		
261	14.90		
273	14.20		
283	13.90		
290	13.50		
300	13.00		
307	12.90		
317	12.40		
321	12.20		
327	12.00		
330	11.80		
354	11.10		
362	11.10		
385	10.40		

PLATFORM- RADFORD

POSITION- 26 54 N 157 55W

MARSDEN SQUARE 68 ONE DEGREE SQUARE 67

DATE- AUG 29, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.60	369	11.50
39	26.70	371	11.26
42	26.40	376	11.00
43	25.90	384	10.70
46	25.20	411	9.90
47	24.48	443	9.50
53	24.50	478	9.30
55	24.20	504	8.80
56	23.90	509	8.50
58	23.50	538	8.40
63	23.30	548	7.80
65	23.00	574	7.50
67	22.40	590	7.50
72	22.20	623	7.10
75	21.00	628	6.90
80	21.60	673	6.70
84	21.10	677	6.50
93	20.90	697	6.30
97	20.50	702	6.20
108	20.20		
112	19.80		
126	19.50		
128	19.30		
131	18.00		
145	18.00		
153	18.50		
165	17.50		
172	17.20		
191	16.00		
199	16.70		
211	16.10		
226	15.00		
231	15.40		
238	15.30		
241	15.00		
246	14.90		
260	14.10		
274	13.00		
285	13.40		
284	13.20		
299	12.90		
314	12.00		
343	12.00		
354	11.00		
360	11.00		

PLATFORM- RADFORD

POSITION- 27 59N 157 50W

MARSDEN SQUARE 68 ONE DEGREE SQUARE 77

DATE- AUG 29, 1968 TIME- 1400

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	469	9.30
40	26.70	475	9.10
44	26.50	492	8.00
46	26.20	505	8.50
47	25.90	521	8.30
48	25.30	561	7.80
49	24.00	569	7.00
59	23.70	607	6.00
61	23.40	672	6.40
68	22.50	702	6.30
83	21.90		
86	21.60		
100	21.00		
115	20.70		
120	20.50		
125	20.10		
134	19.70		
159	19.20		
165	18.90		
169	18.90		
181	18.30		
188	18.30		
194	18.00		
197	17.00		
203	17.00		
213	17.10		
229	16.00		
243	16.40		
253	16.10		
256	15.90		
262	15.20		
273	14.70		
279	14.50		
294	13.90		
301	13.40		
312	13.30		
324	12.70		
332	12.70		
347	12.00		
356	12.00		
361	11.70		
385	11.20		
416	10.30		
429	10.10		
437	9.80		

PLATFORM- RADFORD

POSITION- 28 12 N 157 52W

MARSDEN SQUARE 68 ONE DEGREE SQUARE 87

DATE- AUG 29, 1968 TIME- 1900

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	420	9.50
42	26.70	429	9.10
44	26.40	441	9.00
45	26.30	444	8.00
48	25.00	455	8.00
49	25.00	459	8.40
52	25.20	471	8.10
53	25.00	492	8.00
54	24.70	517	7.30
59	24.20	544	7.00
65	23.90	554	6.70
67	23.20	572	6.70
83	22.00	582	6.30
93	21.20	614	6.10
101	20.80	632	5.70
108	20.70	671	5.40
113	20.40	702	5.20
124	20.10		
135	19.50		
154	18.70		
160	18.70		
177	17.00		
205	16.70		
212	16.20		
229	15.70		
235	15.30		
242	15.10		
243	14.90		
250	14.50		
262	14.00		
280	13.40		
286	13.00		
303	12.00		
307	12.50		
317	12.40		
324	12.00		
329	12.00		
332	11.70		
345	11.60		
346	10.80		
364	10.50		
383	10.10		
401	10.00		
407	9.00		



PLATFORM- RADFORD	POSITION- 26 45N 157 40W	MARSDEN SQUARE 88 ONE DEGREE SQUARE 87	DATE- AUG 29, 1968 TIME- 1800	INSTRUMENT TYPE- BATNY	BASELINE TEMP- 16.70
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	0	26.40	0	26.40
27	26.48	6	26.40	451	8.10
33	26.48	14	26.40	467	7.70
40	25.90	33	25.80	503	7.00
41	24.98	37	25.50	531	6.70
42	23.60	38	25.50	554	6.10
46	22.80	39	25.40	568	6.10
47	22.40	40	24.90	590	5.80
48	21.70	40	24.60	636	5.20
49	21.30	41	24.30	664	5.20
52	20.90	42	23.60	692	4.80
56	20.70	43	23.30	762	4.60
57	20.40	45	22.40		
58	19.80	46	22.20		
59	19.50	47	21.50		
60	19.40	55	20.00		
61	19.20	64	19.00		
67	18.40	75	18.50		
71	18.40	77	18.10		
81	17.80	85	17.70		
92	16.80	90	17.70		
97	16.80	92	17.40		
111	16.40	107	16.70		
116	16.00	112	16.70		
126	16.00	115	16.40		
134	15.60	118	16.40		
147	15.30	121	16.10		
155	14.90	144	15.50		
174	14.70	149	15.50		
180	14.10	150	15.20		
186	14.30	169	14.70		
195	14.00	197	13.80		
199	13.00	202	13.50		
219	13.40	208	13.50		
255	12.40	226	13.20		
271	12.20	246	12.00		
296	11.60	263	12.20		
308	11.50	288	11.80		
342	10.70	323	10.80		
374	10.30	338	10.60		
386	10.00	346	10.20		
396	9.50	364	10.00		
430	8.60	389	9.50		
449	8.20	395	9.20		
		440	8.20		

PLATFORM- RADFORD	POSITION- 29 44N 157 35W	MARSDEN SQUARE 88 ONE DEGREE SQUARE 97	DATE- AUG 30, 1968 TIME- 0	INSTRUMENT TYPE- BATNY	BASELINE TEMP- 16.60
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	0	26.40	0	26.40
6	26.40	6	26.40	15	25.90
14	26.00	14	26.00	28	25.40
33	25.80	33	25.80	29	25.30
37	25.50	37	25.50	30	25.10
38	25.40	38	25.40	32	24.80
39	24.90	39	24.90	35	24.20
40	24.60	40	24.60	36	23.80
41	24.30	41	24.30	37	23.20
42	23.60	42	23.60	38	21.90
43	23.30	43	23.30	43	21.40
45	22.40	45	22.40	51	20.50
46	22.20	46	22.20	54	20.00
47	21.50	47	21.50	56	20.00
55	20.00	55	20.00	64	19.20
64	19.00	64	19.00	69	19.00
75	18.50	75	18.50	76	18.40
77	18.10	77	18.10	81	18.40
85	17.70	85	17.70	83	18.20
90	17.70	90	17.70	84	18.00
92	17.40	92	17.40	85	17.90
107	16.70	107	16.70	88	17.20
112	16.70	112	16.70	88	17.20
115	16.40	115	16.40	91	17.00
118	16.40	118	16.40	100	16.50
121	16.10	121	16.10	105	16.50
144	15.50	144	15.50	111	16.20
149	15.50	149	15.50	111	16.20
150	15.20	150	15.20	122	15.70
169	14.70	169	14.70	130	14.90
197	13.80	197	13.80	145	14.00
202	13.50	202	13.50	161	14.20
208	13.50	208	13.50	163	14.00
226	13.20	226	13.20	179	13.20
246	12.00	246	12.00	214	12.10
263	12.20	263	12.20	220	12.10
288	11.80	288	11.80	226	11.00
323	10.80	323	10.80	247	11.40
338	10.60	338	10.60	255	11.40
346	10.20	346	10.20	262	11.10
364	10.00	364	10.00	277	11.00
389	9.50	389	9.50	305	10.40
395	9.20	395	9.20	328	10.20
440	8.20	440	8.20	337	9.90

PLATFORM- RADFORD  
 POSITION- 33 57 N 157 50W  
 MARSDEN SQUARE 124 ONE DEGREE SQUARE 37  
 DATE- AUG 31, 1968 TIME- 1  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPT. (M)	TEMP (C)
0	25.30	0	0.00
1	25.20	1	0.00
2	25.00	2	0.00
3	24.90	3	0.00
4	24.80	4	0.00
5	24.70	5	0.00
6	24.60	6	0.00
7	24.50	7	0.00
8	24.40	8	0.00
9	24.30	9	0.00
10	24.20	10	0.00
11	24.10	11	0.00
12	24.00	12	0.00
13	23.90	13	0.00
14	23.80	14	0.00
15	23.70	15	0.00
16	23.60	16	0.00
17	23.50	17	0.00
18	23.40	18	0.00
19	23.30	19	0.00
20	23.20	20	0.00
21	23.10	21	0.00
22	23.00	22	0.00
23	22.90	23	0.00
24	22.80	24	0.00
25	22.70	25	0.00
26	22.60	26	0.00
27	22.50	27	0.00
28	22.40	28	0.00
29	22.30	29	0.00
30	22.20	30	0.00
31	22.10	31	0.00
32	22.00	32	0.00
33	21.90	33	0.00
34	21.80	34	0.00
35	21.70	35	0.00
36	21.60	36	0.00
37	21.50	37	0.00
38	21.40	38	0.00
39	21.30	39	0.00
40	21.20	40	0.00
41	21.10	41	0.00
42	21.00	42	0.00
43	20.90	43	0.00
44	20.80	44	0.00
45	20.70	45	0.00
46	20.60	46	0.00
47	20.50	47	0.00
48	20.40	48	0.00
49	20.30	49	0.00
50	20.20	50	0.00
51	20.10	51	0.00
52	20.00	52	0.00
53	19.90	53	0.00
54	19.80	54	0.00
55	19.70	55	0.00
56	19.60	56	0.00
57	19.50	57	0.00
58	19.40	58	0.00
59	19.30	59	0.00
60	19.20	60	0.00
61	19.10	61	0.00
62	19.00	62	0.00
63	18.90	63	0.00
64	18.80	64	0.00
65	18.70	65	0.00
66	18.60	66	0.00
67	18.50	67	0.00
68	18.40	68	0.00
69	18.30	69	0.00
70	18.20	70	0.00
71	18.10	71	0.00
72	18.00	72	0.00
73	17.90	73	0.00
74	17.80	74	0.00
75	17.70	75	0.00
76	17.60	76	0.00
77	17.50	77	0.00
78	17.40	78	0.00
79	17.30	79	0.00
80	17.20	80	0.00
81	17.10	81	0.00
82	17.00	82	0.00
83	16.90	83	0.00
84	16.80	84	0.00
85	16.70	85	0.00
86	16.60	86	0.00
87	16.50	87	0.00
88	16.40	88	0.00
89	16.30	89	0.00
90	16.20	90	0.00
91	16.10	91	0.00
92	16.00	92	0.00
93	15.90	93	0.00
94	15.80	94	0.00
95	15.70	95	0.00
96	15.60	96	0.00
97	15.50	97	0.00
98	15.40	98	0.00
99	15.30	99	0.00
100	15.20	100	0.00
101	15.10	101	0.00
102	15.00	102	0.00
103	14.90	103	0.00
104	14.80	104	0.00
105	14.70	105	0.00
106	14.60	106	0.00
107	14.50	107	0.00
108	14.40	108	0.00
109	14.30	109	0.00
110	14.20	110	0.00
111	14.10	111	0.00
112	14.00	112	0.00
113	13.90	113	0.00
114	13.80	114	0.00
115	13.70	115	0.00
116	13.60	116	0.00
117	13.50	117	0.00
118	13.40	118	0.00
119	13.30	119	0.00
120	13.20	120	0.00
121	13.10	121	0.00
122	13.00	122	0.00
123	12.90	123	0.00
124	12.80	124	0.00
125	12.70	125	0.00
126	12.60	126	0.00
127	12.50	127	0.00
128	12.40	128	0.00
129	12.30	129	0.00
130	12.20	130	0.00
131	12.10	131	0.00
132	12.00	132	0.00
133	11.90	133	0.00
134	11.80	134	0.00
135	11.70	135	0.00
136	11.60	136	0.00
137	11.50	137	0.00
138	11.40	138	0.00
139	11.30	139	0.00
140	11.20	140	0.00
141	11.10	141	0.00
142	11.00	142	0.00
143	10.90	143	0.00
144	10.80	144	0.00
145	10.70	145	0.00
146	10.60	146	0.00
147	10.50	147	0.00
148	10.40	148	0.00
149	10.30	149	0.00
150	10.20	150	0.00
151	10.10	151	0.00
152	10.00	152	0.00
153	9.90	153	0.00
154	9.80	154	0.00
155	9.70	155	0.00
156	9.60	156	0.00
157	9.50	157	0.00
158	9.40	158	0.00
159	9.30	159	0.00
160	9.20	160	0.00
161	9.10	161	0.00
162	9.00	162	0.00
163	8.90	163	0.00
164	8.80	164	0.00
165	8.70	165	0.00
166	8.60	166	0.00
167	8.50	167	0.00
168	8.40	168	0.00
169	8.30	169	0.00
170	8.20	170	0.00
171	8.10	171	0.00
172	8.00	172	0.00
173	7.90	173	0.00
174	7.80	174	0.00
175	7.70	175	0.00
176	7.60	176	0.00
177	7.50	177	0.00
178	7.40	178	0.00
179	7.30	179	0.00
180	7.20	180	0.00
181	7.10	181	0.00
182	7.00	182	0.00
183	6.90	183	0.00
184	6.80	184	0.00
185	6.70	185	0.00
186	6.60	186	0.00
187	6.50	187	0.00
188	6.40	188	0.00
189	6.30	189	0.00
190	6.20	190	0.00
191	6.10	191	0.00
192	6.00	192	0.00
193	5.90	193	0.00
194	5.80	194	0.00
195	5.70	195	0.00
196	5.60	196	0.00
197	5.50	197	0.00
198	5.40	198	0.00
199	5.30	199	0.00
200	5.20	200	0.00
201	5.10	201	0.00
202	5.00	202	0.00
203	4.90	203	0.00
204	4.80	204	0.00
205	4.70	205	0.00
206	4.60	206	0.00
207	4.50	207	0.00
208	4.40	208	0.00
209	4.30	209	0.00
210	4.20	210	0.00
211	4.10	211	0.00
212	4.00	212	0.00
213	3.90	213	0.00
214	3.80	214	0.00
215	3.70	215	0.00
216	3.60	216	0.00
217	3.50	217	0.00
218	3.40	218	0.00
219	3.30	219	0.00
220	3.20	220	0.00
221	3.10	221	0.00
222	3.00	222	0.00
223	2.90	223	0.00
224	2.80	224	0.00
225	2.70	225	0.00
226	2.60	226	0.00
227	2.50	227	0.00
228	2.40	228	0.00
229	2.30	229	0.00
230	2.20	230	0.00
231	2.10	231	0.00
232	2.00	232	0.00
233	1.90	233	0.00
234	1.80	234	0.00
235	1.70	235	0.00
236	1.60	236	0.00
237	1.50	237	0.00
238	1.40	238	0.00
239	1.30	239	0.00
240	1.20	240	0.00
241	1.10	241	0.00
242	1.00	242	0.00
243	0.90	243	0.00
244	0.80	244	0.00
245	0.70	245	0.00
246	0.60	246	0.00
247	0.50	247	0.00
248	0.40	248	0.00
249	0.30	249	0.00
250	0.20	250	0.00
251	0.10	251	0.00
252	0.00	252	0.00

PLATFORM- RADFORD  
 POSITION- 32 42 N 157 50W  
 MARSDEN SQUARE 124 ONE DEGREE SQUARE 27  
 DATE- AUG 30, 1968 TIME- 1800  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)	DEPT. (M)	TEMP (C)
0	25.20	0	0.00
1	25.10	1	0.00
2	25.00	2	0.00
3	24.90	3	0.00
4	24.80	4	0.00
5	24.70	5	0.00
6	24.60	6	0.00
7	24.50	7	0.00
8	24.40	8	0.00
9	24.30	9	0.00
10	24.20	10	0.00
11	24.10	11	0.00
12	24.00	12	0.00
13	23.90	13	0.00
14	23.80	14	0.00
15	23.70	15	0.00
16	23.60	16	0.00
17	23.50	17	0.00
18	23.40	18	0.00
19	23.30	19	0.00
20	23.20	20	0.00
21	23.10	21	0.00
22	23.00	22	0.00
23	22.90	23	0.00
24	22.80	24	0.00
25	22.70	25	0.00
26	22.60	26	0.00
27	22.50	27	0.00
28	22.40	28	0.00
29	22.30	29	0.00
30	22.20	30	0.00
31	22.10	31	0.00
32	22.00	32	0.00
33	21.90	33	0.00
34	21.80	34	0.00
35	21.70	35	0.00
36	21.60	36	0.00
37	21.50	37	0.00
38	21.40	38	0.00
39	21.30	39	0.00
40	21.20	40	0.00
41	21.10	41	0.00
42	21.00	42	0.00
43	20.90	43	0.00
44	20.80	44	0.00
45	20.70	45	0.00
46	20.60	46	0.00
47	20.50	47	0.00
48	20.40	48	0.00
49	20.30	49	0.00
50	20.20	50	0.00
51	20.10	51	0.00
52	20.00	52	0.00
53	19.90	53	0.00
54	19.80	54	0.00
55	19.70	55	0.00
56	19.60	56	0.00
57	19.50	57	0.00
58	19.40	58	

PLATFORM-	POSITION-	DATE-	INSTRUMENT TYPE-	DEPTH (M)	TEMP (C)
RADFORD	35 10N 157 50W	AUG 31, 1968	BATHY	0	26.30
				15	24.40
				17	24.30
				19	24.00
				20	23.70
				21	22.60
				22	20.70
				23	20.00
				24	19.70
				27	19.40
				28	19.10
				29	18.80
				30	18.60
				31	18.40
				32	18.10
				35	17.30
				36	17.20
				41	16.60
				42	16.10
				44	15.70
				51	15.10
				59	14.80
				71	14.30
				107	12.90
				118	12.70
				127	12.60
				142	12.30
				192	11.80
				238	10.90
				245	10.70
				295	10.20
				315	10.10
				410	8.40
				453	7.30
				477	7.00
				509	6.30
				541	5.70
				593	5.10
				647	4.70
				746	4.30
				762	4.30
RADFORD	36 24N 157 52W	AUG 31, 1968	BATHY	0	23.50
				12	23.50
				15	23.30
				16	23.20
				17	22.90
				18	22.30
				19	21.80
				20	20.30
				21	19.10
				22	18.40
				25	18.00
				26	17.80
				27	17.80
				29	17.30
				30	17.00
				33	16.60
				40	15.40
				41	15.10
				46	14.00
				51	13.70
				54	13.20
				66	12.00
				69	12.50
				79	12.40
				82	12.20
				91	12.10
				101	11.70
				119	11.00
				177	11.30
				220	10.50
				243	10.40
				257	10.10
				269	10.10
				287	9.70
				331	9.20
				332	9.10
				342	8.90
				378	8.20
				384	8.00
				404	7.50
				436	7.00
				447	6.80
				458	6.70
				470	6.30
				520	5.70
				550	5.50
				584	4.90
				642	4.00
				762	4.10
RADFORD	37 41N 157 51W	AUG 31, 1968	BATHY	0	23.10
				19	23.00
				20	21.00
				21	19.60
				22	18.50
				23	18.30
				24	18.10
				29	17.30
				30	17.20
				31	16.90
				34	16.60
				40	15.90
				42	15.50
				43	15.20
				48	14.10
				50	13.80
				54	13.20
				63	12.00
				67	12.50
				89	12.00
				125	11.70
				140	11.70
				167	11.40
				213	10.60
				240	10.40
				293	9.80
				300	8.80
				421	7.30
				431	7.30
				435	7.10
				437	6.90
				461	6.80
				469	6.00
				515	5.90
				560	5.30
				640	4.90
				644	4.80
				703	4.50
				762	4.40

PLATFORM- RADFORD

POSITION- 38 55N 157 49W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 87

DATE- SEP 01, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	22.30
11	22.20
13	22.20
14	22.20
15	21.70
16	18.00
17	18.20
18	17.50
19	17.10
20	16.80
21	16.50
22	16.50
26	16.10
30	15.00
31	15.20
37	14.00
43	13.00
45	13.40
49	12.90
50	12.70
55	12.30
61	12.20
68	11.00
75	11.50
95	11.40
110	11.00
120	11.50
134	11.50
137	11.20
152	11.20
160	10.70
175	10.70
180	10.40
204	10.30
223	10.00
270	9.50
301	9.16
340	8.30
353	7.80
415	6.00
446	6.20
450	6.20
461	6.10
513	5.30
522	5.30
536	5.20
553	5.10
554	4.90
568	4.80
605	4.60
762	4.00

PLATFORM- RADFORD

POSITION- 40 4N 157 51W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- SEP 01, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)
0	21.10
12	21.10
15	20.90
16	19.00
17	18.00
18	17.90
19	17.70
20	17.50
21	17.00
22	16.00
23	16.20
24	15.70
28	15.20
30	14.90
31	14.50
33	13.00
35	13.50
38	13.10
40	12.70
42	12.10
48	11.40
53	11.10
64	10.00
74	10.40
110	10.00
160	10.00
173	10.40
190	10.30
202	10.10
209	10.10
225	9.70
263	9.30
268	9.10
315	8.30
342	8.00
370	7.20
394	7.20
417	6.90
433	6.40
461	6.00
475	5.00
480	5.50
511	5.10
532	5.00
570	4.00
604	4.40
762	3.90

PLATFORM- RADFORD

POSITION- 41 12N 157 47W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 17

DATE- SEP 01, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	19.40
17	19.40
18	19.20
19	19.00
20	17.90
21	17.50
22	17.10
23	16.00
24	16.50
25	16.10
26	15.50
27	15.20
30	14.90
31	14.00
34	14.30
39	13.30
41	13.20
43	12.60
46	12.30
47	11.70
49	11.60
54	11.00
61	10.70
91	10.00
90	10.40
113	10.50
117	10.40
126	10.00
161	9.90
173	9.80
184	9.50
201	9.50
205	9.40
219	9.30
232	9.10
241	9.10
297	9.20
317	7.70
390	6.00
412	6.40
425	6.10
507	5.10
583	4.60
600	4.30
633	4.30
646	4.10
762	3.90

PLATFORM- RADFORD

POSITION- 42 4 N 157 49W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- SEP 01, 1968 TIME- 1000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	17.00
20	17.00
21	17.00
22	17.00
23	17.00
24	17.00
27	16.50
28	16.20
29	15.00
30	15.10
31	15.10
33	14.00
34	14.00
35	14.50
39	13.00
42	13.50
43	13.20
44	13.00
45	12.00
46	12.00
47	12.10
52	11.20
53	10.90
57	10.30
61	10.10
77	9.90
94	9.00
105	9.00
125	9.30
133	9.50
159	9.50
177	9.10
198	9.00
204	8.80
235	8.70
249	8.60
280	7.90
380	6.10
387	6.10
401	5.70
414	5.70
425	5.40
498	4.80
540	4.70
570	4.40
762	3.80

PLATFORM- RADFORD

POSITION- 43 0N 157 51W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- SEP 02, 1968 TIME- 1

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	17.00
17	17.00
21	16.90
26	16.20
28	15.90
29	15.70
30	14.70
32	14.30
34	13.90
38	13.10
41	12.50
43	12.00
44	11.80
47	11.10
48	10.80
49	10.20
53	9.90
59	10.00
60	10.20
63	10.20
68	9.90
78	10.00
86	9.60
92	9.70
93	9.30
100	9.00
109	9.20
125	9.30
130	9.10
141	9.20
144	8.70
153	8.90
165	8.90
171	8.60
180	8.30
233	8.30
245	8.20
252	8.00
269	7.80
303	7.10
326	6.90
333	6.70
352	6.30
372	6.20
376	6.10

PLATFORM- RADFORD

POSITION- 44 1 N 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 47

DATE- SEP 02, 1968 TIME- 030

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	16.10
17	16.10
20	16.00
30	15.00
36	15.40
39	15.10
42	14.00
44	14.20
45	13.90
46	13.40
47	13.00
49	12.10
50	11.70
51	11.70
52	11.20
54	10.90
55	10.60
56	10.30
57	9.90
58	9.40
60	9.20
62	8.90
74	8.00
84	8.70
93	8.70
101	8.50
131	8.50
132	8.30
150	8.00
183	8.30
209	8.10
247	7.40
256	7.00
266	7.20
280	7.10
293	6.80
304	6.70
306	6.50
340	6.20
362	5.80
383	5.70
394	5.40
417	5.20
473	4.90
504	4.50
552	4.40
559	4.20
624	4.00
762	3.80

PLATFORM- RADFORD  
 POSITION- 44 33M 157 50W  
 MARSSEN SQUARE 160 ONE DEGREE SQUARE 47  
 DATE- SEP 02, 1968 TIME- 1100  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	16.70
33	16.48
37	16.30
38	16.10
39	13.90
40	13.40
41	13.10
42	12.80
43	12.50
44	12.80
45	11.30
46	11.00
49	10.30
50	9.80
51	9.60
52	9.48
56	8.80
63	8.00
65	8.50
70	8.38
78	8.20
82	8.80
98	7.70
104	7.70
107	8.00
109	8.10
110	7.90
114	7.90
119	8.00
121	8.20
125	8.00
163	7.70
192	7.80
200	7.60
224	7.30
238	7.00
257	6.80
260	6.70
270	6.50
293	6.50
298	6.30
320	5.90
332	5.70
380	5.20
386	5.00
434	4.50
541	4.30
563	4.10
762	3.70

PLATFORM- RADFORD  
 POSITION- 44 43M 157 51W  
 MARSSEN SQUARE 160 ONE DEGREE SQUARE 47  
 DATE- SEP 02, 1968 TIME- 1200  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.90

DEPTH (M)	TEMP (C)
0	16.00
9	13.00
27	13.00
30	13.70
32	13.30
33	12.70
34	12.30
35	11.60
36	11.30
39	10.50
41	10.00
42	9.70
47	9.00
51	8.30
61	7.70
72	7.30
89	7.20
92	7.00
103	7.10
108	7.30
114	7.10
119	7.40
150	7.20

PLATFORM- RADFORD  
 POSITION- 45 30M 157 54W  
 MARSSEN SQUARE 160 ONE DEGREE SQUARE 57  
 DATE- SEP 02, 1968 TIME- 1000  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	13.30
13	13.20
23	13.00
26	12.90
27	12.00
28	12.50
29	12.10
32	11.00
34	11.10
35	10.00
36	10.40
37	10.00
38	9.00
39	9.30
40	8.60
44	8.20
50	8.00
59	7.30
60	7.30
87	6.90
126	7.20
153	7.10
164	6.90
184	6.70
209	6.00
222	6.30
244	6.20
263	5.70
280	5.70
299	5.50
318	5.20
377	4.00
490	4.10
575	4.10
634	3.00
762	3.70

PLATFORM- RADFORD

POSITION- 45 14N 157 53W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE- SEP 03, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)
0	13.70
16	13.70
26	13.46
27	13.46
31	12.60
37	12.30
44	11.60
47	11.60
51	10.60
52	10.46
53	10.10
54	9.30
55	9.10
56	8.80
59	8.20
63	7.80
69	7.50
79	7.30
98	7.10
112	7.10
119	6.80
140	6.70
153	6.40
160	6.00
173	6.00
180	6.60
194	6.70
217	6.70
243	6.40
262	5.90
276	5.90
350	5.00
358	4.80
383	4.80
415	4.50
426	4.20
470	4.00
762	3.90

PLATFORM- RADFORD

POSITION- 45 32N 157 52W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE- SEP 03, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.99

DEPTH (M)	TEMP (C)
0	13.30
17	13.30
33	13.10
36	12.90
37	12.50
43	11.70
44	11.50
45	11.20
46	10.70
47	10.50
48	9.90
50	9.80
51	9.60
52	9.40
53	9.20
64	8.30
76	7.60
88	7.30
106	7.30
117	7.20
119	7.00
121	6.00
125	7.00
171	6.90
220	6.70
253	6.20
291	5.90
294	5.70
345	5.10
424	4.50
557	4.10
762	3.90

PLATFORM- RADFORD

POSITION- 46 33N 157 54W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 67

DATE- SEP 03, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	12.90
17	12.90
22	12.70
35	12.60
39	12.60
41	12.30
42	11.00
43	11.10
44	10.60
45	9.90
46	9.30
47	8.80
48	8.60
49	8.40
52	8.10
59	7.40
59	7.00
61	6.80
69	6.30
82	6.30
94	6.50
104	6.50
114	6.20
117	6.30
123	6.10
127	6.20
212	6.10
244	5.50
293	5.20
313	5.00
316	4.00
336	4.50
365	4.30
762	3.80

PLATFORM- RADFORD

POSITION- 48 39N 157 52W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 87

DATE- SEP 04, 1968 TIME- 1

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.00
45	11.00
47	11.00
48	11.00
49	10.70
50	10.30
51	9.70
52	9.10
53	8.70
54	8.40
55	7.90
57	7.60
60	7.30
64	6.90
75	6.30
94	6.30
114	5.40
129	4.80
145	4.00
190	4.70
210	4.40
234	4.40
295	4.10
351	3.90
476	3.00
762	3.00

PLATFORM- RADFORD

POSITION- 49 31N 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 97

DATE- SEP 04, 1969 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.40
23	11.40
34	11.10
41	10.60
43	10.20
44	9.60
45	9.00
46	8.40
47	7.90
48	6.60
49	6.20
54	5.50
63	5.40
64	5.00
80	5.10
91	4.90
99	4.80
101	4.60
109	4.30
126	4.30
129	4.10
174	4.10
205	3.90
504	3.60
762	3.60

PLATFORM- RADFORD

POSITION- 50 32N 157 50W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE- SEP 04, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.10
0	10.90
29	10.00
31	10.70
34	10.40
35	10.00
36	9.60
37	8.80
38	7.60
39	7.10
40	6.10
41	5.30
47	4.90
60	4.90
74	4.60
80	4.60
102	4.20
193	3.90
504	3.00
597	4.00
608	3.80
735	3.70
747	3.50



PLATFORM- RADFORD

POSITION- 51 34N 157 50E

MARSDEN SQUARE 196 ONE DEGREE SQUARE 17

DATE- SEP 04, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	10.00
17	10.00
29	10.00
32	10.00
35	10.00
37	9.70
38	9.00
39	8.50
40	7.70
41	7.20
42	6.60
43	6.10
46	4.90
61	4.70
75	4.00
85	4.50
93	4.10
107	4.10
197	3.00
409	3.90
762	3.00

PLATFORM- RADFORD

POSITION- 52 37N 157 51E

MARSDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- SEP 05, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	10.90
13	10.00
21	10.50
23	10.30
26	9.70
27	9.00
28	8.70
30	8.20
31	8.00
32	7.70
33	7.50
34	6.00
35	6.30
36	5.00
37	5.20
39	4.90
41	4.50
54	4.00
74	4.00
91	4.30
134	4.00
608	3.30

PLATFORM- RADFORD

POSITION- 53 45N 157 50E

MARSDEN SQUARE 196 ONE DEGREE SQUARE 37

DATE- SEP 05, 1968 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.00
16	11.00
19	11.00
22	11.00
28	10.70
29	10.00
30	9.70
31	7.50
32	7.10
33	6.00
34	5.00
36	5.00
38	4.70
48	3.00
60	3.00
84	4.00
200	4.00
545	3.00
748	3.50

PLATFORM- RADFORD

POSITION- 54 1UN 157 47N

MARSDEN SQUARE 196 ONE DEGREE SQUARE 47

DATE- SEP 05, 1968 TIME- 1201

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.50
23	11.50
26	11.30
28	11.00
29	10.40
30	9.90
31	9.30
32	7.10
33	5.70
34	5.10
38	4.70
43	4.00
63	3.70
106	4.00
436	3.00
652	3.40
671	3.30
718	3.30

PLATFORM- RADFORD

POSITION- 54 48N 157 0N

MARSDEN SQUARE 196 ONE DEGREE SQUARE 47

DATE- SEP 05, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	12.40
30	12.30
31	12.20
32	12.00
33	11.50
34	10.20
35	9.30
36	9.00
37	8.00
38	8.10
39	7.60
40	7.40
44	6.30
47	6.00
48	5.30
50	5.10
62	4.70
69	4.60
80	4.00
115	3.90
123	4.10
667	3.70
762	3.60

PLATFORM- RADFORD

POSITION- 55 50 N 154 53W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 54

DATE- SEP 06, 1968 TIME- 200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	12.50
21	12.30
24	12.10
25	11.50
26	10.00
27	9.80
28	9.50
29	9.20
31	9.00
32	8.60
40	7.20
53	6.00
58	6.00
70	5.30
76	5.10
89	4.90
135	5.20
199	5.20
382	4.50
346	4.40
350	4.30
762	3.80

PLATFORM- RADFORD

POSITION- 55 55N 153 18W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 53

DATE- SEP 06, 1968 TIME- 0900

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	12.20
11	12.20
15	12.00
16	11.20
17	10.80
18	10.40
24	9.90
25	9.70
26	9.50
27	8.90
28	8.00
31	7.50
33	7.20
34	6.90
37	6.40
45	6.20
52	5.70
56	5.30
106	5.20
229	4.90
249	4.80
274	4.70
295	4.70
309	4.50
444	4.10
762	3.90

PLATFORM- RADFORD

POSITION- 56 39N 151 35W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 61

DATE- SEP 06, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	13.80
19	13.60
21	13.40
22	12.50
23	10.80
24	10.30
25	10.10
26	9.80
29	9.40
30	9.10
33	9.00
35	8.70
36	8.10
37	7.70
38	7.50
39	6.80
43	6.10
53	5.40
62	4.00
123	5.12
173	5.10
191	4.80
250	4.70
254	4.50
339	4.40
360	4.10
633	4.20
643	3.90
689	3.90
701	3.70
720	3.70

PLATFORM- RADFORD  
 POSITION- 51 48N 157 53W  
 MARSDEN SQUARE 193 ONE DEGREE SQUARE 17  
 DATE- SEP 11, 1968 TIME- 1  
 INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.00

DEPTH (M)	TEMP (C)
0	10.50
32	10.40
34	10.40
35	9.70
36	9.20
37	8.50
38	7.00
39	6.90
40	6.20
41	5.80
45	5.30
81	5.20
94	4.90
95	4.80
134	4.60
169	4.70
261	4.60

PLATFORM- RADFORD  
 POSITION- 52 40N 157 50W  
 MARSDEN SQUARE 196 ONE DEGREE SQUARE 27  
 DATE- SEP 10, 1968 TIME- 1800  
 INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.90

DEPTH (M)	TEMP (C)
0	10.70
7	10.50
29	10.50
31	10.40
33	10.10
35	9.60
36	9.20
37	8.00
38	8.00
39	5.20
41	4.60
52	4.30
54	4.10
66	3.90
90	4.20
93	4.40
100	4.40
109	4.60
179	4.60

PLATFORM- RADFORD  
 POSITION- 55 32N 154 12W  
 MARSDEN SQUARE 196 ONE DEGREE SQUARE 54  
 DATE- SEP 10, 1968 TIME- 000  
 INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)
0	12.30
3	12.30
8	11.90
15	11.80
14	11.70
17	11.50
18	11.30
23	11.20
24	11.10
26	10.70
27	9.80
28	8.80
29	8.50
31	8.20
34	7.40
36	6.70
41	6.10
48	5.30
57	5.20
96	5.10
130	5.10
165	5.40
182	5.40
184	5.40
186	5.70
226	5.50
246	5.20
279	5.10
280	4.80
328	4.50
435	4.30
441	4.10
762	3.90

PLATFORM- RADFORD

POSITION- 50 53N 157 18W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE- SEP 11, 1968 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	10.70
7	10.50
52	10.50
53	9.90
54	9.40
55	8.10
56	6.20
57	5.90
58	5.50
59	5.20
60	5.00
64	4.80
80	4.60
102	4.30
103	4.40
104	4.50
200	4.50

PLATFORM- RADFORD

POSITION- 49 21N 157 53W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 97

DATE- SEP 11, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	11.40
36	11.20
39	11.20
40	10.60
41	9.90
42	9.10
43	8.30
44	8.00
45	7.40
46	7.10
48	6.40
60	6.10
83	5.80
100	5.80
115	5.20
134	5.10
136	4.80
146	4.80
153	5.10
155	5.30
173	5.40
192	5.40
201	5.10
232	4.80
263	4.80
285	4.60
330	4.60

PLATFORM- RADFORD

POSITION- 47 48N 150 0W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 70

DATE- SEP 11, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	12.40
9	12.20
13	12.40
43	12.30
45	12.20
46	11.70
47	10.80
48	8.60
49	8.60
50	8.40
51	8.10
52	7.70
55	7.50
56	7.30
57	7.00
60	6.50
64	6.30
107	6.30
108	6.20
111	5.80
112	5.40
115	5.40
117	5.10
122	5.10
129	5.30
155	5.40
170	5.60
184	5.30
200	5.30
212	5.20
224	5.00
244	5.10
271	4.70
291	4.70
293	4.90
306	4.70
359	4.70

PLATFORM-	POSITION-	MARSDEN SQUARE	DATE-	INSTRUMENT TYPE-	BATHY	BASELINE TEMP-
RADFORD	46 21N 157 52W	67	SEP 12, 1968	TYPE-	BATHY	16.70
DEPTH (M)	TEMP (C)					
0	12.00					
4	12.00					
43	12.00					
44	11.60					
45	11.20					
46	9.90					
47	8.60					
53	7.60					
54	7.30					
61	6.30					
63	6.00					
70	6.00					
71	6.10					
80	6.10					
90	6.50					
101	6.60					
136	6.50					
140	6.30					
164	6.30					
180	6.10					
200	6.20					
227	5.80					
240	5.70					
255	5.40					
278	5.30					
277	5.10					
285	5.10					
289	4.90					
319	4.90					
323	4.80					
351	4.60					
354	4.60					
450	4.40					
471	4.20					
762	4.10					
RADFORD	46 0N 157 52W	67	SEP 12, 1968	TYPE-	BATHY	16.70
DEPTH (M)	TEMP (C)					
0	13.00					
13	12.00					
30	12.00					
41	12.30					
42	11.90					
43	10.50					
44	10.00					
45	9.50					
46	9.00					
48	8.50					
50	8.10					
56	7.50					
59	6.90					
61	6.70					
67	6.40					
76	6.60					
102	6.70					
106	6.40					
109	6.40					
111	6.60					
120	6.80					
161	6.30					
175	6.50					
216	6.30					
225	6.10					
239	6.00					
243	5.90					
270	5.50					
295	5.00					
319	5.30					
342	5.30					
347	4.90					
364	4.60					
487	4.40					
516	4.50					
560	4.40					
657	4.40					
670	4.20					
762	4.10					
RADFORD	46 0N 157 59W	67	SEP 12, 1968	TYPE-	BATHY	16.70
DEPTH (M)	TEMP (C)					
0	13.10					
33	12.90					
34	12.70					
37	12.30					
38	11.50					
39	11.00					
40	10.60					
41	10.30					
42	10.00					
43	9.70					
44	9.30					
47	8.50					
48	8.30					
49	8.10					
50	7.90					
54	7.70					
58	7.40					
65	7.10					
72	6.80					
109	6.80					
113	7.00					
154	7.10					
163	7.10					
166	6.80					
176	6.80					
179	6.60					
191	6.70					
214	6.70					
226	6.60					
240	6.20					
257	6.20					
263	5.90					
283	5.90					
287	5.70					
301	5.60					
303	5.50					
315	5.50					
333	5.30					
352	4.80					
360	4.70					
405	4.40					
463	4.30					
492	4.10					
762	3.70					

PLATFORM- RADFORD	POSITION- 45 31N 157 53W	MARSDEN SQUARE 160 ONE DEGREE SQUARE 57	DATE- SEP 12, 1968 TIME- 1030	INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70	DEPTH (M)	TEMP (C)
					0	13.70
					13	13.40
					33	13.50
					35	13.40
					37	13.00
					40	12.00
					41	11.70
					42	11.40
					43	11.10
					45	10.20
					51	8.80
					54	8.30
					63	7.80
					76	7.70
					83	7.30
					97	7.20
					122	7.40
					163	7.50
					173	7.30
					207	7.30
					213	7.10
					233	7.10
					243	7.80
					254	6.60
					316	6.50
					322	6.30
					326	6.30
					362	6.00
					406	5.90
					450	5.90
					466	6.10
					483	6.10
					533	6.40
					700	6.40

PLATFORM- RADFORD	POSITION- 41 43N 157 48W	MARSDEN SQUARE 160 ONE DEGREE SQUARE 17	DATE- SEP 13, 1968 TIME- 0	INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70	DEPTH (M)	TEMP (C)
					0	17.20
					31	17.20
					36	16.70
					37	16.30
					38	16.00
					39	15.40
					40	15.00
					41	14.50
					47	13.50
					48	12.90
					49	12.70
					50	12.40
					52	12.00
					57	11.50
					58	11.20
					61	10.70
					67	10.10
					75	9.90
					87	9.90
					94	9.70
					104	9.70
					111	9.60
					114	9.40
					129	9.30
					138	9.30
					146	9.50
					169	9.50
					174	9.30
					206	9.30
					211	9.10
					234	9.10
					251	8.70
					268	8.70
					280	8.30
					287	8.30
					300	8.00
					307	7.80
					311	7.50
					326	6.90
					348	6.60
					351	6.40
					361	6.40
					371	6.10
					401	5.90
					404	5.70

PLATFORM- RADFORD	POSITION- 39 52N 157 58W	MARSDEN SQUARE 124 ONE DEGREE SQUARE 97	DATE- SEP 13, 1968 TIME- 000	INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70	DEPTH (M)	TEMP (C)
					0	20.20
					23	20.10
					24	19.40
					25	19.20
					26	18.70
					27	17.30
					28	17.10
					29	16.40
					30	15.80
					31	15.40
					32	15.20
					36	14.70
					41	13.90
					43	13.50
					46	13.10
					49	12.70
					50	12.50
					54	12.20
					59	11.00
					60	11.50
					68	11.00
					113	10.90
					144	11.00
					173	11.00
					217	10.50
					221	10.30
					276	9.60
					284	9.40
					300	9.20
					321	8.80
					351	8.40
					370	7.70
					402	7.30
					431	7.00
					447	6.70
					453	6.70
					455	6.50
					496	6.00
					535	6.00
					538	5.80
					611	5.30
					631	5.10
					644	5.10
					655	4.80
					693	4.80
					727	4.70

PLATFORM- RADFORD	POSITION- 35 50N 157 45W	MARSDEN SQUARE 124 ONE DEGREE SQUARE 57	DATE- SEP 13, 1968 TIME- 1000	INSTRUMENT TYPE- BATHY	BASELINE TEMP- 16.00
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	24.20	0	25.20	0	11.30
8	24.10	7	25.20	248	10.90
21	24.00	15	24.90	282	10.60
22	23.80	20	25.00	292	10.60
23	23.80	37	24.90	304	10.60
24	23.70	43	24.90	337	10.10
25	23.20	48	24.90	346	9.80
26	22.30	470	24.20	357	9.80
27	21.40	484	23.70	367	9.50
28	20.80	495	23.10	393	9.80
29	19.90	499	21.70	401	9.80
30	19.50	535	21.00	421	8.50
31	19.20	552	20.20	427	8.50
32	18.90	554	19.60	442	8.00
33	18.50	585	19.30	453	7.60
34	18.10	601	18.30	455	7.30
35	17.60	631	18.10	463	7.00
36	17.20	648	17.60	481	6.70
41	16.70	673	17.10	494	6.40
53	15.30	694	16.80	498	6.40
63	14.80	740	16.70	515	6.30
72	14.20		16.20	518	6.20
77	14.00		16.20	527	6.20
78	13.80		16.20	540	5.90
90	13.50		16.00	542	5.80
94	13.10		15.70	564	5.60
98	13.10		15.40	630	4.90
101	12.90		15.20	650	4.80
125	12.40		14.70	661	4.70
126	12.40		14.70	757	4.40
127	12.40		13.90		
134	12.40		13.60		
153	11.80		13.60		
153	11.80		13.50		
195	11.40		13.30		
208	11.40		13.10		
234	10.90		13.10		
246	10.90		12.70		
253	10.70		12.50		
279	10.50		12.40		
284	10.30		12.20		
304	10.10		12.10		
321	9.70		11.90		
324	9.70		11.40		
330	9.50		11.00		
367	8.90		11.00		

PLATFORM- RADFORD	POSITION- 35 0N 157 50W	MARSDEN SQUARE 124 ONE DEGREE SQUARE 57	DATE- SEP 13, 1968 TIME- 2330	INSTRUMENT TYPE- BATHY	BASELINE TEMP- 10.00
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.20	0	25.20	0	11.30
7	25.20	282	25.00	3	10.50
15	24.90	304	25.00	16	10.50
20	25.00	337	25.00	21	10.10
23	24.90	346	24.90	22	9.70
24	24.20	357	24.90	23	9.70
25	23.70	367	24.20	24	9.60
26	23.10	393	23.70	25	9.50
27	21.70	401	23.10	26	9.50
28	21.00	421	21.00	27	9.00
29	20.20	427	20.20	28	8.50
30	19.60	442	19.60	29	8.50
31	19.30	453	19.30	30	8.00
32	18.90	455	18.90	32	8.00
33	18.50	463	18.30	33	7.90
34	18.10	481	18.10	34	7.60
35	17.60	494	17.60	44	7.60
36	17.10	498	17.10	45	7.60
40	16.80	515	16.80	46	7.60
42	16.80	518	16.80	47	7.60
44	16.70	527	16.70	48	7.60
49	16.20	540	16.20	49	7.60
50	16.00	542	16.00	50	7.60
53	15.70	564	15.70	51	7.60
59	15.40	630	15.40	52	7.60
61	15.20	650	15.20	53	7.60
71	14.70	661	14.70	54	7.60
74	14.70	757	14.70	55	7.60
76	14.70		14.30	56	7.60
89	13.90		13.90	57	7.60
93	13.60		13.60	58	7.60
96	13.60		13.60	59	7.60
100	13.50		13.30	60	7.60
111	13.30		13.10	61	7.60
117	13.10		13.10	62	7.60
131	13.10		12.90	63	7.60
141	12.90		12.70	64	7.60
144	12.70		12.50	65	7.60
160	12.50		12.40	66	7.60
163	12.40		12.20	67	7.60
182	12.20		12.10	68	7.60
186	12.10		11.90	69	7.60
214	11.90		11.40	70	7.60
220	11.40		11.00	71	7.60
237	11.00		11.00	72	7.60

PLATFORM- RADFORD	POSITION- 34 10N 157 45W	MARSDEN SQUARE 124 ONE DEGREE SQUARE 57	DATE- SEP 14, 1968 TIME- 015	INSTRUMENT TYPE- BATHY	BASELINE TEMP- 16.70
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.50	0	25.50	0	10.50
3	25.50	3	25.50	3	10.50
16	25.20	16	25.20	16	10.40
21	24.90	21	25.20	21	10.10
22	24.90	22	24.90	22	9.70
23	24.10	23	24.10	23	9.70
24	23.40	24	23.40	24	9.60
25	21.80	25	21.80	25	9.50
26	21.70	26	21.70	26	9.50
27	21.00	27	21.00	27	9.00
28	20.70	28	20.70	28	8.80
29	20.10	29	20.10	29	8.80
30	19.50	30	19.50	30	8.20
32	18.50	32	18.50	32	8.00
43	18.60	43	18.60	43	8.00
44	18.20	44	18.20	44	7.90
61	17.70	61	17.70	61	7.60
515	17.10	515	17.10	515	7.60
530	16.50	530	16.50	530	7.60
537	16.50	537	16.50	537	7.60
542	16.50	542	16.50	542	7.60
553	16.20	553	16.20	553	7.60
573	15.90	573	15.90	573	7.60
582	15.80	582	15.80	582	7.60
594	15.40	594	15.40	594	7.60
597	15.00	597	15.00	597	7.60
624	15.00	624	15.00	624	7.60
629	14.00	629	14.00	629	7.60
696	14.70	696	14.70	696	7.60
703	14.60	703	14.60	703	7.60
727	14.60	727	14.60	727	7.60
729	14.30	729	14.30	729	7.60
750	13.60	750	13.60	750	7.60



PLATFORM- RADFORD	POSITION- 33 55N 157 35W	MARSDEN SQUARE 124 ONE DEGREE SQUARE 37	DATE- SEP 14, 1968 TIME- 0800	INSTRUMENT TYPE- BATHY	BASELINE TEMP- 10.70
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.00	0	26.20	0	26.50
4	25.90	24	26.20	17	26.50
8	25.50	24	26.20	31	26.50
22	25.40	24	25.80	43	26.40
23	25.30	30	25.80	44	25.70
25	25.30	31	25.30	46	25.30
26	24.80	31	24.10	47	25.10
28	24.30	32	23.50	48	24.10
27	25.00	33	22.50	49	23.30
28	23.00	40	21.30	50	23.30
29	22.30	42	20.80	51	23.10
30	21.20	44	20.60	52	22.00
31	20.90	47	19.90	53	21.00
32	20.10	57	18.90	55	21.40
34	19.70	61	18.40	57	21.20
40	18.30	72	17.00	59	21.00
45	17.70	83	17.50	61	20.60
46	17.40	94	17.40	62	20.50
48	17.20	103	17.10	64	20.10
50	16.90	117	17.00	66	19.40
54	16.90	135	16.00	68	19.40
56	16.70	146	16.10	69	19.10
57	16.60	150	16.10	72	18.00
60	16.40	165	15.50	79	18.70
61	16.20	173	15.40	85	18.40
62	16.00	180	14.90	88	18.40
63	15.90	192	14.50	94	17.90
72	15.20	203	13.90	98	17.00
77	15.10	210	13.50	100	17.20
92	14.40			112	17.10
97	14.40			120	16.00
99	14.20			132	16.30
107	14.20			136	16.10
120	13.00			140	15.70
149	13.50			144	15.00
152	13.20			161	14.70
160	13.20			162	14.50
170	13.00			173	13.80
191	13.00			176	13.70
210	12.60			177	13.50
226	12.00			180	13.00
263	11.00			206	12.00
281	11.00			216	12.50
284	11.00			225	12.10
313	11.20			244	11.70
310	11.00			253	11.50

PLATFORM- RADFORD	POSITION- 32 47N 157 41W	MARSDEN SQUARE 124 ONE DEGREE SQUARE 27	DATE- SEP 14, 1968 TIME- 1200	INSTRUMENT TYPE- BATHY	BASELINE TEMP- 16.70
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.20	0	26.50	0	26.50
0	26.20	17	26.50	250	26.50
24	25.80	31	26.40	263	26.50
30	24.30	43	25.70	284	26.40
31	24.10	46	25.30	291	25.70
32	23.50	47	25.10	324	25.30
33	22.50	48	24.10	326	25.10
40	21.30	49	23.30	360	24.10
42	20.80	51	23.10	372	23.30
44	20.60	52	22.00	386	23.30
47	19.90	53	21.00	397	23.10
57	18.90	55	21.40	424	22.00
61	18.40	57	21.20	437	21.00
72	17.00	59	21.00	454	21.40
83	17.50	61	20.60	483	21.20
94	17.40	62	20.50	489	21.00
103	17.10	64	20.10	499	20.60
117	17.00	66	19.40	510	20.50
135	16.00	68	19.40	534	20.10
146	16.10	69	19.10	544	19.40
150	16.10	72	18.00	551	19.40
165	15.50	79	18.70	554	19.10
173	15.40	85	18.40	577	18.00
180	14.90	88	18.40	605	18.70
192	14.50	94	17.90	608	18.40
203	13.90	98	17.00	645	17.90
210	13.50	100	17.20	747	17.00
		112	17.10	752	17.20
		120	16.00	762	17.10
		132	16.30		
		136	16.10		
		140	15.70		
		144	15.00		
		161	14.70		
		162	14.50		
		173	13.80		
		176	13.70		
		177	13.50		
		180	13.00		
		206	12.00		
		216	12.50		
		225	12.10		
		244	11.70		
		253	11.50		

PLATFORM-	POSITION-	MARS DEN SQUARE	DATE-	INSTRUMENT TYPE-	BATHY	BASELINE TEMP-
RADFORD	28 57N 157 50W	88	SEP 15, 1968	TIME-	16	16.00
DEPTH (m)	TEMP (C)	DEPTH (m)	TEMP (C)	DEPTH (m)	TEMP (C)	TEMP (C)
0	27.20	0	26.70	0	26.70	12.00
16	26.90	13	26.70	24	26.70	12.00
25	26.70	20	26.50	30	26.50	12.00
30	26.20	28	26.50	34	26.10	12.70
31	25.90	30	26.30	36	26.10	12.90
35	25.00	31	26.00	37	25.30	12.30
36	25.30	34	25.00	38	24.00	12.00
37	25.00	36	25.30	39	24.30	11.00
41	24.10	38	24.00	40	23.00	11.00
42	23.00	42	23.00	41	23.40	11.00
43	22.90	44	22.00	42	22.90	11.50
45	22.10	46	22.20	45	22.00	11.30
48	21.30	47	21.70	46	22.00	11.10
49	21.10	49	21.30	47	21.90	10.80
50	20.90	53	21.00	52	20.90	10.60
51	20.40	54	20.70	54	20.70	10.60
52	20.30	55	20.40	57	20.40	10.20
55	19.00	56	20.00	61	20.10	9.90
56	19.00	60	20.00	64	19.90	9.90
57	19.00	62	19.70	71	19.00	9.50
61	19.10	67	19.50	73	19.00	9.30
73	18.40	68	19.10	78	18.00	9.10
81	17.40	70	18.70	81	18.50	8.80
91	17.50	79	18.40	87	18.10	8.70
99	17.30	83	18.10	89	17.00	8.30
112	16.00	84	17.90	96	17.00	8.10
119	16.50	87	17.00	97	17.40	7.90
124	16.20	90	17.30	105	17.20	7.90
133	16.10	94	17.10	110	16.00	7.10
137	15.70	102	17.10	117	16.70	6.80
144	15.70	106	16.90	122	16.40	6.70
154	15.40	115	16.00	127	16.40	6.50
166	14.00	125	16.30	140	15.90	5.80
181	14.20	136	16.20	146	15.00	5.40
194	13.90	140	16.00	156	15.40	5.20
203	13.10	144	16.00	173	14.00	4.90
210	13.00	153	15.70	177	14.70	
216	12.00	155	15.40	186	14.20	
225	12.00	160	15.40	197	14.00	
226	12.00	161	15.30	201	13.70	
242	12.20	172	15.00	213	13.70	
243	12.00	174	14.00	216	13.50	
247	11.00	177	14.00	223	13.50	
		180	14.00	226	13.30	
		184	14.00	228	13.10	
		199	14.10			
		206	14.00			
		215	13.40			
		227	13.30			
		235	13.00			

PLATFORM- RADFORD  
 POSITION- 25 37N 157 50W  
 HANSEN SQUARE 00 ONE DEGREE SQUARE 57  
 DATE- SEP 15, 1966 TIME- 1800  
 INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	316	11.70
10	26.70	320	11.40
20	26.70	324	11.40
30	26.70	328	11.40
40	26.70	332	11.40
50	26.70	336	11.40
60	26.70	340	11.40
70	26.70	344	11.40
80	26.70	348	11.40
90	26.70	352	11.40
100	26.70	356	11.40
110	26.70	360	11.40
120	26.70	364	11.40
130	26.70	368	11.40
140	26.70	372	11.40
150	26.70	376	11.40
160	26.70	380	11.40
170	26.70	384	11.40
180	26.70	388	11.40
190	26.70	392	11.40
200	26.70	396	11.40
210	26.70	400	11.40
220	26.70	404	11.40
230	26.70	408	11.40
240	26.70	412	11.40
250	26.70	416	11.40
260	26.70	420	11.40
270	26.70	424	11.40
280	26.70	428	11.40
290	26.70	432	11.40
300	26.70	436	11.40
310	26.70	440	11.40
320	26.70	444	11.40
330	26.70	448	11.40
340	26.70	452	11.40
350	26.70	456	11.40
360	26.70	460	11.40
370	26.70	464	11.40
380	26.70	468	11.40
390	26.70	472	11.40
400	26.70	476	11.40
410	26.70	480	11.40
420	26.70	484	11.40
430	26.70	488	11.40
440	26.70	492	11.40
450	26.70	496	11.40
460	26.70	500	11.40
470	26.70	504	11.40
480	26.70	508	11.40
490	26.70	512	11.40
500	26.70	516	11.40
510	26.70	520	11.40
520	26.70	524	11.40
530	26.70	528	11.40
540	26.70	532	11.40
550	26.70	536	11.40
560	26.70	540	11.40
570	26.70	544	11.40
580	26.70	548	11.40
590	26.70	552	11.40
600	26.70	556	11.40
610	26.70	560	11.40
620	26.70	564	11.40
630	26.70	568	11.40
640	26.70	572	11.40
650	26.70	576	11.40
660	26.70	580	11.40
670	26.70	584	11.40
680	26.70	588	11.40
690	26.70	592	11.40
700	26.70	596	11.40
710	26.70	600	11.40
720	26.70	604	11.40
730	26.70	608	11.40
740	26.70	612	11.40
750	26.70	616	11.40
760	26.70	620	11.40
770	26.70	624	11.40
780	26.70	628	11.40
790	26.70	632	11.40
800	26.70	636	11.40
810	26.70	640	11.40
820	26.70	644	11.40
830	26.70	648	11.40
840	26.70	652	11.40
850	26.70	656	11.40
860	26.70	660	11.40
870	26.70	664	11.40
880	26.70	668	11.40
890	26.70	672	11.40
900	26.70	676	11.40
910	26.70	680	11.40
920	26.70	684	11.40
930	26.70	688	11.40
940	26.70	692	11.40
950	26.70	696	11.40
960	26.70	700	11.40
970	26.70	704	11.40
980	26.70	708	11.40
990	26.70	712	11.40
1000	26.70	716	11.40
1010	26.70	720	11.40
1020	26.70	724	11.40
1030	26.70	728	11.40
1040	26.70	732	11.40
1050	26.70	736	11.40
1060	26.70	740	11.40
1070	26.70	744	11.40
1080	26.70	748	11.40
1090	26.70	752	11.40
1100	26.70	756	11.40
1110	26.70	760	11.40
1120	26.70	764	11.40
1130	26.70	768	11.40
1140	26.70	772	11.40
1150	26.70	776	11.40
1160	26.70	780	11.40
1170	26.70	784	11.40
1180	26.70	788	11.40
1190	26.70	792	11.40
1200	26.70	796	11.40
1210	26.70	800	11.40
1220	26.70	804	11.40
1230	26.70	808	11.40
1240	26.70	812	11.40
1250	26.70	816	11.40
1260	26.70	820	11.40
1270	26.70	824	11.40
1280	26.70	828	11.40
1290	26.70	832	11.40
1300	26.70	836	11.40
1310	26.70	840	11.40
1320	26.70	844	11.40
1330	26.70	848	11.40
1340	26.70	852	11.40
1350	26.70	856	11.40
1360	26.70	860	11.40
1370	26.70	864	11.40
1380	26.70	868	11.40
1390	26.70	872	11.40
1400	26.70	876	11.40
1410	26.70	880	11.40
1420	26.70	884	11.40
1430	26.70	888	11.40
1440	26.70	892	11.40
1450	26.70	896	11.40
1460	26.70	900	11.40
1470	26.70	904	11.40
1480	26.70	908	11.40
1490	26.70	912	11.40
1500	26.70	916	11.40
1510	26.70	920	11.40
1520	26.70	924	11.40
1530	26.70	928	11.40
1540	26.70	932	11.40
1550	26.70	936	11.40
1560	26.70	940	11.40
1570	26.70	944	11.40
1580	26.70	948	11.40
1590	26.70	952	11.40
1600	26.70	956	11.40
1610	26.70	960	11.40
1620	26.70	964	11.40
1630	26.70	968	11.40
1640	26.70	972	11.40
1650	26.70	976	11.40
1660	26.70	980	11.40
1670	26.70	984	11.40
1680	26.70	988	11.40
1690	26.70	992	11.40
1700	26.70	996	11.40
1710	26.70	1000	11.40
1720	26.70	1004	11.40
1730	26.70	1008	11.40
1740	26.70	1012	11.40
1750	26.70	1016	11.40
1760	26.70	1020	11.40
1770	26.70	1024	11.40
1780	26.70	1028	11.40
1790	26.70	1032	11.40
1800	26.70	1036	11.40
1810	26.70	1040	11.40
1820	26.70	1044	11.40
1830	26.70	1048	11.40
1840	26.70	1052	11.40
1850	26.70	1056	11.40
1860	26.70	1060	11.40
1870	26.70	1064	11.40
1880	26.70	1068	11.40
1890	26.70	1072	11.40
1900	26.70	1076	11.40
1910	26.70	1080	11.40
1920	26.70	1084	11.40
1930	26.70	1088	11.40
1940	26.70	1092	11.40
1950	26.70	1096	11.40
1960	26.70	1100	11.40
1970	26.70	1104	11.40
1980	26.70	1108	11.40
1990	26.70	1112	11.40
2000	26.70	1116	11.40
2010	26.70	1120	11.40
2020	26.70	1124	11.40
2030	26.70	1128	11.40
2040	26.70	1132	11.40
2050	26.70	1136	11.40
2060	26.70	1140	11.40
2070	26.70	1144	11.40
2080	26.70	1148	11.40
2090	26.70	1152	11.40
2100	26.70	1156	11.40
2110	26.70	1160	11.40
2120	26.70	1164	11.40
2130	26.70	1168	11.40
2140	26.70	1172	11.40
2150	26.70	1176	11.40
2160	26.70	1180	11.40
2170	26.70	1184	11.40
2180	26.70	1188	11.40
2190	26.70	1192	11.40
2200	26.70	1196	11.40
2210	26.70	1200	11.40
2220	26.70	1204	11.40
2230	26.70	1208	11.40
2240	26.70	1212	11.40
2250	26.70	1216	11.40
2260	26.70	1220	11.40
2270	26.70	1224	11.40
2280	26.70	1228	11.40
2290	26.70	1232	11.40
2300	26.70	1236	11.40
2310	26.70	1240	11.40
2320	26.70	1244	11.40
2330	26.70	1248	11.40
2340	26.70	1252	11.40
2350	26.70	1256	11.40
2360	26.70	1260	11.40
2370	26.70	1264	11.40
2380	26.70	1268	11.40
2390	26.70	1272	11.40
2400	26.70	1276	11.40
2410	26.70	1280	11.40
2420	26.70	1284	11.40
2430	26.70	1288	11.40
2440	26.70	1292	11.40
2450	26.70	1296	11.40
2460	26.70	1300	11.40
2470	26.70	1304	11.40
2480	26.70	1308	11.40
2490	26.70	1312	11.40
2500	26.70	1316	11.40
2510	26.70	1320	11.40
2520	26.70	1324	11.40
2530	26.70	1328	11.40
2540	26.70	1332	11.40
2550	26.70	1336	11.40
2560	26.70	1340	11.40
2570	26.70	1344	11.40
2580	26.70	1348	11.40
2590	26.70	1352	11.40
2600	26.70	1356	11.40
2610	26.70	1360	11.40
2620	26.70	1364	11.40
2630	26.70	1368	11.40
2640	26.70	1372	11.40
2650	26.70	1376	11.40
2660	26.70	1380	11.40
2670	26.70	1384	11.40
2680	26.70	1388	11.40
2690	26.70	1392	11.40
2700	26.70	1396	11.40
2710	26.70	1400	11.40
2720	26.70	1404	11.40
2730	26.70	1408	11.40
2740	26.70	1412	11.40
2750	26.70	1416	11.40
2760	26.70	1420	11.40
2770	26.70	1424	11.40
2780	26.70	1428	11.40
2790	26.70	1432	11.40
2800	26.70	1436	11.40
2810	26.70	1440	11.40
2820	26.70	1444	11.40
2830	26.70	1448	11.40
2840	26.70	1452	11.40
2850	26.70	1456	11.40
2860	26.70	1460	11.40
2870	26.70	1464	11.40
2880	26.70	1468	11.40
2890	26.70	1472	11.40
2900	26		


PLATFORM- RADFORD  
 POSITION- 23 52N 157 54W  
 HARBOR SQUARE 88 ONE GEORGE SQUARE 37  
 DATE- SEP 16, 1968 TIME- 000  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (m)	TEMP (C)	DEPTH (m)	TEMP (C)
0	27.54	251	13.44
30	27.44	253	13.40
39	27.20	256	13.10
46	26.80	269	12.80
48	26.30	273	12.70
54	26.00	279	12.30
55	25.84	285	12.20
61	25.36	287	12.00
68	24.60	291	11.60
72	23.80	292	11.20
76	23.70	300	11.10
78	23.44	314	10.60
81	23.16	319	10.00
86	23.00	322	10.00
90	22.20	346	10.20
100	21.80	364	9.70
104	21.80	370	9.50
107	21.50	371	9.40
113	21.10	383	9.10
119	20.80	386	8.90
123	20.50	403	8.00
131	20.20	413	8.10
136	20.10	437	7.00
137	20.10	440	7.00
144	19.60	470	7.20
149	19.00	478	7.10
156	19.10	487	7.10
159	18.80	491	6.90
167	18.60	512	6.50
179	17.90	520	6.40
180	17.60	522	6.20
193	17.60	554	6.00
197	17.20	564	6.00
207	16.70	597	5.70
210	16.30	601	5.50
214	16.30	625	5.50
222	15.40	632	5.20
229	15.10	646	5.20
233	15.00	651	5.10
235	15.00	754	4.00
239	14.50		
242	14.20		
244	14.20		
248	13.80		
250	13.60		

## USS Rexburg XBT Data

REXBURG XBT

DATA LOCATIONS



PLATFORM- REXBURG	POSITION- 24 19N 157 49W	DATE- AUG 15, 1968	INSTRUMENT TYPE- BATNY	BASELINE TEMP- 16.70	DEPTH (M)	TEMP (C)
					0	26.70
					32	26.70
					49	26.50
					52	26.40
					57	25.20
					61	24.00
					62	24.50
					67	23.70
					70	23.40
					73	22.80
					84	22.20
					89	21.90
					100	21.00
					126	20.00
					128	19.00
					142	19.30
					145	18.90
					153	18.70
					155	18.50
					168	18.00
					172	18.00
					186	17.40
					183	17.30
					197	16.30
					203	15.40
					211	15.50
					222	15.00
					226	14.70
					234	14.50
					241	13.90
					246	12.60
					271	12.50
					277	12.30
					280	11.90
					293	11.70
					305	11.20
					313	11.20
					333	10.40
					348	10.30
					381	9.10
					391	9.00
					415	8.20
					448	7.70

PLATFORM- REXBURG	POSITION- 25 17N 157 50W	DATE- AUG 16, 1968	INSTRUMENT TYPE- BATNY	BASELINE TEMP- 16.60	DEPTH (M)	TEMP (C)
					0	26.00
					4	26.00
					8	26.50
					58	26.40
					64	26.20
					61	26.00
					62	25.60
					65	25.20
					67	24.90
					64	24.30
					69	24.00
					70	23.00
					71	23.00
					74	23.40
					81	22.50
					83	22.30
					92	21.90
					96	21.00
					100	21.60
					102	21.40
					103	21.10
					106	20.90
					112	20.10
					113	20.00
					114	19.70
					118	18.40
					120	19.20
					129	18.30
					135	17.80
					130	17.00
					141	17.60
					148	16.00
					156	16.60
					159	16.40
					164	16.20
					180	15.40
					185	15.00
					187	14.70
					196	13.00
					206	13.40
					210	13.20
					213	12.80

PLATFORM- REXBURG	POSITION- 26 0N 157 40W	DATE- AUG 16, 1968	INSTRUMENT TYPE- BATNY	BASELINE TEMP- 16.60	DEPTH (M)	TEMP (C)
					0	26.60
					5	26.60
					7	26.40
					20	26.40
					37	26.30
					42	26.00
					46	25.40
					47	25.20
					51	24.70
					53	24.40
					61	23.40
					69	22.80
					75	22.70
					82	22.30
					91	22.10
					96	21.90
					97	21.70
					105	21.50
					110	21.30
					113	20.90
					131	19.90
					135	19.90
					151	18.70
					162	18.20
					169	18.20
					180	17.80
					189	17.00
					210	15.70
					223	15.60
					226	15.50
					228	15.20
					240	14.40
					249	14.10
					254	13.80
					263	13.70
					267	13.30
					282	12.00
					293	12.50
					293	12.40
					306	12.00
					315	11.50
					349	10.60
					365	10.00
					404	8.70
					410	8.76

PLATFORM- REXBURG

POSITION- 27 12N 157 50W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 77

DATE- AUG 16, 1968 TIME- 1200

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.88	470	8.30
17	26.88	485	7.90
34	26.10	494	7.90
45	26.10	543	6.00
50	25.88	610	5.00
54	25.10	608	3.30
61	24.30	700	5.20
63	23.80		
75	23.20		
84	22.50		
89	22.30		
94	21.80		
107	21.30		
115	20.90		
124	20.30		
140	20.10		
143	19.90		
160	19.60		
166	19.30		
171	19.30		
178	19.00		
186	18.30		
210	17.00		
219	17.10		
235	16.70		
240	16.20		
255	15.50		
278	14.00		
278	14.20		
284	13.00		
291	13.40		
308	13.00		
313	12.70		
324	12.50		
330	12.10		
335	12.00		
343	11.00		
357	11.30		
363	10.90		
374	10.50		
391	10.20		
425	9.20		
444	8.90		
451	8.50		
462	8.30		

PLATFORM- REXBURG

POSITION- 28 32N 157 42W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 87

DATE- AUG 16, 1968 TIME- 2109

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	484	9.30
14	26.70	421	8.90
25	26.00	448	8.00
26	25.90	444	8.00
27	25.40	483	7.90
28	25.00	486	7.60
30	24.30	507	7.30
31	23.00	513	7.00
32	23.50	522	7.00
36	22.00	540	6.50
37	22.60	558	6.10
38	22.20	577	6.00
42	21.70	607	5.60
44	21.40	675	5.00
48	21.30	700	5.00
53	20.70		
61	20.20		
62	20.00		
69	19.50		
86	18.70		
93	18.10		
99	17.90		
109	17.20		
115	17.20		
128	16.00		
137	16.40		
146	16.00		
150	16.00		
164	15.40		
185	14.90		
195	14.00		
208	14.00		
219	13.90		
230	13.70		
238	13.40		
255	13.00		
269	12.50		
276	12.50		
292	12.00		
308	11.90		
320	11.40		
335	11.10		
355	10.60		
360	10.40		
396	9.00		

PLATFORM- REXBURG

POSITION- 29 2N 157 40W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 97

DATE- AUG 17, 1968 TIME- 0

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.20	497	7.10
25	26.10	512	6.90
27	26.00	527	6.90
28	25.40	535	6.90
29	25.00	545	6.10
32	24.00	543	6.00
33	23.70	581	5.60
34	23.00	608	5.00
35	22.50	613	5.40
36	21.80	700	4.90
37	21.20		
38	20.90		
39	20.40		
40	19.60		
42	19.50		
48	19.10		
49	18.70		
58	18.30		
59	18.00		
64	17.60		
65	17.50		
72	17.00		
85	16.40		
100	16.00		
105	16.00		
113	15.70		
140	14.70		
149	14.00		
189	13.70		
195	13.70		
200	13.70		
215	13.30		
228	13.30		
226	13.00		
304	11.30		
316	11.20		
331	11.00		
335	10.70		
349	10.60		
360	10.20		
392	9.60		
408	9.00		
413	9.46		
421	8.60		
477	7.70		
490	7.00		



PLATFORM- REBURG	POSITION- 29 47N 157 40W	MARSDEN SQUARE 88 ONE DEGREE SQUARE 97	DATE- AUG 17, 1968 TIME- 600	INSTRUMENT TYPE- BATHY	BASELINE TEMP- 16.60	DEPTH (M)	TEMP (C)
						0	26.20
						22	26.10
						28	25.90
						29	25.60
						30	25.20
						33	25.20
						34	23.40
						35	22.40
						36	21.80
						37	21.10
						38	20.80
						41	20.30
						49	19.90
						54	19.40
						60	19.00
						61	18.78
						63	18.70
						71	18.10
						75	17.90
						76	17.70
						81	17.60
						84	17.70
						93	17.10
						100	16.90
						106	16.30
						114	16.50
						125	16.20
						129	16.00
						145	15.60
						150	15.40
						158	15.30
						169	15.00
						176	14.60
						182	14.50
						191	14.80
						210	13.20
						248	12.60
						268	11.90
						287	11.60
						293	11.40
						311	11.10
						316	10.90
						329	10.70
						344	10.30
						363	9.80

PLATFORM- REBURG	POSITION- 30 45N 157 49W	MARSDEN SQUARE 124 ONE DEGREE SQUARE 7	DATE- AUG 17, 1968 TIME- 1200	INSTRUMENT TYPE- BATHY	BASELINE TEMP- 16.60	DEPTH (M)	TEMP (C)
						0	26.10
						17	26.10
						18	25.80
						19	25.40
						20	25.00
						21	24.20
						22	23.60
						23	23.30
						24	22.40
						29	21.60
						30	21.20
						33	21.20
						35	20.80
						37	20.60
						41	20.20
						42	20.80
						45	19.78
						62	18.40
						74	17.80
						120	16.30
						124	16.00
						132	15.80
						137	15.50
						141	15.10
						148	14.78
						162	14.30
						165	14.00
						170	13.70
						179	13.50
						183	13.00
						199	12.80
						229	12.10
						234	11.90
						250	11.40
						280	11.20
						310	10.50
						320	10.50
						362	9.60
						370	9.30
						416	8.50
						433	8.00
						509	6.80
						519	6.50
						505	5.70
						606	5.30
						700	4.70

PLATFORM- REBURG	POSITION- 31 42N 157 50W	MARSDEN SQUARE 124 ONE DEGREE SQUARE 17	DATE- AUG 17, 1968 TIME- 1800	INSTRUMENT TYPE- BATHY	BASELINE TEMP- 16.70	DEPTH (M)	TEMP (C)
						0	26.00
						10	26.00
						24	25.90
						26	25.80
						28	25.30
						30	24.80
						31	24.50
						32	23.80
						33	22.70
						38	21.80
						39	21.00
						40	21.10
						44	20.60
						45	20.30
						46	20.00
						47	19.00
						52	19.10
						53	18.00
						59	18.50
						62	18.10
						74	17.50
						81	17.50
						87	17.20
						114	16.50
						119	16.10
						134	15.60
						143	15.40
						151	15.00
						162	14.80
						165	14.50
						175	14.10
						178	13.90
						183	13.00
						184	13.70
						195	13.10
						211	12.00
						220	12.40
						232	12.40
						243	12.00
						250	12.00
						266	11.50
						326	10.30
						351	9.00
						369	9.00
						393	8.10

PLATFORM- REZBURG

POSITION- 32 30N 157 51W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- AUG 18, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.00	521	6.80
13	25.80	550	6.50
16	25.70	584	5.80
18	25.50	656	5.00
21	25.80	700	4.80
22	24.80		
23	24.70		
24	24.00		
25	23.20		
27	22.70		
28	22.40		
29	22.00		
32	21.50		
33	21.20		
39	20.20		
43	20.10		
47	19.40		
54	18.80		
61	18.30		
95	17.30		
124	16.70		
129	16.50		
145	16.10		
150	16.20		
158	16.20		
174	15.10		
182	14.60		
187	14.30		
195	13.80		
208	13.40		
287	13.20		
234	12.60		
246	12.50		
260	11.90		
278	11.80		
304	11.20		
324	11.00		
333	10.70		
348	10.40		
365	10.20		
376	9.70		
414	8.90		
443	8.20		
479	7.80		
486	7.50		

PLATFORM- REZBURG

POSITION- 33 20N 157 51W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 18, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.20	521	6.80
17	26.20	550	6.50
19	26.10	584	5.80
21	25.70	656	5.00
25	25.50	700	4.80
26	25.20		
27	24.60		
28	24.10		
29	23.80		
30	23.30		
31	22.60		
32	22.20		
34	21.80		
35	21.00		
37	20.90		
39	20.60		
41	20.20		
42	19.90		
43	19.50		
46	19.10		
48	18.40		
57	17.90		
66	17.40		
72	17.00		
82	16.90		
99	16.50		
106	16.10		
142	15.80		
156	14.30		
160	13.90		
174	13.30		
246	12.80		
257	11.90		
270	11.60		
278	11.20		
303	10.90		
333	10.30		
354	9.90		
387	9.10		
484	9.00		
473	7.70		
485	7.60		
484	7.40		
554	6.10		
607	5.40		
700	4.80		

PLATFORM- REZBURG

POSITION- 34 24N 157 51W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE- AUG 18, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.30	456	7.50
13	25.30	520	6.30
17	24.80	572	5.80
19	24.20	620	5.00
19	23.80	700	4.50
20	23.50		
21	23.00		
22	22.40		
23	21.60		
24	21.20		
25	20.70		
27	20.20		
29	19.50		
32	18.80		
35	18.60		
37	18.10		
39	17.90		
48	17.70		
45	17.20		
47	16.80		
44	16.60		
56	16.30		
60	15.80		
64	15.40		
68	15.40		
70	15.40		
73	14.70		
83	14.60		
85	14.40		
94	14.30		
97	14.10		
108	14.00		
132	13.20		
154	13.00		
170	13.00		
183	12.60		
203	12.20		
239	11.70		
309	10.70		
335	10.00		
357	9.70		
365	9.40		
397	8.80		
411	8.40		
447	7.80		

PLATFORM- NEXBURG  
POSITION- 35 28N 157 51W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 57

DATE- AUG 19, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	24.90
13	24.90
15	24.70
16	24.30
17	23.50
18	22.80
19	22.20
20	22.00
21	21.60
22	21.30
23	21.00
24	20.40
25	19.90
26	18.90
28	18.30
30	17.70
34	17.30
37	17.30
39	16.90
40	15.90
42	15.70
54	15.30
59	15.20
60	15.10
75	14.20
81	14.10
87	13.90
100	13.60
113	13.50
114	13.40
115	13.40
116	13.30
117	13.30
118	12.70
119	12.40
120	12.20
121	12.20
122	11.90
123	11.70
124	10.70
125	10.70
126	10.10
127	8.70
128	7.90
129	7.20
130	6.70
131	6.10
132	5.30
133	4.90
134	4.40

PLATFORM- NEXBURG  
POSITION- 36 11N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 67

DATE- AUG 19, 1968 TIME- 18

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	24.30
7	24.20
12	23.90
17	23.30
14	23.10
15	21.80
16	20.40
17	20.00
18	19.70
22	19.30
23	19.00
24	18.60
25	18.60
26	18.30
30	17.50
32	17.00
34	16.40
36	16.10
39	15.50
42	15.00
45	14.40
48	14.00
57	13.80
60	13.20
61	12.70
66	12.50
116	12.00
142	11.60
153	11.40
164	11.00
186	11.30
195	11.00
200	11.00
203	10.30
272	10.10
306	9.30
334	9.00
373	8.30
388	7.90
399	7.80
422	7.20
463	6.40
518	5.60
570	5.00
633	4.50
700	4.40

PLATFORM- NEXBURG  
POSITION- 36 49N 157 47W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 67

DATE- AUG 19, 1968 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	23.90
10	23.90
12	23.80
13	23.60
14	23.10
15	22.60
16	20.00
17	19.60
18	18.30
20	18.00
22	18.00
23	18.30
24	17.80
28	17.30
29	17.20
30	16.90
32	16.30
36	15.70
37	15.20
38	14.80
41	14.50
57	13.40
60	12.80
61	12.70
88	12.50
110	12.30
155	11.50
187	11.20
200	10.90
234	10.60
243	10.30
270	10.10
282	9.80
290	9.80
300	8.10
308	7.50
443	6.80
468	6.40
497	5.80
552	5.20
645	4.50
700	4.40

PLATFORM- REISBURG  
 POSITION- 39 51N 197 39W  
 MARSDEN SQUARE 124 ONE DEGREE SQUARE 97  
 DATE- AUG 25, 1968 TIME- 0  
 INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
8	22.10	487	7.40
8	22.10	421	7.10
15	21.90	507	5.90
17	21.70	549	5.70
18	21.20	591	5.70
19	20.70	700	5.00
20	20.10		
21	19.60		
22	19.30		
23	18.90		
24	18.60		
25	18.40		
26	18.10		
29	16.70		
32	16.20		
33	15.80		
35	15.60		
37	15.00		
38	14.80		
40	14.60		
41	14.40		
43	14.20		
45	13.90		
46	13.60		
47	13.50		
48	13.30		
53	12.80		
63	11.90		
65	11.70		
66	11.50		
70	11.10		
74	10.90		
84	10.60		
110	10.70		
116	10.80		
174	10.90		
181	10.90		
188	10.60		
205	10.50		
250	9.70		
276	9.50		
322	8.60		
337	8.50		
358	8.30		
380	7.60		

PLATFORM-	REXBURG	PLATFORM-	REXBURG	PLATFORM-	REXBURG
POSITION--	43 20N 157 50W	POSITION--	40 37N 157 50W	POSITION--	39 37N 157 51W
MARSDEN SQUARE	160 ONE DEGREE SQUARE 37	MARSDEN SQUARE	160 ONE DEGREE SQUARE 7	MARSDEN SQUARE	124 ONE DEGREE SQUARE 97
DATE-	AUG 30, 1968 TIME- 600	DATE-	AUG 31, 1968 TIME- 0	DATE-	AUG 31, 1968 TIME- 600
INSTRUMENT TYPE-	BATHY BASELINE TEMP- 16.60	INSTRUMENT TYPE-	BATHY BASELINE TEMP- 16.70	INSTRUMENT TYPE-	BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	16.50	0	10.00	0	20.40
1	16.50	15	10.00	3	20.20
2	16.50	17	10.00	15	20.10
10	16.40	18	10.00	14	19.00
21	16.20	19	10.00	17	19.10
25	15.50	20	10.00	18	18.80
29	15.20	21	10.00	19	18.60
36	14.20	22	15.00	20	18.30
37	13.70	23	15.20	21	17.00
38	13.40	24	14.60	22	17.00
39	13.10	25	13.40	23	16.50
40	12.70	26	13.20	24	16.10
41	12.40	27	13.00	25	14.90
42	12.30	28	12.60	26	14.00
44	12.30	29	12.20	27	14.00
45	12.10	30	12.00	28	14.00
46	11.50	31	11.00	29	14.00
47	11.20	32	11.00	30	13.50
48	11.00	33	11.00	31	12.70
50	10.60	34	11.00	32	12.70
52	10.60	35	10.50	33	12.10
54	10.40	36	10.50	34	11.70
56	10.00	37	10.30	35	11.70
59	9.80	38	10.00	36	11.40
63	9.20	39	10.00	37	11.40
70	9.20	40	10.00	38	11.20
75	9.40	41	10.00	39	10.80
92	9.40	42	10.00	40	10.70
121	8.80	43	9.20	41	10.60
135	8.80	44	9.20	42	10.60
143	9.10	45	9.10	43	10.40
149	9.90	46	9.10	44	10.40
160	8.90	47	9.10	45	10.00
177	8.30	48	9.10	46	10.00
194	6.30	49	9.10	47	9.80
204	6.20	50	9.10	48	9.40
220	6.30	51	9.10	49	9.10
240	6.20	52	9.10	50	8.80
263	7.00	53	9.10	51	7.30
296	7.20	54	9.10	52	7.20
323	6.90	55	9.10	53	6.70
344	6.80	56	9.10	54	6.50
376	6.20	57	9.10	55	6.30
418	5.90	58	9.10	56	6.00
428	5.60	59	9.10	57	5.40
474	5.40	60	9.10	58	5.40
503	5.10	61	9.10	59	5.40
641	4.50	62	9.10	60	5.20
700	4.40	63	9.10	61	4.80
		64	9.10	62	4.30
		65	9.10	63	4.10

PLATFORM- REIDURG

POSITION- 38 30N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 87

DATE- AUG 31, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	21.40
13	21.30
15	21.10
16	17.70
17	16.90
18	16.60
21	16.20
22	16.00
23	15.80
29	15.20
34	15.10
41	13.60
45	13.30
49	12.50
53	12.50
55	12.20
59	11.30
62	10.90
70	10.70
88	10.70
100	10.60
142	10.60
145	10.10
163	10.20
168	9.70
231	9.60
249	9.10
290	8.60
298	8.50
343	7.50
357	7.10
384	6.80
443	5.70
494	5.10
530	4.80
630	4.20
700	4.00

PLATFORM- REIDURG

POSITION- 38 09N 157 46W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 87

DATE- AUG 31, 1968 TIME- 1000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	22.50
15	22.50
17	22.30
18	21.00
19	20.70
20	19.30
21	17.60
22	17.10
23	16.00
24	16.70
26	16.40
29	16.10
34	15.40
36	14.00
37	13.60
41	13.00
42	13.40
44	13.00
46	12.90
48	12.60
52	12.40
53	12.10
72	11.90
74	11.70
79	11.60
91	11.70
97	11.70
109	11.60
135	11.40
161	11.10
175	10.80
207	9.40
304	8.70
314	8.40
318	8.40
327	8.40
360	7.50
423	6.40
453	6.10
474	5.80
507	5.40
606	4.60
700	4.20

PLATFORM- REIDURG

POSITION- 38 37N 157 49W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 87

DATE- SEP 01, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	23.30
12	23.20
20	22.90
21	21.70
22	20.00
23	20.10
24	19.00
25	18.40
26	17.00
27	17.60
28	17.30
29	17.00
30	16.70
34	16.10
36	15.80
44	14.40
47	14.20
48	13.80
49	13.50
53	13.20
54	12.90
61	12.50
68	12.50
74	12.30
77	12.20
82	11.60
88	11.50
103	11.70
105	11.00
125	11.00
137	11.70
144	11.40
197	10.00
240	16.10
249	9.70
376	8.30
398	7.60
410	7.20
440	6.50
482	6.40
530	5.80
575	5.20
700	4.40

PLATFORM- REXBURG

POSITION- 36 44N 157 48W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 67

DATE- SEP 01, 1968 TIME- 600

INSTRUMENT TYPE- BATHTY BASELINE TEMP

DEPTH (M)	TEMP (C)
0	23.7
1	23.7
2	23.7
3	23.7
4	23.7
5	23.7
6	23.7
7	23.7
8	23.7
9	23.7
10	23.7
11	23.7
12	23.7
13	23.7
14	23.7
15	23.7
16	23.7
17	23.7
18	23.7
19	23.7
20	23.7
21	23.7
22	23.7
23	23.7
24	23.7
25	23.7
26	23.7
27	23.7
28	23.7
29	23.7
30	23.7
31	23.7
32	23.7
33	23.7
34	23.7
35	23.7
36	23.7
37	23.7
38	23.7
39	23.7
40	23.7
41	23.7
42	23.7
43	23.7
44	23.7
45	23.7
46	23.7
47	23.7
48	23.7
49	23.7
50	23.7
51	23.7
52	23.7
53	23.7
54	23.7
55	23.7
56	23.7
57	23.7
58	23.7
59	23.7
60	23.7
61	23.7
62	23.7
63	23.7
64	23.7
65	23.7
66	23.7
67	23.7
68	23.7
69	23.7
70	23.7
71	23.7
72	23.7
73	23.7
74	23.7
75	23.7
76	23.7
77	23.7
78	23.7
79	23.7
80	23.7
81	23.7
82	23.7
83	23.7
84	23.7
85	23.7
86	23.7
87	23.7
88	23.7
89	23.7
90	23.7
91	23.7
92	23.7
93	23.7
94	23.7
95	23.7
96	23.7
97	23.7
98	23.7
99	23.7
100	23.7
101	23.7
102	23.7
103	23.7
104	23.7
105	23.7
106	23.7
107	23.7
108	23.7
109	23.7
110	23.7
111	23.7
112	23.7
113	23.7
114	23.7
115	23.7
116	23.7
117	23.7
118	23.7
119	23.7
120	23.7
121	23.7
122	23.7
123	23.7
124	23.7
125	23.7
126	23.7
127	23.7
128	23.7
129	23.7
130	23.7
131	23.7
132	23.7
133	23.7
134	23.7
135	23.7
136	23.7
137	23.7
138	23.7
139	23.7
140	23.7
141	23.7
142	23.7
143	23.7
144	23.7
145	23.7
146	23.7
147	23.7
148	23.7
149	23.7
150	23.7
151	23.7
152	23.7
153	23.7
154	23.7
155	23.7
156	23.7
157	23.7
158	23.7
159	23.7
160	23.7
161	23.7
162	23.7
163	23.7
164	23.7
165	23.7
166	23.7
167	23.7
168	23.7
169	23.7
170	23.7
171	23.7
172	23.7
173	23.7
174	23.7
175	23.7
176	23.7
177	23.7
178	23.7
179	23.7
180	23.7
181	23.7
182	23.7
183	23.7
184	23.7
185	23.7
186	23.7
187	23.7
188	23.7
189	23.7
190	23.7
191	23.7
192	23.7
193	23.7
194	23.7
195	23.7
196	23.7
197	23.7
198	23.7
199	23.7
200	23.7
201	23.7
202	23.7
203	23.7
204	23.7
205	23.7
206	23.7
207	23.7
208	23.7
209	23.7
210	23.7
211	23.7
212	23.7
213	23.7
214	23.7
215	23.7
216	23.7
217	23.7
218	23.7
219	23.7
220	23.7
221	23.7
222	23.7
223	23.7
224	23.7
225	23.7
226	23.7
227	23.7
228	23.7
229	23.7
230	23.7
231	23.7
232	23.7
233	23.7
234	23.7
235	23.7
236	23.7
237	23.7
238	23.7
239	23.7
240	23.7
241	23.7
242	23.7
243	23.7
244	23.7
245	23.7
246	23.7
247	23.7
248	23.7
249	23.7
250	23.7
251	23.7
252	23.7
253	23.7
254	23.7
255	23.7
256	23.7
257	23.7
258	23.7
259	23.7
260	23.7
261	23.7
262	23.7
263	23.7
264	23.7
265	23.7
266	23.7
267	23.7
268	23.7
269	23.7
270	23.7
271	23.7
272	23.7
273	23.7
274	23.7
275	23.7
276	23.7
277	23.7
278	23.7
279	23.7
280	23.7
281	23.7
282	23.7
283	23.7
284	23.7
285	23.7
286	23.7
287	23.7
288	23.7
289	23.7
290	23.7
291	23.7
292	23.7
293	23.7
294	23.7
295	23.7
296	23.7
297	23.7
298	23.7
299	23.7
300	23.7
301	23.7
302	23.7
303	23.7
304	23.7
305	23.7
306	23.7
307	23.7
308	23.7
309	23.7
310	23.7
311	23.7
312	23.7
313	23.7
314	23.7
315	23.7
316	23.7
317	23.7
318	23.7
319	23.7
320	23.7
321	23.7
322	23.7
323	23.7
324	23.7
325	23.7
326	23.7
327	23.7
328	23.7
329	23.7
330	23.7
331	23.7
332	23.7
333	23.7
334	23.7
335	23.7
336	23.7
337	23.7
338	23.7
339	23.7
340	23.7
341	23.7
342	23.7
343	23.7
344	23.7
345	23.7
346	23.7
347	23.7
348	23.7
349	23.7
350	23.7
351	23.7
352	23.7
353	23.7
354	23.7
355	23.7
356	23.7
357	23.7
358	23.7
359	23.7
360	23.7
361	23.7
362	23.7
363	23.7
364	23.7
365	23.7
366	23.7
367	23.7
368	23.7
369	23.7
370	23.7
371	23.7
372	23.7
373	23.7
374	23.7
375	23.7
376	23.7
377	23.7
378	23.7
379	23.7
380	23.7
381	23.7
382	23.7
383	23.7
384	23.7
385	23.7
386	23.7
387	23.7
388	23.7
389	23.7
390	23.7
391	23.7
392	23.7
393	23.7
394	23.7
395	23.7
396	23.7
397	23.7
398	23.7
399	23.7
400	23.7
401	23.7
402	23.7
403	23.7
404	23.7
405	23.7
406	23.7
407	23.7
408	23.7
409	23.7
410	23.7
411	23.7
412	23.7
413	23.7
414	23.7
415	23.7
416	23.7
417	23.7
418	23.7
419	23.7
420	23.7
421	23.7
422	23.7
423	23.7
424	23.7
425	23.7
426	23.7
427	23.7
428	23.7
429	23.7
430	23.7
431	23.7
432	23.7
433	23.7
434	23.7
435	23.7
436	23.7
437	23.7
438	23.7
439	23.7
440	23.7
441	23.7
442	23.7
443	23.7
444	23.7
445	23.7
446	23.7
447	23.7
448	23.7
449	23.7
450	23.7
451	23.7
452	23.7
453	23.7
454	23.7
455	23.7
456	23.7
457	23.7
458	23.7
459	23.7
460	23.7
461	23.7
462	23.7
463	23.7
464	23.7
465	23.7
466	23.7
467	23.7
468	23.7
469	23.7
470	23.7
471	23.7
472	23.7
473	23.7
474	23.7
475	23.7
476	23.7
477	23.7
478	23.7
479	23.7
480	23.7
481	23.7
482	23.7
483	23.7
484	23.7
485	23.7
486	23.7
487	23.7
488	23.7
489	23.7
490	23.7
491	23.7
492	23.7
493	23.7
494	23.7
495	23.7
496	23.7
497	23.7
498	23.7
499	23.7
500	23.7

PLATFORM- REXBURG

POSITION- 35 49N 157 49W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 57

DATE- SEP 01, 1968 TIME- 1200

INSTRUMENT TYPE- BATHTY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	24.50
1	24.50
2	24.50
3	24.50
4	24.50
5	24.50
6	24.50
7	24.50
8	24.50
9	24.50
10	24.50
11	24.50
12	24.50
13	24.50
14	24.50
15	24.50
16	24.50
17	24.50
18	24.50
19	24.50
20	24.50
21	24.50
22	24.50
23	24.50
24	24.50
25	24.50
26	24.50
27	24.50
28	24.50
29	24.50
30	24.50
31	24.50
32	24.50
33	24.50
34	24.50
35	24.50
36	24.50

PLATFORM- REIBURG

POSITION- 33 35N 157 49W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- SEP 02, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.50	0	25.00
10	25.20	5	25.50
18	25.20	10	25.30
32	25.30	24	25.00
33	25.30	26	24.00
34	24.00	27	24.20
35	24.00	28	23.00
36	22.70	29	22.00
37	20.00	30	22.30
38	20.00	31	21.00
40	20.30	32	21.30
41	20.10	34	20.00
42	19.00	37	20.30
44	19.50	38	20.10
45	19.30	41	19.70
47	18.00	42	19.60
50	18.50	43	19.30
53	18.40	45	19.00
55	18.10	46	18.90
54	18.10	53	18.70
63	17.00	54	18.40
81	16.70	60	18.10
87	16.70	67	17.60
94	16.40	72	17.60
98	16.40	73	17.20
103	16.10	82	16.00
115	15.00	86	16.00
130	15.00	113	15.00
144	13.50	116	15.70
174	13.00	124	15.60
191	12.70	134	14.00
195	12.50	143	14.00
216	12.30	140	14.10
221	12.10	154	14.10
231	12.00	159	13.00
295	10.90	192	13.30
329	10.20	225	13.10
369	9.10	231	12.70
437	8.00	244	12.50
452	7.90	251	12.10
465	7.60	294	11.20
474	7.20	310	10.90
499	7.00	315	11.00
494	6.00	322	11.00
514	6.40	345	10.50
529	6.30		

PLATFORM- REIBURG

POSITION- 32 27N 157 49W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- SEP 02, 1968 TIME- 040

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.00	372	10.20
5	25.50	384	9.70
10	25.30	400	9.30
24	25.00	434	8.00
26	24.00	442	8.50
27	24.20	484	7.60
28	23.00	491	7.00
29	22.00	507	7.10
30	22.30	551	6.10
31	21.00	590	5.00
32	21.30	700	4.00
34	20.00		
37	20.30		
38	20.10		
41	19.70		
42	19.60		
43	19.30		
45	19.00		
46	18.90		
53	18.70		
54	18.40		
60	18.10		
67	17.60		
72	17.60		
73	17.20		
82	16.00		
86	16.00		
113	15.00		
116	15.70		
124	15.60		
134	14.00		
143	14.00		
140	14.10		
154	14.10		
159	13.00		
192	13.30		
225	13.10		
231	12.70		
244	12.50		
251	12.10		
294	11.20		
310	10.90		
315	11.00		
322	11.00		
345	10.50		



PLATFORM- RESURG

POSITION- 22 15N 155 14W

MARSEN SQUARE 05 ONE DEGREE SQUARE 25

DATE- SEP 10, 1960 TIME- 1200

INSTRUMENT TYPE- BATWY BASELINE TEMP. 16.60

DEPTH (m)	TEMP (C)	DEPTH (m)	TEMP (C)
0	26.50	0	7.00
44	26.00	435	7.10
57	26.10	475	7.10
64	25.00	487	7.10
64	25.10	501	6.80
70	26.00	530	6.50
72	26.70	550	6.30
74	26.20	593	6.10
80	23.70	635	5.90
84	23.40	641	5.90
106	23.00	650	5.00
116	22.70	650	5.00
132	21.90	700	5.00
138	21.50		
143	20.00		
144	20.00		
176	19.20		
195	18.20		
190	18.10		
190	17.00		
204	17.30		
205	17.20		
208	16.00		
212	16.00		
213	16.30		
214	16.10		
222	15.70		
228	15.20		
230	14.00		
244	14.20		
247	14.10		
249	13.90		
255	13.70		
262	13.20		
270	13.00		
293	11.50		
312	10.00		
324	10.30		
344	10.10		
352	9.70		
363	9.50		
372	9.10		
394	8.70		
401	8.00		
425	8.10		

PLATFORM- RESURG

POSITION- 22 30N 154 27W

MARSEN SQUARE 06 ONE DEGREE SQUARE 24

DATE- SEP 10, 1960 TIME- 1000

INSTRUMENT TYPE- BATWY BASELINE TEMP. 16.70

DEPTH (m)	TEMP (C)	DEPTH (m)	TEMP (C)
0	26.00	396	6.60
43	26.00	410	6.10
54	26.50	420	6.00
60	26.00	434	7.00
63	25.00	443	7.50
67	25.30	450	7.10
72	24.00	470	6.00
70	24.00	490	6.30
80	23.70	543	5.70
87	23.00	600	5.30
114	22.00		
119	21.00		
120	21.00		
123	21.10		
135	20.70		
140	20.20		
154	20.20		
150	20.10		
162	19.00		
160	19.00		
174	18.00		
170	18.00		
179	18.50		
195	18.00		
204	17.50		
217	16.00		
223	16.70		
225	16.50		
226	16.00		
232	16.10		
230	15.20		
244	15.10		
251	14.00		
255	14.10		
262	13.00		
265	13.00		
260	13.00		
272	13.00		
275	12.00		
286	12.30		
290	12.00		
310	10.00		
340	10.00		
340	9.00		
360	8.00		

PLATFORM- RESURG

POSITION- 23 1N 153 22N

MARSEN SQUARE 08 ONE DEGREE SQUARE 23

DATE- SEP 11, 1960 TIME- 0

INSTRUMENT TYPE- BATWY BASELINE TEMP. 16.60

DEPTH (m)	TEMP (C)	DEPTH (m)	TEMP (C)
0	26.70	301	10.20
51	26.00	300	10.20
53	26.00	307	9.00
58	26.10	315	9.70
56	25.00	435	9.30
57	25.00	431	9.20
63	25.00	444	9.30
70	24.20	454	9.10
86	22.20	457	8.70
94	22.00	447	8.00
114	22.10	490	7.50
136	21.00	590	6.70
142	21.50	615	6.00
195	20.00	630	6.30
160	20.00	630	6.10
170	20.20	700	5.70
183	19.00		
189	19.70		
194	19.30		
202	19.00		
200	18.00		
215	18.00		
224	17.10		
229	16.00		
231	16.00		
230	15.70		
241	15.50		
249	14.00		
256	14.10		
250	14.00		
274	12.70		
283	12.50		
288	12.00		
287	12.00		
292	12.00		
297	11.70		
304	11.00		
312	11.10		
324	10.20		
352	9.00		
365	10.20		
371	10.10		
374	9.00		
378	9.00		

PLATFORM- RESURG  
 POSITION- 23 24N 152 16W  
 MARGEN SQUARE 00 ONE DEGREE SQUARE 32  
 DATE- SEP 11, 1948 TIME- 040  
 INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	426	6.00
23	26.00	441	7.70
34	26.70	446	7.30
41	26.50	461	7.20
49	26.40	473	6.00
50	25.00	510	6.00
59	25.00	520	6.10
64	25.10	524	6.00
65	24.00	544	6.10
66	24.00	546	6.10
67	24.00	549	5.00
68	24.00	562	5.70
69	24.10	603	5.00
72	23.00	612	5.50
73	23.00	635	5.30
75	22.70	646	5.30
81	22.70	695	5.00
85	22.30	700	5.00
86	22.20		
94	21.50		
105	20.70		
116	19.70		
129	19.40		
139	19.40		
142	19.10		
147	19.00		
170	17.80		
174	17.50		
183	17.10		
190	16.70		
196	16.40		
222	15.10		
234	14.80		
241	13.70		
244	13.30		
249	12.30		
267	11.80		
275	11.30		
287	10.50		
313	9.30		
340	9.10		
370	8.50		
384	8.30		
400	8.00		
410	8.00		

PLATFORM- RESURG  
 POSITION- 24 2N 151 11W  
 MARGEN SQUARE 00 ONE DEGREE SQUARE 41  
 DATE- SEP 11, 1948 TIME- 1200  
 INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	426	6.00
34	26.00	441	7.70
59	25.00	461	7.30
63	25.40	473	6.00
67	25.10	510	6.00
68	24.00	520	6.10
74	23.20	524	6.00
83	22.50	544	6.10
89	22.30	546	6.10
92	22.00	549	5.00
105	21.00	562	5.70
107	21.20	603	5.00
116	20.00	612	5.50
130	20.10	635	5.30
135	20.00	646	5.30
140	19.00	695	5.00
143	19.10	700	5.00
160	17.00		
181	17.40		
183	17.10		
192	16.00		
201	15.00		
212	15.50		
215	15.40		
221	14.50		
230	13.70		
283	12.00		
274	11.70		
300	11.00		
306	10.00		
344	9.40		
345	8.00		
373	8.00		
402	8.10		
400	8.10		
423	7.00		
442	7.30		
442	6.00		
507	6.10		
640	5.00		
640	5.30		
622	5.00		
700	5.00		

PLATFORM- RESURG  
 POSITION- 24 24N 150 4W  
 MARGEN SQUARE 00 ONE DEGREE SQUARE 40  
 DATE- SEP 11, 1948 TIME- 1000  
 INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.10	440	7.00
31	26.10	474	7.00
33	25.00	524	6.00
39	25.40	539	5.50
39	24.00	700	5.30
40	24.20		
44	23.70		
44	23.50		
45	23.30		
48	22.00		
54	22.30		
62	22.00		
68	21.40		
70	20.00		
90	20.00		
103	19.00		
116	19.40		
121	19.00		
129	18.00		
146	17.00		
153	17.00		
154	17.50		
164	17.20		
173	16.40		
181	16.20		
186	16.00		
192	15.50		
207	15.00		
220	13.00		
235	13.10		
244	12.00		
246	12.40		
257	11.00		
260	11.00		
273	11.20		
282	11.00		
287	10.70		
294	10.40		
310	10.20		
323	10.10		
341	9.00		
405	8.00		
410	8.00		

PLATFORM- REISBURG

POSITION- 24 54N 148 54W

MARSDEN SQUARE 87 ONE DEGREE SQUARE 48

DATE- SEP 12, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	26.20
31	26.10
41	25.80
45	25.50
46	25.30
47	25.20
48	24.90
50	24.50
52	24.00
54	23.50
60	22.50
62	22.30
83	21.30
87	21.20
92	20.90
101	20.80
122	19.70
134	19.30
171	17.30
192	16.50
211	15.40
219	15.00
223	14.90
230	13.70
250	12.60
260	12.10
270	11.90
287	11.40
310	10.50
320	10.00
351	9.60
360	9.10
384	8.90
393	8.60
452	7.20
473	6.80
484	6.80
507	6.30
520	6.20
574	5.70
700	5.10

PLATFORM- REISBURG

POSITION- 25 10N 147 46W

MARSDEN SQUARE 87 ONE DEGREE SQUARE 57

DATE- SEP 12, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	25.90
26	25.00
35	25.00
36	25.70
37	25.80
38	25.70
39	25.30
40	25.10
41	24.40
42	24.40
43	24.25
51	23.70
53	23.40
59	23.40
61	23.00
63	22.00
78	22.20
87	21.00
94	21.30
103	21.00
110	20.70
113	20.40
121	20.10
128	19.40
144	19.00
151	18.40
180	17.40
190	16.70
200	16.10
211	15.70
220	15.30
226	14.50
231	14.20
244	13.20
266	13.00
291	12.50
299	12.30
267	11.70
274	11.00
301	11.00
327	10.10
361	9.20
373	9.00
380	8.70
388	8.40
407	8.30
433	7.00
443	7.40
483	6.70

PLATFORM- REISBURG

POSITION- 25 40N 146 34W

MARSDEN SQUARE 87 ONE DEGREE SQUARE 56

DATE- SEP 12, 1968 TIME- 1200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.70
35	25.70
39	25.20
40	24.70
50	24.50
53	24.30
55	23.00
60	23.40
63	22.00
69	22.50
72	22.40
77	22.00
83	21.00
88	21.40
94	21.20
115	20.40
127	19.50
140	18.70
150	17.90
167	17.00
178	17.10
181	17.20
184	16.80
197	16.20
205	15.60
219	15.40
232	14.00
235	14.00
242	13.00
246	13.00
248	13.30
249	13.10
263	12.40
276	12.00
282	11.40
304	10.00
324	10.40
343	10.00
351	9.00
376	9.00
392	8.00
399	8.50
400	8.50
410	8.00

PLATFORM- REXBURG

POSITION- 26 7N 145 29W

MARSDEN SQUARE 87 ONE DEGREE SQUARE 65

DATE- SEP 12, 1960 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.50	492	7.00
27	25.50	532	6.30
29	25.30	574	6.10
36	25.20	585	5.90
47	24.50	700	5.20
49	24.10		
50	23.90		
56	22.80		
72	21.60		
76	21.50		
82	21.00		
91	20.60		
112	19.90		
118	19.50		
133	19.10		
143	18.70		
156	18.50		
163	18.20		
167	17.90		
176	17.40		
184	17.20		
192	16.70		
198	16.20		
202	16.10		
211	15.60		
227	14.80		
230	14.50		
234	14.60		
237	14.30		
241	13.60		
244	13.40		
251	13.30		
264	12.50		
274	12.30		
278	12.10		
289	11.90		
293	11.60		
297	11.50		
304	11.10		
338	10.20		
341	10.00		
365	9.40		
394	9.00		
406	8.60		
464	7.50		

PLATFORM- REXBURG

POSITION- 26 30N 144 21W

MARSDEN SQUARE 87 ONE DEGREE SQUARE 64

DATE- SEP 13, 1960 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	398	9.10
2	25.90	447	8.10
3	25.60	467	8.00
10	25.40	478	7.60
38	25.40	486	7.60
40	25.20	514	7.00
47	25.00	533	6.90
49	24.90	557	6.30
54	24.30	579	6.00
55	24.10	700	5.50
61	23.30		
70	22.00		
75	21.50		
80	21.20		
101	20.00		
117	20.20		
130	20.20		
151	19.90		
160	19.60		
172	18.90		
177	18.90		
184	18.40		
193	18.20		
205	17.40		
217	16.90		
219	16.80		
223	16.50		
224	16.30		
228	16.00		
233	15.80		
238	15.40		
264	13.80		
269	13.60		
275	13.60		
278	13.40		
280	13.10		
290	12.50		
298	12.30		
307	11.80		
317	11.70		
332	11.10		
337	11.10		
350	10.70		
359	10.30		
381	9.00		

PLATFORM- REXBURG

POSITION- 26 54N 143 2W

MARSDEN SQUARE 87 ONE DEGREE SQUARE 63

DATE- SEP 13, 1960 TIME- 000

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.70	410	6.50
20	25.50	420	7.00
34	25.50	448	7.60
36	25.30	454	7.30
37	24.80	466	6.80
38	24.60	492	6.80
39	24.30	500	6.30
40	23.90	552	6.80
41	23.20	573	5.40
42	22.90	648	5.30
43	22.70	700	5.20
44	22.40		
45	22.20		
51	21.70		
55	21.00		
61	20.50		
66	20.30		
71	20.00		
75	19.50		
86	19.30		
95	18.00		
103	18.00		
112	18.30		
133	17.00		
141	17.40		
153	17.10		
159	16.20		
160	15.90		
168	15.80		
182	15.40		
193	15.00		
197	14.70		
202	14.60		
206	14.30		
209	14.30		
212	13.90		
226	13.60		
240	12.60		
249	12.40		
255	11.90		
277	11.30		
302	10.60		
319	10.50		
341	9.70		
371	8.00		

PLATFORM- REISBURG

POSITION- 27 30N 140 35W

MARSEN SQUARE 87 ONE DEGREE SQUARE 70

DATE- SEP 13, 1968 TIME- 1000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.30	370	9.00
10	25.00	380	8.70
20	25.00	390	8.40
30	24.00	400	7.90
40	24.00	410	7.50
50	24.10	420	7.30
60	23.00	430	7.10
70	23.00	440	6.80
80	23.00	450	6.60
90	22.70	460	6.40
100	22.20	470	6.00
110	21.70	480	5.60
120	21.50	490	5.40
130	21.00	500	5.20
140	20.00	510	5.00
150	19.00	520	
160	18.00	530	
170	17.00	540	
180	16.50	550	
190	16.00	560	
200	15.00	570	
210	14.50	580	
220	14.00	590	
230	13.50	600	
240	13.00	610	
250	12.50	620	
260	12.00	630	
270	11.50	640	
280	11.00	650	
290	10.50	660	
300	10.00	670	
310	9.50	680	
320	9.00	690	
330	8.50	700	

PLATFORM- REISBURG

POSITION- 27 55N 139 23W

MARSEN SQUARE 86 ONE DEGREE SQUARE 79

DATE- SEP 14, 1968 TIME- 0

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.30	301	10.20
10	25.20	310	10.00
20	25.00	320	9.50
30	24.00	330	9.10
40	24.00	340	8.90
50	24.50	350	8.20
60	24.20	360	8.00
70	23.00	370	7.20
80	23.00	380	7.10
90	23.00	390	6.60
100	23.10	400	6.40
110	22.00	410	5.30
120	22.00	420	5.10
130	22.00	430	4.80
140	21.00	440	
150	20.00	450	
160	20.00	460	
170	20.00	470	
180	19.00	480	
190	18.00	490	
200	17.20	500	
210	17.00	510	
220	16.50	520	
230	15.00	530	
240	15.10	540	
250	14.00	550	
260	14.00	560	
270	13.00	570	
280	13.00	580	
290	12.00	590	
300	12.00	600	
310	12.00	610	
320	12.00	620	
330	12.00	630	
340	11.50	640	
350	11.00	650	
360	10.50	660	
370	10.00	670	
380	9.50	680	
390	9.00	690	
400	8.50	700	

PLATFORM- REISBURG

POSITION- 28 13N 130 30

MARSEN SQUARE 85 ONE DEGREE SQUARE 80

DATE- SEP 14, 1968 TIME- 000

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	24.00	340	8.10
10	24.00	350	8.10
20	24.00	360	7.90
30	24.00	370	7.60
40	24.00	380	7.40
50	24.00	390	7.30
60	23.00	400	7.00
70	23.00	410	6.70
80	22.00	420	6.30
90	22.00	430	6.20
100	21.00	440	5.90
110	20.70	450	5.40
120	20.30	460	5.00
130	19.00	470	4.60
140	18.00	480	
150	17.00	490	
160	17.00	500	
170	16.00	510	
180	16.00	520	
190	16.00	530	
200	15.00	540	
210	15.00	550	
220	14.00	560	
230	14.00	570	
240	13.00	580	
250	13.00	590	
260	12.00	600	
270	11.70	610	
280	11.70	620	
290	11.40	630	
300	10.30	640	
310	10.00	650	
320	9.30	660	
330	9.30	670	
340	8.90	680	
350	8.00	690	
360	8.40	700	

PLATFORM- REXBURG

POSITION- 28 34N 136 48W

MARSDEN SQUARE 86 ONE DEGREE SQUARE 86

DATE- SEP 14, 1968 TIME- 1800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	24.70	285	18.20
5	24.00	291	9.90
9	24.00	320	9.10
32	24.30	326	9.10
34	24.10	332	8.80
37	23.70	346	8.70
38	23.60	360	8.20
39	23.30	378	7.90
40	23.00	394	7.40
41	22.60	422	7.30
42	22.40	431	7.30
43	22.20	439	7.10
44	21.80	445	6.70
45	21.60	461	6.30
48	21.30	481	6.20
52	21.10	486	6.00
53	20.90	527	5.80
60	19.90	540	5.50
72	19.70	611	5.20
105	18.40	617	5.00
125	17.90	700	4.80
133	17.50		
139	17.10		
152	16.40		
160	16.10		
163	15.40		
167	15.20		
168	15.00		
174	14.70		
178	14.30		
185	13.70		
190	13.70		
192	13.50		
195	13.50		
207	12.80		
213	12.70		
221	12.20		
230	11.90		
231	11.80		
235	11.70		
241	11.30		
257	10.80		
264	10.80		
275	10.40		

PLATFORM- REXBURG

POSITION- 29 16N 134 17W

MARSDEN SQUARE 86 ONE DEGREE SQUARE 94

DATE- SEP 15, 1968 TIME- 0

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	23.80	344	7.90
14	23.40	372	7.50
19	23.10	374	7.40
20	22.80	380	7.40
21	22.60	388	7.10
24	22.50	402	7.10
26	22.10	414	6.70
29	21.90	449	6.30
30	21.60	467	6.20
31	21.20	487	5.90
33	20.50	536	5.70
36	20.00	566	5.30
37	19.40	625	4.90
38	18.80	700	4.90
43	18.40		
44	18.40		
45	18.10		
48	17.80		
56	17.60		
114	17.40		
125	17.50		
138	16.70		
140	16.40		
146	16.20		
152	15.50		
157	15.40		
159	15.20		
164	15.00		
171	14.10		
176	14.00		
180	13.60		
189	13.30		
191	13.10		
201	12.40		
204	12.40		
218	11.40		
225	11.10		
231	11.00		
240	10.50		
249	10.50		
263	10.10		
272	9.60		
294	9.20		
304	8.70		

PLATFORM- REXBURG

POSITION- 29 37N 133 2W

MARSDEN SQUARE 86 ONE DEGREE SQUARE 93

DATE- SEP 15, 1968 TIME- 600

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	23.10	440	5.90
13	23.00	460	5.00
19	22.30	483	5.00
22	22.30	514	5.30
23	22.80	521	5.30
24	21.70	630	4.80
26	21.40	700	4.70
27	21.00		
28	20.20		
29	20.00		
30	19.70		
32	19.20		
33	19.00		
35	18.60		
39	18.10		
43	17.70		
54	17.40		
68	17.10		
70	17.10		
77	16.00		
88	16.70		
90	16.00		
108	15.50		
114	15.40		
119	15.80		
123	14.80		
132	14.30		
135	13.90		
144	13.40		
154	13.30		
159	12.70		
166	12.30		
172	12.20		
181	11.50		
199	11.00		
202	10.70		
241	9.60		
249	9.50		
278	8.90		
295	8.40		
325	7.90		
350	7.30		
360	6.80		
391	6.60		

PLATFORM- REXBURG

POSITION- 29 51N 131 40W

MARSDEN SQUARE 86 ONE DEGREE SQUARE 91

DATE- SEP 15, 1968 TIME- 1200

INSTRUMENT TYPE- BATHTY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	22.80
10	22.70
20	22.40
30	22.30
40	21.80
50	21.30
60	20.90
70	20.60
80	19.50
90	19.00
100	18.80
110	18.10
120	17.90
130	17.70
140	17.40
150	17.10
160	16.40
170	16.20
180	15.70
190	15.30
200	15.00
210	14.70
220	14.40
230	14.00
240	13.80
250	13.20
260	13.10
270	12.80
280	12.30
290	11.80
300	11.00
310	10.60
320	10.00
330	9.70
340	9.10
350	7.60
360	7.50

PLATFORM- REXBURG

POSITION- 31 15N 125 15W

MARSDEN SQUARE 121 ONE DEGREE SQUARE 15

DATE- SEP 21, 1968 TIME- 0

INSTRUMENT TYPE- BATHTY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	20.60
10	20.60
20	20.40
30	20.00
40	18.70
50	18.20
60	18.00
70	17.50
80	17.40
90	17.10
100	16.60
110	16.30
120	15.90
130	15.80
140	15.50
150	15.00
160	14.80
170	14.60
180	14.40
190	14.20
200	13.90
210	13.50
220	13.40
230	12.40
240	11.50
250	11.10
260	11.00
270	10.70
280	10.50
290	10.30
300	10.10
310	9.70
320	9.30
330	9.20
340	8.80
350	8.30
360	8.00
370	7.40
380	7.20
390	7.00
400	6.70
410	6.70
420	6.30
430	6.10
440	5.90
450	5.50
460	5.20

PLATFORM- REXBURG

POSITION- 31 20N 124 15W

MARSDEN SQUARE 121 ONE DEGREE SQUARE 14

DATE- SEP 21, 1968 TIME- 000

INSTRUMENT TYPE- BATHTY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	18.80
10	18.90
20	18.80
30	18.70
40	18.40
50	18.10
60	17.30
70	16.80
80	16.30
90	16.10
100	15.70
110	15.30
120	15.00
130	14.60
140	14.30
150	13.60
160	13.30
170	12.90
180	12.50
190	12.20
200	12.10
210	11.90
220	12.10
230	11.60
240	11.70
250	11.40
260	11.00
270	10.80
280	10.80
290	10.30
300	10.00
310	9.10
320	8.90
330	8.70
340	8.00
350	7.90
360	7.40
370	7.30
380	7.10
390	6.90
400	6.80
410	6.60
420	6.30
430	5.90
440	5.70

PLATFORM- REIBURG  
POSITION- 31 45N 123 6 W

MARSDEN SQUARE 121 ONE DEGREE SQUARE 13

DATE- SEP 21, 1968 TIME- 1200

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	18.50
37	18.50
38	18.48
39	18.48
40	17.20
41	16.90
42	16.50
43	16.30
49	15.90
50	15.70
52	15.30
54	14.60
57	14.30
63	14.10
69	13.80
71	13.30
72	13.20
73	12.90
74	12.80
78	12.80
79	12.40
82	12.00
87	11.50
92	11.20
103	10.80
105	10.60
120	10.60
167	8.80
197	8.80
204	8.50
244	8.00
271	7.40
287	7.20
344	6.90
365	6.60
401	6.40
406	6.60
531	5.80
571	5.70
635	5.40
700	5.20

PLATFORM- REIBURG

POSITION- 31 50N 122 0N

MARSDEN SQUARE 121 ONE DEGREE SQUARE 12

DATE- SEP 21, 1968 TIME- 1800

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	18.00
30	18.00
31	17.90
32	17.40
33	16.30
37	15.50
38	15.30
39	15.20
40	15.00
45	14.40
46	14.10
48	13.60
57	12.30
61	12.70
67	12.20
77	11.90
82	11.00
83	11.40
87	11.10
93	11.00
97	10.70
103	10.60
104	10.50
131	9.70
200	8.60
256	8.20
259	8.00
268	8.00
300	7.30
391	6.70
433	6.70
464	6.30
507	6.20
516	6.00
624	5.70
700	5.70

PLATFORM- REIBURG

POSITION- 31 56N 120 52W

MARSDEN SQUARE 121 ONE DEGREE SQUARE 10

DATE- SEP 22, 1968 TIME- 0

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60


DEPTH (M)	TEMP (C)
0	16.90
23	16.80
27	16.70
29	16.50
32	16.40
33	16.20
34	15.20
35	14.30
36	14.10
37	13.60
42	13.20
45	12.80
48	12.50
54	12.60
66	12.30
61	12.00
68	11.40
71	11.20
79	10.80
96	10.50
105	10.10
114	9.80
125	9.70
133	9.40
140	9.40
160	8.90
190	8.40
193	8.40
203	8.40
226	8.10
268	8.00
283	7.90
287	7.60
342	7.40
364	7.10
403	6.90
415	6.60
553	5.90
613	5.60
672	5.60
700	5.30



## R/V Teritu XBT Data

TERITU XBT

DATA LOCATIONS



PLATFORM- TERITU

POSITION- 22 15N 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- AUG 15, 1968 TIME- 1318

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	298	11.70
50	26.40	303	11.30
61	25.80	332	10.30
63	25.80	339	10.10
64	25.40	353	10.00
65	25.20	358	9.80
72	24.90	361	9.60
75	24.50	364	9.50
78	24.10	371	9.50
83	23.80	384	9.00
89	23.40	394	8.40
90	23.00	424	8.20
105	22.50	433	8.00
111	22.40	457	8.00
113	22.20	459	7.70
124	22.00	456	7.40
127	21.80	463	7.40
131	21.70	476	7.10
140	21.30	486	7.10
152	20.90	488	7.00
168	20.50	516	6.80
184	19.90	520	6.60
178	19.30	557	6.50
179	19.00	561	6.30
184	18.90	597	6.30
191	18.60	600	6.20
195	18.10	621	6.20
196	17.80	634	5.90
201	17.40	657	6.00
208	17.20	690	5.70
210	17.00	700	5.50
211	16.70		
215	16.40		
228	15.90		
230	15.80		
235	15.30		
236	15.00		
243	14.80		
246	14.30		
250	14.10		
254	13.80		
270	13.10		
278	12.50		
286	12.30		
289	12.00		

PLATFORM- TERITU

POSITION- 22 45N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- AUG 15, 1968 TIME- 1748

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	256	14.90
67	26.70	257	14.80
65	26.60	264	14.40
67	26.30	268	14.10
70	26.10	274	14.00
72	25.90	275	13.80
75	25.60	279	13.40
77	25.20	282	13.20
80	25.20	284	13.00
84	24.90	302	12.10
85	24.70	308	11.90
86	24.60	324	11.20
88	24.20	336	10.70
91	24.00	361	10.70
93	23.90	359	10.00
95	23.70	362	10.00
98	23.70	368	9.60
106	23.60	397	9.00
119	22.70	407	8.60
120	22.60	423	8.20
121	22.40	449	7.70
133	21.80	491	7.50
136	21.80	497	7.50
139	21.70	501	7.20
144	21.50	506	7.00
144	21.40	509	7.00
157	20.30	509	7.20
161	20.30	525	6.90
164	19.80	528	6.60
177	19.70	599	6.00
181	19.30	607	6.50
185	19.10	611	6.20
188	18.80	615	6.20
194	18.30	619	6.40
199	18.30	644	6.10
211	17.30	651	6.20
223	16.90	662	6.10
224	16.90	665	5.90
225	16.70	676	5.90
227	16.40	686	5.60
231	16.20		
236	16.20		
244	15.70		
248	15.30		

PLATFORM- TERITU

POSITION- 23 15N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 15, 1968 TIME- 2202

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.60	260	13.80
52	26.40	267	12.90
57	26.50	284	12.20
64	25.80	300	11.90
64	25.50	307	11.60
68	25.40	318	11.50
69	25.20	327	11.30
70	25.00	327	11.10
80	24.50	340	10.80
81	24.10	354	10.30
83	23.60	374	10.00
89	22.90	378	9.70
105	22.50	388	9.30
106	22.30	396	9.30
109	22.30	411	8.80
111	22.10	423	8.70
116	21.90	427	8.60
125	21.30	434	8.60
132	21.30	438	8.30
134	21.20	505	6.90
135	21.00	530	6.50
145	20.60	549	6.30
146	20.40	553	6.20
177	19.80	561	6.20
180	19.00	575	5.90
183	18.80	593	5.70
184	18.50	603	5.50
188	18.10	647	5.00
197	17.20	700	4.00
202	17.00		
203	16.80		
204	16.70		
205	16.50		
206	16.20		
210	16.10		
214	15.80		
221	15.70		
226	15.40		
230	14.90		
234	14.60		
243	14.20		
244	14.00		
249	13.80		
252	13.50		

PLATFORM- TERTU

POSITION- 23 45N 157 51W

MARSDEN SQUARE 00 ONE DEGREE SQUARE 34

DATE- AUG 16, 1946 TIME- 235

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	263	10.20
12	27.50	374	10.00
18	26.70	390	9.40
30	26.70	412	8.80
53	25.00	419	8.80
54	26.50	451	8.10
57	25.00	461	7.00
58	25.50	480	7.30
60	25.30	511	7.20
63	25.30	520	6.80
68	24.80	534	6.80
75	24.80	545	6.80
76	24.10	545	6.40
91	22.90	602	5.90
100	22.50	612	5.60
109	21.90	659	5.40
124	21.10	665	5.20
127	21.10	700	4.90
135	20.40		
147	20.00		
151	19.70		
159	19.40		
160	19.20		
174	18.50		
180	17.80		
188	17.70		
194	17.00		
192	17.00		
201	17.00		
204	17.00		
211	16.00		
219	16.40		
224	16.30		
230	16.00		
231	15.00		
237	15.00		
257	14.10		
267	13.00		
278	13.40		
272	13.40		
275	13.10		
282	13.00		
288	12.00		
304	12.40		
320	12.00		
350	10.00		

PLATFORM- TERTU

POSITION- 24 15N 157 49W

MARSDEN SQUARE 00 ONE DEGREE SQUARE 47

DATE- AUG 16, 1946 TIME- 005

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	311	11.10
42	26.70	323	10.80
45	26.60	334	10.40
46	26.30	340	10.10
48	26.00	356	9.70
49	25.40	377	9.20
55	25.10	380	8.00
60	23.60	400	8.40
61	23.30	416	8.10
63	23.30	442	7.30
70	22.80	479	6.80
74	22.70	491	6.70
76	22.50	501	6.30
81	22.40	509	6.30
86	22.00	518	6.00
91	21.80	543	5.70
94	21.40	570	5.50
101	21.10	590	5.30
106	21.10	605	4.80
113	20.00	700	4.70
117	20.40		
120	20.30		
123	19.90		
129	19.00		
133	19.40		
141	19.30		
145	19.00		
146	18.00		
151	18.40		
162	17.00		
169	17.20		
205	16.30		
221	15.50		
226	15.30		
235	14.70		
236	14.40		
230	14.00		
240	13.70		
250	13.10		
263	12.70		
268	12.00		
280	12.00		
294	11.40		
303	11.30		
308	11.30		

PLATFORM- TERTU

POSITION- 24 44N 157 50W

MARSDEN SQUARE 00 ONE DEGREE SQUARE 47

DATE- AUG 16, 1946 TIME- 1125

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	228	13.20
26	26.70	229	13.20
41	26.40	232	13.00
46	26.50	234	12.00
51	26.20	236	12.40
52	26.10	245	12.30
57	25.90	249	11.90
58	25.00	264	11.40
59	25.00	269	11.10
64	24.20	277	11.00
65	24.00	289	10.70
68	23.60	292	10.00
69	23.20	293	10.30
71	22.00	302	10.00
75	22.00	308	10.00
78	22.00	318	9.00
84	22.20	328	9.40
85	21.50	337	9.30
86	20.00	350	8.00
90	20.40	362	8.00
98	20.40	370	8.50
102	20.40	387	8.50
105	20.20	393	8.20
116	19.80	400	7.90
125	19.00	417	7.00
127	19.70	431	7.00
138	19.00	450	7.20
141	18.00	468	7.00
144	18.70	478	6.50
145	18.40	483	6.50
147	18.30	487	6.20
166	17.50	520	5.70
167	17.10	530	5.30
175	16.00	610	5.00
179	16.00	636	5.00
180	16.30	700	4.00
181	16.20		
182	16.00		
185	16.00		
188	15.40		
205	14.70		
205	14.50		
206	14.10		
209	14.10		
221	13.00		
224	13.40		

PLATFORM--	TERITU	POSITION--	25 15N 157 50W	DATE--	AUG 16, 1968	TIME--	1950	INSTRUMENT TYPE--	BATHY	BASELINE	TEMP--	16.70
PLATFORM--	TERITU	POSITION--	25 44N 157 51W	DATE--	AUG 16, 1968	TIME--	1952	INSTRUMENT TYPE--	BATHY	BASELINE	TEMP--	16.70
PLATFORM--	TERITU	POSITION--	26 17N 157 52W	DATE--	AUG 17, 1968	TIME--	29	INSTRUMENT TYPE--	BATHY	BASELINE	TEMP--	16.70
PLATFORM--	TERITU	POSITION--	25 44N 157 51W	DATE--	AUG 16, 1968	TIME--	1952	INSTRUMENT TYPE--	BATHY	BASELINE	TEMP--	16.70
PLATFORM--	TERITU	POSITION--	25 15N 157 50W	DATE--	AUG 16, 1968	TIME--	1950	INSTRUMENT TYPE--	BATHY	BASELINE	TEMP--	16.70
PLATFORM--	TERITU	POSITION--	25 44N 157 51W	DATE--	AUG 16, 1968	TIME--	1952	INSTRUMENT TYPE--	BATHY	BASELINE	TEMP--	16.70
PLATFORM--	TERITU	POSITION--	26 17N 157 52W	DATE--	AUG 17, 1968	TIME--	29	INSTRUMENT TYPE--	BATHY	BASELINE	TEMP--	16.70

PLATFORM- TERTTU	POSITION- 26 45N 157 31W	MARSCHEN SQUARE 67	DATE- AUG 17, 1968	TIME- 1320	INSTRUMENT TYPE- BATNY	BASLINE TEMP- 16.70	
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.30	0	26.00	0	26.00	0	27.10
22	27.30	24	26.00	427	9.20	20	26.00
31	26.70	34	26.30	438	8.70	42	26.00
36	26.60	45	26.10	447	8.70	46	26.00
42	26.70	46	26.00	445	8.20	50	26.00
44	26.70	47	26.00	495	7.00	55	26.00
45	26.50	47	25.00	510	7.20	55	26.00
48	26.20	48	25.00	551	6.50	60	26.00
50	26.10	53	24.00	561	6.10	61	26.00
53	25.40	54	24.20	570	5.00	62	26.00
55	24.90	64	24.10	620	5.00	65	23.00
61	24.50	71	23.40	700	4.00	65	23.00
63	24.20	75	23.30			66	23.00
68	24.10	88	22.00			70	23.10
72	23.80	94	21.00			72	22.00
76	23.20	101	21.00			75	22.00
94	22.00	104	21.50			80	22.00
110	21.40	112	21.50			83	22.10
114	21.00	116	21.20			87	22.00
117	20.80	118	20.90			91	21.00
118	20.70	119	20.70			95	21.50
135	20.00	130	20.20			103	21.00
137	19.70	134	20.10			114	20.70
144	18.00	153	19.20			120	20.30
171	18.70	165	18.00			129	20.00
176	18.00	192	17.00			135	20.00
178	18.30	201	17.30			152	19.20
180	18.30	213	17.10			164	18.40
188	17.00	221	16.00			169	18.40
193	17.70	229	16.00			180	18.20
198	17.40	230	16.10			184	17.00
211	17.40	253	15.10			186	17.70
218	17.20	261	14.00			192	17.00
220	16.90	273	13.50			202	17.10
226	16.00	277	13.30			204	16.00
247	16.00	291	13.30			206	16.00
249	15.70	311	12.70			215	16.30
257	15.40	315	12.40			222	15.70
261	15.40	330	12.20			233	15.10
267	15.10	354	11.50			241	15.00
268	14.90	359	11.30			241	15.00
275	14.00	390	10.40			264	13.40
278	14.20	404	9.00			269	13.10
		424	9.00			270	12.00
						279	12.40

PLATFORM- TERRITU

POSITION- 25 50N 157 50W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 57

DATE- AUG 10, 1968 TIME- 100

INSTRUMENT TYPE- BATNY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	243	13.90
16	26.60	257	13.50
26	26.60	250	13.30
34	26.40	261	13.30
40	26.00	264	13.10
41	25.70	267	13.00
42	25.60	270	12.70
43	25.30	275	12.60
44	25.10	285	12.00
45	24.80	291	11.80
47	24.70	304	11.60
48	24.60	314	11.00
49	24.60	333	10.60
53	24.00	334	10.50
63	23.10	344	10.30
72	22.70	350	10.10
74	22.40	360	10.10
81	22.10	365	9.80
82	22.00	387	9.60
101	21.30	406	8.80
106	21.10	421	8.50
119	20.80	427	8.30
127	20.30	433	8.30
130	20.30	436	8.10
133	20.00	444	8.10
135	19.90	450	7.80
136	19.60	460	7.60
160	18.90	470	7.60
164	18.60	487	7.50
166	18.20	490	7.30
172	18.00	500	7.00
176	18.00	513	7.10
179	17.70	519	6.90
183	17.60	523	7.00
185	17.50	529	6.60
187	17.20	537	6.40
194	16.80	564	6.20
203	16.70	616	5.90
212	16.10	631	5.60
225	15.40	649	5.50
229	15.10	658	5.30
232	15.00	700	5.00
236	14.60		
237	14.40		
240	14.20		

PLATFORM- TERRITU

POSITION- 25 00N 157 51W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 57

DATE- AUG 10, 1968 TIME- 440

INSTRUMENT TYPE- BATNY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.10	292	10.00
17	26.90	307	10.40
20	26.70	320	10.30
35	26.70	355	9.60
45	26.60	362	9.20
50	26.40	369	9.20
51	26.30	370	8.80
55	25.60	384	8.70
57	25.20	394	8.40
61	24.40	427	7.80
62	24.00	440	7.20
64	23.70	491	6.60
67	23.60	494	6.30
69	23.50	504	6.20
75	22.40	519	6.20
78	22.40	536	5.90
80	22.20	553	5.90
83	21.90	570	5.50
85	21.60	610	5.20
88	21.40	654	4.90
101	20.70	650	4.70
107	20.20		
116	19.80		
120	19.50		
124	19.20		
132	19.00		
137	18.60		
141	18.10		
144	17.60		
148	17.60		
149	17.50		
162	16.90		
170	16.30		
193	15.30		
202	14.80		
203	14.60		
208	14.40		
216	14.30		
230	13.60		
234	13.20		
240	12.80		
245	12.30		
253	11.90		
272	11.60		

PLATFORM- TERRITU

POSITION- 25 00N 157 51W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 57

DATE- AUG 10, 1968 TIME- 820

INSTRUMENT TYPE- BATNY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	290	10.10
44	26.70	292	12.00
49	26.60	294	12.40
54	26.00	298	12.10
55	25.50	261	11.50
56	25.10	264	11.20
60	24.50	270	11.10
63	23.50	274	10.80
65	23.10	305	8.80
67	23.00	307	8.50
71	22.80	373	8.30
72	22.40	381	8.20
79	22.10	394	8.10
80	21.70	409	7.60
85	21.30	421	7.60
87	20.90	474	6.90
95	20.60	497	6.50
97	20.30	502	6.30
100	20.10	508	6.30
101	20.00	513	6.00
106	19.70	536	5.80
116	19.40	548	5.40
121	19.40	572	5.40
129	19.0	575	5.20
131	18.10	605	5.20
133	18.50	613	5.00
134	18.40	645	5.00
135	18.20	700	4.70
137	17.90		
141	17.70		
143	17.40		
154	17.00		
159	17.20		
163	16.70		
164	16.50		
167	16.30		
169	16.00		
179	15.30		
192	14.90		
196	14.40		
200	14.40		
203	14.10		

PLATFORM- TERITU	POSITION- 24 20N 157 49W	MARSDEN SQUARE 00 ONE DEGREE SQUARE 47	DATE- AUG 10, 1968 TIME- 1156	INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70	DEPTH (m)	TEMP (C)
					0	27.30
					32	26.90
					42	26.80
					51	26.40
					52	26.20
					55	25.60
					57	25.20
					61	24.40
					65	24.10
					66	23.80
					67	23.20
					68	23.00
					73	22.70
					74	22.50
					79	22.10
					84	22.00
					86	21.40
					93	21.10
					96	21.00
					100	20.50
					115	19.60
					120	19.10
					132	18.70
					137	18.70
					141	18.70
					144	18.60
					149	18.20
					160	17.40
					165	17.20
					175	16.50
					184	16.20
					190	15.90
					190	15.70
					193	15.50
					200	15.50
					206	15.00
					209	15.00
					210	14.60
					226	14.30
					228	14.20
					235	13.60
					239	13.60
					244	13.10
					253	12.70
					257	12.60

PLATFORM- TERITU	POSITION- 24 00N 157 51W	MARSDEN SQUARE 00 ONE DEGREE SQUARE 47	DATE- AUG 10, 1968 TIME- 1050	INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70	DEPTH (m)	TEMP (C)
					0	27.10
					36	27.10
					41	26.70
					43	26.60
					45	26.00
					49	26.70
					52	26.60
					53	26.50
					56	25.10
					60	25.10
					61	24.00
					62	24.00
					63	24.50
					64	24.30
					65	24.10
					72	23.00
					74	23.40
					76	23.00
					81	22.00
					84	22.20
					91	22.00
					107	21.00
					115	20.00
					120	20.30
					127	20.10
					154	18.70
					157	18.60
					159	18.40
					163	18.30
					164	18.10
					170	17.40
					184	17.30
					190	17.00
					196	16.00
					200	16.50
					204	16.20
					223	15.10
					244	13.00
					261	13.20
					266	13.10
					275	12.30
					295	11.00
					299	11.00
					301	11.20

PLATFORM- TERITU	POSITION- 23 30N 157 49W	MARSDEN SQUARE 00 ONE DEGREE SQUARE 37	DATE- AUG 10, 1968 TIME- 1030	INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70	DEPTH (m)	TEMP (C)
					0	26.50
					46	26.40
					54	26.20
					56	26.10
					59	25.50
					60	24.70
					76	25.00
					77	23.30
					79	23.30
					83	22.00
					85	22.00
					87	22.00
					95	22.40
					110	21.40
					114	21.30
					117	21.10
					123	21.00
					125	20.00
					161	19.00
					166	18.90
					177	18.20
					187	18.00
					194	17.70
					202	17.20
					206	17.10
					209	16.90
					212	16.00
					215	16.00
					221	16.30
					223	16.00
					226	15.00
					229	15.50
					235	15.10
					241	15.00
					244	14.50
					257	13.80
					264	13.50
					269	13.40
					273	13.10
					280	12.50
					295	12.20
					300	11.00
					327	10.60
					332	10.60



PLATFORM- TERTU

POSITION- 23 0N 157 51W

MARSDEN SQUARE 00 ONE DEGREE SQUARE 37

DATE- AUG 18, 1968 TIME- 2105

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	315	12.10
11	26.80	318	12.00
24	26.80	321	11.70
34	26.50	350	10.90
57	26.50	366	10.20
63	26.10	379	9.70
64	25.90	399	9.50
66	25.70	403	9.20
67	25.40	403	8.80
72	25.00	412	8.60
76	24.80	416	8.60
82	23.80	421	8.30
88	23.60	438	8.30
91	23.30	446	7.90
98	22.90	451	7.60
101	22.90	461	7.30
103	22.70	469	7.30
107	22.60	477	7.00
125	21.50	580	5.70
136	21.20	700	4.90
144	20.70		
148	20.70		
155	20.40		
156	20.20		
157	20.00		
160	19.70		
170	19.30		
183	18.90		
194	18.40		
201	17.90		
204	17.50		
206	17.40		
208	17.00		
213	16.00		
223	16.00		
228	15.80		
231	15.50		
246	14.60		
252	14.70		
261	14.00		
271	13.00		
279	13.30		
284	13.20		
292	12.70		
305	12.20		

PLATFORM- TERTU

POSITION- 22 31N 157 51W

MARSDEN SQUARE 00 ONE DEGREE SQUARE 27

DATE- AUG 19, 1968 TIME- 110

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.30	311	12.00
15	26.90	312	11.80
46	26.00	323	11.50
53	26.70	325	11.30
59	26.00	333	11.00
62	26.00	338	11.00
64	25.00	349	10.00
71	25.30	347	10.00
72	25.00	350	10.50
77	24.00	355	10.50
83	24.40	381	9.80
94	23.00	399	9.40
97	23.50	394	9.40
105	23.00	400	9.10
127	22.00	440	8.40
140	21.00	447	8.10
147	21.50	450	7.80
154	20.00	471	7.00
162	20.70	476	7.50
176	20.10	493	7.40
198	19.00	496	7.20
202	18.50	507	7.00
204	18.50	518	6.90
208	18.10	520	6.80
214	17.00	520	6.50
218	17.00	610	6.10
223	17.30	622	6.20
228	17.00	648	5.80
233	16.00	684	5.00
236	16.00	700	5.00
238	16.40		
244	16.30		
251	15.90		
256	15.00		
268	15.40		
262	15.00		
269	14.60		
272	14.30		
277	13.90		
286	13.70		
289	13.30		
291	13.30		
297	12.70		
303	12.30		
306	12.30		

PLATFORM- TERTU

POSITION- 22 0N 157 50W

MARSDEN SQUARE 00 ONE DEGREE SQUARE 27

DATE- AUG 19, 1968 TIME- 915

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	264	10.10
16	26.50	260	10.00
67	26.30	275	13.00
72	26.00	277	13.50
73	25.90	290	12.90
75	25.40	295	12.00
76	25.00	302	12.40
79	24.00	304	12.40
92	24.00	312	11.90
94	23.70	324	11.00
96	23.60	324	11.10
97	23.40	334	11.00
105	23.30	343	10.70
118	22.50	347	10.70
127	22.20	350	10.20
129	21.90	362	10.20
131	21.90	371	9.80
145	21.10	378	9.80
146	20.90	383	9.30
155	20.50	387	9.30
159	20.00	396	8.00
168	19.90	405	8.00
172	19.60	415	8.00
184	19.40	426	8.30
187	19.20	437	7.90
188	19.00	454	7.00
192	18.90	467	7.50
199	18.00	474	7.50
200	18.40	470	7.30
207	18.20	494	7.10
214	17.70	507	7.20
215	17.40	512	7.10
218	17.10	521	6.30
219	16.00	532	6.20
222	16.00	550	6.20
223	16.40	590	5.70
224	16.30	604	5.00
229	16.10	605	5.00
230	15.90	629	5.90
232	15.70	632	5.70
234	15.70	653	5.50
244	15.30	700	5.60
251	15.10		
257	14.00		
261	14.40		

PLATFORM- TERITU  
 POSITION- 22 0N 157 50W  
 MARSDEN SQUARE 88 ONE DEGREE SQUARE 27  
 DATE- AUG 19, 1968 TIME- 005  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	0	27.10	249	15.30
55	26.40	18	27.10	252	15.20
54	26.20	21	26.90	254	14.90
59	26.10	37	26.90	267	14.40
60	25.90	43	26.00	269	14.00
61	25.40	65	26.50	278	13.60
62	25.10	67	26.50	283	13.10
62	23.90	76	26.10	293	12.80
65	23.30	71	25.80	295	12.70
96	23.10	75	25.70	302	12.30
97	22.90	74	25.50	303	12.00
103	22.60	81	24.90	306	11.90
106	22.60	82	24.80	309	11.60
111	22.60	83	24.40	313	11.40
117	22.20	85	23.80	318	11.40
120	22.20	91	23.30	331	11.20
124	21.70	96	22.90	333	11.00
133	21.60	101	22.90	342	10.60
136	21.60	103	22.70	349	10.60
140	21.70	108	22.60	354	10.20
144	21.40	110	22.30	372	9.70
145	21.30	114	22.00	377	9.70
146	20.80	118	22.00	386	9.30
148	20.80	119	21.70	400	9.10
150	21.00	126	21.60	410	8.60
172	19.90	129	21.30	422	8.40
178	19.40	134	21.20	427	8.30
193	19.10	147	20.30	451	8.20
196	19.10	154	20.20	461	7.80
200	18.20	156	20.10	478	7.60
210	18.10	170	19.40	481	7.40
213	17.60	180	18.70	503	7.30
219	17.30	188	18.30	509	7.10
227	17.10	193	17.70	515	7.00
237	16.50	207	17.10	534	7.10
240	16.10	211	17.10	540	7.10
243	16.00	218	16.70	543	6.90
247	15.70	224	16.00	546	6.40
253	15.50	227	16.40	576	6.70
259	15.10	228	16.10	587	6.50
264	14.10	235	15.80	601	6.20
266	14.10	242	15.80	612	6.20
268	13.70	245	15.60	628	6.10
273	13.70	248	15.60	637	5.90
				645	5.90
				692	5.70
				700	5.50

PLATFORM- TERITU  
 POSITION- 23 0N 157 50W  
 MARSDEN SQUARE 88 ONE DEGREE SQUARE 37  
 DATE- AUG 20, 1968 TIME- 1330  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	0	26.90	303	12.30
24	26.00	24	26.00	313	12.10
44	26.50	44	26.50	325	11.60
52	26.50	52	26.50	341	11.30
55	26.40	55	26.40	367	11.00
57	25.90	57	25.90	367	10.60
59	25.00	59	25.00	386	9.90
61	25.10	61	25.10	392	9.00
63	25.00	63	25.00	408	9.20
64	24.80	64	24.80	412	9.20
77	24.10	77	24.10	419	8.90
80	24.10	80	24.10	450	8.30
84	23.50	84	23.50	456	8.20
92	23.40	92	23.40	460	7.90
93	23.20	93	23.20	462	7.90
94	23.10	94	23.10	463	7.80
96	22.70	96	22.70	466	7.70
114	22.00	114	22.00	473	7.40
137	21.20	137	21.20	485	7.10
138	21.10	138	21.10	500	7.00
140	20.80	140	20.80	516	6.60
150	20.30	150	20.30	533	6.40
159	19.70	159	19.70	547	6.10
162	19.4	162	19.4	570	6.00
170	19.50	170	19.50	595	5.70
176	19.20	176	19.20	622	5.60
178	18.90	178	18.90	629	5.40
186	18.60	186	18.60	644	5.40
191	18.20	191	18.20	644	5.40
205	17.40	205	17.40	682	5.20
206	17.20	206	17.20	700	5.00
212	17.10	212	17.10		
213	16.90	213	16.90		
226	16.20	226	16.20		
230	15.90	230	15.90		
236	15.70	236	15.70		
239	15.50	239	15.50		
244	15.30	244	15.30		
253	14.60	253	14.60		
255	14.30	255	14.30		
277	13.50	277	13.50		
279	13.30	279	13.30		
285	13.20	285	13.20		
293	12.60	293	12.60		
299	12.50	299	12.50		

PLATFORM- TERITU  
POSITION- 24 30N 157 50W  
MARS DEN SQUARE 80 ONE DEGREE SQUARE 47  
DATE- AUG 2, 1968 TIME- 25  
INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	293	21.10
34	26.90	296	18.90
43	26.80	310	18.20
46	26.70	347	9.80
47	26.60	359	9.30
48	26.50	365	8.90
50	25.90	392	8.10
54	25.50	408	7.70
54	24.80	421	7.50
61	24.50	426	7.30
64	24.10	442	6.70
66	23.80	466	6.40
71	23.90	478	6.20
72	22.80	490	5.70
75	22.50	528	5.40
79	22.50	569	5.40
84	22.30	700	4.70
86	21.90		
92	21.50		
103	20.80		
119	20.10		
124	19.80		
126	19.50		
131	19.40		
133	19.10		
140	19.00		
144	18.70		
148	18.30		
151	17.80		
157	17.50		
165	17.40		
175	17.00		
176	16.70		
181	16.40		
185	16.00		
200	15.80		
202	15.50		
223	14.70		
226	14.40		
231	13.60		
241	13.10		
245	13.00		
258	12.60		
265	12.20		
268	11.90		

PLATFORM- TERITU  
POSITION- 24 30N 157 47W  
MARS DEN SQUARE 80 ONE DEGREE SQUARE 47  
DATE- AUG 20, 1968 TIME- 2103  
INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	362	10.00
10	26.90	417	8.30
27	26.60	438	7.90
49	26.60	454	7.30
57	26.40	475	7.20
61	26.10	495	6.70
64	25.80	544	5.90
65	25.40	567	5.60
66	25.30	635	5.80
68	25.00	700	4.90
70	25.00		
72	24.90		
76	24.30		
86	23.80		
92	23.10		
98	22.80		
108	21.80		
111	21.60		
114	21.30		
121	21.20		
130	20.80		
136	20.40		
144	20.20		
147	19.90		
160	19.50		
178	18.40		
180	18.20		
189	17.80		
195	17.40		
200	17.00		
225	16.00		
231	15.80		
239	15.30		
244	15.20		
248	14.80		
254	14.30		
278	13.50		
281	13.20		
300	12.60		
302	12.40		
321	11.40		
326	11.40		
334	10.90		
339	10.90		
358	10.20		

PLATFORM- TERITU  
POSITION- 23 30N 157 50W  
MARS DEN SQUARE 80 ONE DEGREE SQUARE 37  
DATE- AUG 28, 1968 TIME- 1705  
INSTRUMENT TYPE- BATHY BASELINE TEMP- 15.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	463	14.40
22	26.90	484	14.20
32	26.60	276	13.70
50	26.60	283	13.70
62	26.50	287	13.40
66	26.10	290	13.40
69	25.80	292	13.10
70	25.20	299	12.90
76	25.10	303	12.50
82	24.80	312	12.40
86	24.40	320	11.90
94	24.20	328	11.70
95	24.10	334	11.40
96	24.00	336	11.40
97	23.90	345	10.90
102	23.40	355	10.70
107	23.10	366	10.30
117	22.40	373	10.20
136	21.70	381	9.80
146	20.90	404	9.40
151	20.70	415	8.90
152	20.50	441	8.30
156	20.40	447	8.30
157	20.20	454	8.00
160	19.90	475	7.70
165	19.50	494	7.20
170	19.50	545	6.60
174	19.40	548	6.40
175	19.30	611	5.70
182	19.00	634	5.70
183	18.90	658	5.50
188	18.20	677	5.50
191	18.00	700	5.20
194	17.70		
203	17.20		
210	17.10		
219	16.60		
222	16.60		
231	16.10		
240	15.90		
242	15.70		
244	15.70		
249	15.40		
253	15.10		
259	14.40		

PLATFORM- TERITU  
 POSITION- 26 IN 157 52N  
 WARDEN SQUARE 88 ONE DEGREE SQUARE 67  
 DATE- AUG 21, 1968 TIME- 1152  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.30	0	26.30
20	25.20	20	25.20
25	26.40	25	26.40
40	26.40	40	26.40
50	25.20	50	25.20
60	25.20	60	25.20
70	24.10	70	24.10
80	23.20	80	23.20
90	22.80	90	22.80
100	22.60	100	22.60
110	21.40	110	21.40
120	20.70	120	20.70
130	20.30	130	20.30
140	20.00	140	20.00
150	19.30	150	19.30
160	18.40	160	18.40
170	18.20	170	18.20
180	17.80	180	17.80
190	16.90	190	16.90
200	16.70	200	16.70
210	16.20	210	16.20
220	15.90	220	15.90
230	15.30	230	15.30
240	14.30	240	14.30
250	14.30	250	14.30
260	13.90	260	13.90
270	13.70	270	13.70
280	13.10	280	13.10
290	12.50	290	12.50
300	11.40	300	11.40
310	11.00	310	11.00
320	10.60	320	10.60
330	10.60	330	10.60
340	10.20	340	10.20
350	9.70	350	9.70
360	9.20	360	9.20

PLATFORM- TERITU  
 POSITION- 25 30N 157 51W  
 WARDEN SQUARE 88 ONE DEGREE SQUARE 59  
 DATE- AUG 21, 1968 TIME- 745  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	0	26.70
37	26.70	37	26.70
44	26.60	44	26.60
49	26.20	49	26.20
52	25.80	52	25.80
56	25.50	56	25.50
60	24.40	60	24.40
61	24.60	61	24.60
64	24.30	64	24.30
65	24.10	65	24.10
66	23.80	66	23.80
69	23.60	69	23.60
72	23.20	72	23.20
77	22.90	77	22.90
80	22.60	80	22.60
82	22.20	82	22.20
84	22.00	84	22.00
93	21.70	93	21.70
96	21.20	96	21.20
99	20.80	99	20.80
101	20.20	101	20.20
107	19.70	107	19.70
118	19.40	118	19.40
122	19.10	122	19.10
124	18.80	124	18.80
130	18.60	130	18.60
138	17.90	138	17.90
144	17.70	144	17.70
154	17.40	154	17.40
157	16.80	157	16.80
168	16.30	168	16.30
173	15.50	173	15.50
185	14.80	185	14.80
199	14.70	199	14.70
205	14.50	205	14.50
209	14.00	209	14.00
212	13.60	212	13.60
222	13.20	222	13.20
225	12.70	225	12.70
231	12.30	231	12.30
246	11.90	246	11.90
252	11.60	252	11.60
263	11.20	263	11.20
270	11.10	270	11.10
282		282	

PLATFORM- TERITU  
 POSITION- 25 0N 157 50W  
 WARDEN SQUARE 88 ONE DEGREE SQUARE 57  
 DATE- AUG 21, 1968 TIME- 698  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	0	26.70
28	26.70	28	26.70
40	26.60	40	26.60
44	26.40	44	26.40
46	26.20	46	26.20
48	25.70	48	25.70
50	25.00	50	25.00
55	24.80	55	24.80
59	24.50	59	24.50
60	24.30	60	24.30
61	23.50	61	23.50
62	23.20	62	23.20
66	22.90	66	22.90
71	22.30	71	22.30
84	21.50	84	21.50
85	21.10	85	21.10
94	20.90	94	20.90
91	20.60	91	20.60
94	20.40	94	20.40
102	19.80	102	19.80
105	19.40	105	19.40
110	19.10	110	19.10
120	18.50	120	18.50
122	18.30	122	18.30
127	17.90	127	17.90
130	17.80	130	17.80
137	17.00	137	17.00
146	16.20	146	16.20
164	16.00	164	16.00
172	15.80	172	15.80
183	15.20	183	15.20
194	14.50	194	14.50
211	13.80	211	13.80
220	12.50	220	12.50
239	12.20	239	12.20
243	12.00	243	12.00
249	11.80	249	11.80
252	11.40	252	11.40
255	11.30	255	11.30
261	11.00	261	11.00
266	10.80	266	10.80
284	10.60	284	10.60
287		287	

PLATFORM- TERITU

POSITION- 26 30N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- AUG 21, 1968 TIME- 1500

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.60	541	6.70
39	26.60	549	6.50
40	26.60	572	6.10
41	26.30	671	5.80
45	25.90	700	5.60
48	25.40		
52	24.90		
69	23.70		
74	22.90		
77	22.50		
83	22.30		
84	22.00		
101	21.30		
107	20.80		
120	19.80		
134	19.20		
143	19.30		
173	18.80		
189	17.70		
200	17.30		
205	16.90		
220	16.40		
225	16.10		
227	15.80		
244	14.90		
248	14.50		
268	13.90		
283	13.20		
306	12.40		
316	11.80		
327	11.80		
334	11.50		
340	11.50		
361	11.10		
381	10.50		
386	10.20		
397	9.70		
412	9.40		
423	9.10		
440	8.30		
480	7.40		
499	7.40		
505	7.20		
532	6.90		
535	6.70		

PLATFORM- TERITU

POSITION- 27 0N 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 21, 1968 TIME- 2225

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	374	10.50
14	26.70	403	9.80
32	26.80	421	9.40
39	26.80	438	8.90
43	26.50	444	8.90
48	25.60	457	8.50
55	25.30	465	8.50
57	25.00	486	8.10
59	24.30	490	8.00
62	24.10	492	7.80
63	23.90	502	7.60
64	23.60	509	7.30
65	23.20	519	7.20
71	22.80	524	6.90
73	22.30	547	6.50
93	21.40	571	6.20
114	19.90	578	6.00
120	19.60	610	5.80
133	19.00	645	5.40
139	18.60	700	5.00
146	18.60		
153	18.30		
159	18.30		
168	17.80		
176	17.80		
178	17.60		
185	17.50		
198	17.20		
208	17.00		
213	16.70		
215	16.50		
228	16.20		
235	15.70		
239	15.70		
244	15.40		
253	14.80		
267	14.10		
269	13.80		
284	13.50		
295	12.80		
301	12.70		
306	12.30		
338	11.30		
354	11.00		
361	10.70		

PLATFORM- TERITU

POSITION- 27 45N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 22, 1968 TIME- 409

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	414	9.80
29	26.70	421	9.40
34	26.10	439	9.20
35	25.90	448	8.80
38	24.90	477	8.30
39	24.70	494	7.80
40	24.50	517	7.20
43	24.30	531	7.20
47	23.80	554	6.60
48	23.40	610	5.80
53	22.90	635	5.70
55	22.60	648	5.50
60	21.50	700	5.30
70	21.10		
71	20.90		
81	20.40		
93	19.60		
108	18.90		
120	18.70		
131	18.10		
137	18.00		
144	17.80		
154	17.10		
162	16.70		
214	15.60		
227	15.40		
249	14.60		
254	14.30		
267	13.80		
274	13.40		
282	13.30		
287	13.20		
295	12.70		
308	12.60		
316	12.30		
323	12.20		
331	11.90		
338	11.80		
343	11.50		
352	11.30		
357	11.10		
362	11.10		
366	10.80		
389	10.50		
407	9.90		

PLATFORM- TERITU	POSITION- 28 15N 157 51W	MARSDEN SQUARE 86 ONE DEGREE SQUARE 87	DATE- AUG 22, 1968 TIME- 913	INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70	DEPTH (M)	TEMP (C)
					0	26.60
					30	26.60
					36	26.60
					37	26.28
					39	25.70
					40	25.40
					41	25.00
					43	24.50
					44	24.20
					45	23.80
					46	23.40
					49	22.90
					54	22.30
					54	22.00
					62	21.00
					64	20.70
					72	20.30
					92	19.20
					96	18.90
					100	18.60
					112	18.40
					116	18.10
					126	17.80
					139	16.90
					154	16.30
					170	15.80
					183	15.60
					196	15.40
					220	14.10
					244	13.70
					255	13.20
					287	12.40
					296	12.30
					305	12.00
					334	11.70
					381	10.50
					388	10.40
					394	10.10
					400	10.10
					411	9.30
					440	8.80
					449	8.40
					467	8.00
					472	7.70
					591	7.40

PLATFORM- TERITU	POSITION- 28 28N 157 50W	MARSDEN SQUARE 88 ONE DEGREE SQUARE 87	DATE- AUG 22, 1968 TIME- 1245	INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60	DEPTH (M)	TEMP (C)
					0	26.60
					38	26.60
					40	26.40
					41	26.00
					42	25.50
					43	24.70
					44	24.50
					45	24.20
					46	23.30
					49	22.70
					54	22.50
					55	22.40
					58	21.80
					61	21.20
					65	20.80
					69	20.50
					72	20.10
					76	20.00
					77	19.70
					82	19.50
					83	19.30
					87	19.00
					93	18.40
					103	17.90
					109	17.80
					127	16.90
					131	16.60
					136	16.60
					149	15.90
					175	15.20
					180	14.90
					189	14.90
					192	14.70
					199	14.70
					221	14.00
					226	13.70
					261	12.10
					276	12.50
					294	11.90
					312	11.80
					314	11.60
					344	11.10
					356	10.80
					373	10.50
					391	10.00

PLATFORM- TERITU	POSITION- 28 43N 157 48W	MARSDEN SQUARE 88 ONE DEGREE SQUARE 87	DATE- AUG 22, 1968 TIME- 1925	INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60	DEPTH (M)	TEMP (C)
					0	26.50
					31	26.40
					34	26.20
					35	26.00
					37	25.40
					39	24.90
					48	24.20
					41	24.00
					42	23.80
					43	22.80
					44	22.60
					45	22.20
					46	21.60
					47	21.30
					48	21.00
					58	20.70
					62	19.40
					68	19.40
					74	19.00
					76	18.60
					84	18.00
					87	17.60
					110	16.70
					127	16.40
					149	15.50
					157	15.40
					165	15.20
					168	14.90
					191	13.80
					205	13.60
					214	13.20
					227	13.10
					236	12.70
					258	12.50
					269	12.10
					317	11.10
					325	11.10
					338	10.70
					350	10.60
					368	10.10
					483	9.40
					419	8.90
					435	8.70
					466	8.10
					476	7.60

PLATFORM- TERITU

POSITION- 29 0N 137 50W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 97

DATE- AUG 22, 1968 TIME- 1840

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	26.10
32	26.10
36	25.80
37	24.20
38	23.10
39	22.90
40	22.50
41	22.10
42	21.70
44	21.40
50	20.80
54	20.30
55	20.20
57	19.70
60	19.50
61	19.40
67	19.20
74	18.50
86	17.80
89	17.50
94	17.10
108	16.50
127	16.00
141	15.50
144	15.20
165	14.10
173	14.00
187	13.40
209	12.80
246	12.20
265	11.60
323	10.50
350	10.10
387	9.30
396	9.00
415	8.70
426	8.30
457	7.60
488	7.30
525	6.50
541	6.00
591	5.40
654	4.90
700	4.70

PLATFORM- TERITU

POSITION- 29 18N 137 48W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 97

DATE- AUG 22, 1968 TIME- 2030

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.80
26	25.80
28	25.60
30	25.70
31	23.30
33	22.50
36	22.30
39	21.90
41	21.70
43	21.40
53	20.80
55	20.60
64	19.40
69	19.20
73	18.90
74	18.70
81	18.00
85	17.40
89	17.10
104	16.80
115	16.30
124	16.10
131	15.90
133	15.60
143	15.20
157	14.10
167	13.90
173	13.50
191	13.30
210	12.60
256	11.70
269	11.60
306	10.70
314	10.70
320	10.40
329	10.40
339	10.00
362	9.60
371	9.20
385	9.10
414	8.30
423	8.30
440	7.50
468	7.20
486	6.70

PLATFORM- TERITU

POSITION- 29 32N 137 50W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 97

DATE- AUG 22, 1968 TIME- 2200

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	25.90
32	25.90
36	25.70
37	25.10
38	23.00
39	22.80
40	22.40
41	22.10
43	21.80
44	21.50
45	21.10
46	20.80
47	20.50
49	20.80
55	19.50
59	19.30
60	19.00
68	18.50
72	18.10
74	17.90
79	17.70
97	16.70
144	16.70
145	15.80
148	15.30
153	15.00
162	14.80
166	14.50
173	14.30
184	13.70
189	13.70
192	13.40
205	13.20
211	12.80
248	11.80
272	11.40
287	10.90
298	10.60
312	10.50
321	10.40
349	9.70
371	9.30
395	8.60
432	7.80
453	7.50

PLATFORM- TERITU	POSITION- 29 46N 157 51W	MARSDEN SQUARE 88 ONE DEGREE SQUARE 97	DATE- AUG 22, 1968 TIME- 2330	INSTRUMENT TYPE- BATMY BASELINE TEMP- 16.70	
DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	25.90	0	25.90	0	26.40
21	25.80	7	25.90	30	26.40
24	25.70	31	26.50	33	26.20
25	25.10	34	26.50	34	26.80
26	23.60	35	26.10	35	24.90
27	22.80	36	23.50	36	24.30
28	22.40	37	22.80	37	23.20
34	21.40	38	22.50	38	23.10
35	21.30	39	22.20	43	22.40
37	20.60	40	21.90	44	22.80
42	19.70	44	21.70	47	21.50
44	19.70	47	21.20	49	21.40
54	18.80	50	20.80	50	21.80
58	18.70	56	20.60	53	20.50
60	18.40	60	19.90	58	20.10
76	17.60	76	18.50	59	19.70
78	17.30	98	17.40	62	19.40
95	16.70	118	16.70	63	19.20
111	16.70	137	16.40	64	19.80
112	16.60	147	15.90	68	18.70
113	16.30	167	15.40	69	18.50
115	16.00	180	15.20	74	19.00
120	15.80	205	14.30	87	17.40
136	15.50	225	13.90	115	16.60
156	15.00	246	13.20	120	16.50
164	14.50	296	12.80	132	16.20
177	14.30	318	11.70	144	15.80
191	13.70	334	11.20	168	14.40
212	13.10	346	11.10	185	13.70
229	12.80	366	10.50	206	13.20
255	12.60	379	10.40	211	12.80
263	11.70	384	10.10	220	12.70
300	11.10	434	9.20	232	12.30
331	10.40	447	8.70	239	12.30
338	10.40	463	8.60	256	11.80
381	9.30	466	8.60	280	11.60
387	8.90	470	8.20	291	11.30
401	8.90	487	8.00	307	11.20
440	8.20	493	7.80	327	10.60
471	7.40	501	7.80	340	10.20
483	7.30	559	6.60	359	9.80
507	6.70	592	6.10	396	9.20
537	6.10	618	6.80	427	8.50
571	5.50	624	5.70	442	8.00
589	5.20	665	5.40	504	6.60
610	4.70	700	5.30		
661	4.50				
700					



PLATFORM- TERITU

POSITION- 28 45N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 87

DATE- AUG 23, 1968 TIME- 1450

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	0	26.40
29	26.40	38	26.30
32	26.40	39	26.20
33	26.40	40	25.80
34	26.10	41	25.50
38	24.80	42	25.20
39	24.20	44	24.80
40	23.70	45	24.40
41	23.50	46	24.20
42	23.30	47	23.80
44	23.80	49	23.30
45	22.80	55	22.90
57	21.50	68	21.60
68	20.70	72	21.40
70	20.50	75	21.20
95	19.80	95	20.90
110	18.80	97	20.50
113	18.40	113	19.60
132	17.30	117	19.20
135	17.00	126	18.80
146	16.50	131	18.80
154	16.40	142	18.10
164	16.00	149	17.90
184	15.70	164	17.30
194	15.30	184	16.90
204	15.10	197	16.50
209	14.80	204	16.30
218	14.60	213	16.00
226	14.10	239	15.20
229	14.10	251	14.50
231	13.90	263	14.00
239	13.80	276	13.70
244	13.50	279	13.50
254	13.40	304	12.70
282	12.50	311	12.70
302	12.20	341	11.70
304	12.00	361	11.20
341	11.30	369	11.20
349	11.30	375	10.90
371	10.50	381	10.90
394	10.20	402	10.20
419	9.40	407	10.20
426	9.30	430	9.40
469	8.00	462	8.60
482	7.40	474	8.20
532	6.60	485	8.00
		494	7.50

PLATFORM- TERITU

POSITION- 28 30N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 87

DATE- AUG 23, 1968 TIME- 1450

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	450	5.50
38	26.30	467	5.40
39	26.20	487	5.90
40	25.80	502	7.80
41	25.50	520	7.20
42	25.20	534	7.80
44	24.80	574	6.10
45	24.40	590	6.00
46	24.20	600	5.80
47	23.80	618	5.70
49	23.30	623	5.50
55	22.90	644	5.20
68	21.60	700	5.80
72	21.40		
75	21.20		
95	20.90		
97	20.50		
113	19.60		
117	19.20		
126	18.80		
131	18.80		
142	18.10		
149	17.90		
164	17.30		
184	16.90		
197	16.50		
204	16.30		
213	16.00		
239	15.20		
251	14.50		
263	14.00		
276	13.70		
279	13.50		
304	12.70		
311	12.70		
341	11.70		
361	11.20		
369	11.20		
375	10.90		
381	10.90		
402	10.20		
407	10.20		
430	9.40		
462	8.60		
474	8.20		
485	8.00		
494	7.50		

PLATFORM- TERITU

POSITION- 27 50N 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 23, 1968 TIME- 1920

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	0	26.40
39	26.40	39	26.40
48	26.20	48	26.20
41	25.80	41	25.80
47	25.10	47	25.10
44	24.70	44	24.70
40	24.20	40	24.20
52	23.90	52	23.90
53	23.70	53	23.70
54	22.90	54	22.90
59	22.30	59	22.30
71	21.90	71	21.90
89	21.00	89	21.00
92	20.60	92	20.60
97	20.50	97	20.50
113	19.60	113	19.60
117	19.20	117	19.20
126	18.80	126	18.80
131	18.80	131	18.80
142	18.10	142	18.10
149	17.90	149	17.90
164	17.30	164	17.30
184	16.90	184	16.90
197	16.50	197	16.50
204	16.30	204	16.30
213	16.00	213	16.00
239	15.20	239	15.20
251	14.50	251	14.50
263	14.00	263	14.00
276	13.70	276	13.70
279	13.50	279	13.50
304	12.70	304	12.70
311	12.70	311	12.70
341	11.70	341	11.70
361	11.20	361	11.20
369	11.20	369	11.20
375	10.90	375	10.90
381	10.90	381	10.90
402	10.20	402	10.20
407	10.20	407	10.20
430	9.40	430	9.40
462	8.60	462	8.60
474	8.20	474	8.20
485	8.00	485	8.00
494	7.50	494	7.50

PLATFORM- TERITU

POSITION- 27 15N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 24, 1968 TIME- 36

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	323	12.00
35	26.30	338	11.40
36	26.20	350	11.00
37	25.80	366	10.30
38	25.40	408	10.10
39	24.90	412	9.80
40	24.70	425	9.40
41	24.40	435	9.30
42	24.20	445	8.90
43	23.60	452	8.90
44	23.30	454	8.70
49	22.70	474	8.30
53	22.50	480	8.00
54	22.40	487	8.00
60	21.80	520	7.40
61	21.20	541	7.20
71	20.40	568	6.50
75	20.30	580	6.20
82	19.90	601	6.20
87	19.70	620	5.90
93	19.20	667	5.50
100	18.90	700	5.40
110	18.30		
115	18.20		
120	17.70		
122	17.70		
134	17.10		
151	16.60		
170	16.40		
175	16.20		
200	15.70		
208	15.40		
214	15.40		
219	15.10		
228	14.90		
235	14.50		
245	14.30		
248	14.10		
259	13.90		
262	13.70		
268	13.70		
289	12.80		
297	12.70		
300	12.50		
319	12.20		

PLATFORM- TERITU

POSITION- 26 45N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- AUG 24, 1968 TIME- 625

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	351	10.60
36	26.70	358	10.60
47	26.60	369	10.30
50	26.60	375	10.00
54	25.90	391	9.70
60	25.90	398	9.40
61	24.40	408	8.90
62	24.30	421	8.50
65	23.60	445	8.20
69	23.20	460	7.90
76	22.40	466	7.50
77	22.10	501	6.70
81	21.70	511	6.60
88	21.30	518	6.40
96	21.10	526	6.40
103	20.90	550	6.00
120	19.10	601	5.50
138	19.00	700	5.00
146	18.70		
152	18.50		
155	18.20		
167	17.90		
175	17.40		
183	17.30		
186	17.00		
191	16.80		
196	16.30		
200	16.20		
220	15.00		
228	14.70		
232	14.30		
240	13.50		
261	13.30		
274	12.90		
281	12.50		
284	12.40		
286	12.50		
290	12.50		
296	12.20		
305	12.10		
314	11.70		
318	11.60		
326	11.20		
345	10.90		

PLATFORM- TERITU

POSITION- 26 15N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- AUG 24, 1968 TIME- 1105

INSTRUMENT TYPE- BATHY BASELINE TEMP. 10.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.40	493	6.00
47	26.30	501	6.00
52	26.00	509	6.00
53	25.80	521	6.10
54	25.30	540	5.80
55	24.90	579	5.80
64	23.60	633	5.00
72	23.10	700	4.80
80	22.50		
89	22.40		
95	22.10		
101	21.50		
104	21.50		
115	21.00		
144	20.00		
160	18.90		
172	18.00		
180	18.50		
184	18.10		
192	17.90		
204	17.20		
215	16.70		
223	16.20		
229	15.80		
230	15.10		
240	15.00		
249	14.60		
262	13.60		
272	13.40		
283	12.80		
291	12.70		
294	12.40		
308	11.70		
318	11.60		
327	11.00		
344	10.40		
348	10.40		
349	9.80		
389	9.40		
408	8.80		
425	8.50		
436	8.10		
474	7.50		
481	7.10		

PLATFORM- TERITU

POSITION- 25 45W 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- AUG 24, 1968 TIME- 1535

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)
0	26.50
3A	26.50
4A	26.20
47	25.80
48	25.60
49	25.40
52	24.70
55	24.20
57	23.80
60	23.60
63	22.80
68	22.50
79	22.00
80	22.00
91	21.20
95	20.80
104	20.10
116	20.00
131	19.40
145	19.00
159	18.30
164	18.20
176	17.60
181	17.30
185	17.20
190	16.90
197	16.20
198	15.90
202	15.80
205	15.40
214	15.00
218	14.60
226	14.40
227	14.30
228	14.10
236	13.70
238	13.40
251	12.70
257	12.60
261	12.20
294	11.30
300	11.00
317	10.40
333	10.20
337	10.20

PLATFORM- TERITU

POSITION- 25 14W 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- AUG 24, 1968 TIME- 2020

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)
0	26.60
47	26.50
51	26.28
53	26.00
54	25.78
56	25.30
57	24.90
59	24.70
60	24.38
62	23.60
66	23.40
70	22.90
71	22.78
74	22.28
82	21.50
91	21.30
100	20.60
101	20.40
113	20.20
115	20.00
118	19.90
120	19.78
126	19.60
128	19.40
130	19.00
134	18.60
141	18.60
145	18.20
149	18.10
154	17.58
163	17.18
171	16.90
173	16.70
180	16.30
191	15.50
201	15.10
202	14.60
205	14.60
208	14.60
210	14.50
212	14.00
218	13.70
222	13.70
228	13.50
239	12.60

PLATFORM- TERITU

POSITION- 24 47W 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 47

DATE- AUG 25, 1968 TIME- 100

INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)
0	26.70
37	26.70
41	26.40
42	25.90
44	25.50
45	25.00
46	24.80
48	24.40
53	24.20
55	23.30
60	22.80
61	22.10
70	22.10
72	22.10
74	22.00
75	21.70
87	21.00
92	20.60
94	20.30
100	19.90
107	19.90
115	19.60
123	19.50
131	19.30
136	18.80
145	18.60
163	18.00
170	17.30
183	16.70
184	16.40
193	16.10
198	15.50
204	15.30
207	14.90
209	14.70
210	14.60
215	14.40
218	14.00
220	13.80
235	13.50
242	13.10
246	13.00
254	12.40
260	12.20
271	12.00
275	11.00

PLATFORM- TERRITU

POSITION- 24 15N 157 50W

MARSDEN SQUARE 86 ONE DEGREE SQUARE 47

DATE- AUG 25, 1968 TIME- 505

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	358	9.60
48	26.90	390	8.70
52	26.30	394	8.50
54	25.60	403	8.40
57	25.20	412	8.00
61	24.90	425	7.50
65	24.30	441	7.30
68	24.10	460	7.10
70	23.80	480	6.70
77	23.30	509	6.00
84	22.40	555	5.70
88	22.10	542	5.50
99	21.50	608	5.10
119	20.80	624	5.10
120	20.60	654	4.80
130	19.90	700	4.50
143	19.00		
147	19.50		
151	19.40		
157	18.90		
165	18.60		
170	18.10		
188	17.60		
187	17.50		
191	17.20		
202	16.90		
213	16.40		
215	16.10		
223	16.00		
230	15.40		
236	15.20		
238	14.90		
242	14.60		
245	14.30		
257	13.70		
261	13.10		
270	12.60		
272	12.60		
283	12.20		
293	11.60		
312	10.90		
318	10.00		
325	10.50		
330	10.10		
342	9.00		

PLATFORM- TERRITU

POSITION- 23 45N 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 25, 1968 TIME- 1900

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.60	329	11.10
50	26.50	343	10.60
61	26.40	347	10.30
62	26.10	354	10.20
64	25.70	365	9.70
68	25.70	381	9.20
69	25.50	390	8.20
70	25.20	399	8.70
75	24.60	460	8.70
77	24.20	431	8.20
81	23.60	443	7.80
86	23.20	454	7.70
87	23.00	479	7.10
90	22.30	482	7.10
105	22.10	501	6.70
120	21.60	534	6.00
134	21.00	550	6.00
143	20.60	595	5.80
159	20.20	572	5.70
161	20.20	581	5.50
164	19.80	613	5.30
173	19.70	633	5.00
189	18.70	700	4.80
192	18.30		
199	17.00		
207	17.00		
216	17.00		
219	17.10		
222	17.00		
229	16.60		
246	15.50		
255	15.30		
259	15.20		
261	14.90		
268	14.70		
271	14.40		
273	13.90		
280	13.00		
283	13.30		
284	13.10		
287	12.70		
292	12.50		
305	12.40		
313	11.00		
316	11.50		

PLATFORM- TERRITU

POSITION- 23 15N 157 49W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 25, 1968 TIME- 1415

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	200	12.10
50	26.50	208	12.00
65	26.10	305	11.00
68	25.60	315	11.20
69	25.30	329	10.70
70	25.10	334	10.60
80	24.20	339	10.30
86	24.60	356	10.00
87	23.90	370	9.50
88	23.70	379	9.00
92	23.30	382	8.00
96	23.40	397	8.50
100	23.10	423	7.90
102	22.70	436	7.70
107	22.40	454	7.10
115	22.30	509	6.40
116	22.30	525	6.00
117	22.10	543	5.40
122	21.60	606	4.80
133	21.30	700	4.70
144	20.70		
153	20.40		
160	19.40		
174	19.20		
178	18.80		
183	18.40		
190	18.30		
192	18.10		
196	18.00		
197	17.80		
204	17.40		
221	16.90		
228	16.50		
230	16.20		
235	16.00		
236	15.70		
243	15.30		
247	14.90		
253	14.40		
261	14.10		
270	13.50		
272	13.30		
273	12.90		
276	12.00		
283	12.40		

PLATFORM- TERITU

POSITION- 22 46W 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- AUG 25, 1968 TIME- 1025

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	27.00
16	21.50
17	21.30
18	20.20
19	19.70
20	19.50
21	19.40
24	17.60
25	17.10
31	16.50
32	15.90
34	15.80
39	15.10
43	14.20
47	13.90
48	13.50
50	13.40
53	12.70
55	12.60
58	12.10
64	12.00
85	11.60
135	10.90
161	10.80
187	10.40
251	10.00
263	9.80
295	9.60
324	9.30
365	8.50
386	8.50
397	8.20
400	8.30
411	7.90
427	7.50
462	7.10
468	6.90
519	6.20
544	6.20
563	5.80
578	5.80
673	5.50

PLATFORM- TERITU

POSITION- 22 15N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- AUG 25, 1968 TIME- 2248

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	26.70
18	21.10
19	20.20
20	19.70
21	19.60
22	18.50
23	18.30
24	17.30
25	16.70
26	16.20
27	16.10
28	15.50
34	14.30
36	14.20
39	13.80
40	13.30
45	12.50
47	12.30
54	11.20
58	11.00
75	10.70
76	10.50
196	9.40
209	9.20
213	8.90
228	8.70
260	8.60
295	8.20
330	7.90
350	7.90
410	7.30
417	7.30
422	7.10
437	6.80
472	6.40
530	6.10
540	5.90
572	5.60
589	5.60
673	5.20

PLATFORM- TERITU

POSITION- 22 14N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- AUG 26, 1968 TIME- 330

INSTRUMENT TYPE- BATNY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	331	10.80
64	26.60	342	10.30
72	26.20	359	10.00
77	25.70	370	9.30
78	25.40	379	8.90
91	24.00	407	8.20
97	24.00	428	8.00
103	23.60	454	7.30
107	23.40	471	7.30
114	22.90	475	7.00
124	22.70	496	7.10
130	22.40	509	6.80
132	22.10	543	6.70
156	21.00	545	6.50
160	20.80	571	6.20
170	20.10	583	6.20
183	19.70	611	5.80
187	19.30	650	5.70
191	19.30	663	5.50
196	18.60	660	5.40
202	18.20	700	5.40
206	18.10		
209	17.80		
211	17.60		
214	17.40		
229	17.30		
223	17.00		
229	16.80		
240	15.70		
247	15.40		
248	15.20		
249	15.10		
252	14.40		
254	14.30		
258	14.00		
267	13.40		
279	13.00		
287	12.50		
293	12.30		
295	12.10		
297	12.10		
301	11.70		
306	11.70		
318	11.40		
325	10.90		

PLATFORM- TERITU

POSITION- 22 46N 157 48W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- AUG 26, 1968 TIME- 800

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	310	12.30
51	26.78	318	11.90
56	26.50	346	11.10
60	26.00	353	10.60
64	25.98	363	10.10
71	25.30	390	8.80
72	24.00	421	8.50
75	24.00	432	8.20
78	24.00	444	8.10
82	23.90	454	7.80
86	23.40	458	7.50
94	22.90	464	7.20
96	22.68	498	6.70
105	22.30	505	6.00
114	22.30	522	6.20
116	22.20	556	5.90
118	21.00	583	5.90
121	21.00	595	5.70
128	21.40	700	5.10
137	21.40		
141	20.90		
145	20.00		
155	20.10		
162	20.00		
169	19.70		
173	19.30		
180	19.30		
202	19.00		
190	18.60		
197	18.50		
203	18.10		
211	17.90		
213	17.70		
216	17.30		
220	17.20		
229	16.70		
238	16.20		
248	15.90		
251	15.20		
261	14.90		
266	14.60		
268	14.60		
270	14.40		
294	13.00		
306	12.40		

PLATFORM- TERITU

POSITION- 23 15N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 26, 1968 TIME- 1242

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	452	7.00
53	26.50	450	7.00
55	26.10	470	7.30
58	25.60	515	6.60
61	25.20	550	6.20
67	24.00	564	6.10
77	24.10	617	5.00
83	24.00	633	5.30
94	23.30	640	5.30
101	23.10	663	5.00
103	22.00	700	4.00
115	22.50		
122	22.00		
130	21.40		
144	21.00		
145	20.00		
151	20.00		
160	19.00		
168	19.40		
173	19.00		
177	19.20		
179	18.90		
186	18.00		
192	18.00		
200	17.00		
203	17.60		
206	17.20		
214	16.70		
217	16.50		
230	15.40		
244	14.70		
248	14.40		
249	14.30		
254	14.00		
258	13.70		
266	13.70		
275	13.10		
289	12.50		
291	12.30		
308	11.50		
325	11.20		
338	10.70		
405	8.90		
432	8.50		
437	8.20		

PLATFORM- TERITU

POSITION- 23 45N 157 49W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 26, 1968 TIME- 1730

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.00	290	11.40
50	26.78	305	11.50
60	26.00	322	10.90
64	25.00	332	10.70
65	25.50	342	10.30
60	25.00	357	10.10
72	24.50	365	9.00
82	24.10	384	9.50
83	24.10	390	9.30
91	23.20	398	9.10
95	22.00	416	8.30
96	22.40	435	7.40
100	22.40	447	7.00
102	22.30	455	7.10
110	21.00	460	6.40
122	21.10	490	6.40
120	20.70	492	6.30
130	20.20	496	6.50
141	20.00	500	6.30
148	19.00	503	5.90
153	19.60	504	6.10
155	19.30	511	6.10
166	18.00	520	5.00
172	18.00	546	5.40
175	18.70	600	5.00
178	18.20	700	4.70
181	18.20		
191	17.40		
195	17.20		
198	17.10		
200	16.90		
202	16.00		
205	16.00		
209	16.10		
210	16.00		
216	15.40		
224	15.40		
229	15.20		
233	15.00		
236	14.60		
246	14.00		
253	13.90		
265	13.00		
275	13.10		
277	12.90		

PLATFORM- TERITU  
 POSITION- 24 15N 157 51W  
 MARS DEN SQUARE 00 ONE DEGREE SQUARE 67  
 DATE- AUG 26, 1960 TIME- 2205  
 INSTRUMENT TYPE- BATHY BASELINE TEMP. 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	27.20	306	10.80
49	27.00	315	10.80
56	26.20	340	9.20
60	25.10	359	9.80
61	24.80	372	8.60
64	24.40	398	8.40
67	24.20	413	7.90
73	23.60	426	7.80
87	22.80	448	7.30
89	22.60	461	7.20
108	21.60	482	6.60
115	21.30	519	6.20
116	21.20	522	6.00
117	21.00	548	5.90
120	20.70	559	5.70
127	20.60	642	5.20
134	19.90	665	5.20
140	19.80	673	5.00
148	19.30	700	5.00
155	19.10		
157	18.80		
167	18.60		
171	18.30		
172	18.00		
177	17.40		
181	17.30		
182	17.10		
183	17.00		
196	16.40		
203	16.30		
224	15.30		
226	15.00		
236	14.80		
249	14.30		
255	13.90		
257	13.60		
261	13.40		
266	12.80		
270	12.50		
271	12.30		
275	12.10		
276	11.90		
278	11.70		
280	11.40		
290	10.60		

PLATFORM- TERITU

POSITION- 24 46N 157 49W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 47

DATE- AUG 27, 1968 TIME- 305

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.80	350	8.00
14	26.70	362	8.70
21	26.50	366	8.50
33	26.60	410	7.50
34	26.60	434	7.20
39	26.20	446	6.90
42	25.10	448	6.70
44	25.00	471	6.20
45	25.90	485	6.20
46	24.70	493	5.90
51	24.40	510	5.60
56	23.80	532	5.60
58	23.20	558	5.30
61	22.00	632	4.80
72	22.10	700	4.50
77	22.00		
78	21.70		
86	21.20		
98	20.90		
113	19.90		
120	19.30		
136	18.40		
143	17.90		
150	17.50		
151	17.30		
167	16.40		
188	15.40		
194	15.30		
201	14.80		
206	14.80		
214	14.00		
230	13.00		
234	13.60		
235	13.30		
260	12.00		
268	11.80		
276	11.40		
290	11.00		
300	10.50		
316	10.10		
324	9.40		
334	9.40		
340	9.10		
348	9.00		

PLATFORM- TERITU

POSITION- 25 18N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- AUG 27, 1968 TIME- 1380

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	207	10.90
47	26.60	314	10.20
50	26.40	330	9.90
51	25.70	337	9.90
52	25.40	365	8.70
53	25.10	390	8.20
54	24.10	405	7.70
64	23.40	410	7.70
74	22.50	418	7.40
77	22.00	436	7.10
82	21.00	445	6.80
85	21.50	460	6.00
86	21.20	480	6.10
94	21.00	499	6.10
95	20.70	504	6.00
95	20.60	544	5.70
100	20.40	572	5.40
112	19.60	700	4.50
116	19.40		
120	18.80		
124	18.70		
128	18.40		
132	18.40		
136	18.10		
142	18.10		
145	17.80		
150	17.80		
157	17.10		
170	16.80		
183	15.90		
187	15.50		
191	15.30		
193	15.00		
196	15.00		
198	14.70		
205	14.40		
206	14.20		
209	13.80		
212	13.00		
222	13.20		
226	12.00		
230	12.10		
240	11.50		
278	11.30		

PLATFORM- TERITU

POSITION- 25 46N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- AUG 27, 1968 TIME- 1710

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	372	9.70
21	26.70	392	9.20
24	26.50	412	8.40
37	26.50	444	7.50
41	26.40	449	7.20
44	26.00	464	6.80
50	25.00	508	6.00
51	25.50	512	6.30
52	25.20	537	5.80
54	24.70	573	5.00
54	24.20	590	5.40
61	23.30	592	5.50
75	22.00	700	4.70
76	22.40		
83	22.20		
89	21.00		
100	21.10		
109	21.00		
117	20.80		
121	20.50		
122	20.30		
133	19.90		
140	19.00		
150	19.40		
151	19.50		
176	18.40		
192	17.40		
197	17.40		
205	17.00		
205	16.70		
211	16.50		
218	15.90		
226	15.70		
230	15.50		
233	14.90		
243	14.40		
247	14.10		
269	13.20		
272	13.20		
293	12.20		
301	12.10		
304	11.70		
330	10.00		
358	10.10		
365	10.00		



PLATFORM- TERITU  
 POSITION- 26 15N 157 50W  
 MARS DEN SQUARE 66 ONE DEGREE SQUARE 67  
 DATE- AUG 27, 1968 TIME- 2100  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.00

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	352	10.20
29	26.40	358	9.80
35	26.30	365	9.70
38	26.10	377	9.10
39	26.00	391	9.00
40	25.80	411	8.50
41	25.50	442	8.20
44	25.40	477	7.40
45	25.30	509	7.80
46	25.00	525	6.60
47	24.80	533	6.60
55	24.00	538	6.30
56	23.70	557	5.90
65	23.00	566	5.90
70	22.30	584	5.60
80	21.60	648	5.20
93	21.40	700	4.90
101	20.70		
105	20.40		
111	20.30		
121	19.70		
125	19.40		
128	19.30		
134	18.90		
146	18.00		
164	18.10		
168	17.80		
177	17.30		
180	17.10		
194	16.70		
204	16.30		
222	15.30		
227	14.80		
236	14.20		
245	14.00		
251	13.60		
260	13.00		
275	13.00		
287	12.20		
290	12.20		
298	11.60		
306	11.60		
314	11.20		
333	10.60		

PLATFORM- TERITU  
 POSITION- 26 48N 157 50W  
 MARS DEN SQUARE 63 ONE DEGREE SQUARE 67  
 DATE- AUG 28, 1968 TIME- 32  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70		
16	17.90		
17	17.60		
18	16.90		
19	16.60		
21	16.10		
22	15.70		
24	15.00		
27	14.30		
29	13.70		
32	13.50		
37	13.00		
38	12.80		
39	12.40		
43	12.40		
50	11.70		
54	11.60		
57	11.10		
219	9.90		
234	9.60		
286	9.30		
368	8.60		
390	8.50		
408	8.10		
416	8.00		
427	7.60		
436	7.50		
445	7.20		
472	6.80		
497	6.10		
533	5.80		
547	5.50		
578	5.10		
673	4.80		

PLATFORM- TERITU  
 POSITION- 26 45N 157 51W  
 MARS DEN SQUARE 68 ONE DEGREE SQUARE 67  
 DATE- AUG 28, 1968 TIME- 000  
 INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	413	8.80
37	26.40	428	8.70
39	26.20	444	8.10
41	25.90	493	7.00
45	25.40	520	6.70
46	25.20	542	6.20
47	25.00	547	6.20
48	24.60	555	6.00
49	24.30	574	5.90
50	23.60	592	5.50
53	23.00	700	4.90
54	22.30		
59	21.90		
63	21.80		
67	21.40		
71	21.20		
81	20.30		
84	19.90		
95	19.50		
105	18.80		
113	18.70		
120	18.20		
123	18.10		
133	17.20		
141	16.70		
163	16.40		
182	16.00		
187	15.70		
203	15.30		
208	15.10		
211	15.00		
215	14.70		
231	14.10		
230	13.70		
254	13.30		
268	12.50		
285	12.30		
317	11.50		
328	11.40		
335	11.10		
340	10.90		
351	10.70		
378	10.30		
398	9.30		
404	9.30		

PLATFORM- TERITU

POSITION- 26 15N 157 48W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 67

DATE- AUG 28, 1968 TIME- 1035

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	330	11.30
34	26.40	343	10.60
44	26.20	351	10.50
46	26.00	356	10.20
47	25.60	362	10.20
53	25.60	366	9.10
57	25.20	390	9.10
58	24.90	419	8.50
60	24.50	435	8.40
61	24.40	444	7.70
62	24.10	484	7.70
63	23.90	501	7.70
78	23.50	531	7.20
72	23.10	547	6.70
77	22.80	554	6.70
89	22.40	554	6.70
94	21.90	561	6.30
95	21.70	600	5.80
108	21.00	604	5.60
115	20.40	638	5.40
120	20.30	688	5.00
123	20.20	700	4.90
136	19.60		
140	19.20		
141	19.00		
147	18.90		
148	18.70		
155	18.50		
164	17.60		
174	17.40		
177	17.50		
179	17.30		
184	17.20		
186	16.80		
207	15.90		
213	15.60		
232	15.10		
234	14.90		
257	14.00		
264	13.60		
281	13.30		
285	13.00		
286	12.80		
299	12.10		
322	11.40		

PLATFORM- TERITU

POSITION- 25 44N 157 50W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 57

DATE- AUG 28, 1968 TIME- 1500

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.50	433	8.20
30	26.50	454	7.70
39	26.40	467	7.30
44	25.80	484	7.10
45	25.40	497	6.60
46	25.30	550	5.70
47	24.90	567	5.50
48	24.60	573	5.50
49	24.20	655	4.90
50	23.70	700	4.90
63	23.10		
72	22.50		
80	22.30		
83	22.10		
94	21.30		
107	20.90		
119	20.20		
130	19.80		
135	19.80		
147	19.50		
155	19.10		
166	19.00		
176	18.70		
182	18.20		
190	17.90		
202	17.20		
211	17.00		
214	16.70		
220	16.10		
233	15.40		
245	15.00		
250	14.50		
255	14.40		
262	13.80		
270	12.80		
303	11.80		
311	11.30		
323	10.90		
327	10.90		
336	10.60		
353	10.10		
369	10.20		
381	9.60		
408	8.70		
419	8.70		

PLATFORM- TERITU

POSITION- 25 15N 157 50W

MARSDEN SQUARE 80 ONE DEGREE SQUARE 57

DATE- AUG 28, 1968 TIME- 1519

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	358	9.30
39	26.70	365	9.30
47	26.60	371	9.00
49	26.50	382	8.90
52	26.00	407	8.30
54	25.30	443	7.90
54	25.30	450	7.40
60	24.30	480	7.20
61	23.80	495	6.60
63	23.50	523	6.60
78	22.50	543	6.20
83	21.30	550	5.90
91	20.70	573	5.50
99	20.20	600	5.00
100	20.00	700	4.60
115	19.50		
122	19.20		
129	18.50		
136	18.40		
137	18.30		
138	18.10		
141	17.80		
164	16.70		
180	15.60		
185	15.40		
191	15.00		
203	14.50		
208	14.20		
211	13.80		
218	13.70		
222	13.40		
225	13.10		
231	12.60		
243	12.20		
257	12.00		
259	11.60		
266	11.60		
283	11.30		
287	11.00		
303	10.80		
309	10.50		
318	10.50		
320	10.20		
341	9.70		
350	9.70		

PLATFORM- TERITU

POSITION- 24 5'N 157 50W

MARSDEN SQUARE 68 ONE DEGREE SQUARE 47

DATE- AUG 28, 1968 TIME- 2340

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	27.00
43	26.80
47	26.60
50	25.90
55	25.30
62	23.80
67	23.40
71	22.90
79	22.20
81	22.10
82	21.80
88	21.40
91	21.10
96	20.70
100	20.70
104	20.30
112	20.10
120	19.40
124	19.20
132	18.90
139	18.70
143	18.40
145	18.10
148	17.90
151	17.50
156	17.40
160	17.10
171	16.70

PLATFORM- TERITU

POSITION- 23 15N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 29, 1968 TIME- 400

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.60

DEPTH (M)	TEMP (C)
0	27.30
50	27.10
55	26.80
59	25.90
60	25.70
61	25.10
62	24.80
64	24.60
67	24.10
69	23.90
72	23.80
84	22.90
88	22.50
96	22.00
117	21.10
119	20.90
120	20.80
124	20.40
133	19.90
135	19.50
144	18.90
148	18.90
156	18.40
167	17.90
168	17.80
179	17.20
181	17.10
183	16.80
194	16.40
201	16.40
204	16.10
223	15.60
227	15.40
230	15.10
249	14.50
257	13.90
264	13.80
272	13.20
280	12.20
292	10.90
298	10.80
300	10.60
321	9.80
333	9.60

PLATFORM- TERITU

POSITION- 23 45N 157 49W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 29, 1968 TIME- 825

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)
0	27.10
10	27.10
21	26.70
34	26.60
37	26.50
40	26.00
45	25.50
51	25.20
52	24.40
55	24.30
57	23.90
64	23.60
71	23.00
80	22.40
86	22.20
114	20.80
117	20.40
127	19.90
133	19.80
161	17.80
165	17.40
170	17.20
174	16.80
184	16.20
190	16.10
194	15.80
196	15.50
212	14.70
218	14.50
226	13.80
231	13.60
232	13.30
242	12.80
244	12.50
251	12.10
260	11.40
274	11.40
281	11.00
293	10.90
304	10.50
309	10.40
310	10.10
318	10.10
325	9.70
334	9.60

PLATFORM- TERITU

POSITION- 23 15N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 29, 1968 TIME- 1300

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.60	418	10.00
47	26.60	420	9.70
53	26.10	424	9.70
58	25.30	429	9.30
63	25.00	445	9.30
64	25.90	450	9.10
70	24.60	453	8.70
82	23.70	461	8.50
90	22.90	466	8.50
103	22.00	470	8.20
111	22.40	476	8.00
120	22.20	511	7.00
124	21.80	527	7.50
130	21.20	540	7.30
141	20.90	560	7.00
145	20.70	570	6.00
148	20.30	617	6.00
165	19.60	642	6.50
168	19.30	674	6.30
183	18.00	700	
185	18.00		
190	18.00		
192	18.40		
200	18.30		
204	18.10		
210	17.70		
215	17.50		
224	16.00		
234	16.40		
236	16.10		
245	15.80		
249	15.30		
253	15.20		
257	14.80		
266	14.00		
269	14.20		
272	14.10		
278	13.70		
286	13.50		
307	12.30		
330	11.60		
350	11.40		
377	10.90		
384	10.50		
413	10.10		

PLATFORM- TERITU

POSITION- 22 45N 157 49W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- AUG 29, 1968 TIME- 1705

INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.70	337	11.10
33	26.60	355	10.00
58	26.50	381	10.10
62	26.20	391	9.50
63	26.00	404	8.90
64	25.60	420	8.50
65	25.10	430	8.40
66	24.90	445	8.20
74	24.50	464	8.00
79	24.10	477	7.40
88	23.60	490	7.10
93	23.60	506	7.00
102	23.20	530	6.50
103	22.80	544	6.50
116	22.20	560	6.10
118	22.00	671	5.60
124	21.60	680	5.40
135	21.50	700	5.40
142	20.90		
150	20.70		
152	20.40		
154	20.20		
159	20.00		
167	19.50		
171	19.40		
180	18.80		
184	18.00		
193	18.30		
200	17.70		
204	17.50		
209	17.50		
211	17.40		
217	16.70		
224	16.60		
232	16.00		
235	15.60		
247	15.20		
255	14.70		
266	14.40		
270	14.30		
274	13.00		
281	13.30		
294	12.90		
312	11.90		
320	11.00		

PLATFORM- TERITU

POSITION- 22 15N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- AUG 29, 1968 TIME- 2130


INSTRUMENT TYPE- BATHY BASELINE TEMP- 16.70

DEPTH (M)	TEMP (C)	DEPTH (M)	TEMP (C)
0	26.90	207	12.50
65	26.00	209	12.30
66	26.70	290	12.00
67	26.50	306	12.00
71	25.90	319	11.50
74	25.30	327	10.90
79	24.70	334	10.80
90	24.10	337	10.50
94	23.60	340	10.40
95	23.40	354	10.00
97	23.10	370	9.80
107	22.90	381	9.30
111	22.60	389	9.30
117	22.10	400	8.70
120	22.00	411	8.60
125	21.70	417	8.30
132	21.50	422	8.30
141	21.10	426	8.00
146	20.70	500	6.70
148	20.30	518	6.00
160	19.30	547	6.00
181	19.10	571	5.80
194	18.50	578	5.00
197	18.40	581	6.10
198	18.20	624	6.10
202	17.70	651	6.00
205	17.30	656	5.80
218	16.70	684	5.70
226	16.70	700	5.60
227	16.30		
234	15.00		
237	15.50		
240	15.50		
249	14.70		
254	14.50		
255	14.30		
257	14.30		
259	14.20		
260	14.00		
261	13.80		
267	13.60		
268	13.40		
276	12.90		
282	12.80		
284	12.60		

## **Appendix B: AXBT Data**

VP28 AXBT

DATA LOCATIONS



VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	16	AUG	1968	2114	43-00N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.70	25	16.70	32	14.80	35	13.50
54	10.10	71	9.50	149	9.10	190	8.20
291	6.90	329	6.30				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	16	AUG	1968	2121	42-35N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.90	18	16.70	25	14.00	32	13.80
52	10.40	76	10.10				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	16	AUG	1968	2139	41-20N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	18.90	12	18.90	14	18.70	15	16.90
24	14.80	38	13.30	48	10.60	146	9.70
219	8.90	329	6.90				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	16	AUG	1968	2145	40-55N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	19.50	18	19.30	20	17.60	24	16.10
44	13.30	49	13.10	56	11.40	76	10.40
113	10.10	157	10.20	171	9.70	249	9.30
272	8.90	329	7.40				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	16	AUG	1968	2151	40-34N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	20.60	8	20.60	11	20.40	14	17.80
23	16.30	36	13.60	47	11.90	59	11.00
329	8.00						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	16	AUG	1968	2158	40-05N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	20.60	10	20.10	15	18.40	18	16.90
25	15.50	39	12.50	57	11.20	66	11.20
78	11.00	81	10.60	132	11.00	232	10.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	16	AUG	1968	2204	39-40N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.00	4	21.00	7	20.10	11	20.10
16	16.50	25	15.00	36	14.00	43	12.10
175	10.40	267	9.30	329	7.80		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	16	AUG	1968	2211	39-15N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.00	3	21.00	6	20.30	8	18.60
23	16.10	25	15.20	32	14.80	41	12.70
60	10.60	77	11.00	141	11.00	192	9.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	16	AUG	1968	2218	38-50N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.00	5	22.00	7	20.80	10	18.20
14	16.50	55	15.50	35	13.60	46	12.70

186 10. 40 225 10. 20 329 8. 20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	16	AUG	1968	2231	37-53N	157-12W	16. 70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	23. 30	10	23. 10	11	22. 70	13	20. 40	14
18	18. 60	26	17. 20	32	17. 00	45	15. 70	49
56	13. 60	98	12. 10	174	11. 60	329	9. 10	

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	16	AUG	1968	2234	36-36N	157-40W	16. 70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	24. 40	12	24. 40	15	23. 30	20	19. 70	25
30	17. 60	39	16. 50	42	15. 30	59	13. 80	82
135	12. 50	256	10. 60	329	8. 90			

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	16	AUG	1968	2245	37-05N	157-39W	16. 70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	23. 50	7	23. 50	10	23. 30	11	22. 60	13
16	18. 90	24	17. 40	30	17. 00	31	16. 50	43
50	15. 30	59	12. 90	101	11. 40	262	9. 70	329

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	16	AUG	1968	2257	36-20N	157-50W	16. 70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	24. 00	11	23. 50	15	23. 10	21	19. 50	23
32	17. 80	39	16. 10	51	14. 20	60	13. 50	102
254	10. 20	329	8. 70					

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	16	AUG	1968	2304	35-55N	157-50W	16. 70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	24. 40	11	24. 20	13	23. 70	14	21. 60	15
29	19. 50	39	17. 60	43	16. 50	48	15. 30	58
70	14. 60	71	13. 80	97	13. 60	103	12. 90	184
194	11. 60	260	11. 00	315	9. 70			

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	16	AUG	1968	2310	35-30N	157-50W	16. 70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	24. 80	11	24. 80	12	24. 60	13	23. 30	16
19	21. 20	21	20. 10	30	17. 40	34	17. 00	36
58	14. 40	81	13. 30	329	9. 30			

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	16	AUG	1968	2323	34-40N	157-50W	16. 70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	25. 00	8	25. 00	11	24. 40	13	22. 70	15
18	20. 60	24	20. 30	28	19. 70	36	17. 00	47
61	15. 20	69	14. 20	150	12. 50	329	9. 70	

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	16	AUG	1968	2330	34-15N	157-50W	16. 70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	25. 40	13	25. 20	15	24. 60	19	22. 70	23
27	19. 90	28	19. 70	28	18. 70	36	16. 90	47
71	14. 60	97	14. 40	102	13. 80	157	13. 30	211
329	10. 20							

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
--------	-----	-------	------	-----------	----------	-----------	---------------	--



V002	16	AUG	1968	2336	33-50N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.40	10	25.40	14	24.80	21	22.10
26	20.60	28	19.50	37	18.00	46	17.60
83	15.30	91	14.60	133	14.20	185	12.50
						329	10.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	16	AUG	1968	2343	33-12N	158-01W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	10	26.50	12	25.70	20	25.70
25	23.10	33	20.60	47	18.60	65	17.20
157	13.50	193	12.90	215	11.90	240	11.90
						328	10.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	16	AUG	1968	2348	32-55N	158-01W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	18	26.50	21	26.30	24	25.20
29	23.10	33	21.20	39	20.10	56	18.60
161	13.30	329	10.10			112	15.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	16	AUG	1968	2353	32-35N	158-01W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	11	26.50	19	25.70	22	24.70
33	20.40	49	18.60	62	17.40	95	15.90
140	14.40	171	13.30	200	13.10	213	12.30
						288	11.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0000	32-10N	158-00W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	11	26.70	14	25.90	20	25.50
43	20.40	70	18.40	148	15.50	167	14.20
247	12.50	329	10.60			212	12.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0013	31-29N	158-04W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	14	25.90	18	25.00	22	22.50
45	19.10	68	17.60	107	17.00	152	15.70
204	12.70	329	10.10			168	14.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0021	30-55N	158-04W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	21	25.90	25	25.20	34	22.10
51	20.10	56	19.10	73	18.60	78	17.80
						142	15.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0029	30-30N	157-59W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.30	33	26.30	37	25.20	40	23.70
45	21.40	63	19.30	108	17.40	113	16.50
205	13.60	220	13.60	228	13.10	329	11.00
						188	14.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0034	30-05N	157-54W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.30	28	26.10	31	25.50	34	23.70
48	21.80	57	19.90	82	18.20	94	17.80
						39	22.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
--------	-----	-------	------	-----------	----------	-----------	---------------

V002	17	AUG	1968	0043	29-40N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	30	26.10	33	25.20	36	23.30
67	19.50	72	18.60	110	16.90	146	16.30
248	12.70	268	11.80	328	10.40	200	13.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0049	29-15N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	24	26.10	26	25.90	31	23.70
65	18.70	84	17.60	94	17.60	103	16.90
126	16.10	158	15.30			121	16.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0055	28-50N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	25	26.10	26	25.20	34	23.10
40	21.60	46	20.60	62	17.80	109	16.50
153	15.50	160	14.80	232	12.50	264	12.10
329	10.20					290	10.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0110	28-07N	158-00W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	21	26.70	27	26.50	30	26.10
46	22.10	109	19.10	167	17.40	192	15.90
251	13.80	329	11.60			204	15.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0125	27-08N	157-54W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	53	26.30	61	24.80	78	23.70
114	21.40	171	18.70	201	17.60	222	17.40
299	13.60	312	13.50	317	12.90	329	12.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0130	26-49N	157-53W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	26	27.20	47	26.70	53	26.10
89	22.30	132	21.00	147	19.90	179	18.70
215	17.00	329	15.90	270	14.80	275	14.00
329	12.50					307	13.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0139	26-19N	157-51W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	35	26.30	47	26.10	69	23.70
134	20.10	165	19.10	177	18.40	192	18.20
221	16.30	224	15.70	253	13.60	263	13.60
329	11.00					292	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0145	25-55N	157-51W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	34	26.30	41	25.90	47	24.40
56	23.70	75	22.90	78	22.30	115	20.40
143	19.70	148	18.70	171	17.80	176	16.90
239	13.60	251	13.60	280	12.50	283	11.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0152	25-30N	157-51W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	33	26.70	43	26.50	46	26.10	53	23.80
69	22.30	85	21.80	111	19.50	124	19.30	148	17.40
177	16.10	191	14.80	225	13.50	240	12.30	258	12.10
269	11.40	329	10.10						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0158	25-05N	157-50W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	39	26.50	43	25.20	58	24.40	63	23.30
77	22.00	91	21.80	96	21.00	114	20.30	127	18.60
148	16.90	154	16.90	165	15.50	172	15.50	177	14.80
189	14.60	197	13.60	211	12.90	227	12.90	264	11.60
271	10.80	329	9.50						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0204	24-40N	157-50W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	47	26.50	53	24.60	57	24.40	60	23.70
72	22.30	81	22.10	93	21.00	129	18.90	137	18.90
140	18.40	147	18.40	150	17.60	164	17.20	170	16.50
190	15.90	191	15.30	206	15.20	210	14.40	217	14.40
226	13.50	250	12.30	282	11.80	299	10.60	329	9.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0211	24-15N	157-50W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	32	27.20	46	26.80	49	26.70	51	25.70
56	24.80	72	24.00	83	22.50	126	19.90	156	18.60
167	18.60	194	16.70	247	14.60	255	13.60	264	12.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0217	23-50N	157-50W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	52	26.80	55	25.70	68	24.00	76	24.00
108	21.80	123	21.40	146	19.30	166	18.70	183	17.20
196	16.90	207	15.50	242	14.40	280	12.30	320	11.20
329	10.40								

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	17	AUG	1968	0224	23-25N	157-50W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.00	35	27.00	44	26.80	59	24.80	83	23.10
96	22.90	107	22.00	114	22.00	129	20.60	148	19.50
159	19.50	173	18.20	187	18.20	209	16.70	223	16.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1809	55-05N	157-50W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.40	18	11.20	22	10.40	28	7.80	40	7.40
46	6.50	327	6.50						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1818	54-29N	157-50W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.80	23	11.90	26	11.60	27	11.20	32	8.10
33	7.00	35	5.90	45	4.50	60	3.80	137	4.30
327	4.00								

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1824	54-07N	157-47W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.80	30	10.80	35	8.40	39	4.90	42	3.80
63	3.40	195	3.90	329	3.60				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1831	53-39N	157-45W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.60	31	10.60	32	9.50	37	7.20
42	4.70	49	3.90	218	4.30	221	3.90
		325	3.80				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1838	53-13N	157-42W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.20	30	10.20	35	10.10	40	6.90
64	3.90	251	3.80			46	4.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1845	52-45N	157-43W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.40	36	10.40	38	9.50	41	8.70
45	5.00	56	4.30	328	3.90	43	7.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1852	52-21N	157-46W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.10	35	10.10	37	7.20	39	5.90
70	4.10	197	4.30	326	3.70	42	4.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1904	51-32N	157-52W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.60	30	10.40	32	9.00	34	6.30
40	4.90	84	4.10	329	3.90	35	5.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1911	51-05N	157-55W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.60	33	10.60	36	9.10	39	6.50
45	5.80	49	4.90	88	4.70	99	4.10
326	3.80	123	4.50				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1917	50-42N	157-55W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.60	32	10.40	33	10.10	38	7.40
42	5.60	45	5.00	96	4.10	328	3.70
		40	6.90				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1924	50-17N	157-55W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.80	19	10.80	20	10.40	22	7.80
30	5.00	60	4.90	74	4.10	326	3.90
		25	5.90				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1930	49-51N	157-55W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.80	36	10.60	41	7.00	43	5.90
91	4.50	111	3.90	329	3.80	50	5.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1943	49-01N	157-54W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.40	35	11.40	43	11.20	47	7.80	50	6.70
54	6.10	109	5.80	135	4.70	195	4.70	250	3.90
329	3.80								

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1950	48-38N	157-53W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.60	36	11.40	39	10.80	42	7.80
95	5.90	136	4.90	328	3.90	47	6.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	1956	48-14N	157-53W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.50	32	12.10	34	10.10	38	8.40
44	6.90	107	6.30	121	5.40	198	5.40
329	4.30	252	4.50				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2003	47-50N	157-53W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.10	16	12.30	43	11.90	53	7.20
74	5.90	83	5.90	86	6.50	118	5.90
194	5.40	326	4.30	130	5.20		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2009	47-25N	157-52W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.50	32	12.10	33	11.80	37	8.80
54	6.30	72	5.90	94	6.30	109	6.30
197	5.00	329	3.90	127	5.00		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2021	46-41N	157-51W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	13.10	31	12.70	32	12.50	34	11.30
47	8.50	57	6.90	107	6.90	164	5.90
236	5.40	274	5.40	329	4.60	220	5.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2026	46-11N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	13.30	28	12.70	32	9.90	44	8.00
133	6.70	139	6.10	199	6.30	247	5.90
328	4.90	259	5.40				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2034	45-52N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	13.80	32	13.30	43	10.40	47	10.20
56	8.00	71	7.20	127	6.70	206	6.90
329	5.00	274	5.40				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2041	45-25N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	13.80	13	13.60	17	13.50	28	11.00
50	7.40	110	6.50	130	6.90	168	6.90
						329	4.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2047	45-03N	157-50W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	14.60	14	14.20	30	12.10	40	11.40	46	9.90
50	9.50	56	8.00	65	7.40	186	6.90	329	4.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2054	44-38N	157-49W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	14.20	23	13.80	27	11.90	34	10.60	37	10.60
41	10.10	46	8.50	54	8.00	116	8.20	145	7.40
201	7.40	211	6.90	327	5.20				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2100	44-14N	157-48W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	15.50	20	15.00	26	14.40	31	13.60	36	11.90
39	11.80	45	9.70	59	8.20	108	8.40	146	7.80
218	7.80	250	6.90	326	5.90				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2107	43-49N	157-47W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.30	17	15.90	25	13.80	32	13.30	40	10.60
53	9.10	96	8.70	118	9.10	192	8.50	236	8.00
262	7.00	312	6.10						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2116	43-16N	157-46W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.90	28	16.30	29	15.90	30	13.80	43	12.50
44	11.90	48	11.90	57	9.70	63	9.10	92	9.30
124	8.50	240	8.20	324	6.70				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2120	43-00N	157-45W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	17.40	0	16.50	21	16.50	25	15.00	42	12.50
48	11.00	59	9.70	118	9.50	163	8.50	228	8.50
327	6.30								

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2124	43-26N 10	157-44W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	17.80	16	17.40	19	17.00	25	14.80	27	14.20
34	14.00	45	12.90	49	11.60	58	10.20	74	9.50
222	8.70	329	6.90						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2134	42-07N	157-43W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	18.00	5	18.00	7	17.40	13	17.40	15	16.90
18	15.30	22	14.60	32	14.20	36	12.90	41	12.10
43	11.20	51	10.60	104	9.50	147	9.70	231	8.70
328	6.70								

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2140	41-45N	157-42W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	19.30	15	18.70	17	17.20	20	15.00	38	13.50
43	11.80	48	11.80	50	10.60	222	8.90	329	6.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2140	41-45N	157-42W	16.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2146	41-21N	157-43W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	20.40	2	19.70	5	19.70	7	18.80
12	15.70	27	14.00	34	13.10	40	11.20
133	10.10	180	9.10	227	9.10	328	7.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2153	40-56N	157-44W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.40	10	21.00	16	20.40	18	19.90
29	15.90	36	15.20	43	13.30	60	11.20
276	9.10	329	7.80				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2159	40-31N	157-45W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.80	4	21.60	7	20.80	9	20.80
21	16.10	27	15.50	33	14.00	40	13.10
49	11.20	57	10.60	85	11.00	144	10.80
306	8.20	328	7.90				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2206	40-05N	157-47W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.00	10	22.00	14	20.40	15	20.40
28	15.70	54	11.80	76	10.60	160	10.80
327	8.00						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2213	39-35N	157-49W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.80	6	21.80	7	20.80	13	20.10
21	16.10	36	15.00	56	12.10	71	11.00
328	8.20						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2219	39-17N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.70	11	22.70	17	20.40	21	19.70
32	15.90	42	15.30	45	14.40	54	13.30
135	11.60	328	8.40				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2225	38-49N	157-52W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.90	6	21.80	8	20.30	9	19.30
25	15.30	32	15.00	42	13.50	56	12.30
144	11.60	288	9.30	296	8.70	329	8.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2231	37-12N	157-57W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.80	19	24.00	20	23.60	21	21.60
28	20.30	36	18.40	39	18.20	48	15.50
63	13.50	69	12.90	95	12.90	119	12.10
185	11.20	324	8.90				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	19	AUG	1968	2238	36-02N	157-55W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.50	10	23.50	11	22.50	12	20.80

18 17.80 34 16.70 41 14.80 63 12.90 173 11.80  
 328 8.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2245	37-36N	157-53W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.70	10	23.80	12	22.30	14	22.00
18	20.40	20	19.30	24	17.60	44	16.10
75	12.70	113	11.80	215	10.80	328	8.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2257	36-47N	157-59W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.40	12	24.40	13	22.50	14	21.00
30	16.90	43	14.80	56	14.40	60	13.60
						328	9.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2304	36-21N	158-01W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.20	8	24.20	9	23.90	11	21.80
20	19.50	24	19.50	31	17.40	37	16.30
92	12.90	178	11.90	260	10.20	282	10.20
						328	9.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2311	35-57N	158-02W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.60	14	24.60	15	23.80	16	22.30
25	20.10	35	17.40	39	16.90	45	15.50
62	13.30	328	9.70				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2317	35-31N	158-04W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.00	18	25.00	20	23.10	23	21.40
44	16.90	66	15.00	145	12.90	328	9.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2324	35-06N	158-06W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.70	22	25.70	23	25.50	25	23.80
35	20.60	39	18.90	48	17.40	55	16.50
139	13.60	329	10.60				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2330	34-40N	158-08W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.40	21	25.50	23	25.20	25	24.00
36	19.10	44	17.40	61	15.70	83	14.80
154	13.10	329	10.20				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2336	44-15N	158-07W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	25	25.90	26	25.60	28	23.30
34	21.00	45	18.90	62	17.40	96	16.30
123	15.00	135	14.20	231	12.10	329	10.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2343	33-49N	158-06W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	26	25.90	27	25.30	29	23.50
						30	22.70



42 20 30 59 18.40 162 14.00 259 11 60 311 11.00  
327 10.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2349	43-24N	158-04W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.30	26	26.30	29	25.70	31	25.20
35	22.50	40	21.00	47	19.90	73	17.60
160	15.30	181	13.80	226	12.50	276	11.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	19	AUG	1968	2356	32-59N	158-03W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.50	28	25.70	29	25.50	32	23.80
43	21.00	73	18.60	154	16.70	168	15.50
312	12.10	328	11.40				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0002	32-33N	158-01W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	23	26.10	24	25.50	25	24.40
33	21.40	43	19.90	64	18.40	127	17.00
154	16.30	163	15.30	205	13.30	325	11.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0009	32-07N	157-57W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.50	16	25.50	22	23.50	25	22.10
44	19.90	48	18.90	57	18.20	115	16.70
280	11.20	329	10.60				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0015	31-41N	157-59W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	25	26.10	27	25.70	29	24.70
32	22.70	38	21.40	47	20.30	70	18.70
173	14.80	199	13.60	329	10.80		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0022	31-15N	157-59W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	22	25.90	23	25.70	25	24.60
38	21.00	48	19.50	62	18.60	129	16.30
187	13.30	295	10.80	329	10.40		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0028	30-51N	157-59W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	28	26.10	31	23.80	36	22.50
48	20.40	68	18.40	121	16.30	141	16.10
328	10.20						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0034	30-26N	158-00W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.30	33	26.50	35	26.10	27	24.20
75	18.90	82	18.90	91	18.00	173	15.70
235	13.30	261	13.10	327	11.20		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0046	29-32N	157-53W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.30	27	26.30	28	25.80	36	22.50	38	22.50
41	21.60	43	21.60	47	20.30	76	18.20	126	16.50
145	15.30	234	12.70	287	11.80	329	10.20		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0052	29-06N	157-52W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	28	26.80	29	25.50	34	23.50	45	21.60
61	20.30	70	18.70	82	18.00	109	17.60	186	14.40
271	11.90	329	10.60						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0058	28-40N	157-50W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	25	26.70	27	25.50	32	24.80	36	23.10
39	22.50	42	20.80	46	20.60	50	19.70	81	17.20
136	15.30	267	12.10	299	11.90	328	11.00		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0104	28-15N	157-48W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	28	27.40	32	26.70	35	25.50	38	25.20
39	24.20	48	22.70	74	19.90	86	19.70	90	18.90
109	17.80	156	16.70	227	13.80	328	11.80		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0110	27-50N	157-47W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.00	3	27.40	33	27.20	43	25.90	46	24.40
54	23.10	92	19.90	115	19.10	123	18.20	177	16.30
210	16.70	254	13.80	283	13.50	290	12.90	328	11.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0116	27-21N	157-45W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	33	27.40	36	26.70	45	26.70	57	23.70
74	21.80	110	20.60	165	17.60	219	16.10	231	15.20
251	14.90	228	12.70	321	11.90	328	11.40		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0120	26-55N	157-45W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	41	27.20	43	26.50	60	24.40	81	23.50
86	22.70	103	22.10	127	20.30	182	18.60	201	17.20
229	16.30	267	13.80	301	13.10	322	12.10		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0126	26-30N	157-15W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.60	29	27.40	39	26.80	41	26.10	59	24.40
68	24.20	93	22.30	102	22.30	108	21.60	122	21.40
168	18.90	200	18.20	239	15.50	302	12.50	329	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0134	26-03N	157-49W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	42	26.70	56	26.30	59	25.40	64	25.20
69	24.20	85	22.70	128	20.80	139	20.80	164	19.10
183	18.70	192	17.40	212	16.50	230	15.30	249	14.60
255	14.00	272	13.50	276	12.70	291	12.50	295	11.80

313 11.80 327 10.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0142	25-36N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	53	26.80	62	24.60	66	24.60
125	21.00	135	20.10	153	19.50	165	18.20
184	17.00	211	15.90	236	13.60	245	13.60
327	10.20					260	12.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0148	25-12N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	53	26.80	58	26.10	60	24.80
86	21.60	130	20.10	152	18.00	164	17.00
192	15.50	199	14.60	212	14.20	221	13.30
252	12.30	325	9.70			238	12.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0154	24-48N	157-49W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	43	27.00	53	25.20	58	25.00
67	23.70	75	22.10	86	21.00	99	20.80
116	19.90	134	15.90	139	18.00	177	16.30
233	12.30	279	10.60	329	9.70	213	13.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0200	24-24N	157-49W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	13	27.20	27	25.00	38	24.40
60	22.50	74	21.20	93	20.60	121	19.10
157	16.50	164	15.50	213	13.10	328	9.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0206	23-59N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	46	27.20	60	26.70	66	25.50
85	23.80	91	22.90	98	22.70	107	21.60
182	17.80	202	17.40	222	15.30	238	14.80
260	13.50	267	12.70	276	12.70	284	11.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0212	23-34N	157-51W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	43	27.20	57	26.80	71	25.20
89	23.50	130	21.40	135	20.60	146	20.40
171	18.90	206	17.00	214	15.90	223	15.70
251	13.50	306	11.80			228	14.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0218	23-10N	157-51W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.60	44	27.20	55	26.80	58	26.10
77	24.40	114	22.10	135	21.60	147	20.40
182	19.30	190	18.40	204	17.80	211	16.90
238	15.50	245	14.80	255	14.80	276	13.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0224	22-46N	157-51W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.00	52	26.80	54	26.30	78	25.00
						81	24.20

94	23.10	105	22.90	112	22.10	156	19.90	171	19.70
206	17.80	208	17.20	224	16.70	249	14.60	263	14.00
267	13.30	301	11.60	329	10.80				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	20	AUG	1968	0230	22-21N	157-52W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.60	50	27.20	56	26.80	60	25.90
82	24.40	110	22.70	132	22.30	197	19.10
242	15.70	255	15.30	260	14.40	274	13.60
327	10.60					280	12.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	1807	55-05N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.00	16	11.00	22	9.70	25	8.40
49	5.80	86	5.20	329	5.20	36	6.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	1814	54-40N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.40	31	11.40	36	8.10	38	5.60
59	4.30	69	3.40	329	3.40	48	4.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	1821	54-15N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.00	33	11.00	34	9.00	35	6.90
39	5.20	43	3.80	67	3.20	329	3.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	1827	53-50N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.60	36	10.60	37	9.60	38	5.20
56	3.20	134	3.60	329	3.20	41	4.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	1833	53-25N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.20	35	10.10	37	9.40	38	7.80
43	4.50	54	3.80	329	3.80	41	5.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	1839	52-53N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.20	38	10.20	40	9.30	44	5.60
53	3.90	67	3.60	99	3.90	329	3.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	1845	52-28N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.10	38	10.10	39	9.80	40	7.90
43	4.50	64	3.80	117	4.10	329	3.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	1852	52-03N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.10	40	12.50	41	12.20	42	9.50
86	7.00	328	7.80			47	7.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
--------	-----	-------	------	-----------	----------	-----------	---------------

V002	22	AUG	1968	1858	51-38N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	9.90	38	9.90	39	9.00	40	6.90
58	4.50	139	3.90	328	3.60	42	5.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	22	AUG	1968	1904	51-13N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.20	36	10.20	38	9.00	39	7.40
42	5.00	49	4.50	88	3.90	326	3.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	22	AUG	1968	1910	50-48N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.70	37	10.20	39	10.10	42	7.10
48	4.70	88	4.50	94	3.90	327	3.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	22	AUG	1968	1917	50-23N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.20	41	10.20	43	9.70	45	8.30
49	5.20	55	4.50	102	3.60	329	3.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	22	AUG	1968	1923	49-58N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.60	36	10.60	37	10.40	41	6.30
83	4.70	98	3.90	324	3.60	46	4.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	22	AUG	1968	1930	49-29N	157-47W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.60	39	10.60	40	10.40	43	8.40
48	6.90	52	5.90	93	5.40	115	4.30
329	3.40					185	4.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	22	AUG	1968	1936	49-04N	157-45W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.00	38	11.00	41	9.00	46	6.90
95	5.60	101	5.00	328	3.60	55	5.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	22	AUG	1968	1943	48-37N	157-45W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.20	39	11.20	41	11.00	42	10.30
46	6.30	52	5.80	146	4.50	329	3.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	22	AUG	1968	1949	48-14N	157-46W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.80	36	11.80	39	10.10	47	8.50
55	5.90	112	5.90	127	5.60	129	5.00
326	3.70					143	4.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	22	AUG	1968	1955	47-49N	157-47W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.60	39	11.60	41	10.10	44	8.70
64	5.80	77	5.40	85	5.90	114	5.90
124	5.00	127	4.70	131	5.00	238	3.90
						329	3.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2002	47-24N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.80	59	11.80	64	11.60	71	10.10
72	7.40	83	7.20	86	6.30	100	5.60
152	4.70	167	4.10	205	4.90	329	3.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2008	46-59N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.50	33	12.50	35	12.10	39	9.60
47	8.20	50	7.20	57	6.30	98	6.30
199	5.60	239	4.90	285	4.90	329	4.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2016	46-34N	157-49W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.70	32	12.70	35	12.30	38	9.90
51	7.80	53	7.00	60	6.30	66	6.70
149	5.90	230	5.60	267	4.90	329	4.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2022	46-09N	157-49W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	13.10	24	13.10	33	12.70	38	9.70
47	8.40	52	7.40	63	6.90	128	6.90
242	6.10	293	5.00	329	5.00		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2028	45-44N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	13.30	24	13.30	32	12.90	34	12.10
45	10.10	51	9.90	57	9.10	65	7.00
126	5.90	177	6.30	329	4.50		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2034	45-19N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	14.00	28	14.00	29	13.60	32	12.30
44	9.90	55	9.10	65	7.20	92	6.70
292	5.00	329	4.90				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2043	44-49N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	14.60	15	14.60	21	14.00	24	12.70
35	10.80	42	9.50	51	8.90	53	8.00
235	6.70	329	5.00				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2055	43-59N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.10	13	16.10	22	15.30	26	13.60
38	12.50	49	11.40	53	9.70	65	8.90
						171	8.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2101	43-34N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.50	10	16.50	13	15.70	17	15.70
25	14.80	22	13.60	32	13.60	41	12.90
						40	11.40

55	10 60	59	9.70	75	8.70	105	8.90	153	7.80
240	7.80	329	5.90						

VESSEL	Y	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002		AUG	1968	2108	43-09N	157-50W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	17.00	8	17.00	12	16.10	17	16.10	22
27	13.10	34	11.90	39	10.20	57	8.90	100
105	8.40	120	8.90	229	8.20	328	6.30	

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	22	AUG	1968	2114	42-44N	157-50W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	18.00	10	18.00	13	16.90	18	16.90	27
34	13.30	38	13.30	40	12.30	43	12.10	52
114	8.70	164	8.90	245	7.80	251	7.20	285
295	6.50	329	6.10					

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	22	AUG	1968	2120	42-19N	157-50W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	18.60	10	18.60	13	17.20	18	17.00	25
38	13.60	49	11.00	56	9.90	74	9.10	241
329	6.60							

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	22	AUG	1968	2126	41-54N	157-50W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	19.10	12	18.90	15	17.80	23	16.90	26
37	14.20	45	11.90	50	11.00	71	10.20	134
176	9.10	260	8.70	329	7.00			

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	22	AUG	1968	2132	41-29N	157-51W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	20.10	5	19.90	9	18.70	12	16.50	14
16	15.20	18	14.60	30	14.40	38	13.60	52
58	10.40	105	9.90	118	10.20	187	9.10	224
327	7.00							

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	22	AUG	1968	2139	41-04N	157-51W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	20.30	8	20.30	10	18.70	14	17.20	17
20	14.60	43	12.10	48	11.20	60	10.10	162
179	8.90	218	8.90	329	6.70			

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	22	AUG	1968	2146	40-39N	157-51W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	21.60	11	21.60	14	20.40	18	18.30	21
30	15.00	40	14.00	44	13.10	53	12.50	59
154	10.60	192	9.70	223	9.70	308	8.40	327

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	22	AUG	1968	2152	40-14N	157-51W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	22.10	7	22.00	9	21.60	12	20.10	16
21	15.70	31	14.20	40	12.10	58	10.60	170
319	8.40	329	7.80					

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2159	39-49N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.30	7	22.10	9	21.80	11	20.30
17	17.20	23	15.70	39	14.00	41	13.10
62	10.40	154	10.40	161	9.90	248	9.30
						329	7.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2205	39-24N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.50	10	22.50	13	19.30	18	17.80
29	15.20	34	13.80	41	13.50	50	11.80
161	11.00	181	10.10	259	9.50	295	8.40
329	7.70					315	8.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2212	38-59N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.30	9	23.10	11	22.50	13	21.20
17	18.90	24	16.50	29	15.30	40	14.60
59	12.10	164	11.20	173	10.60	257	9.90
						329	8.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2219	38-44N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.90	7	22.70	8	22.50	10	21.00
21	16.10	37	14.80	42	13.30	50	12.90
242	9.70	329	8.00			59	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2225	38-09N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.80	13	23.00	16	20.40	18	18.60
32	15.90	38	15.90	44	14.80	53	14.00
62	11.80	133	11.80	213	10.20	243	10.20
						329	8.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2231	37-44N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.70	9	23.30	12	22.90	14	20.80
24	17.80	32	17.20	25	16.30	50	14.60
71	12.30	67	12.30	96	11.60	153	11.40
241	10.10	329	8.40			177	10.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2237	37-19N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.40	4	23.80	15	23.70	18	19.70
29	17.20	50	15.50	57	14.40	72	13.10
151	11.00	329	8.40			111	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2243	36-54N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.20	10	23.80	13	23.30	14	22.80
17	20.10	20	19.70	25	18.40	30	15.50
49	13.60	111	11.80	258	10.20	329	8.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2249	36-29N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP



0	24	20	14	24.00	18	21	00	19	20	30	25	19	70
32	18	20	40	15.90	56	14	40	76	13	30	127	12	10
246	10	80	329	9.10									

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2256	36-04N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.00	17	23.80	19	22.10	21	20.60
41	15.30	49	14.20	110	11.90	165	11.60
						327	8.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2310	35-14N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.60	46	24.60	48	24.40	51	21.80
63	17.80	82	15.90	105	14.60	169	12.90
329	10.20					224	12.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2316	34-49N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.80	24	24.80	27	21.80	32	20.40
43	17.60	48	17.60	49	17.00	66	15.30
178	12.10	211	12.10	329	10.10		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2323	34-24N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.40	25	25.40	26	25.20	29	22.80
32	20.40	39	19.10	46	18.70	50	17.60
67	15.70	73	15.90	117	14.00	175	13.50
248	11.60	269	11.40	329	10.40	241	12.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2329	33-59N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.50	27	25.50	28	25.30	29	23.30
34	21.00	55	18.60	72	17.80	74	17.20
155	14.00	187	12.90	327	10.40	132	15.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2332	33-34N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.40	30	25.40	33	24.40	37	21.80
74	17.20	135	15.90	196	13.10	233	12.50
263	11.90	329	10.40			239	11.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2342	33-09N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.20	26	25.20	29	25.00	31	23.50
66	18.60	105	17.00	138	16.50	181	14.80
212	12.70	329	10.60			126	14.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2348	32-44N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.20	30	25.20	32	23.50	38	21.60
67	18.60	93	17.20	144	16.30	190	13.60
						329	10.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	22	AUG	1968	2355	32-19N	157-50W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.20	26	25.20	29	23.30	31	22.30	39	20.30
61	18.00	84	16.90	149	15.70	163	14.80	272	11.60
329	10.40								

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	23	AUG	1968	0002	31-51N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.40	21	25.40	24	23.10	32	21.20
34	20.40	39	20.40	50	18.70	68	17.60
100	16.30	119	16.10	142	14.80	160	14.60
329	10.20					204	12.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	23	AUG	1968	0008	31-26N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.50	21	25.50	24	25.40	28	22.10
43	20.30	45	18.20	129	16.30	152	14.80
262	11.00	329	10.10			202	12.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	23	AUG	1968	0014	31-01N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.50	27	25.50	38	25.40	40	22.90
49	21.00	64	18.90	127	16.70	180	14.00
241	11.60	329	9.90			189	13.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	23	AUG	1968	0021	30-33N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	30	26.10	28	25.70	30	24.20
37	22.30	40	21.20	57	19.10	63	18.90
114	17.00	160	15.30	170	14.20	180	13.50
329	10.10					256	11.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	23	AUG	1968	0033	29-43N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	30	25.90	38	22.90	40	22.10
75	18.20	93	16.90	117	16.50	177	13.30
237	11.60	253	11.00	329	9.90	222	12.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	23	AUG	1968	0039	29-18N	157-52W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.70	37	25.70	40	23.10	42	22.10
61	20.30	67	19.30	95	17.40	118	16.30
157	15.30	170	14.00	221	12.10	265	11.40
329	9.70					293	10.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	23	AUG	1968	0046	28-53N	157-52W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	29	26.70	37	24.80	40	22.90
53	20.30	58	20.30	65	19.70	68	18.70
80	17.80	119	16.10	121	16.10	209	12.50
						329	10.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	23	AUG	1968	0052	28-28N	157-52W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	31	26.70	41	23.80	55	22.00
						75	20.40

88	20.30	107	18.90	177	16.70	185	15.90	242	14.60
270	13.30	329	11.80						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	23	AUG	1968	0059	28-03N	157-56W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.30	4	25.90	9	26.30	27	26.30
46	23.80	62	22.00	75	21.00	87	21.00
116	18.90	169	16.90	200	16.30	228	15.30
328	11.60					236	14.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	23	AUG	1968	0105	27-38N	157-56W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	32	26.50	37	24.80	45	23.30
55	22.10	63	21.20	125	18.20	191	15.90
239	14.20	252	14.20	284	12.70	302	12.50
329	11.40					311	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	23	AUG	1968	0112	27-13N	158-00W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	40	26.70	44	25.50	53	24.00
79	22.30	90	21.20	108	20.80	110	20.10
132	19.30	166	18.40	179	17.40	211	16.70
250	14.80	271	13.30	297	11.90	329	11.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	23	AUG	1968	0118	26-48N	158-09W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	46	26.50	54	26.30	56	25.50
78	24.00	87	22.70	107	21.40	137	20.40
185	18.40	232	16.50	257	14.60	329	11.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	23	AUG	1968	0124	26-23N	158-11W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	34	26.50	39	26.30	41	25.90
75	22.30	128	20.80	148	20.10	157	19.10
180	18.00	190	17.80	200	16.70	232	15.20
258	14.00	269	13.80	294	11.90	329	11.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	23	AUG	1968	0127	26-08N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.70	32	25.90	33	25.50	34	24.40
39	21.40	50	20.60	55	19.50	77	17.60
216	13.30	227	12.50	329	10.40	161	14.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	23	AUG	1968	0131	25-58N	158-17W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	47	26.30	57	24.40	71	23.50
95	20.60	109	20.40	116	19.70	135	19.10
149	18.40	159	17.80	163	16.90	187	16.10
208	14.80	210	14.20	221	14.00	224	13.50
254	11.80	272	11.80	285	11.00	329	10.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	23	AUG	1968	0137	25-30N	158-21W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP

0	26 30	41	26 30	45	24 60	78	21 20	92	20 60
100	19.70	106	19.70	107	19.10	121	18.70	124	18.20
169	16.10	191	14.00	223	12.10	245	11.90	249	11.40
289	10.40	317	9.10	329	8.90				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	23	AUG	1968	0143	25-08N	158-21W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	27.00	32	26.80	53	23.70	64	23.30	71
98	21.20	104	20.40	161	18.40	178	16.30	213
218	13.80	254	12.70	267	11.80	329	10.10	

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	23	AUG	1968	0149	24-43N	158-21W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	26.80	21	26.80	37	26.30	41	25.50	56
62	23.80	70	23.70	78	22.70	88	22.30	93
102	21.60	110	20.60	120	20.60	152	19.10	174
189	17.00	193	16.30	199	16.30	203	15.50	213
224	14.60	231	14.60	237	13.80	243	13.80	250
260	12.70	267	11.90	277	11.90	284	11.20	328

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	23	AUG	1968	0155	24-18N	158-21W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	27.60	49	27.60	60	25.20	90	22.90	98
124	21.20	141	20.80	151	19.70	185	18.60	199
200	17.00	233	15.70	257	14.40	262	13.60	298
302	11.80	323	11.20					

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	23	AUG	1968	0202	23-53N	158-21W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	26.30	49	26.30	53	26.10	58	25.20	83
116	22.30	132	21.00	175	19.50	200	18.20	210
237	15.50	261	14.80	268	13.10	297	11.80	328

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	23	AUG	1968	0208	23-28N	158-21W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	26.50	38	26.50	57	25.90	64	24.60	140
210	19.30	219	18.00	228	17.60	243	15.90	268
278	14.00	281	13.10	314	11.80	316	11.20	328

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	23	AUG	1968	0215	23-03N	158-21W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	26.80	39	26.80	43	26.30	50	26.30	71
121	22.30	137	21.60	160	20.80	172	19.70	193
201	18.90	238	18.00	234	17.20	248	16.90	256
271	15.20	279	14.00	303	13.30	310	12.50	328

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	23	AUG	1968	0231	22-38N	158-21W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	26.30	32	26.30	48	26.10	60	24.40	68
72	23.50	97	22.00	108	22.00	138	20.40	155
172	18.90	184	18.70	189	18.20	206	17.60	214
246	15.90	260	14.60	274	14.00	285	12.70	310
328	10.40							

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2114	42-27N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.90	20	16.90	24	16.50	31	13.80
47	10.20	51	9.70	68	9.10	179	8.40
						327	5.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2121	42-02N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	17.80	19	17.80	26	17.40	28	17.00
46	12.30	56	9.90	65	9.30	112	9.30
196	8.40	295	6.30	329	5.90	164	8.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2128	41-55N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	18.00	18	18.20	22	17.60	26	15.20
46	10.40	97	9.50	135	9.50	204	8.20
328	6.50					237	8.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2135	41-11N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	19.30	15	19.30	17	19.10	19	17.70
24	15.20	36	13.80	43	11.90	55	10.60
132	10.10	250	8.70	297	7.40	329	7.00
						106	9.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2142	40-46N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	20.60	18	20.60	20	18.60	23	16.70
47	13.50	56	12.50	63	11.20	93	10.20
192	9.30	241	9.10	329	7.20	127	10.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2149	40-21N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.60	22	21.60	24	20.70	25	20.10
38	16.10	65	12.70	82	11.60	151	11.00
						329	8.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2203	39-31N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.10	19	22.10	21	20.10	23	18.40
44	15.20	54	13.30	61	13.10	68	12.10
177	10.80	229	9.70	329	8.40	83	11.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2210	39-06N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.80	11	21.80	12	20.90	14	20.00
44	13.30	53	12.10	68	11.60	188	10.20
						329	7.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2217	38-41N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.30	22	23.30	23	22.80	26	20.10
55	14.20	63	14.00	68	13.10	121	11.50
313	9.30	329	8.70				
						184	11.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2217	38-41N	157-50W	16.70

V002	27	AUG	1968	2224	38-16N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.30	13	23.30	16	20.30	18	18.90
41	14.80	55	13.50	112	11.80	164	11.40
						329	8.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2231	37-51N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.50	12	23.50	13	22.80	15	20.60
21	19.10	35	17.20	42	15.50	57	14.00
121	11.80	300	9.70	329	8.70	74	13.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2238	37-26N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.70	18	23.70	19	22.30	20	21.40
30	19.10	40	16.90	44	15.20	49	15.00
55	14.20	60	13.30	103	12.50	124	11.60
329	8.50					155	11.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2259	36-11N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.20	21	24.20	22	23.90	24	21.20
36	18.40	44	16.10	50	15.20	76	13.60
329	9.30					170	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2306	35-46N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.20	25	24.20	27	23.60	28	21.20
36	18.20	53	15.70	69	14.20	106	12.90
160	11.90	234	11.40	329	9.30	139	12.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2313	35-31N	157-47W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.20	20	24.00	21	23.60	22	21.60
28	20.10	34	18.00	40	16.70	54	15.20
292	10.20	329	9.30			101	13.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2320	35-06N	157-47W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.00	20	24.00	21	23.70	23	22.10
36	17.80	41	16.50	49	15.50	117	13.50
297	10.20	303	9.70	329	9.50	210	11.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2334	34-16N	157-47W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.60	24	24.40	28	21.00	31	21.00
59	15.70	104	13.60	329	9.50	44	17.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2341	33-25N	156-00W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.80	26	24.80	27	24.30	28	23.20
35	19.90	51	17.00	60	16.50	64	15.70
98	14.40	141	13.10	163	13.10	217	11.80
304	10.10	329	9.70			271	11.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2346	34-00N	156-13W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.40	35	25.20	36	23.30	38	22.00
46	20.10	52	18.60	60	17.60	81	16.70
115	14.40	163	12.90	227	12.10	257	11.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	27	AUG	1968	2355	32-35N	156-25W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.00	38	25.00	39	24.50	40	21.60
45	20.40	46	19.70	54	18.40	79	16.30
216	11.90	329	10.10			132	14.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0002	31-54N	156-49W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.00	33	25.00	35	23.70	38	22.50
52	18.20	64	16.90	97	15.00	187	12.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0009	31-32N	157-00W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.40	21	25.40	30	25.20	32	24.10
65	18.60	100	16.70	131	15.70	156	13.80
297	10.60	329	10.10			282	11.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0016	31-11N	157-13W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	28	25.70	30	25.10	31	23.30
46	20.10	70	18.20	104	17.00	167	13.60
329	9.90					225	11.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0023	30-46N	157-25W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.70	34	25.70	38	22.80	42	21.20
81	17.80	125	16.50	162	13.60	194	12.10
						329	9.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0030	30-25N	157-35W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	28	25.70	31	23.30	33	22.30
52	19.30	79	18.00	147	15.90	188	13.50
						329	10.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0037	30-00N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	41	25.70	42	25.30	43	23.80
60	21.40	72	19.50	84	19.30	113	17.20
211	14.20	222	13.50	329	11.40	179	14.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0044	29-38N	157-53W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	34	25.70	37	25.20	38	24.50
42	21.80	46	21.80	50	20.80	71	18.70
154	15.50	193	13.60	329	10.60	121	16.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP			
V002	28	AUG	1968	0051	29-13N	157-53W	16.70			
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	
0	26.30	32	26.10	33	25.10	36	22.00	48	20.30	
63	19.10	69	18.00	79	18.00	91	17.00	134	15.90	
172	13.80	192	13.50	206	12.50	226	12.50	277	10.80	
329	9.90									

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP			
V002	28	AUG	1968	0058	28-42N	157-53W	16.70			
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	
0	26.50	36	26.30	39	24.20	47	22.10	54	20.80	
67	20.30	73	18.90	81	18.00	103	16.70	195	14.60	
207	13.80	323	11.20	329	10.60					

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP			
V002	28	AUG	1968	0105	28-25N	157-52W	16.70			
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	
0	26.50	37	26.50	42	25.20	56	22.90	85	21.00	
119	20.10	145	18.40	236	14.40	255	13.10	329	10.80	

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP			
V002	28	AUG	1968	0119	27-35N	157-53W	16.70			
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	
0	26.50	44	26.30	51	24.60	62	23.10	88	21.00	
114	19.70	176	18.60	238	16.10	249	16.10	271	14.80	
293	14.40	308	13.30	321	13.10	329	12.50			

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP			
V002	28	AUG	1968	0126	27-10N	157-53W	16.70			
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	
0	26.50	38	26.30	44	24.80	56	24.00	60	23.10	
65	23.10	77	21.40	92	20.30	110	19.90	141	17.80	
224	15.20	239	14.20	306	11.80	329	11.20			

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP			
V002	28	AUG	1968	0133	26-45N	157-53W	16.70			
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	
0	26.70	50	26.50	55	24.80	57	24.80	64	23.30	
83	21.20	96	21.00	100	20.30	134	19.10	141	18.40	
210	15.70	245	15.20	265	14.60	271	13.80	329	11.60	

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP			
V002	28	AUG	1968	0140	26-12N	158-00W	16.70			
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	
0	26.30	36	26.30	42	24.80	54	23.50	72	22.90	
83	22.00	149	20.30	187	18.60	238	14.60	293	11.80	
329	10.60									

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP			
V002	28	AUG	1968	0147	25-45N	157-57W	16.70			
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	
0	27.00	43	26.80	50	24.60	53	24.60	57	23.50	
64	23.50	67	22.70	77	22.50	96	21.00	114	20.60	
137	19.10	181	17.60	225	14.80	232	13.80	300	11.00	
329	10.20									

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP			
V002	28	AUG	1968	0154	25-22N	157-56W	16.70			
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	
0	27.00	61	26.80	65	26.10	68	24.20	77	22.70	



83	22.30	92	20.60	107	19.90	111	19.10	166	16.50
175	16.50	182	15.70	200	15.30	210	14.20	227	13.10
284	10.60	309	10.40	329	9.70				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0201	24-58N	157-56W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	45	26.70	66	23.50	84	21.60
108	20.30	115	20.30	118	19.70	130	17.20
174	16.70	203	14.40	244	13.10	266	11.60
294	10.60	329	9.90				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0208	24-25N	157-55W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	45	27.00	50	25.20	64	23.70
120	20.30	152	19.50	170	17.60	186	17.20
235	14.40	247	13.50	276	12.90	289	11.80
						329	10.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0215	23-55N	157-54W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	32	27.20	38	27.00	51	25.20
74	23.80	81	22.70	113	22.00	118	21.20
137	20.30	166	18.90	181	17.60	192	17.40
206	16.70	213	15.90	243	14.80	248	13.80
280	12.50	322	10.60				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0222	23-30N	157-53W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.00	63	26.80	65	25.90	77	25.20
87	24.40	90	23.80	118	22.90	128	22.00
157	20.40	164	20.30	166	19.70	215	17.80
224	16.90	240	15.30	248	15.30	269	13.60
297	11.80	329	10.60				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0229	23-05N	157-52W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	62	26.70	64	25.70	84	24.20
147	22.10	180	20.30	212	19.10	237	17.60
329	12.10					250	16.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0235	22-35N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.00	57	27.20	66	25.40	85	24.60
103	23.30	116	21.80	156	19.50	177	19.10
199	17.60	225	15.30	238	15.20	249	14.00
272	12.70	329	10.80			261	13.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	28	AUG	1968	0242	22-00N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	69	26.70	72	25.90	96	23.80
130	22.10	133	21.60	181	19.90	217	17.80
271	13.30	292	12.10	302	12.10	307	11.40
						329	10.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	30	AUG	1968	2130	42-48N	157-05W	16.70

DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.90	27	16.90	30	15.90	34	13.80	37	13.10
43	12.70	50	11.20	54	9.30	69	8.70	118	8.70
151	7.80	214	7.60						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	30	AUG	1968	2137	42-10N	157-10W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	17.40	25	17.40	30	14.60	41	12.70
63	9.10	155	8.00	204	8.00	274	6.30
						329	5.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	30	AUG	1968	2148	41-20N	157-16W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	18.20	15	18.00	17	17.80	19	16.30
24	14.40	38	12.70	48	10.20	100	9.30
184	8.50	211	8.70	329	6.50	160	9.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	30	AUG	1968	2201	40-30N	157-20W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	19.30	12	19.10	18	18.40	21	17.60
29	13.50	49	10.60	73	9.90	135	9.90
316	7.00					251	8.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	30	AUG	1968	2208	40-05N	157-22W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	20.30	14	20.10	18	19.10	21	18.90
32	15.30	37	15.00	40	14.00	43	13.80
63	10.60	166	10.10	190	9.30	256	8.90
						326	7.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	30	AUG	1968	2209	40-05N	157-22W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	19.70	14	19.50	18	18.60	21	18.40
32	15.00	47	12.70	49	11.90	64	10.10
164	9.70	187	8.90	253	8.50	321	7.00
						107	9.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	30	AUG	1968	2215	39-15N	157-25W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.40	9	21.20	11	20.00	14	17.40
43	13.10	50	12.30	79	11.40	179	10.40
						296	8.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	30	AUG	1968	2228	38-46N	157-30W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.00	17	21.60	18	21.10	19	19.90
23	17.60	33	15.70	47	15.00	53	13.50
71	11.60	187	10.40	202	9.90	229	9.90
						320	8.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	30	AUG	1968	2241	38-00N	157-33W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.90	19	22.90	21	22.20	22	20.10
27	17.80	32	17.40	39	15.90	41	15.90
70	12.90	80	12.90	93	11.90	119	11.90
322	8.50					212	10.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
--------	-----	-------	------	-----------	----------	-----------	---------------

V002	30	AUG	1968	2248	37-52N	157-33W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.70	22	22.50	23	22.20	25	20.30
29	17.00	35	15.90	57	13.30	70	12.10
194	10.40	326	8.20			94	11.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	30	AUG	1968	2307	36-37N	157-42W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.70	20	23.50	21	22.90	22	21.50
29	18.90	39	17.00	41	15.90	46	14.80
98	12.10	143	11.60	220	10.20	248	10.20
						329	8.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	30	AUG	1968	2308	36-37N	157-41W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.30	19	23.30	20	22.90	21	22.40
23	19.30	28	18.90	41	15.50	46	14.60
88	12.50	96	11.80	128	11.80	329	8.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	30	AUG	1968	2313	36-08N	157-42W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.20	20	24.00	21	23.80	22	23.20
31	18.40	34	18.40	42	15.70	48	14.80
116	12.10	254	10.40	328	8.90	77	13.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	30	AUG	1968	2327	35-14N	157-42W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.00	25	23.80	26	23.20	27	21.20
37	18.60	40	17.00	46	15.70	57	14.60
187	11.20	324	9.10			78	13.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	30	AUG	1968	2334	34-50N	157-43W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.40	18	24.20	23	23.80	25	21.80
31	19.90	33	18.70	43	16.90	68	14.40
146	12.90	196	11.60	324	9.60	91	13.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	30	AUG	1968	2349	34-22N	157-43W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.40	17	24.40	20	24.20	21	22.30
30	18.60	45	16.30	58	15.00	86	13.60
304	10.10	320	9.50			150	12.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	31	AUG	1968	0001	34-22N	156-42W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.20	18	23.80	19	21.80	21	20.60
34	17.40	50	15.30	57	15.30	59	14.80
85	13.50	200	11.00	329	8.70	68	14.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	31	AUG	1968	0002	34-22N	156-42W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.00	17	24.40	18	23.90	20	21.60
34	18.00	49	16.10	55	16.10	57	15.50
81	14.20	200	11.40	249	11.00	265	10.20
						300	10.10

329 9.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0008	34-00N	156-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.70	23	25.00	26	22.50	34	19.30
80	15.20	135	13.50	253	11.90	329	10.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0022	33-09N	157-02W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.70	26	25.40	31	25.20	32	24.50
46	19.50	57	18.40	103	16.50	121	16.30
265	11.60	299	11.40	310	10.60	327	10.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0029	32-59N	156-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	29	25.40	30	24.70	31	22.70
41	21.00	44	20.10	59	18.90	120	16.30
169	14.20	210	12.70	326	10.30	157	15.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0036	32-54N	156-52W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	28	25.70	30	25.20	32	23.30
44	20.60	68	18.40	97	17.60	111	16.70
157	15.30	174	13.60	193	13.10	196	12.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0043	32-10N	157-02W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	37	25.50	38	25.40	41	22.30
64	18.70	78	17.60	106	16.90	123	15.50
144	14.40	172	12.90	191	12.70	194	12.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0050	31-32N	157-09W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	10	25.90	34	25.90	40	25.00
43	22.90	52	20.60	69	18.70	81	18.40
115	16.30	157	15.30	176	13.80	197	12.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0057	30-57N	157-22W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	34	25.90	36	25.00	40	22.40
65	19.30	74	19.10	88	17.80	156	15.00
195	13.50	319	10.40			177	14.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0110	30-45N	157-00W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	28	25.90	31	25.50	35	23.10
71	19.10	111	16.90	158	15.20	190	13.30
323	10.40					278	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0118	29-20N	157-00W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.00	21	25.90	35	25.90	37	25.40
						39	24.10

40	22.50	41	21.60	46	20.40	74	18.00	132	15.70
181	14.60	221	12.90	248	12.50	260	11.80	323	10.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0125	28-52N	157-10W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	9	25.90	33	25.70	35	25.40
38	23.70	39	22.70	45	21.80	56	21.20
90	18.70	125	15.30	153	14.80	175	13.50
326	9.90					233	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0126	28-52N	157-10W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	8	26.70	30	26.50	34	26.30
38	24.00	40	23.10	47	22.10	56	21.80
88	19.50	116	16.70	133	15.50	152	15.30
232	12.30	324	10.40			175	14.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0132	28-10N	157-32W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	32	26.10	35	25.50	36	24.60
57	21.60	98	19.30	108	19.10	136	17.60
175	15.30	182	14.60	205	13.50	222	13.30
321	10.20					256	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0133	28-10N	157-32W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	9	26.70	32	26.70	35	26.50
43	24.00	55	22.50	80	20.80	138	18.20
176	16.10	185	15.20	206	14.00	218	14.00
324	10.60					263	12.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0140	27-38N	157-38W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	29	27.00	32	24.80	33	26.10
55	22.90	65	22.50	83	20.80	102	20.30
173	16.90	180	15.90	253	13.30	321	11.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0142	27-10N	157-42W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	7	26.70	29	26.70	38	26.50
46	24.80	49	23.70	56	22.50	77	20.80
106	19.10	124	18.60	138	17.40	156	17.20
210	15.20	222	14.40	326	11.80	187	15.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0158	26-30N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	11	25.90	40	25.50	45	25.20
60	20.60	70	19.50	113	17.40	123	17.40
186	14.80	217	12.90	237	12.70	276	10.80
						326	9.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	0159	26-30N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	18	26.30	42	26.10	46	25.50
						50	24.40

51	23.40	61	21.00	85	19.10	96	19.10	114	18.00
125	18.00	134	17.00	166	16.10	220	13.30	239	13.10
286	10.80	326	9.90						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	2053	43-00N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	13.70	14	15.90	25	15.70	29	15.30
45	10.40	53	9.30	88	8.70	132	8.90
285	6.30	329	5.80			237	7.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	2107	42-10N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	17.60	25	17.60	28	17.20	32	14.80
43	13.30	47	12.30	49	11.00	54	9.50
143	8.50	209	8.20	329	5.80	136	9.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	2114	41-45N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	17.60	21	17.60	27	17.40	33	15.30
40	12.90	49	10.20	58	9.10	85	9.50
215	8.20	329	6.10			165	8.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	2121	41-09N	157-47W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	17.40	20	17.00	23	15.30	28	13.30
40	11.60	42	10.20	47	8.90	102	8.20
217	7.80	323	5.70			139	8.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	2128	40-43N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	17.60	23	17.40	24	15.70	30	13.30
49	10.80	52	9.50	107	9.70	112	8.90
200	8.40	250	8.40	306	7.20	180	8.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	2142	39-42N	157-38W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	20.10	15	20.10	21	19.90	22	19.00
26	15.90	29	15.70	39	13.30	43	13.10
54	11.60	57	10.80	90	10.20	154	10.20
245	8.90	324	7.20			180	9.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	2149	39-21N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	20.40	18	20.40	19	20.30	25	16.10
50	11.90	53	11.90	59	10.80	169	10.10
297	7.80	326	7.20			288	8.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	31	AUG	1968	2156	39-00N	157-49W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.40	11	21.40	16	21.20	17	20.40
19	18.00	21	17.00	31	15.20	38	14.80
64	11.20	85	10.40	165	10.40	251	9.30
329	7.50					281	8.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	31	AUG	1968	2203	38-34N	157-49W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	21.80	14	21.80	16	21.40	18	19.70	19
25	17.20	36	15.20	44	14.80	47	14.00	59
73	11.90	138	11.60	200	10.20	255	9.90	329

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	31	AUG	1968	2210	38-08N	157-49W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	22.70	15	22.70	19	22.50	21	19.50	24
33	17.40	39	16.50	44	15.20	52	14.00	57
61	13.30	81	12.10	120	11.20	157	11.40	324

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	31	AUG	1968	2217	37-42N	157-50W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	22.70	20	22.70	21	21.90	22	20.60	23
30	17.00	41	16.30	45	15.90	49	14.60	55
79	11.90	268	9.50	288	8.70	329	8.10	

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	31	AUG	1968	2224	37-17N	157-50W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	23.10	17	23.10	20	22.90	21	22.60	22
24	19.10	28	17.40	38	16.10	45	14.40	56
66	13.10	69	12.50	110	11.40	250	10.10	289
329	8.50							

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	31	AUG	1968	2231	36-54N	157-50W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	23.30	21	23.30	23	20.40	25	18.90	51
65	12.70	77	12.10	125	11.90	193	10.60	246
329	8.70							

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	31	AUG	1968	2245	36-01N	157-50W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	23.70	17	23.70	19	23.30	21	22.20	22
24	19.90	35	16.90	43	16.10	51	14.40	79
266	10.20	276	9.70	323	8.90			

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	31	AUG	1968	2259	36-00N	157-31W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	24.40	16	24.40	18	24.20	19	23.80	21
22	20.40	29	19.30	34	17.60	46	15.50	50
61	14.00	85	12.70	253	10.60	285	9.70	329

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	31	AUG	1968	2306	35-33N	157-33W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH
0	24.80	23	24.60	28	21.40	33	20.40	37
44	16.90	55	15.30	94	13.80	176	11.90	233
328	9.70							

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP	
V002	31	AUG	1968	2313	35-09N	157-36W	16.70	
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH

0	25.00	21	24.80	23	23.70	24	23.10	25	21.40
27	20.30	32	18.90	33	18.20	40	16.90	58	15.30
110	13.50	181	11.90	245	11.60	329	10.10		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	31	AUG	1968	2320	34-42N	157-38W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.00	23	24.80	25	24.40	28	22.80	29	21.60
34	20.10	37	18.40	41	18.20	50	16.50	62	15.90
69	15.00	95	13.80	130	13.50	138	12.90	250	11.60
282	10.60	329	10.10						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	31	AUG	1968	2327	34-11N	157-48W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.40	28	25.20	34	23.50	36	22.00	40	20.80
42	19.70	50	18.00	78	15.30	96	14.40	120	14.40
132	13.60	172	13.50	204	12.30	329	10.30		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	31	AUG	1968	2334	33-45N	157-49W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.50	28	25.40	30	24.30	31	22.50	38	20.30
45	19.90	54	18.40	62	17.60	101	16.50	124	15.50
135	14.40	197	12.70	254	12.10	261	11.60	299	11.40
308	10.60	329	10.60						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	31	AUG	1968	2341	33-17N	157-49W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.70	32	25.50	34	23.50	36	22.00	39	21.00
53	19.10	71	17.60	106	15.70	119	15.70	146	14.20
173	13.30	329	10.40						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	31	AUG	1968	2348	32-50N	157-52W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.70	25	25.40	40	23.80	43	22.00	50	21.40
54	20.40	81	18.00	135	15.90	149	15.90	205	13.10
234	12.90	329	10.60						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	31	AUG	1968	2355	32-25N	157-51W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	25	25.50	26	25.40	27	24.50	28	23.70
30	22.50	35	20.80	43	19.70	49	19.70	50	19.10
75	17.80	112	17.20	171	15.20	188	14.00	236	12.30
276	11.90	329	10.60						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	01	SEP	1968	0002	31-59N	157-51W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.70	29	25.40	30	25.20	34	22.50	39	21.20
46	20.60	51	19.50	63	18.40	117	16.70	130	15.0
213	12.90	329	10.60						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	01	SEP	1968	0009	31-33N	157-53W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	27	25.40	28	25.00	29	23.80	36	21.40
53	19.30	104	16.70	175	14.00	213	13.80	287	11.80



329 11.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	01	SEP	1968	0016	31-11N	157-59W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	28	25.50	34	25.00	35	24.40
49	19.90	60	18.40	70	17.60	82	17.60
136	15.30	167	14.00	289	11.40	297	10.80
329	10.20					314	10.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	01	SEP	1968	0030	30-16N	157-59W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.30	40	25.50	45	24.40	47	23.10
58	21.60	63	20.60	81	19.30	89	18.20
158	15.70					108	17.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	01	SEP	1968	0037	29-47N	158-01W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	34	25.70	36	25.10	38	22.90
48	20.80	59	20.30	68	18.90	75	18.90
97	17.20	159	15.50	212	13.10	329	10.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	01	SEP	1968	0044	29-21N	158-01W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.00	18	25.50	31	25.90	33	24.90
39	21.20	43	21.20	46	20.10	87	18.40
165	15.00	181	15.00	195	14.00	257	12.50
264	12.10					261	11.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	01	SEP	1968	0051	28-54N	158-00W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	9	26.10	28	26.10	31	25.50
33	22.30	37	20.80	40	20.80	42	20.10
53	18.70	80	16.90	119	15.30	146	15.00
200	13.50	233	12.10	328	10.40	177	13.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	01	SEP	1968	0105	28-04N	158-00W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.00	41	26.70	45	25.40	54	24.20
86	21.40	137	18.90	170	18.20	178	17.40
220	15.90	223	15.30	268	12.90	281	12.90
308	11.80	322	11.00			298	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	01	SEP	1968	0112	27-36N	158-00W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.00	30	26.80	43	26.50	51	24.80
67	22.90	89	22.10	96	21.20	122	19.70
219	16.70	249	15.90	268	14.20	278	14.20
329	11.90					288	13.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	01	SEP	1968	0119	27-11N	157-58W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	36	26.70	39	26.30	44	24.60
64	22.70	69	22.00	84	21.60	93	20.60
						107	20.60

136	19.10	168	18.40	171	17.80	219	16.50	223	15.90
267	14.40	268	13.80	329	11.90				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	01	SEP	1968	0126	26-43N	157-57W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP		
0	27.40	4	27.40	7	26.70	24	26.50	37	25.90
44	24.60	49	21.60	58	20.10	78	18.60	97	18.20
106	17.40	119	17.20	142	15.70	162	15.50	206	13.60
277	12.30	329	10.80						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	01	SEP	1968	0133	26-18N	157-55W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	7	27.40	9	26.80	35	26.70	37	25.50
40	25.50	44	24.40	62	23.50	73	22.50	75	21.80
108	19.90	123	19.70	145	18.00	165	17.80	174	17.00
182	17.00	226	15.00	235	14.00	293	11.90	311	11.90
329	11.00								

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	01	SEP	1968	0140	25-48N	157-53W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	46	26.50	54	25.40	56	24.60	62	23.50
78	22.50	90	22.50	105	21.20	118	21.00	131	20.10
190	18.00	212	16.70	234	16.10	262	13.80	299	12.30
312	11.20	329	10.80						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	01	SEP	1968	0147	25-22N	157-51W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	46	27.00	53	26.50	61	25.00	64	23.70
75	22.70	81	21.60	113	20.10	128	18.40	154	17.80
156	17.20	173	16.90	179	16.10	229	13.80	242	12.70
329	9.90								

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	01	SEP	1968	0154	24-53N	157-50W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	53	26.80	65	26.50	69	24.80	73	24.40
75	23.30	86	22.50	88	22.00	96	21.20	106	21.20
122	19.70	156	18.70	168	17.60	185	17.00	190	16.30
218	14.60	233	14.40	242	13.10	251	13.10	290	10.60
301	10.60	304	10.10	327	9.50				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	01	SEP	1968	0201	24-29N	157-46W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	60	26.80	66	26.10	73	24.20	99	21.60
106	21.60	122	20.10	143	19.50	158	18.20	171	18.20
178	17.40	190	17.00	197	16.10	251	13.10	282	11.90
301	10.60	329	9.70						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP		
V002	01	SEP	1968	0208	24-00N	157-48W	16.70		
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	45	26.70	58	26.10	76	24.00	90	23.70
96	22.70	104	22.30	106	21.80	132	19.50	137	18.60
153	18.20	170	16.90	207	15.20				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
--------	-----	-------	------	-----------	----------	-----------	---------------

VO02	01	SEP	1968	0215	23-32N	157-49W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	51	27.00	54	26.70	56	25.70
71	24.20	74	23.30	120	20.80	145	20.10
189	17.60	193	16.90	228	15.50	233	14.60
285	12.10	328	10.60				

VESEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
VO02	01	SEP	1968	0222	23-05N	157-49W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	56	26.50	76	24.20	85	24.20
111	22.90	120	22.00	165	20.60	182	19.10
202	18.00	220	17.40	235	16.30	238	15.50
250	15.00	297	11.60	328	10.40		

VESEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
VO02	01	SEP	1968	0229	22-41N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	59	26.70	69	25.20	76	25.20
121	22.50	135	21.40	164	20.40	168	19.70
185	18.90	186	18.40	203	17.80	205	17.20
263	14.20	277	13.60	282	12.90	329	10.80

VESEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
VO02	01	SEP	1968	0236	22-10N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	60	26.70	64	25.50	73	24.60
81	24.00	97	23.50	107	22.10	117	21.80
142	19.50	180	18.60	200	17.20	213	17.20
236	15.00	247	14.80	257	13.80	271	13.50
300	12.10	329	10.60				

VESEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
VO02	02	SEP	1968	1810	54-37N	157-57W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.10	7	12.10	11	9.00	18	6.70
43	4.50	91	4.90	139	4.90	202	3.90

VESEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
VO02	02	SEP	1968	1814	54-15N	157-56W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.20	22	11.20	27	11.00	28	10.20
30	7.00	37	4.70	44	3.60	90	3.40

VESEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
VO02	02	SEP	1968	1824	53-48N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.20	28	11.20	31	8.60	32	7.70
39	4.10	52	3.40	100	3.80	323	3.40

VESEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
VO02	02	SEP	1968	1831	53-21N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.40	33	10.40	35	9.80	37	7.40
44	4.10	54	3.60	101	4.10	317	3.60

VESEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
VO02	02	SEP	1968	1837	52-56N	157-51W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.40	30	10.40	36	10.10	39	9.70
41	8.50	42	7.20	43	6.30	44	5.20

65 3.80 117 4.10 320 3.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	1844	52-30N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.40	36	10.40	40	10.20	43	9.30
48	6.80	49	5.20	55	4.10	70	3.80
319	3.80					105	4.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	1851	52-04N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.20	32	10.20	38	9.90	46	5.00
95	3.80	313	3.40			53	4.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	1858	51-40N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.20	35	10.20	37	9.70	39	8.20
50	4.70	94	3.80	317	3.60	43	5.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	1905	51-51N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.40	28	10.20	33	9.50	40	7.80
47	4.90	65	4.10	316	3.70	42	6.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	1912	50-50N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.60	30	10.60	34	10.10	36	9.50
39	5.90	41	5.20	48	4.50	93	3.80
						323	3.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	1918	50-25N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.40	41	10.20	46	9.50	47	9.00
53	4.90	101	3.90	324	3.60	49	6.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	1925	50-00N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.80	29	11.00	47	10.40	56	5.90
103	4.70	127	3.80	321	3.60	61	4.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	1932	49-35N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.20	25	11.20	37	11.00	39	10.20
49	5.40	92	4.90	117	3.90	322	3.80
						45	6.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	1938	49-10N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.60	25	11.60	26	11.40	28	9.50
34	6.20	39	5.80	93	5.60	105	4.90
231	3.90	321	3.80			159	5.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	1945	48-45N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP

0	11.80	44	11.60	46	11.40	50	8.00	56	6.50
64	5.90	103	5.80	143	4.70	195	4.70	261	3.80
322	3.60								

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	1952	48-20N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.10	35	11.90	36	11.80	39	9.30
47	7.20	50	6.10	112	5.90	120	5.20
203	4.70	249	3.90	320	3.80		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	1958	47-55N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.50	34	12.30	37	10.80	38	8.90
49	6.10	82	6.10	116	5.00	182	5.00
						314	4.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2005	47-30N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.50	8	12.50	10	10.80	12	9.70
18	8.40	22	7.20	30	6.30	100	5.20
237	4.30	319	3.90				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2011	46-40N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.90	24	12.70	28	12.50	35	10.80
40	8.00	47	7.00	56	6.50	100	6.70
316	4.90						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2025	46-15N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.90	24	12.70	33	11.80	41	10.20
49	7.80	71	6.90	140	6.90	241	5.90
						317	4.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2031	45-50N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	13.50	17	13.30	29	12.70	32	11.90
44	9.90	47	8.70	51	7.80	87	6.70
187	7.00	276	5.80	294	5.00	329	4.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2038	45-15N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	13.80	25	13.60	32	13.50	35	12.10
53	7.60	119	6.70	209	6.70	245	5.80
						315	5.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2045	45-00N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	14.60	24	14.00	29	12.30	37	11.40
48	8.50	64	7.40	91	7.40	99	6.90
210	7.00	316	5.20				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2051	44-35N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	15.30	25	15.20	28	15.00	30	14.20
						32	12.70

34	11.90	37	10.10	42	8.70	48	8.20	92	7.20
140	7.80	230	7.60	260	6.70	315	6.10		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2058	44-10N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	15.90	27	15.70	31	15.50	33	14.60
46	12.70	51	10.40	64	8.90	202	8.20
						310	6.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2105	43-45N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.10	28	16.10	40	15.30	43	14.80
56	10.80	66	9.10	163	8.00	238	8.20
						319	6.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2111	43-20N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.50	27	16.30	33	15.30	42	11.60
67	9.30	93	9.30	105	8.50	163	8.70
250	7.40	315	6.50			239	8.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2118	42-55N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	17.00	16	17.00	27	15.70	34	13.50
58	10.10	122	9.70	126	8.90	153	9.10
313	7.00					238	8.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2125	42-20N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	17.80	19	17.80	21	17.20	27	16.70
33	13.60	38	11.90	48	10.60	71	10.10
197	9.10	243	8.90	315	7.20	148	10.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2136	41-40N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	18.60	21	18.60	22	17.90	23	16.30
28	14.40	41	13.10	47	11.40	58	10.40
150	9.70	195	8.70	234	8.70	310	7.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2145	41-15N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	19.10	14	18.90	18	17.00	19	15.00
39	13.10	41	11.90	51	10.60	182	8.90
315	7.00					224	8.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2151	40-51N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	19.90	21	19.70	24	19.10	25	18.30
27	15.50	34	14.80	42	12.90	46	12.70
56	10.80	89	10.20	161	10.20	188	9.30
280	8.50	306	7.60			222	9.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2158	40-25N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP

0	19.90	13	19.70	16	18.40	18	16.30	21	15.30
38	13.10	43	11.80	49	10.80	127	10.80	196	9.50
226	9.50	309	8.00						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2205	40-00N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	20.80	8	20.60	13	18.90	15	17.40
43	12.10	54	11.00	153	10.60	166	10.10
309	8.00					206	10.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2211	39-35N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.60	15	21.60	16	21.10	17	19.70
23	16.50	33	15.30	38	14.20	54	11.80
82	11.40	101	10.80	153	10.80	165	10.20
308	8.40					193	10.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2225	38-45N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.00	7	22.00	9	20.90	10	19.60
12	16.90	15	16.70	18	15.50	27	15.00
39	12.90	48	12.10	104	11.20	154	11.20
309	8.50					222	9.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2231	38-20N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.90	12	22.90	14	22.30	17	20.20
19	17.40	32	16.10	37	15.00	50	13.10
174	10.80	209	10.80	212	10.20	308	8.90
						61	12.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2238	37-55N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.30	19	23.30	20	22.60	21	20.60
24	18.40	50	14.80	64	13.30	98	11.90
307	9.40					273	10.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2245	37-30N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	22.90	12	22.90	13	21.40	15	19.50
21	17.20	34	15.70	41	15.50	50	14.00
78	12.50	81	11.90	180	11.20	308	9.10
						68	12.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2251	37-05N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.50	14	23.50	16	23.30	17	23.00
19	19.50	21	18.00	39	15.00	44	14.80
72	11.90	221	10.20	308	8.50	47	14.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2250	36-40N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.00	13	24.00	14	23.80	15	21.20
49	15.00	51	14.20	66	12.90	91	12.10
187	10.80	313	10.80	311	8.90	121	12.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2311	35-30N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.80	12	24.80	13	24.30	14	22.90
25	18.20	30	16.90	46	15.00	79	13.60
131	12.50	309	9.70				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2318	35-25N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.80	11	24.80	13	24.40	14	23.30
20	20.60	23	19.30	32	17.00	37	16.90
70	13.50	94	13.30	105	12.50	216	11.40
310	9.50						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2325	35-00N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.60	18	24.60	21	23.80	23	22.60
42	16.50	66	14.20	99	13.10	203	11.20
305	9.90						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2331	34-35N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.50	12	25.50	14	25.20	19	21.50
36	18.40	116	15.20	135	14.20		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2338	34-10N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.20	7	25.20	10	22.50	13	20.30
24	18.90	30	18.00	86	15.20	136	13.80
209	12.30	312	10.40				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2345	33-45N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.20	21	25.20	23	24.10	24	22.00
26	20.60	32	20.60	39	18.90	49	17.60
114	15.00	155	13.50	185	13.30	215	12.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2351	33-20N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.70	20	25.50	26	21.40	29	20.60
42	18.70	58	17.40	123	15.00	150	14.60
315	10.80						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	02	SEP	1968	2358	32-55N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	25	25.70	28	25.00	32	22.00
57	18.60	72	16.40	120	15.70	132	15.70
229	12.50	315	11.20				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0005	32-30N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.50	17	25.20	19	24.80	23	22.30
						27	20.80



31	20.80	36	19.90	58	18.40	147	16.30	203	13.60
258	12.10	312	11.50						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0023	31-15N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	19	25.70	23	25.40	27	24.20
33	22.30	39	20.80	53	18.90	59	18.90
85	17.40	88	16.90	141	15.20	159	14.00
183	13.50	315	10.40			176	14.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0038	30-25N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	22	26.30	29	25.90	32	24.40
47	21.00	59	20.30	64	19.30	89	18.40
182	15.20	190	14.40	230	13.10	311	11.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0045	30-00N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	15	25.90	25	25.40	28	24.80
50	20.10	71	18.70	90	18.40	95	17.60
192	15.30	219	13.80	242	13.30	244	12.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0051	29-32N	158-25W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	24	25.70	25	25.40	27	23.50
39	21.20	55	19.50	76	18.20	126	16.90
208	13.30	312	11.00			166	14.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0058	29-07N	158-25W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.30	17	26.30	35	25.70	36	25.50
42	22.10	47	21.00	69	18.70	87	17.40
201	14.20	214	13.50	228	13.50	235	12.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0105	28-42N	158-21W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	11	26.70	18	25.90	28	25.90
35	22.70	37	21.40	41	20.40	47	20.30
94	16.70	117	16.30	152	14.60	169	14.60
313	10.80					202	13.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0118	27-53N	158-26W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.00	43	26.70	53	24.80	57	23.50
71	21.80	102	19.70	126	19.10	142	18.00
194	15.70	207	15.50	242	13.60	262	13.30
292	11.90					272	12.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0125	27-30N	158-12W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	30	26.50	33	26.30	36	25.20
47	23.80	58	22.70	78	22.00	87	21.00
141	18.40	192	16.50	203	16.50	226	15.70

249 13.80 301 12.70 309 12.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0131	27-04N	158-07W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	37	26.70	43	26.50	48	25.70
89	21.20	104	20.30	138	19.30	147	18.60
163	18.00	175	18.00	195	16.90	213	16.70
245	15.90	255	14.80	311	12.70		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0138	26-40N	158-04W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	35	26.50	42	26.10	53	22.10
81	18.60	95	18.40	97	17.80	128	16.30
185	14.60	221	14.00	246	12.70	305	11.80
317	11.00						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0145	26-15N	157-58W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	31	26.50	39	23.80	55	22.10
70	21.20	93	19.70	113	19.50	125	18.40
						161	16.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0151	25-51N	157-57W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	47	26.70	53	25.00	71	23.50
101	21.40	135	20.30	149	19.10	160	19.10
189	18.00	234	15.00	246	14.80	253	14.00
292	11.90	310	11.40				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0158	25-21N	157-51W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	47	26.10	62	25.90	68	24.40
90	22.70	103	21.20	164	18.70	193	16.70
241	13.50	268	11.90	305	10.80		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0205	24-56N	157-56W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.00	30	27.00	42	26.80	46	26.10
55	25.70	58	24.80	61	24.80	68	23.30
125	19.10	139	18.90	157	17.60	172	17.80
202	16.10	205	15.50	216	15.30	221	14.40
235	13.60	263	12.70	277	11.60	317	10.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0211	24-34N	157-49W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	56	26.80	67	25.00	73	24.40
91	21.40	110	20.80	113	20.30	133	18.90
167	17.60	217	15.70	248	13.30	249	12.70
314	9.90						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	03	SEP	1968	0225	23-41N	157-44W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	50	26.70	57	25.90	60	24.80
88	22.10	134	19.50	145	19.30	164	18.00
						167	17.40

197 15.70 206 14.40 223 13.10 269 11.60 278 10.80  
 317 9.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	03	SEP	1968	0231	23-21N	157-43W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	14	26.80	48	26.70	51	25.90
77	24.40	85	23.50	93	23.30	97	22.50
127	20.60	149	20.30	164	18.90	191	17.80
213	16.70	223	15.50	249	14.00	258	12.90
304	10.60	311	10.50			301	11.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	03	SEP	1968	0238	22-56N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	39	26.70	63	26.30	73	25.70
90	24.00	99	22.90	120	21.40	131	21.40
193	17.80	221	16.50	229	15.50	247	15.00
302	11.80	311	11.00			289	11.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	03	SEP	1968	0245	22-30N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	55	26.70	75	24.40	110	22.10
150	20.10	197	18.20	208	16.90	220	16.70
255	14.80	290	13.10	295	12.10	312	11.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	03	SEP	1968	0251	22-06N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	61	26.50	68	25.00	82	24.20
102	22.90	108	21.80	136	20.10	150	20.10
202	17.40	208	16.50	230	15.50	237	14.60
255	13.50	273	13.10	277	12.30	315	10.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1810	54-40N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.80	27	11.80	31	11.00	33	10.00
38	9.20	55	4.30	80	3.80	107	3.80
326	3.60					124	4.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1816	54-15N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.20	19	11.20	23	10.10	25	7.90
33	3.90	326	3.60			26	6.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1824	53-50N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.00	28	10.80	29	10.20	30	8.50
33	6.30	36	4.50	39	3.80	46	3.20
						329	3.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1830	53-25N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	1.00	25	11.00	29	9.70	32	7.50
37	5.80	41	4.70	54	3.80	329	3.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
--------	-----	-------	------	-----------	----------	-----------	--------------

V002	04	SEP	1968	1836	53-03N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.00	24	11.00	33	10.80	36	10.20
48	5.00	54	4.10	72	3.60	102	4.10
						329	3.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1843	52-39N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.60	32	10.40	38	10.10	41	8.50
49	4.10	62	3.40	95	3.80	329	3.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1850	52-14N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.20	35	10.20	43	10.10	44	9.50
48	7.20	51	4.90	57	3.90	329	3.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1856	51-51N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.60	29	10.40	33	9.50	34	8.60
37	5.20	51	4.50	74	4.50	94	3.80
						329	3.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1903	51-23N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.40	26	10.40	31	9.10	33	7.20
43	5.00	49	4.30	81	3.80	329	3.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1910	51-00N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.80	16	10.80	26	10.20	31	9.70
39	6.10	48	4.70	86	3.90	329	3.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1916	50-35N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.80	30	10.60	36	10.10	40	8.70
43	6.10	45	5.00	88	3.90	329	3.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1923	50-07N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.00	27	11.00	34	10.80	40	10.10
43	8.50	45	6.50	47	5.20	54	4.70
163	4.30	329	3.80				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1936	49-16N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	10.60	31	10.60	39	10.40	42	8.30
52	4.50	52	4.30	103	3.80	329	2.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	1949	48-25N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.20	34	11.20	37	10.60	39	9.30
45	5.90	56	5.40	106	5.60	113	4.90
329	3.20					130	4.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	1956	47-55N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.60	37	11.40	39	11.00	40	10.50
44	7.20	53	5.80	111	5.40	128	4.10
210	3.60	329	3.00				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2000	47-33N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.60	36	11.60	38	11.20	41	9.00
54	5.60	102	5.80	105	4.90	109	4.50
128	4.50	195	4.50	329	3.60		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2009	47-08N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.60	36	11.60	37	11.40	39	9.90
48	6.50	63	5.40	101	5.20	103	4.70
329	3.00						

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2022	46-15N	157-47W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	11.90	29	11.80	32	11.40	34	10.80
47	5.80	51	5.20	81	5.60	197	5.60
						329	3.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2034	45-30N	157-48W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.70	22	12.70	36	12.10	44	11.00
68	6.70	179	6.50	328	4.30		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2042	45-05N	157-49W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	12.90	35	12.90	38	12.70	41	11.60
56	10.10	60	8.50	68	7.60	92	6.50
328	4.30					218	5.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2049	44-40N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	13.30	20	13.30	32	12.90	35	12.50
39	10.30	40	9.50	41	8.70	49	7.60
113	6.90	127	6.30	150	6.50	184	5.80
329	4.30					229	5.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2056	44-15N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	14.80	35	14.80	38	13.10	43	11.20
60	8.50	81	8.50	90	8.00	189	7.40
						327	5.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2102	43-50N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	15.00	28	14.80	35	13.30	38	11.60
47	8.90	54	7.80	112	8.00	200	7.40
						329	5.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP

V002	04	SEP	1968	2109	43-29N	157-55W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.10	24	16.10	32	15.70	33	15.20
42	14.20	55	9.70	59	9.10	66	9.50
127	8.50	142	9.30	234	8.70	329	6.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	2116	43-03N	157-54W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.30	32	16.30	43	14.40	51	11.00
59	9.70	73	9.90	77	9.70	80	8.50
161	8.70	262	8.00	329	6.50		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	2123	42-34N	157-52W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	16.90	25	16.90	29	15.90	43	14.80
48	13.40	49	11.80	50	10.80	54	9.90
145	9.50	168	8.70	228	8.70	329	6.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	2129	42-10N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	17.40	33	17.40	35	16.70	45	15.30
54	14.60	58	12.30	63	11.80	68	10.40
124	9.70	130	9.10	175	9.30	251	8.70
329	7.00					305	7.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	2136	41-45N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	17.80	27	18.00	33	15.70	38	15.20
42	13.50	55	10.60	110	9.50	139	9.70
329	6.70					237	8.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	2142	41-20N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	19.10	19	19.10	23	18.00	27	16.50
33	14.60	35	13.60	41	13.10	50	11.20
167	9.70	282	8.00	283	7.40	329	7.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	2149	40-55N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	19.30	22	19.30	25	16.10	28	14.80
35	13.60	41	13.60	46	11.90	53	11.80
85	10.10	137	10.60	169	10.20	191	9.30
275	8.20	309	8.00	329	7.40	264	8.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	2156	40-27N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	19.70	25	19.70	29	16.80	33	14.80
41	12.90	53	11.40	76	10.60	119	10.40
198	9.70	269	9.10	329	7.80	125	11.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASLINE TEMP
V002	04	SEP	1968	2202	40-05N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	20.60	17	20.60	18	19.10	19	17.60
						21	16.50

31	14.40	36	14.00	40	12.70	51	11.60	64	10.80
157	10.80	219	10.20	230	9.70	261	9.50	304	8.20
329	8.00								

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2209	39-40N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.20	20	21.00	21	19.90	25	17.80
37	14.80	41	14.80	49	13.30	58	12.10
186	10.80	329	8.40			79	10.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2215	39-15N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.80	16	21.80	17	20.70	18	20.10
23	16.70	39	14.80	50	11.60	62	10.80
96	11.40	152	11.60	216	10.20	281	9.70
						329	8.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2222	38-49N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	21.60	19	21.60	25	18.00	27	16.70
46	13.50	51	13.30	53	12.50	68	11.60
329	8.40					138	11.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2245	37-30N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	23.50	18	23.50	20	22.80	22	20.30
34	17.60	43	15.90	47	15.90	58	13.50
155	11.90	329	9.10			68	12.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2255	36-50N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.00	18	24.00	19	23.40	20	21.20
25	18.70	28	17.20	32	17.20	41	15.70
63	13.30	78	12.50	186	11.40	329	8.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2302	36-25N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.20	18	24.20	22	24.00	23	23.40
31	17.80	44	16.50	53	14.80	66	13.30
125	12.30	136	11.60	253	10.40	329	9.10

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2310	36-00N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.60	16	24.60	17	24.10	18	22.10
21	20.10	25	19.50	27	18.20	49	15.70
101	13.80	122	12.90	256	11.00	289	10.10
						327	9.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2315	35-40N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.00	19	25.00	21	24.40	23	23.70
36	18.40	46	16.70	65	15.00	100	13.60
268	11.00	329	9.70			192	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
--------	-----	-------	------	-----------	----------	-----------	---------------

V002	04	SEP	1968	2323	35-14N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	24.80	17	25.00	18	22.90	23	20.40
33	18.60	36	17.20	49	16.70	50	16.10
225	11.40	251	11.40	273	10.60	300	10.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2328	34-50N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.40	24	25.40	27	23.60	29	21.60
34	20.40	37	19.10	41	19.10	48	17.80
78	15.90	126	14.00	138	14.00	144	13.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2335	34-25N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.50	23	25.50	26	24.30	27	22.90
37	19.50	39	19.50	42	18.40	52	17.20
91	15.20	224	12.90	251	11.90	287	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2342	34-00N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.40	24	25.40	26	23.50	31	21.20
52	18.40	74	17.20	82	16.30	98	15.20
329	10.60					179	13.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2349	33-33N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.70	24	25.70	26	25.20	28	22.00
36	19.90	42	19.70	48	18.60	70	17.00
87	16.70	93	15.70	107	15.00	177	13.80
278	11.80	329	10.40			230	12.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	04	SEP	1968	2355	33-07N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	30	26.10	35	25.90	42	21.80
71	18.40	156	15.00	219	12.90	255	12.50
329	10.80					273	11.80

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0001	32-43N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	25.90	20	25.90	29	25.70	35	24.40
45	20.80	64	18.90	94	17.20	132	16.70
184	13.80	240	12.30	329	10.80	161	15.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0008	32-04N	158-34W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	30	25.90	33	25.70	34	24.70
38	22.10	54	19.30	85	17.80	159	16.10
208	13.30	329	10.80			165	15.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0021	31-15N	158-34W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	4	26.80	5	26.10	26	25.90
37	23.20	43	21.60	47	21.40	52	20.10
						55	20.10



64	18.70	82	17.60	97	17.40	111	16.50	123	16.50
135	15.50	173	14.00	260	12.10	264	11.60	329	10.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0028	30-56N	158-16W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	30	26.10	34	25.70	39	22.70
64	18.60	103	16.70	130	16.10	174	13.80
268	11.20	329	10.20			238	12.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0035	30-41N	157-58W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.10	20	25.90	30	25.50	34	22.50
49	20.30	53	19.10	66	17.80	107	16.10
147	14.60	159	14.60	164	14.00	183	13.80
254	11.60					221	12.30

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0041	30-04N	158-02W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.80	20	26.70	29	26.30	36	25.4
42	22.70	51	20.30	60	19.10	70	19.10
123	16.30	141	16.10	198	13.80	329	11.00

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0054	29-12N	158-52W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	22	26.50	28	26.10	30	25.40
37	22.90	49	21.40	55	21.20	62	20.10
79	18.70	112	16.70	171	14.40	220	13.10
282	11.80	329	11.00			258	12.70

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0101	28-47N	158-02W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.50	12	26.70	15	26.10	24	26.10
31	23.10	34	22.70	36	21.40	40	20.60
86	17.80	106	16.70	143	16.10	187	13.80
219	12.90	324	10.60			207	13.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0106	28-40N	158-05W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	26.70	22	26.50	33	26.10	38	24.60
44	21.60	59	19.50	65	19.50	66	18.90
103	16.30	146	15.30	189	13.60	329	10.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0112	28-15N	158-07W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	27	27.00	33	26.70	35	26.10
42	23.10	45	22.00	58	20.40	64	20.30
79	18.00	134	16.50	182	14.40	329	11.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0119	27-50N	158-06W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	22	27.20	41	26.50	46	26.10
51	23.50	54	22.50	71	20.40	85	19.70
104	17.60	122	17.60	129	17.00	172	15.90

229 14.20 264 12.70 307 11.90 329 11.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0125	27-27N	158-06W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	43	26.80	47	25.20	60	23.10
99	20.80	196	16.10	243	14.40	256	14.40
275	12.90	297	12.50	314	11.40	329	10.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0131	27-05N	158-06W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	36	27.20	44	26.50	53	24.60
145	19.30	172	18.70	181	18.00	206	17.20
251	15.00	261	14.00	270	14.00	294	12.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0138	26-45N	158-03W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.60	35	27.20	38	25.90	41	25.90
55	24.00	68	22.30	76	22.10	84	21.20
129	19.30	149	18.70	159	17.80	169	17.60
193	16.70	202	15.70	244	15.00	268	13.60

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0144	26-20N	158-02W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	39	27.00	48	26.50	54	25.00
82	21.60	99	20.10	135	18.70	153	17.00
248	13.30	329	10.80				

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0151	25-55N	158-01W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.60	19	26.80	47	26.80	51	26.70
73	23.30	79	23.30	93	21.80	120	20.60
164	18.60	192	16.50	219	15.30	238	13.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0157	25-32N	158-00W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.80	47	26.70	67	23.30	135	19.70
154	18.70	168	18.70	192	17.00	201	17.00
236	15.00	253	13.50	329	10.50		

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0204	25-05N	157-59W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	28.10	10	27.60	41	27.60	50	27.20
73	24.60	78	23.50	90	23.10	102	21.60
168	18.60	176	17.40	199	16.50	206	15.50
246	13.60	255	13.60	261	12.70	295	11.20
328	10.40					310	11.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0210	24-40N	157-58W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.80	14	27.20	46	27.20	60	25.20
79	22.70	147	18.70	159	18.60	187	16.10
259	13.30	263	12.70	279	12.50	297	11.40

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0217	24-16N	157-57W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.80	56	27.40	59	26.30	67	26.30
85	23.10	123	20.80	141	20.30	151	19.10
163	18.20	186	17.20	198	15.70	226	14.20
266	12.50	329	10.20			256	13.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0223	23-52N	157-56W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	50	27.20	55	27.00	58	26.30
71	24.60	76	24.20	80	23.10	87	22.90
131	20.30	141	18.90	163	18.20	179	14.10
264	11.40	307	10.20	329	8.90	218	13.50

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0230	23-28N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.90	58	27.40	71	25.90	81	23.70
156	19.70	175	18.00	186	18.00	192	17.00
211	15.70	254	13.50	262	12.50	303	11.60
						329	10.20

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0236	23-03N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	40	27.20	49	26.80	63	25.20
99	23.30	107	22.30	176	18.70	202	18.00
233	16.30	247	15.20	259	13.60	295	11.80
313	11.00	329	10.20			307	11.80


VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0243	22-39N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.20	51	27.00	60	26.70	65	25.50
83	24.00	102	22.90	116	22.70	170	19.90
200	18.40	232	17.20	248	15.50	254	15.50
329	11.20					297	11.90

VESSEL	DAY	MONTH	YEAR	TIME(GCT)	LATITUDE	LONGITUDE	BASELINE TEMP
V002	05	SEP	1968	0249	22-14N	157-50W	16.70
DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP	DEPTH	TEMP
0	27.40	31	27.20	39	26.70	43	25.20
62	23.80	91	22.90	96	22.10	148	20.30
194	16.90	203	16.70	209	15.90	222	15.70
280	12.10	311	11.20			238	14.20

## **Appendix C: Thermistor Chain Data**

# MARYSVILLE THERMISTOR

## DATA LOCATIONS



PLATFORM- MARYSVIL

POSITION- 54 21N 157 50W

PARDEN SQUARE 196 ONE DEGREE SQUARE 47

DATE- JUL 23, 1968 TIME- 0700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	12.7	1496.8	32.49
3.0	12.6	1496.5	32.51
9.1	12.6	1496.7	32.56
12.2	12.5	1496.4	32.59
18.3	11.9	1494.4	32.64
21.3	10.6	1490.0	32.66
27.4	9.4	1485.7	32.71
30.5	8.3	1481.5	32.74
33.5	7.2	1477.5	32.76
39.6	6.1	1473.3	32.81
42.7	5.0	1468.8	32.84
48.8	4.5	1466.9	32.89
51.8	4.1	1465.4	32.91
57.9	4.0	1465.1	32.96
61.0	3.9	1464.7	32.98
67.1	3.8	1464.4	33.03
70.1	3.7	1464.2	33.05
76.2	3.6	1463.9	33.10
79.2	3.7	1464.4	33.12
85.3	3.6	1464.1	33.17
88.4	3.6	1464.2	33.19
94.5	3.7	1464.9	33.24
97.5	3.7	1464.9	33.26
103.6	3.8	1465.3	33.31
106.7	3.9	1465.9	33.34
112.8	4.1	1467.0	33.40
115.8	3.9	1466.2	33.43
121.9	4.0	1466.8	33.48
126.0	4.0	1467.0	33.54
131.1	4.0	1467.1	33.57
137.2	4.0	1467.2	33.62
140.2	3.9	1466.9	33.65
146.3	4.0	1467.5	33.71
152.4	4.0	1467.7	33.75
155.4	4.1	1468.2	33.76
161.5	4.1	1468.3	33.79
164.6	4.2	1468.9	33.80
170.7	4.1	1468.5	33.82
176.8	4.1	1468.7	33.85
179.8	4.1	1468.7	33.86
185.9	4.1	1468.9	33.88
192.0	4.0	1468.5	33.91
198.1	4.2	1469.6	33.93
201.2	4.1	1469.2	33.94
207.3	4.1	1469.3	33.95
213.4	4.1	1469.4	33.96
216.4	3.9	1468.5	33.96

PLATFORM- MARYSVIL

POSITION- 54 13N 157 50W

MARSDEN SQUARE 1 ONE DEGREE SQUARE 47

DATE- JUL 23, 1966 TIME-0900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	11.9	1493.9	32.49
3.0	11.9	1494.0	32.51
9.1	11.9	1494.2	32.56
12.2	11.7	1493.7	32.59
18.3	11.5	1493.0	32.64
21.3	8.6	1482.6	32.66
24.4	6.9	1476.0	32.69
30.5	5.7	1471.5	32.74
33.5	4.9	1468.1	32.76
36.6	4.5	1466.6	32.79
42.7	3.8	1463.7	32.84
45.7	3.6	1463.1	32.86
48.8	3.4	1462.2	32.89
54.9	3.4	1462.4	32.94
57.9	3.3	1462.0	32.96
64.0	3.3	1462.1	33.01
67.1	3.2	1462.0	33.03
73.2	3.1	1461.7	33.08
76.2	3.1	1461.8	33.10
82.3	3.1	1461.9	33.15
85.3	3.1	1462.0	33.17
91.4	3.2	1462.6	33.21
94.5	3.2	1462.7	33.24
100.6	3.3	1463.1	33.29
103.6	3.3	1463.2	33.31
109.7	3.6	1464.8	33.37
112.8	3.4	1463.9	33.40
118.9	3.5	1464.6	33.45
121.9	3.6	1465.2	33.48
126.0	3.6	1465.3	33.54
134.1	3.6	1465.5	33.59
137.2	3.5	1465.1	33.62
143.3	3.6	1465.8	33.68
149.4	3.6	1466.0	33.73
152.4	3.6	1466.0	33.75
158.5	3.6	1466.2	33.77
161.5	3.7	1466.7	33.79
167.6	3.6	1466.4	33.81
173.7	3.6	1466.5	33.83
176.8	3.5	1466.1	33.85
182.9	3.5	1466.2	33.87
189.0	3.5	1466.3	33.90
192.0	3.6	1466.9	33.91
196.1	3.5	1466.5	33.93
204.2	3.5	1466.7	33.95
207.3	3.5	1466.7	33.95
213.4	3.4	1466.4	33.96

PLATFORM- MARYSVIL

POSITION- 54 09N 157 50W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 07

DATE- JUL 23, 1968 TIME- 1000

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	11.9	1493.9	32.49
3.0	11.9	1494.0	32.51
9.1	11.9	1494.2	32.56
12.2	11.5	1492.9	32.59
18.3	10.5	1489.5	32.64
21.3	8.9	1483.6	32.66
24.4	7.5	1478.4	32.69
30.5	6.4	1474.1	32.74
33.5	5.3	1469.7	32.75
36.6	4.4	1466.1	32.79
42.7	3.6	1463.0	32.84
45.7	3.4	1462.1	32.86
51.8	3.2	1461.6	32.91
54.9	3.2	1461.7	32.94
61.0	3.1	1461.3	32.98
64.0	3.1	1461.4	33.01
67.1	3.0	1461.0	33.03
73.2	2.9	1460.7	33.08
76.2	3.0	1461.3	33.10
82.3	2.9	1461.0	33.15
85.3	3.0	1461.5	33.17
91.4	3.1	1462.2	33.21
94.5	3.2	1462.7	33.24
100.6	3.3	1463.1	33.29
103.6	3.3	1463.2	33.31
109.7	3.5	1464.3	33.37
112.8	3.4	1463.9	33.40
116.9	3.4	1464.1	33.45
125.0	3.4	1464.3	33.51
126.0	3.4	1464.4	33.54
134.1	3.4	1464.6	33.59
137.2	3.4	1464.7	33.62
143.3	3.4	1464.8	33.68
146.4	3.4	1465.0	33.73
155.4	3.4	1465.1	33.76
158.5	3.4	1465.2	33.77
161.5	3.4	1465.3	33.79
167.6	3.3	1464.9	33.81
173.7	3.4	1465.5	33.83
176.8	3.3	1465.1	33.85
182.9	3.3	1465.3	33.87
189.0	3.3	1465.4	33.90
195.1	3.4	1466.0	33.92
196.1	3.3	1465.6	33.93
204.2	3.4	1466.2	33.95
210.3	3.4	1466.3	33.95
213.4	3.2	1465.6	33.96



PLATFORM- MARYSVIL

POSITION- 34 03N 157 30W

PARDEN SQUARE 106 ONE DEGREE SQUARE 47

DATE- JUL 23, 1968 TIME- 1100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SBEVEL (M/SEC)	SAL (0/00)
0.0	11.9	1493.9	32.49
3.0	11.9	1494.0	32.51
9.1	11.7	1493.6	32.56
12.2	9.9	1487.1	32.59
18.3	7.9	1479.7	32.64
21.3	6.0	1472.3	32.66
24.4	4.6	1466.7	32.69
30.5	4.0	1464.3	32.74
33.5	3.7	1463.2	32.76
36.6	3.3	1461.4	32.79
42.7	3.2	1461.3	32.84
45.7	3.0	1460.5	32.86
48.8	3.0	1460.5	32.89
54.9	3.0	1460.7	32.94
57.9	2.9	1460.3	32.96
64.0	2.8	1460.0	33.01
67.1	2.9	1460.9	33.03
73.2	2.9	1460.7	33.08
76.2	3.0	1461.3	33.10
82.3	3.0	1461.4	33.15
85.3	3.1	1462.0	33.17
91.4	3.2	1462.6	33.21
94.5	3.2	1462.7	33.24
100.6	3.4	1463.6	33.29
103.6	3.3	1463.2	33.31
109.7	3.3	1463.4	33.37
112.8	3.3	1463.5	33.40
118.9	3.4	1464.1	33.45
121.9	3.3	1463.7	33.48
128.0	3.4	1464.4	33.54
134.1	3.4	1464.6	33.59
137.2	3.4	1464.7	33.62
143.3	3.4	1464.8	33.68
149.4	3.3	1464.5	33.73
152.4	3.4	1465.1	33.75
158.5	3.2	1464.5	33.77
161.5	3.3	1464.8	33.79
167.6	3.3	1464.9	33.81
173.7	3.2	1464.8	33.83
176.8	3.3	1465.1	33.85
182.9	3.2	1465.0	33.87
189.0	3.3	1465.4	33.90
192.0	3.2	1465.2	33.91
198.1	3.2	1465.4	33.93
204.2	3.3	1465.7	33.95
207.3	3.2	1465.5	33.95
213.4	3.1	1465.2	33.96

PLATFORM- MARYSVIL

POSITION- 53 55N 157 50W

PARDEN SQUARE 196 ONE DEGREE SQUARE 37

DATE- JUL 23, 1968 TIME- 1300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	12.0	1494.3	32.49
3.0	11.5	1492.6	32.51
9.1	11.5	1492.8	32.56
12.2	11.4	1492.5	32.59
18.3	11.3	1492.3	32.64
21.3	8.3	1481.3	32.66
24.4	6.5	1474.4	32.69
30.5	5.1	1469.0	32.74
33.5	4.3	1465.6	32.76
36.6	4.0	1464.5	32.79
42.7	3.5	1462.5	32.84
45.7	3.4	1462.1	32.86
51.8	3.1	1461.1	32.91
54.9	3.1	1461.2	32.94
61.0	3.0	1460.9	32.98
64.0	3.0	1460.9	33.01
70.1	3.0	1461.1	33.05
73.2	2.9	1460.7	33.08
79.2	3.0	1461.4	33.12
82.3	3.0	1461.4	33.15
86.4	3.1	1462.1	33.19
91.4	3.2	1462.6	33.21
97.5	3.2	1462.8	33.26
100.6	3.3	1463.1	33.29
106.7	3.3	1463.3	33.34
109.7	3.5	1464.3	33.37
115.8	3.3	1463.6	33.43
118.9	3.4	1464.1	33.45
125.0	3.4	1464.3	33.51
131.1	3.5	1465.0	33.57
134.1	3.4	1464.6	33.59
140.2	3.4	1464.7	33.65
146.3	3.5	1465.4	33.71
149.4	3.4	1465.0	33.73
155.4	3.5	1465.6	33.76
156.5	3.4	1465.2	33.77
164.6	3.4	1465.3	33.80
167.6	3.5	1465.9	33.81
173.7	3.4	1465.5	33.83
179.8	3.4	1465.7	33.86
185.9	3.4	1465.8	33.88
189.0	3.2	1465.2	33.90
195.1	3.2	1465.3	33.92
201.2	3.3	1465.7	33.94
204.2	3.2	1465.5	33.95
210.3	3.4	1466.3	33.95
216.4	3.4	1466.4	33.96

PLATFORM. HARYSVIL

POSITION. 53 48N 157 49W

PARDEN SQUARE 196 ONE DEGREE SQUARE 37

DATE. JUL 23, 1968 TIME. 1400

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	11.5	1492.6	32.49
3.0	11.5	1492.6	32.51
9.1	11.5	1492.8	32.56
12.2	11.3	1492.1	32.59
18.3	10.2	1488.9	32.64
21.3	8.3	1481.3	32.66
24.4	6.5	1474.4	32.69
30.5	5.3	1469.6	32.74
33.5	4.5	1466.5	32.76
36.6	4.1	1464.9	32.79
42.7	3.5	1462.5	32.84
45.7	3.3	1461.7	32.86
51.8	3.1	1461.1	32.91
54.9	3.1	1461.2	32.94
61.0	3.1	1461.3	32.98
64.0	3.1	1461.4	33.01
67.1	3.0	1461.0	33.03
73.2	2.9	1460.7	33.08
76.2	3.0	1461.3	33.10
82.3	3.1	1461.9	33.15
85.3	3.2	1462.5	33.17
91.4	3.3	1462.9	33.21
94.5	3.3	1463.0	33.24
100.6	3.4	1463.6	33.29
103.6	3.4	1463.7	33.31
109.7	3.6	1464.8	33.37
112.8	3.4	1463.9	33.40
118.9	3.5	1464.6	33.45
125.0	3.5	1464.8	33.51
128.0	3.5	1464.9	33.54
134.1	3.5	1465.0	33.59
137.2	3.4	1464.7	33.62
143.3	3.5	1465.3	33.68
149.4	3.5	1465.5	33.73
155.4	3.5	1465.6	33.76
158.5	3.4	1465.2	33.77
161.5	3.5	1465.8	33.79
167.6	3.4	1465.4	33.81
173.7	3.4	1465.5	33.83
176.8	3.4	1465.6	33.85
182.9	3.4	1465.7	33.87
189.0	3.3	1465.4	33.90
195.1	3.5	1466.5	33.92
198.1	3.4	1466.1	33.93
204.2	3.4	1466.2	33.95
210.3	3.3	1465.8	33.96
213.4	3.2	1465.6	33.96

PLATFORM- MARYSVIL

POSITION- 33 41N 197 40W

PARDEN SQUARE 196 ONE DEGREE SQUARE 37

DATE- JUL 23, 1968 TIME- 1500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	11.4	1492.2	32.49
3.0	11.3	1491.9	32.51
9.1	11.4	1492.4	32.56
12.2	11.3	1492.1	32.59
18.3	11.0	1491.3	32.64
21.3	9.1	1484.5	32.66
24.4	6.7	1475.3	32.69
30.5	4.9	1468.0	32.74
33.5	4.1	1464.9	32.76
36.6	3.8	1463.5	32.79
42.7	3.3	1461.6	32.84
45.7	3.2	1461.4	32.86
51.8	3.0	1460.6	32.91
54.9	3.1	1461.2	32.94
61.0	3.0	1460.9	32.98
64.0	2.9	1460.5	33.01
70.1	3.0	1461.1	33.05
73.2	2.9	1460.7	33.08
79.2	3.0	1461.4	33.12
82.3	3.0	1461.4	33.15
88.4	3.1	1462.1	33.19
91.4	3.1	1462.2	33.21
97.5	3.2	1462.8	33.26
100.6	3.3	1463.1	33.29
106.7	3.3	1463.3	33.34
109.7	3.4	1463.9	33.37
115.8	3.5	1464.5	33.43
118.9	3.4	1464.1	33.45
125.0	3.4	1464.3	33.51
131.1	3.3	1464.0	33.57
134.1	3.4	1464.6	33.59
140.2	3.4	1464.7	33.65
146.3	3.5	1465.4	33.71
149.4	3.3	1464.5	33.73
155.4	3.4	1465.1	33.76
158.5	3.4	1465.2	33.77
164.6	3.4	1465.3	33.80
167.6	3.3	1464.9	33.81
173.7	3.4	1465.5	33.83
179.8	3.4	1465.7	33.86
185.9	3.3	1465.3	33.88
189.0	3.3	1465.4	33.90
195.1	3.2	1465.3	33.92
201.2	3.2	1465.4	33.94
204.2	3.3	1465.7	33.95
210.3	3.2	1465.6	33.95
216.4	3.2	1465.7	33.96

PLATFORM= MARYSVIL

POSITION= 53 27N 197 46W

MARSDEN SOLARE 196 ONE DEGREE SQUARE 37

DATE= JUL 23, 1968 TIME= 1700

INSTRUMENT TYPE= THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	10.8	1490.0	32.49
3.0	10.8	1490.1	32.51
9.1	10.8	1490.2	32.56
12.2	10.6	1489.7	32.59
18.3	9.2	1484.8	32.64
21.3	7.8	1479.4	32.66
24.4	7.0	1476.4	32.69
30.5	6.1	1473.0	32.74
33.5	5.2	1469.5	32.76
36.6	4.3	1465.7	32.79
42.7	3.7	1463.5	32.84
45.7	3.5	1462.6	32.86
51.8	3.2	1461.6	32.91
54.9	3.3	1461.9	32.94
61.0	3.3	1462.1	32.98
64.0	3.4	1462.6	33.01
67.1	3.4	1462.7	33.03
73.2	3.6	1463.8	33.08
76.2	3.7	1464.4	33.10
82.3	3.7	1464.5	33.15
85.3	3.8	1464.8	33.17
91.4	3.8	1465.0	33.21
94.5	3.8	1465.1	33.24
100.6	3.8	1465.3	33.29
103.6	3.8	1465.3	33.31
109.7	3.9	1466.0	33.37
112.8	3.7	1465.4	33.40
118.9	3.8	1465.8	33.45
125.0	3.7	1465.7	33.51
128.0	3.7	1465.8	33.54
134.1	3.7	1466.0	33.59
137.2	3.6	1465.6	33.62
143.3	3.7	1466.2	33.68
149.4	3.7	1466.4	33.73
155.4	3.6	1466.1	33.76
158.5	3.6	1466.2	33.77
161.5	3.6	1466.2	33.79
167.6	3.7	1466.8	33.81
173.7	3.6	1466.5	33.83
176.8	3.5	1466.1	33.85
182.9	3.4	1465.7	33.87
189.0	3.6	1466.8	33.90
195.1	3.6	1467.0	33.92
198.1	3.5	1466.5	33.93
204.2	3.5	1466.7	33.95
210.3	3.5	1466.8	33.95
213.4	3.5	1466.8	33.96

PLATFORM- MARYSVIL

POSITION- 53 20N 157 45W

PARDEN SQUARE 196 ONE DEGREE SQUARE 37

DATE- JUL 23, 1966 TIME- 1800

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.8	1490.0	32.49
3.0	10.8	1490.1	32.51
9.1	10.8	1490.2	32.56
12.2	10.6	1489.7	32.59
18.3	9.8	1486.8	32.64
21.3	8.1	1480.7	32.66
24.4	7.0	1476.4	32.69
30.5	6.2	1473.5	32.74
33.5	5.4	1470.2	32.76
36.6	4.8	1467.7	32.79
42.7	4.2	1465.6	32.84
45.7	3.9	1464.3	32.86
51.8	3.6	1463.2	32.91
54.9	3.5	1462.9	32.94
61.0	3.5	1463.0	32.98
64.0	3.4	1462.6	33.01
70.1	3.5	1463.3	33.05
73.2	3.4	1462.9	33.08
79.2	3.5	1463.5	33.12
82.3	3.5	1463.6	33.15
88.4	3.7	1464.7	33.19
91.4	3.8	1465.0	33.21
97.5	3.8	1465.2	33.26
100.6	3.9	1465.7	33.29
106.7	3.9	1465.9	33.34
109.7	4.0	1466.5	33.37
115.8	3.8	1465.7	33.43
118.9	3.9	1466.3	33.45
125.0	3.8	1466.0	33.51
131.1	3.8	1466.1	33.57
134.1	3.8	1466.2	33.59
137.2	3.7	1466.1	33.62
146.3	3.8	1466.6	33.71
149.4	3.7	1466.4	33.73
155.4	3.7	1466.6	33.76
158.5	3.6	1466.2	33.77
164.6	3.7	1466.8	33.80
167.6	3.5	1465.9	33.81
173.7	3.6	1466.5	33.83
179.8	3.6	1466.6	33.86
185.9	3.6	1466.8	33.88
189.0	3.5	1466.3	33.90
195.1	3.6	1467.0	33.92
201.2	3.5	1466.6	33.94
204.2	3.6	1467.1	33.95
210.3	3.6	1467.2	33.96
216.4	3.4	1466.4	33.96

PLATFORM- MARYSVIL

POSITION- 33 14N 157 49W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 37

DATE- JUL 23, 1968 TIME- 1900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	10.9	1490.4	32.49
3.0	10.8	1490.1	32.51
9.1	10.8	1490.2	32.56
12.2	10.6	1489.7	32.59
15.2	10.0	1487.6	32.61
21.3	8.3	1481.3	32.66
24.4	7.4	1477.9	32.69
30.5	6.5	1474.6	32.74
33.5	5.6	1471.1	32.76
36.6	4.8	1467.7	32.79
39.6	4.4	1466.2	32.81
45.7	4.1	1465.2	32.86
48.8	3.8	1463.9	32.89
54.9	3.8	1464.0	32.94
57.9	3.6	1463.4	32.96
61.0	3.5	1463.0	32.98
67.1	3.4	1462.7	33.03
70.1	3.3	1462.3	33.05
76.2	3.4	1462.9	33.10
79.2	3.4	1463.0	33.12
85.3	3.5	1463.7	33.17
88.4	3.6	1464.2	33.19
94.5	3.7	1464.9	33.24
97.5	3.7	1464.9	33.26
100.6	3.9	1465.7	33.29
106.7	3.8	1465.4	33.34
112.8	3.8	1465.6	33.40
115.8	3.8	1465.7	33.43
121.9	3.8	1465.9	33.48
125.0	3.8	1466.0	33.51
131.1	3.8	1466.1	33.57
137.2	3.7	1466.1	33.62
140.2	3.7	1466.2	33.65
146.3	3.7	1466.3	33.71
152.4	3.7	1466.5	33.75
155.4	3.7	1466.6	33.76
161.5	3.7	1466.7	33.79
164.6	3.7	1466.8	33.80
170.7	3.7	1466.9	33.82
176.8	3.6	1466.6	33.85
179.8	3.6	1466.6	33.86
185.9	3.5	1466.3	33.88
192.0	3.6	1466.9	33.91
195.1	3.5	1466.5	33.92
201.2	3.5	1466.6	33.94
207.3	3.6	1467.2	33.95
210.3	3.6	1467.2	33.95

PLATFORM- MARYSVIL

POSITION- 33 04N 157 49W

PARDEN SQUARE 196 ONE DEGREE SQUARE 37

DATE- JUL 23, 1968 TIME- 2100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	10.8	1490.0	32.49
3.0	10.7	1489.9	32.51
9.1	10.6	1489.6	32.56
12.2	10.3	1488.5	32.59
15.2	9.5	1485.7	32.61
21.3	8.1	1480.7	32.66
24.4	7.1	1476.9	32.69
27.4	6.0	1472.5	32.71
33.5	5.0	1468.6	32.76
36.6	4.3	1465.7	32.79
39.6	4.0	1464.6	32.81
45.7	3.6	1463.1	32.86
48.8	3.6	1463.2	32.89
51.8	3.4	1462.3	32.91
57.9	3.3	1462.0	32.96
61.0	3.3	1462.1	32.98
67.1	3.4	1462.7	33.03
70.1	3.5	1463.3	33.05
76.2	3.5	1463.4	33.10
79.2	3.4	1463.0	33.12
85.3	3.5	1463.7	33.17
88.4	3.7	1464.7	33.19
94.5	3.5	1463.9	33.24
97.5	3.4	1463.5	33.26
100.6	3.6	1464.5	33.29
106.7	3.5	1464.2	33.34
109.7	3.3	1463.4	33.37
115.8	3.4	1464.0	33.43
118.9	3.4	1464.1	33.45
125.0	3.3	1463.8	33.51
131.1	3.3	1464.0	33.57
134.1	3.2	1463.9	33.59
140.2	3.4	1464.7	33.65
146.3	3.4	1464.9	33.71
149.4	3.4	1465.0	33.73
155.4	3.4	1465.1	33.76
158.5	3.4	1465.2	33.77
164.6	3.3	1465.8	33.80
170.7	3.4	1465.5	33.82
173.7	3.5	1466.0	33.83
179.8	3.5	1466.1	33.86
185.9	3.4	1465.8	33.88
189.0	3.5	1466.3	33.90
195.1	3.4	1466.0	33.92
201.2	3.4	1466.1	33.94
204.2	3.4	1466.2	33.95
210.3	3.2	1465.6	33.95



PLATFORM- MARYSVIL

POSITION- 52 59N 157 45W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- JUL 23, 1968 TIME- 2200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	10.6	1489.4	32.52
3.0	10.5	1489.1	32.53
9.1	10.5	1489.2	32.56
12.2	10.4	1488.9	32.58
15.2	10.0	1487.5	32.59
21.3	8.9	1483.6	32.62
24.4	7.7	1479.2	32.63
30.5	6.9	1476.0	32.66
33.5	6.1	1473.0	32.67
36.6	5.4	1470.1	32.69
42.7	4.5	1466.6	32.72
45.7	4.1	1465.0	32.73
46.8	3.8	1463.7	32.74
54.9	3.7	1463.6	32.77
57.9	3.6	1463.2	32.78
64.0	3.4	1462.3	32.80
67.1	3.3	1461.9	32.81
73.2	3.2	1461.8	32.83
76.2	3.2	1461.9	32.84
82.3	3.2	1462.0	32.86
85.3	3.1	1461.6	32.87
91.4	3.2	1462.2	32.89
94.5	3.3	1462.5	32.90
97.5	3.4	1463.0	32.91
103.6	3.5	1463.7	32.96
106.7	3.4	1463.3	33.00
112.8	3.5	1464.0	33.07
115.8	3.7	1465.0	33.11
121.9	3.5	1464.3	33.18
128.0	3.6	1465.0	33.26
131.1	3.6	1465.1	33.29
137.2	3.6	1465.3	33.37
143.3	3.6	1465.5	33.44
146.3	3.5	1465.1	33.48
152.4	3.6	1465.7	33.54
155.4	3.6	1465.8	33.56
161.5	3.6	1466.0	33.60
164.6	3.5	1465.6	33.63
170.7	3.5	1465.7	33.67
176.8	3.5	1465.9	33.71
182.9	3.5	1466.1	33.76
185.9	3.4	1465.7	33.78
192.0	3.4	1465.8	33.82
198.1	3.4	1466.0	33.87
201.2	3.3	1465.6	33.88
207.3	3.2	1465.5	33.89
213.4	3.2	1465.6	33.90

PLATFORM- MARYSVIL

POSITION- 52 54N 157 45W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- JUL 23, 1968 TIME- 2300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.4	1488.6	32.52
3.0	10.4	1488.7	32.53
9.1	10.4	1488.8	32.56
12.2	10.3	1488.5	32.58
18.3	9.9	1487.2	32.60
21.3	8.4	1481.7	32.62
24.4	7.5	1478.3	32.63
30.5	6.8	1475.6	32.66
33.5	6.2	1473.4	32.67
36.6	5.2	1469.4	32.69
42.7	4.4	1466.1	32.72
45.7	4.1	1465.0	32.73
48.8	3.8	1463.7	32.74
54.9	3.7	1463.6	32.77
57.9	3.6	1463.2	32.78
64.0	3.5	1462.8	32.80
67.1	3.4	1462.4	32.81
73.2	3.3	1462.1	32.83
76.2	3.3	1462.1	32.84
82.3	3.2	1462.0	32.86
85.3	3.2	1462.1	32.87
91.4	3.3	1462.4	32.89
94.5	3.4	1463.0	32.90
100.6	3.5	1463.6	32.93
103.6	3.5	1463.7	32.96
109.7	3.7	1464.8	33.04
112.8	3.6	1464.5	33.07
118.9	3.7	1465.1	33.15
121.9	3.6	1464.8	33.18
128.0	3.6	1465.0	33.26
134.1	3.5	1464.7	33.33
137.2	3.6	1465.3	33.37
143.3	3.6	1465.5	33.44
149.4	3.6	1465.7	33.51
152.4	3.6	1465.7	33.54
158.5	3.5	1465.4	33.58
161.5	3.5	1465.5	33.60
167.6	3.4	1465.2	33.65
173.7	3.4	1465.3	33.69
176.8	3.4	1465.4	33.71
182.9	3.4	1465.6	33.76
189.0	3.3	1465.3	33.80
192.0	3.4	1465.8	33.82
198.1	3.2	1465.3	33.87
204.2	3.4	1466.1	33.89
207.3	3.4	1466.2	33.89
213.4	3.3	1465.8	33.90

PLATFORM- MARYSVIL

POSITION- 52 43N 157 45W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- JUL 24, 1968 TIME- 0100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (G/100)
0.0	10.2	1488.0	32.52
3.0	10.2	1488.1	32.53
9.1	10.2	1488.2	32.56
12.2	10.0	1487.5	32.58
18.3	9.5	1485.8	32.60
21.3	8.4	1481.7	32.62
24.4	7.6	1478.7	32.63
30.5	6.8	1479.6	32.66
33.5	6.1	1473.0	32.67
36.6	5.5	1470.6	32.69
42.7	4.6	1467.0	32.72
45.7	4.2	1465.5	32.73
51.8	3.8	1463.7	32.76
54.9	3.7	1463.6	32.77
61.0	3.6	1463.2	32.79
64.0	3.6	1463.3	32.80
67.1	3.6	1463.4	32.81
73.2	3.4	1462.5	32.83
76.2	3.3	1462.1	32.84
82.3	3.2	1462.0	32.86
85.3	3.1	1461.6	32.87
91.4	3.3	1462.4	32.89
94.5	3.3	1462.5	32.90
100.6	3.6	1464.1	32.93
103.6	3.6	1464.2	32.96
109.7	3.5	1463.9	33.04
112.8	3.5	1464.0	33.07
118.9	3.4	1463.7	33.15
125.0	3.4	1463.9	33.22
128.0	3.6	1465.0	33.26
134.1	3.6	1465.2	33.33
137.2	3.6	1465.3	33.37
143.3	3.5	1465.0	33.44
149.4	3.6	1465.7	33.51
155.4	3.5	1465.3	33.56
158.5	3.6	1465.9	33.58
161.5	3.5	1465.5	33.60
167.6	3.4	1465.2	33.65
173.7	3.4	1465.3	33.69
176.8	3.6	1466.4	33.71
182.9	3.5	1466.1	33.76
189.0	3.5	1466.2	33.80
195.1	3.5	1466.4	33.84
198.1	3.4	1466.0	33.87
204.2	3.5	1466.6	33.88
210.3	3.5	1466.7	33.90
213.4	3.3	1465.8	33.90

PLATFORM- MARYSVIL

POSITION- 52 39N 197 45W

PARDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- JUL 24, 1968 TIME- 0200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	10.1	1487.6	32.52
3.0	10.0	1487.3	32.53
9.1	10.0	1487.4	32.56
12.2	9.8	1486.7	32.58
15.2	8.7	1482.8	32.59
21.3	7.6	1478.7	32.62
24.4	6.7	1475.2	32.63
30.5	5.8	1471.6	32.66
33.5	5.1	1468.9	32.67
36.6	4.7	1467.4	32.69
42.7	4.2	1465.4	32.72
45.7	4.0	1464.5	32.73
48.8	3.7	1463.4	32.74
54.9	3.6	1463.1	32.77
57.9	3.5	1462.7	32.78
64.0	3.3	1461.9	32.80
67.1	3.1	1461.2	32.81
73.2	3.2	1461.8	32.83
76.2	3.3	1462.1	32.84
82.3	3.4	1462.7	32.86
85.3	3.4	1462.8	32.87
91.4	3.5	1463.4	32.89
94.5	3.5	1463.5	32.90
97.5	3.7	1464.5	32.91
103.6	3.6	1464.2	32.96
106.7	3.6	1464.3	33.00
112.8	3.6	1464.5	33.07
115.8	3.6	1464.6	33.11
121.9	3.6	1464.8	33.18
128.0	3.5	1464.5	33.26
131.1	3.6	1465.1	33.29
137.2	3.6	1465.3	33.37
143.3	3.5	1465.0	33.44
146.3	3.5	1465.1	33.48
152.4	3.4	1464.8	33.54
155.4	3.4	1464.9	33.56
161.5	3.4	1465.0	33.60
164.6	3.4	1465.1	33.63
170.7	3.3	1464.8	33.67
176.8	3.4	1465.4	33.71
182.9	3.5	1466.1	33.76
185.9	3.3	1465.2	33.78
192.0	3.3	1465.4	33.82
198.1	3.2	1465.3	33.87
201.2	3.4	1466.1	33.88
207.3	3.4	1466.2	33.89
213.4	3.3	1465.8	33.90

PLATFORM- MARYSVIL

POSITION- 52 35N 157 45W

PARDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- JUL 24, 1968 TIME- 0300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	9.9	1486.8	32.92
3.0	9.9	1486.9	32.93
9.1	9.8	1486.6	32.96
12.2	9.5	1485.6	32.98
15.2	8.0	1480.0	32.99
21.3	7.1	1476.7	32.62
24.4	5.9	1471.9	32.63
30.5	5.0	1468.4	32.66
33.5	4.4	1465.9	32.67
36.6	4.2	1465.3	32.69
42.7	3.9	1464.0	32.72
45.7	3.8	1463.6	32.73
46.8	3.7	1463.4	32.74
54.9	3.6	1463.1	32.77
57.9	3.5	1462.7	32.78
64.0	3.4	1462.3	32.80
67.1	3.3	1461.9	32.81
73.2	3.2	1461.8	32.83
76.2	3.3	1462.1	32.84
82.3	3.4	1462.7	32.86
85.3	3.4	1462.8	32.87
91.4	3.5	1463.4	32.89
94.5	3.6	1463.9	32.90
97.5	3.6	1464.0	32.91
103.6	3.6	1464.2	32.96
106.7	3.6	1464.3	33.00
112.8	3.8	1465.2	33.07
115.8	3.6	1464.6	33.11
121.9	3.7	1465.2	33.18
128.0	3.6	1465.0	33.26
131.1	3.6	1465.1	33.29
137.2	3.6	1465.3	33.37
143.3	3.5	1465.0	33.44
146.3	3.5	1465.1	33.48
152.4	3.5	1465.3	33.54
155.4	3.5	1465.3	33.56
161.5	3.4	1465.0	33.60
164.6	3.4	1465.1	33.63
170.7	3.3	1464.8	33.67
176.8	3.2	1464.7	33.71
182.9	3.3	1465.1	33.76
185.9	3.4	1465.7	33.78
192.0	3.3	1465.4	33.82
196.1	3.3	1465.5	33.87
201.2	3.3	1465.6	33.88
207.3	3.2	1465.5	33.89
213.4	3.2	1465.6	33.90

PLATFORM- HARYSVIL

POSITION- 52 27N 197 45W

PARDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- JUL 24, 1968 TIME- 0500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	9.9	1486.8	32.52
3.0	9.9	1486.9	32.53
9.1	9.8	1486.6	32.56
12.2	9.5	1485.6	32.58
18.3	8.6	1482.4	32.60
21.3	6.6	1474.7	32.62
24.4	5.4	1469.9	32.63
30.5	4.3	1466.3	32.66
33.5	4.1	1464.7	32.67
36.6	4.0	1464.3	32.69
42.7	3.7	1463.3	32.72
45.7	3.5	1462.4	32.73
51.8	3.3	1461.6	32.76
54.9	3.2	1461.4	32.77
61.0	3.2	1461.6	32.79
64.0	3.1	1461.1	32.80
70.1	3.1	1461.3	32.82
73.2	3.2	1461.8	32.83
79.2	3.3	1462.2	32.85
82.3	3.4	1462.7	32.86
86.4	3.6	1463.8	32.88
91.4	3.7	1464.3	32.89
97.5	3.8	1464.7	32.91
100.6	3.8	1464.8	32.93
106.7	3.9	1465.4	33.00
109.7	3.8	1465.1	33.04
115.8	3.8	1465.3	33.11
116.9	3.8	1465.4	33.15
125.0	3.8	1465.6	33.22
131.1	3.8	1465.8	33.29
134.1	3.6	1465.2	33.33
140.2	3.7	1465.8	33.40
146.3	3.6	1465.6	33.48
149.4	3.6	1465.7	33.51
155.4	3.5	1465.3	33.56
158.5	3.5	1465.4	33.58
164.6	3.5	1465.6	33.63
167.6	3.3	1464.7	33.65
173.7	3.4	1465.3	33.69
179.8	3.3	1465.0	33.73
185.9	3.3	1465.2	33.78
189.0	3.2	1465.0	33.80
195.1	3.3	1465.4	33.84
201.2	3.3	1465.6	33.88
204.2	3.2	1465.4	33.89
210.3	3.1	1465.0	33.90
216.4	3.1	1465.2	33.91

PLATFORM- MARYSVIL

POSITION- 52 22N 157 45W

PARDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- JUL 24, 1968 TIME-0600

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	9.9	1486.8	32.52
3.0	9.9	1486.9	32.53
9.1	9.9	1487.0	32.56
12.2	9.8	1486.7	32.58
18.3	9.1	1484.3	32.60
21.3	7.7	1479.1	32.62
24.4	6.3	1473.5	32.63
30.5	5.1	1468.8	32.66
33.5	4.5	1466.4	32.67
36.6	4.5	1466.4	32.69
42.7	4.2	1465.4	32.72
45.7	4.1	1465.0	32.73
51.8	4.0	1464.7	32.76
54.9	4.0	1464.7	32.77
61.0	4.0	1464.9	32.79
64.0	3.9	1464.5	32.80
67.1	3.8	1464.1	32.81
73.2	3.6	1463.5	32.83
76.2	3.5	1463.1	32.84
82.3	3.5	1463.2	32.86
85.3	3.5	1463.3	32.87
91.4	3.6	1463.9	32.89
94.5	3.6	1463.9	32.90
100.6	3.7	1464.5	32.93
103.6	3.7	1464.6	32.96
109.7	3.9	1465.5	33.04
112.8	3.7	1464.9	33.07
116.9	3.8	1465.4	33.15
123.0	3.8	1465.6	33.22
126.0	3.8	1465.7	33.26
134.1	3.8	1465.9	33.33
137.2	3.8	1466.0	33.37
143.3	3.9	1466.6	33.44
149.4	3.9	1466.8	33.51
155.4	3.9	1467.0	33.56
158.5	3.8	1466.6	33.58
161.5	3.9	1467.2	33.60
167.6	3.7	1466.6	33.65
173.7	3.7	1466.8	33.69
176.8	3.7	1466.8	33.71
182.9	3.6	1466.5	33.76
189.0	3.5	1466.2	33.80
195.1	3.6	1466.9	33.84
198.1	3.5	1466.5	33.87
204.2	3.5	1466.6	33.89
210.3	3.5	1466.7	33.90
213.4	3.3	1465.8	33.90

PLATFORM- MARYSVIL

POSITION- 52 12N 157 45W

PARDEN SQUARE 196 ONE DEGREE SQUARE 27

DATE- JUL 24, 1968 TIME- 0700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	10.2	1488.0	32.52
3.0	10.0	1487.3	32.53
9.1	10.0	1487.4	32.56
12.2	9.9	1487.1	32.58
18.3	9.3	1484.9	32.60
21.3	8.4	1481.7	32.62
24.4	7.0	1476.3	32.63
30.5	5.7	1471.4	32.66
33.5	4.8	1467.5	32.67
36.6	4.5	1466.4	32.69
42.7	4.1	1465.0	32.72
45.7	4.1	1465.0	32.73
51.8	4.0	1464.7	32.76
54.9	4.0	1464.7	32.77
61.0	4.0	1464.9	32.79
64.0	3.9	1464.5	32.80
67.1	3.8	1464.1	32.81
73.2	3.6	1463.5	32.83
76.2	3.6	1463.5	32.84
82.3	3.5	1463.2	32.86
85.3	3.5	1463.3	32.87
91.4	3.5	1463.4	32.89
94.5	3.6	1463.9	32.90
100.6	3.6	1464.1	32.93
103.6	3.6	1464.2	32.96
109.7	3.6	1464.4	33.04
112.8	3.8	1465.2	33.07
118.9	3.6	1464.7	33.15
125.0	3.7	1465.3	33.22
128.0	3.8	1465.7	33.26
134.1	3.9	1466.3	33.33
137.2	3.9	1466.4	33.37
143.3	3.9	1466.6	33.44
149.4	4.0	1467.3	33.51
155.4	4.0	1467.5	33.56
158.5	3.9	1467.1	33.58
161.5	3.9	1467.2	33.60
167.6	4.0	1467.8	33.65
173.7	3.8	1467.0	33.69
176.8	3.8	1467.1	33.71
182.9	3.7	1467.0	33.76
189.0	3.5	1466.2	33.80
195.1	3.6	1466.9	33.84
198.1	3.5	1466.5	33.87
204.2	3.5	1466.6	33.89
210.3	3.6	1467.2	33.90
213.4	3.3	1465.8	33.90



PLATFORM- MARYSVIL

POSITION- 51 54N 157 45W

PARDEN SQUARE 196 ONE DEGREE SQUARE 17

DATE- JUL 24, 1968 TIME- 0900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.0	1487.3	32.60
3.0	10.0	1487.4	32.61
9.1	10.0	1487.5	32.64
12.2	9.9	1487.2	32.65
18.3	9.2	1484.8	32.67
21.3	8.3	1481.3	32.69
24.4	7.1	1476.9	32.70
30.5	5.5	1470.5	32.72
33.5	4.7	1467.4	32.73
36.6	4.6	1467.0	32.75
42.7	4.3	1465.7	32.77
45.7	4.2	1465.6	32.78
51.8	4.0	1464.8	32.81
54.9	4.0	1464.8	32.82
61.0	4.1	1465.4	32.84
64.0	4.0	1465.0	32.86
67.1	3.9	1464.6	32.87
73.2	3.7	1464.0	32.89
76.2	3.6	1463.6	32.90
82.3	3.5	1463.3	32.93
95.3	3.5	1463.4	32.94
91.4	3.5	1463.5	32.97
94.5	3.6	1464.0	32.98
100.6	3.5	1463.7	33.01
103.6	3.6	1464.3	33.04
109.7	3.7	1464.9	33.11
112.8	3.9	1465.7	33.14
116.9	3.7	1465.2	33.21
120.0	3.8	1465.6	33.28
126.0	3.8	1465.7	33.31
134.1	3.8	1465.9	33.38
137.2	3.7	1465.8	33.42
143.3	3.6	1465.5	33.48
149.4	3.7	1466.2	33.55
155.4	3.7	1466.3	33.59
158.5	3.6	1465.9	33.61
161.5	3.5	1465.5	33.63
167.6	3.6	1466.2	33.67
173.7	3.4	1465.4	33.70
176.8	3.4	1465.4	33.72
182.9	3.3	1465.1	33.76
192.0	3.2	1465.1	33.81
195.1	3.1	1464.7	33.83
198.1	3.2	1465.2	33.85
204.2	3.2	1465.4	33.87
210.3	3.2	1465.5	33.87
213.4	3.1	1465.1	33.87

PLATFORM- MARYSVIL

POSITION- 51 45N 157 45W

PARDEN SQUARE 196 ONE DEGREE SQUARE 17

DATE- JUL 24, 1968 TIME- 1000

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	10.0	1487.3	32.60
3.0	10.1	1487.8	32.61
9.1	10.1	1487.9	32.64
12.2	9.9	1487.2	32.65
18.3	9.1	1484.4	32.67
21.3	7.9	1479.8	32.69
24.4	6.4	1474.0	32.70
30.5	5.0	1468.5	32.72
33.5	4.6	1466.9	32.73
36.6	4.5	1466.5	32.75
42.7	4.3	1465.7	32.77
45.7	4.2	1465.6	32.78
51.8	4.0	1464.8	32.81
54.9	4.0	1464.8	32.82
61.0	4.2	1465.9	32.84
64.0	4.1	1465.5	32.86
67.1	4.1	1465.6	32.87
73.2	4.0	1465.2	32.89
76.2	3.9	1464.8	32.90
82.3	3.8	1464.5	32.93
85.3	3.6	1463.8	32.94
91.4	3.6	1464.0	32.97
94.5	3.6	1464.0	32.98
100.6	3.6	1464.2	33.01
103.6	3.7	1464.7	33.04
109.7	3.5	1464.0	33.11
112.8	3.5	1464.1	33.14
118.9	3.5	1464.3	33.21
125.0	3.4	1464.0	33.28
128.0	3.4	1464.1	33.31
134.1	3.5	1464.8	33.38
137.2	3.4	1464.4	33.42
143.3	3.4	1464.6	33.48
149.4	3.3	1464.3	33.55
155.4	3.4	1464.9	33.59
156.5	3.3	1464.5	33.61
161.5	3.3	1464.6	33.63
167.6	3.2	1464.5	33.67
173.7	3.1	1464.2	33.70
176.8	3.3	1465.0	33.72
182.9	3.3	1465.1	33.76
189.0	3.1	1464.5	33.79
195.1	3.2	1465.2	33.83
198.1	3.2	1465.2	33.85
204.2	3.3	1465.6	33.87
210.3	3.2	1465.5	33.87
213.4	3.1	1465.1	33.88

PLATFORM- MARYSVIL

POSITION- 51 36N 157 49W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 17

DATE- JUL 24, 1968 TIME- 1100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.1	1487.7	32.60
3.0	10.1	1487.8	32.61
9.1	10.1	1487.9	32.64
12.2	9.9	1487.2	32.65
18.3	9.1	1484.4	32.67
21.3	8.2	1481.1	32.69
24.4	7.2	1477.3	32.70
30.5	6.0	1472.6	32.72
33.5	5.1	1469.0	32.73
36.6	4.7	1467.9	32.75
42.7	4.4	1466.2	32.77
45.7	4.3	1465.8	32.78
48.8	4.1	1465.2	32.80
54.9	4.1	1465.3	32.82
57.9	4.1	1465.4	32.83
64.0	4.0	1465.0	32.86
67.1	3.8	1464.1	32.87
73.2	3.7	1464.0	32.89
76.2	3.6	1463.6	32.90
82.3	3.6	1463.8	32.93
85.3	3.6	1463.8	32.94
91.4	3.6	1464.0	32.97
94.5	3.6	1464.0	32.98
100.6	3.7	1464.6	33.01
103.6	3.5	1463.8	33.04
109.7	3.5	1464.0	33.11
112.8	3.5	1464.1	33.14
118.9	3.5	1464.3	33.21
121.9	3.5	1464.4	33.25
128.0	3.5	1464.6	33.31
134.1	3.5	1464.8	33.38
137.2	3.4	1464.4	33.42
143.3	3.5	1465.0	33.48
149.4	3.4	1464.8	33.55
152.4	3.4	1464.8	33.57
158.5	3.3	1464.5	33.61
161.5	3.3	1464.6	33.63
167.6	3.2	1464.5	33.67
173.7	3.3	1464.9	33.70
176.8	3.4	1465.4	33.72
182.9	3.4	1465.6	33.76
189.0	3.3	1465.3	33.79
192.0	3.3	1465.3	33.81
198.1	3.3	1465.5	33.85
204.2	3.2	1465.4	33.87
207.3	3.3	1465.7	33.87
213.4	3.2	1465.5	33.88

PLATFORM- MARYSVIL

POSITION- 50 58N 157 50W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE- JUL 24, 1968 TIME- 1900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.3	1488.4	32.68
3.0	9.9	1487.1	32.69
6.1	9.9	1487.2	32.71
12.2	9.6	1486.2	32.72
18.3	9.3	1485.1	32.74
21.3	8.7	1483.1	32.75
24.4	7.0	1476.5	32.76
30.5	5.3	1469.7	32.78
33.5	4.6	1467.0	32.79
36.6	4.5	1466.6	32.80
42.7	4.2	1465.6	32.83
45.7	4.2	1465.6	32.84
48.8	4.0	1464.8	32.85
54.9	4.1	1465.4	32.87
57.9	4.2	1465.9	32.89
64.0	4.1	1465.6	32.92
67.1	4.0	1465.2	32.93
73.2	3.8	1464.4	32.96
76.2	3.8	1464.4	32.98
82.3	3.7	1464.3	33.01
85.3	3.6	1463.9	33.02
91.4	3.5	1463.6	33.05
94.5	3.5	1463.7	33.06
100.6	3.4	1463.3	33.10
103.6	3.3	1463.0	33.13
109.7	3.4	1463.6	33.19
112.8	3.2	1463.0	33.22
118.9	3.4	1463.9	33.27
121.9	3.4	1464.0	33.30
128.0	3.4	1464.2	33.36
134.1	3.4	1464.3	33.42
137.2	3.4	1464.4	33.45
143.3	3.4	1464.6	33.51
149.4	3.4	1464.8	33.57
152.4	3.3	1464.4	33.59
158.5	3.4	1465.0	33.63
161.5	3.3	1464.6	33.64
167.6	3.3	1464.8	33.68
173.7	3.3	1464.9	33.71
176.8	3.2	1464.7	33.73
182.9	3.3	1465.1	33.76
189.0	3.2	1465.0	33.80
192.0	3.2	1465.1	33.82
198.1	3.3	1465.5	33.85
204.2	3.3	1465.6	33.87
207.3	3.2	1465.4	33.87
213.4	3.1	1465.1	33.87

PLATFORM- MARYSVIL

POSITION- 50 46N 157 46W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE- JUL 24, 1968 TIME- 2100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.1	1487.8	32.68
3.0	10.0	1487.5	32.69
9.1	9.9	1487.2	32.71
12.2	9.3	1485.0	32.72
18.3	9.0	1484.1	32.74
21.3	8.4	1481.8	32.75
24.4	6.7	1475.4	32.76
30.5	5.2	1469.5	32.78
33.5	4.6	1467.0	32.79
36.6	4.4	1466.1	32.80
42.7	4.2	1465.6	32.83
45.7	4.1	1465.2	32.84
51.8	4.0	1464.8	32.86
54.9	3.9	1464.4	32.87
61.0	4.0	1465.0	32.90
64.0	3.9	1464.6	32.92
67.1	3.9	1464.7	32.93
73.2	3.8	1464.4	32.96
76.2	3.8	1464.4	32.98
82.3	3.6	1463.9	33.01
85.3	3.6	1463.9	33.02
91.4	3.5	1463.6	33.05
94.5	3.4	1463.2	33.06
100.6	3.4	1463.3	33.10
103.6	3.3	1463.0	33.13
109.7	3.3	1463.1	33.19
112.8	3.5	1464.2	33.22
118.9	3.4	1463.9	33.27
125.0	3.6	1465.0	33.33
128.0	3.7	1465.6	33.36
134.1	3.7	1465.8	33.42
137.2	3.6	1465.4	33.45
143.3	3.6	1465.6	33.51
149.4	3.6	1465.7	33.57
155.4	3.3	1464.5	33.61
158.5	3.5	1465.5	33.63
161.5	3.6	1466.0	33.64
167.6	3.5	1465.7	33.68
173.7	3.5	1465.9	33.71
176.8	3.4	1465.4	33.73
182.9	3.5	1466.1	33.76
189.0	3.4	1465.7	33.80
195.1	3.4	1465.9	33.83
198.1	3.5	1466.4	33.85
204.2	3.4	1466.1	33.87
210.3	3.4	1466.2	33.87
213.4	3.3	1465.8	33.88

FLA FORM. MARYSVIL

POSITION. 50 40N 157 44W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE. JUL 24, 1968 TIME. 2200

INSTRUMENT TYPE. THERMISTER CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.1	1487.8	32.68
3.0	10.0	1487.5	32.69
9.1	10.0	1487.6	32.71
12.2	9.5	1485.8	32.72
15.2	9.1	1484.4	32.73
21.3	8.8	1483.3	32.75
24.4	7.3	1477.6	32.76
27.4	5.5	1470.5	32.77
33.5	4.6	1467.0	32.79
36.6	4.4	1466.1	32.80
39.6	4.1	1465.0	32.81
45.7	4.1	1465.2	32.84
48.8	3.9	1464.3	32.85
51.8	3.9	1464.4	32.86
57.9	4.0	1465.0	32.89
61.0	3.9	1464.6	32.90
67.1	3.8	1464.2	32.93
70.1	3.7	1464.1	32.95
76.2	3.6	1463.7	32.98
79.2	3.5	1463.3	32.99
85.3	3.4	1463.0	33.02
88.4	3.5	1463.5	33.03
94.5	3.4	1463.2	33.06
97.5	3.3	1462.8	33.08
100.6	3.3	1462.9	33.10
106.7	3.3	1463.0	33.16
109.7	3.3	1463.1	33.19
115.8	3.2	1463.1	33.25
118.9	3.3	1463.4	33.27
125.0	3.5	1464.5	33.33
131.1	3.5	1464.7	33.39
134.1	3.5	1464.8	33.42
140.2	3.6	1465.5	33.48
146.3	3.6	1465.6	33.54
149.4	3.6	1465.7	33.57
155.4	3.5	1465.4	33.61
158.5	3.6	1466.0	33.63
164.6	3.5	1465.6	33.66
170.7	3.5	1465.8	33.70
173.7	3.5	1465.9	33.71
179.8	3.4	1465.5	33.75
185.9	3.5	1466.1	33.78
189.0	3.4	1465.7	33.80
195.1	3.4	1465.9	33.83
201.2	3.4	1466.0	33.86
204.2	3.4	1466.1	33.87
210.3	3.2	1465.5	33.87

PLATFORM- MARYSVIL

POSITION- 50 34N 157 42W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE- JUL 24, 1968 TIME-2300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.1	1487.8	32.68
3.0	10.0	1487.5	32.69
9.1	9.9	1487.2	32.71
12.2	9.5	1485.8	32.72
18.3	9.1	1484.5	32.74
21.3	8.8	1483.3	32.75
24.4	7.5	1478.5	32.76
30.5	5.9	1472.2	32.78
33.5	4.9	1468.2	32.79
36.6	4.4	1466.1	32.80
42.7	4.1	1465.1	32.83
45.7	4.1	1465.2	32.84
48.8	3.9	1464.3	32.85
54.9	3.9	1464.4	32.87
57.9	4.1	1465.4	32.89
64.0	3.9	1464.6	32.92
67.1	3.9	1464.7	32.93
73.2	3.7	1464.1	32.96
76.2	3.7	1464.2	32.98
82.3	3.6	1463.9	33.01
85.3	3.5	1463.5	33.02
91.4	3.4	1463.1	33.05
94.5	3.3	1462.7	33.06
100.6	3.3	1462.9	33.10
103.6	3.3	1463.0	33.13
109.7	3.4	1463.6	33.19
112.8	3.3	1463.2	33.22
118.9	3.4	1463.9	33.27
121.9	3.4	1464.0	33.30
126.0	3.4	1464.2	33.36
134.1	3.5	1464.8	33.42
137.2	3.5	1464.9	33.45
149.4	3.5	1465.3	33.57
152.4	3.5	1465.3	33.59
158.5	3.5	1465.5	33.63
161.5	3.4	1465.1	33.64
167.6	3.5	1465.7	33.68
173.7	3.4	1465.4	33.71
176.8	3.4	1465.4	33.73
182.9	3.4	1465.6	33.76
189.0	3.3	1465.3	33.80
192.0	3.3	1465.3	33.82
198.1	3.4	1466.0	33.85
204.2	3.3	1465.6	33.87
207.3	3.3	1465.7	33.87
213.4	3.1	1465.1	33.88

PLATFORM. MARYSVIL

POSITION. 50 22N 157 38W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE. JUL 25, 1968 TIME. 0100

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SEVEL (M/SEC)	SAL (0/00)
0.0	10.3	1488.4	32.68
3.0	10.2	1488.3	32.69
9.1	10.2	1488.4	32.71
12.2	9.8	1486.8	32.72
15.2	9.3	1485.1	32.73
21.3	9.0	1484.1	32.75
24.4	7.9	1480.0	32.76
30.5	6.6	1475.1	32.78
33.5	5.6	1471.1	32.79
36.6	5.0	1468.7	32.80
39.6	4.4	1466.2	32.81
45.7	4.0	1464.7	32.84
48.8	4.1	1465.2	32.85
54.9	4.1	1465.4	32.87
57.9	4.1	1465.4	32.89
61.0	3.9	1464.6	32.90
67.1	3.8	1464.2	32.93
70.1	3.8	1464.3	32.95
76.2	3.6	1463.7	32.98
79.2	3.5	1463.3	32.99
85.3	3.4	1463.0	33.02
88.4	3.4	1463.1	33.03
94.5	3.4	1463.2	33.06
97.5	3.5	1463.7	33.08
100.6	3.5	1463.8	33.10
106.7	3.5	1464.0	33.16
112.8	3.4	1463.7	33.22
115.8	3.5	1464.3	33.25
121.9	3.5	1464.4	33.30
125.0	3.4	1464.1	33.33
131.1	3.5	1464.7	33.39
137.2	3.4	1464.4	33.45
140.2	3.3	1464.0	33.48
146.3	3.3	1464.2	33.54
152.4	3.2	1464.2	33.59
155.4	3.3	1464.5	33.61
161.5	3.2	1464.4	33.64
164.6	3.2	1464.4	33.66
170.7	3.3	1464.8	33.70
176.8	3.3	1465.0	33.73
179.8	3.2	1464.8	33.75
185.9	3.3	1465.2	33.78
192.0	3.2	1465.1	33.82
195.1	3.2	1465.2	33.83
201.2	3.2	1465.3	33.86
207.3	3.2	1465.4	33.87
210.3	3.1	1465.0	33.87



PLATFORM- MARYSVIL

POSITION- 50 16N 157 35W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE- JUL 25, 1968 TIME- 0200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	9.9	1487.0	32.68
3.0	10.0	1487.5	32.69
6.1	10.0	1487.6	32.71
12.2	9.9	1487.3	32.72
15.2	9.7	1486.7	32.73
21.3	9.3	1485.2	32.75
24.4	8.9	1483.8	32.76
30.5	8.4	1482.0	32.78
33.5	7.3	1477.8	32.79
36.6	5.9	1472.3	32.80
39.6	4.7	1467.6	32.81
45.7	4.3	1465.9	32.84
48.8	4.0	1464.8	32.85
54.9	4.0	1464.9	32.87
57.9	4.0	1465.0	32.89
61.0	4.0	1465.0	32.90
67.1	3.9	1464.7	32.93
70.1	3.3	1464.3	32.95
76.2	3.8	1464.4	32.98
79.2	3.7	1464.3	32.99
85.3	3.6	1463.9	33.02
88.4	3.5	1463.5	33.03
94.5	3.4	1463.2	33.06
97.5	3.4	1463.3	33.08
100.6	3.3	1462.9	33.10
106.7	3.4	1463.5	33.16
112.8	3.5	1464.2	33.22
115.8	3.5	1464.3	33.25
121.9	3.4	1464.0	33.30
125.0	3.3	1463.6	33.33
131.1	3.4	1464.2	33.39
137.2	3.4	1464.4	33.45
140.2	3.4	1464.5	33.48
146.3	3.4	1464.7	33.54
152.4	3.5	1465.3	33.59
155.4	3.3	1464.5	33.61
161.5	3.4	1465.1	33.64
164.6	3.3	1464.7	33.66
170.7	3.3	1464.8	33.70
176.8	3.2	1464.7	33.73
179.8	3.3	1465.0	33.75
185.9	3.3	1465.2	33.78
192.0	3.2	1465.1	33.82
195.1	3.2	1465.2	33.83
201.2	3.2	1465.3	33.86
207.3	3.2	1465.4	33.87
210.3	3.0	1464.5	33.87

PLATFORM. MARYSVIL

POSITION. 50 10N 157 32W

MARSDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE. JUL 25, 1968 TIME. 0300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	10.5	1489.2	32.68
3.0	10.5	1489.3	32.69
9.1	10.5	1489.4	32.71
12.2	10.4	1489.1	32.72
18.3	10.0	1487.8	32.74
21.3	9.5	1486.0	32.75
24.4	8.2	1485.0	32.76
30.5	8.3	1481.6	32.78
33.5	6.6	1475.2	32.79
36.6	5.3	1469.8	32.80
42.7	4.8	1467.9	32.83
45.7	4.7	1467.7	32.84
51.8	4.4	1466.5	32.86
54.9	4.4	1466.5	32.87
61.0	4.4	1466.7	32.90
64.0	4.3	1466.3	32.92
70.1	4.2	1466.2	32.95
73.2	4.1	1465.8	32.96
79.2	4.0	1465.4	32.99
82.3	3.9	1465.0	33.01
88.4	3.8	1464.7	33.03
91.4	3.7	1464.5	33.05
97.5	3.7	1464.7	33.08
100.6	3.8	1465.0	33.10
106.7	3.9	1465.6	33.16
109.7	3.8	1465.3	33.19
115.8	3.8	1465.4	33.25
116.9	3.9	1466.0	33.27
125.0	3.9	1466.2	33.33
131.1	3.9	1466.4	33.39
134.1	3.8	1466.0	33.42
140.2	3.9	1466.6	33.48
146.3	4.0	1467.3	33.54
149.4	4.0	1467.4	33.57
155.4	3.9	1467.1	33.61
158.5	3.8	1466.7	33.63
164.6	3.8	1466.8	33.66
167.6	3.8	1466.9	33.68
173.7	3.7	1466.8	33.71
179.8	3.6	1466.5	33.75
185.9	3.6	1466.6	33.78
189.0	3.8	1467.4	33.80
195.1	3.7	1467.3	33.83
201.2	3.7	1467.4	33.86
204.2	3.8	1467.7	33.87
210.3	3.7	1467.6	33.87
216.4	3.6	1467.3	33.88

PLATFORM- MARYSVIL

POSITION- 50 00N 157 26W

PARDEN SQUARE 196 ONE DEGREE SQUARE 7

DATE- JUL 25, 1968 TIME- 0500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	10.6	1489.6	32.68
3.0	10.6	1489.7	32.69
9.1	10.5	1489.4	32.71
12.2	10.4	1489.1	32.72
16.3	9.9	1487.4	32.74
21.3	9.5	1486.0	32.75
27.4	9.2	1485.1	32.77
30.5	8.5	1482.4	32.78
33.5	7.2	1477.6	32.79
39.6	5.7	1471.7	32.81
42.7	5.2	1469.7	32.83
48.8	4.8	1468.0	32.85
51.8	4.7	1467.9	32.86
57.9	4.7	1468.0	32.89
61.0	4.7	1468.1	32.90
67.1	4.6	1467.7	32.93
70.1	4.5	1467.3	32.95
76.2	4.6	1467.9	32.98
79.2	4.5	1467.5	32.99
85.3	4.4	1467.2	33.02
88.4	4.3	1466.8	33.03
94.5	4.1	1466.3	33.06
97.5	4.0	1465.9	33.08
103.6	3.9	1465.6	33.13
106.7	4.0	1466.1	33.16
112.8	3.6	1465.4	33.22
115.8	3.9	1465.9	33.25
121.9	3.9	1466.1	33.30
126.0	3.9	1466.3	33.36
131.1	3.8	1465.9	33.39
137.2	3.9	1466.6	33.45
140.2	3.9	1466.6	33.48
146.3	3.9	1466.8	33.54
152.4	3.8	1466.5	33.59
155.4	3.9	1467.1	33.61
161.5	3.8	1466.7	33.64
164.6	3.8	1466.8	33.66
170.7	3.8	1467.0	33.70
176.8	3.7	1466.9	33.73
179.8	3.6	1466.5	33.75
185.9	3.8	1467.3	33.78
192.0	3.7	1467.2	33.82
198.1	3.7	1467.4	33.85
201.2	3.7	1467.4	33.86
207.3	3.6	1467.1	33.87
213.4	3.5	1466.7	33.88
216.4	3.5	1466.8	33.88

PLATFORM- MARYSVIL

POSITION- 49 54N 157 23W

PARDEN SQUARE 160 ONE DEGREE SQUARE 97

DATE- JUL 25, 1968 TIME- 0600

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.3	1488.5	32.70
3.0	10.3	1488.5	32.71
9.1	10.3	1488.6	32.74
12.2	10.2	1488.5	32.75
18.3	9.8	1487.0	32.77
21.3	9.4	1485.6	32.79
24.4	9.1	1484.7	32.80
30.5	8.6	1482.9	32.82
33.5	7.4	1478.3	32.83
36.6	5.9	1472.4	32.85
42.7	4.9	1468.4	32.87
45.7	4.7	1467.8	32.88
51.8	4.5	1467.0	32.91
54.9	4.5	1467.1	32.92
61.0	4.6	1467.6	32.94
64.0	4.5	1467.3	32.95
67.1	4.5	1467.3	32.96
73.2	4.4	1467.0	32.99
76.2	4.4	1467.0	33.00
82.3	4.3	1466.7	33.02
85.3	4.2	1466.5	33.03
91.4	4.1	1466.2	33.06
94.5	4.0	1465.8	33.07
100.6	3.9	1465.5	33.10
103.6	3.8	1465.1	33.13
109.7	3.8	1465.3	33.19
112.8	3.6	1464.7	33.22
118.9	3.7	1465.3	33.27
125.0	3.7	1465.5	33.33
128.0	3.7	1465.6	33.36
134.1	3.7	1465.8	33.42
137.2	3.6	1465.4	33.45
143.3	3.7	1466.0	33.51
149.4	3.7	1466.2	33.57
155.4	3.7	1466.4	33.61
158.5	3.6	1466.0	33.63
161.5	3.7	1466.5	33.64
167.6	3.6	1466.2	33.68
173.7	3.6	1466.3	33.71
176.8	3.6	1466.4	33.73
182.9	3.5	1466.1	33.76
189.0	3.4	1465.7	33.80
195.1	3.5	1466.4	33.83
198.1	3.4	1466.0	33.85
204.2	3.5	1466.6	33.87
210.3	3.5	1466.7	33.87
213.4	3.3	1465.8	33.88

PLATFORM. MARYSVIL

POSITION. 49 47N 197 26W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 97

DATE. JUL 25, 1968 TIME. 0700

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.2	1488.3	32.70
3.0	10.2	1488.3	32.71
9.1	10.2	1488.4	32.74
12.2	10.1	1488.1	32.75
18.3	9.6	1486.4	32.77
21.3	9.0	1484.2	32.79
27.4	8.7	1483.3	32.81
30.5	7.9	1480.2	32.82
33.5	6.6	1475.2	32.83
39.6	5.4	1470.4	32.86
42.7	4.7	1467.7	32.87
45.7	4.6	1467.3	32.88
51.8	3.5	1462.8	32.91
54.9	3.7	1463.8	32.92
61.0	3.5	1463.0	32.94
64.0	3.6	1463.5	32.95
70.1	3.6	1463.6	32.98
73.2	3.6	1463.7	32.99
79.2	3.6	1463.8	33.01
82.3	3.5	1463.4	33.02
88.4	3.6	1464.0	33.05
94.5	3.6	1464.2	33.07
97.5	3.6	1464.2	33.08
100.6	3.6	1464.3	33.10
106.7	3.6	1464.5	33.16
109.7	3.5	1464.1	33.19
115.8	3.5	1464.3	33.25
121.9	3.6	1464.9	33.30
125.0	3.6	1465.0	33.33
131.1	3.6	1465.2	33.39
137.2	3.6	1465.4	33.45
140.2	3.5	1465.0	33.48
146.3	3.6	1465.6	33.54
149.4	3.6	1465.7	33.57
155.4	3.6	1465.9	33.61
161.5	3.6	1466.0	33.64
164.6	3.6	1466.1	33.66
170.7	3.5	1465.8	33.70
176.8	3.5	1465.9	33.73
179.8	3.5	1466.0	33.75
185.9	3.4	1465.7	33.78
192.0	3.3	1465.3	33.82
195.1	3.4	1465.9	33.83
201.2	3.4	1466.0	33.86
207.3	3.4	1466.1	33.87
210.3	3.4	1466.2	33.88
216.4	3.2	1465.6	33.88

PLATFORM. MARYSVIL

POSITION. 49 35N 197 34W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 97

DATE. JUL 29, 1968 TIME. 0900

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.4	1488.9	32.70
3.0	10.3	1488.5	32.71
6.1	10.3	1488.6	32.74
12.2	10.0	1487.7	32.75
18.3	9.6	1486.4	32.77
21.3	9.2	1485.0	32.79
27.4	8.9	1483.9	32.81
30.5	7.8	1479.7	32.82
33.5	6.4	1474.3	32.83
39.6	5.6	1471.3	32.86
42.7	5.2	1469.8	32.87
46.8	5.1	1469.5	32.90
51.8	5.0	1469.1	32.91
57.9	4.9	1468.7	32.93
61.0	4.9	1468.8	32.94
67.1	4.8	1468.5	32.96
70.1	4.8	1468.5	32.98
76.2	4.8	1468.7	33.00
79.2	4.8	1468.7	33.01
85.3	4.7	1468.6	33.03
88.4	4.7	1468.7	33.05
94.5	4.6	1468.4	33.07
97.5	4.4	1467.5	33.08
103.6	4.3	1467.2	33.13
106.7	4.1	1466.6	33.16
112.8	4.1	1466.8	33.22
115.8	3.8	1465.4	33.25
121.9	3.8	1465.6	33.30
128.0	3.8	1465.8	33.36
131.1	3.7	1465.7	33.39
137.2	3.7	1465.8	33.45
140.2	3.6	1465.5	33.48
146.3	3.7	1466.1	33.54
152.4	3.7	1466.3	33.59
155.4	3.8	1466.6	33.61
161.5	3.7	1466.5	33.64
164.6	3.8	1466.8	33.66
170.7	3.7	1466.7	33.70
176.8	3.7	1466.9	33.73
179.8	3.7	1466.9	33.75
185.9	3.7	1467.1	33.78
192.0	3.6	1466.8	33.82
198.1	3.7	1467.4	33.85
204.2	3.6	1467.0	33.86
207.3	3.6	1467.1	33.87
213.4	3.6	1467.2	33.88
216.4	3.4	1466.3	33.88

PLATFORM- MARYSVIL

POSITION- 49 29N 157 38W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 97

DATE- JUL 25, 1968 TIME- 1000

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.1	1487.8	32.70
3.0	10.1	1487.9	32.71
9.1	10.1	1488.0	32.74
12.2	10.0	1487.7	32.75
18.3	9.9	1487.4	32.77
21.3	9.6	1486.5	32.79
27.4	9.2	1485.2	32.81
30.5	8.5	1482.5	32.82
33.5	7.1	1477.2	32.83
39.6	5.9	1472.4	32.86
42.7	5.4	1470.5	32.87
45.7	5.3	1470.1	32.88
51.8	4.9	1468.6	32.91
54.9	4.8	1468.2	32.92
61.0	4.8	1468.3	32.94
64.0	4.8	1468.4	32.95
70.1	4.7	1468.3	32.98
73.2	4.7	1468.4	32.99
79.2	4.7	1468.5	33.01
82.3	4.6	1468.1	33.02
88.4	4.6	1468.2	33.05
94.5	4.5	1467.9	33.07
97.5	4.3	1467.0	33.08
100.6	4.2	1466.9	33.10
106.7	4.0	1466.1	33.16
109.7	4.0	1466.2	33.19
115.8	3.7	1465.2	33.25
121.9	3.6	1464.9	33.30
125.0	3.6	1465.0	33.33
131.1	3.6	1465.2	33.39
137.2	3.6	1465.4	33.45
140.2	3.5	1465.0	33.48
146.3	3.6	1465.6	33.54
149.4	3.6	1465.7	33.57
155.4	3.7	1466.4	33.61
161.5	3.6	1466.0	33.64
164.6	3.7	1466.6	33.66
170.7	3.6	1466.3	33.70
176.8	3.6	1466.4	33.73
179.8	3.6	1466.5	33.75
185.9	3.6	1466.6	33.78
192.0	3.5	1466.3	33.82
195.1	3.6	1466.8	33.83
201.2	3.5	1466.5	33.86
207.3	3.6	1467.1	33.87
210.3	3.6	1467.1	33.87
216.4	3.4	1466.3	33.88

PLATFORM- MARYSVIL

POSITION- 49 23N 157 42W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 97

DATE- JUL 25, 1968 TIME- 1100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	10.2	1488.3	32.70
3.0	10.1	1487.9	32.71
9.1	10.1	1488.0	32.74
12.2	10.1	1488.1	32.75
16.3	9.7	1486.8	32.77
21.3	9.3	1485.2	32.79
24.4	8.8	1483.4	32.80
30.5	8.0	1480.6	32.82
33.5	7.0	1476.8	32.83
36.6	6.1	1473.3	32.85
42.7	5.6	1471.4	32.87
45.7	5.6	1471.4	32.88
51.8	5.4	1470.7	32.91
54.9	5.3	1470.3	32.92
61.0	5.2	1470.2	32.94
64.0	5.1	1469.8	32.95
70.1	5.0	1469.5	32.98
73.2	4.9	1469.1	32.99
76.2	4.9	1469.2	33.01
82.3	4.8	1468.8	33.02
88.4	4.8	1468.9	33.05
91.4	4.7	1468.8	33.06
97.5	4.7	1468.9	33.08
100.6	4.6	1468.5	33.10
106.7	4.4	1467.8	33.16
109.7	4.6	1468.8	33.19
115.8	4.2	1467.3	33.25
118.9	4.1	1466.9	33.27
125.0	4.0	1466.7	33.33
131.1	3.9	1466.4	33.39
134.1	3.8	1466.0	33.42
140.2	3.8	1466.2	33.48
146.3	3.9	1466.8	33.54
149.4	3.9	1466.9	33.57
155.4	3.9	1467.1	33.61
156.5	3.9	1467.1	33.63
164.6	4.0	1467.8	33.66
167.6	3.8	1466.9	33.68
173.7	3.9	1467.5	33.71
179.8	3.9	1467.6	33.75
185.9	3.8	1467.3	33.78
189.0	3.7	1467.2	33.80
195.1	3.9	1468.0	33.83
201.2	3.7	1467.4	33.86
204.2	3.7	1467.5	33.87
210.3	3.7	1467.6	33.87
216.4	3.5	1466.8	33.88



PLATFORM- MARYSVIL

POSITION- 49 10N 157 50W

PARDEN SQUARE 160 ONE DEGREE SQUARE 97

DATE- JUL 25, 1968 TIME- 1300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SEVEL (M/SEC)	SAL (0/00)
0.0	10.3	1488.5	32.70
3.0	10.4	1488.9	32.71
9.1	10.4	1489.1	32.74
12.2	10.3	1488.7	32.75
18.3	10.3	1488.8	32.77
21.3	9.7	1486.9	32.79
27.4	9.2	1485.2	32.81
30.5	8.8	1483.5	32.82
33.5	7.7	1479.6	32.83
39.6	6.5	1474.9	32.86
42.7	6.0	1473.0	32.87
48.8	5.9	1472.6	32.90
51.8	5.7	1472.0	32.91
57.9	5.6	1471.7	32.93
61.0	5.7	1472.2	32.94
67.1	5.6	1471.9	32.96
70.1	5.6	1472.0	32.98
76.2	5.4	1471.2	33.00
79.2	5.4	1471.3	33.01
85.3	5.2	1470.7	33.03
88.4	5.1	1470.3	33.05
94.5	5.0	1470.0	33.07
97.5	4.9	1469.6	33.08
103.6	4.9	1469.7	33.13
106.7	4.8	1469.4	33.16
112.8	4.8	1469.6	33.22
115.8	4.6	1469.0	33.25
121.9	4.6	1469.1	33.30
128.0	4.6	1469.3	33.36
131.1	4.6	1469.4	33.39
137.2	4.6	1469.6	33.45
140.2	4.6	1469.7	33.48
146.3	4.6	1469.9	33.54
152.4	4.6	1470.0	33.59
155.4	4.6	1470.1	33.61
161.5	4.5	1469.8	33.64
164.6	4.6	1470.3	33.66
170.7	4.5	1470.0	33.70
176.8	4.5	1470.1	33.73
179.8	4.4	1469.7	33.75
185.9	4.3	1469.4	33.78
192.0	4.2	1469.3	33.82
198.1	4.3	1469.7	33.85
201.2	4.1	1469.1	33.86
207.3	4.2	1469.7	33.87
213.4	4.1	1469.3	33.88
216.4	3.9	1468.4	33.88

PLATFORM- MARYSVIL

POSITION- 49 04N 157 54W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 97

DATE- JUL 25, 1968 TIME- 1400

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.7	1490.1	32.70
3.0	10.5	1489.3	32.71
9.1	10.5	1489.5	32.74
12.2	10.5	1489.5	32.75
18.3	10.1	1488.2	32.77
21.3	9.7	1486.9	32.79
27.4	9.3	1485.4	32.81
30.5	8.7	1483.3	32.82
33.5	7.7	1479.6	32.83
39.6	6.6	1475.3	32.86
42.7	6.0	1473.0	32.87
48.8	5.9	1472.6	32.90
51.8	5.8	1472.3	32.91
57.9	5.8	1472.4	32.93
61.0	5.8	1472.4	32.94
67.1	5.7	1472.4	32.96
70.1	5.7	1472.4	32.98
76.2	5.6	1472.1	33.00
79.2	5.5	1471.7	33.01
85.3	5.3	1470.9	33.03
88.4	5.2	1470.8	33.05
94.5	5.1	1470.4	33.07
97.5	5.0	1470.0	33.08
103.6	5.0	1470.2	33.13
106.7	4.8	1469.4	33.16
112.8	4.9	1470.0	33.22
115.8	4.7	1469.4	33.25
121.9	4.7	1469.6	33.30
128.0	4.6	1469.3	33.36
131.1	4.5	1469.9	33.39
137.2	4.5	1469.1	33.45
140.2	4.4	1468.7	33.48
146.3	4.6	1469.9	33.54
153.4	4.6	1470.0	33.59
155.4	4.7	1470.6	33.61
161.5	4.6	1470.2	33.64
164.6	4.8	1471.0	33.66
170.7	4.6	1470.5	33.70
176.8	4.7	1471.1	33.73
179.8	4.6	1470.7	33.75
185.9	4.6	1470.8	33.78
192.0	4.4	1470.0	33.82
198.1	4.5	1470.7	33.85
201.2	4.4	1470.3	33.86
207.3	4.4	1470.4	33.87
213.4	4.3	1470.0	33.88
216.4	4.1	1469.4	33.88

PLATFORM. MARYSVIL

POSITION. 48 58N 157 59W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 87

DATE. JUL 25, 1968 TIME. 1500

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	10.4	1488.9	32.72
3.0	10.6	1489.8	32.74
9.1	10.6	1489.9	32.77
12.2	10.6	1490.0	32.78
18.3	10.5	1489.7	32.82
21.3	10.1	1488.4	32.83
27.4	9.7	1487.1	32.86
30.5	9.4	1485.9	32.88
36.6	8.6	1483.1	32.91
39.6	7.5	1478.9	32.93
42.7	6.4	1474.6	32.94
48.8	6.0	1473.2	32.97
51.8	5.9	1472.8	32.98
57.9	5.8	1472.5	33.00
61.0	5.8	1472.5	33.00
67.1	5.8	1472.6	33.02
70.1	5.6	1472.0	33.02
76.2	5.6	1472.1	33.04
82.3	5.6	1472.3	33.05
85.3	5.5	1471.9	33.06
91.4	5.4	1471.5	33.07
94.5	5.3	1471.1	33.08
100.6	5.2	1471.0	33.10
103.6	5.1	1470.7	33.13
109.7	4.9	1469.9	33.19
112.8	5.0	1470.5	33.22
118.9	4.7	1469.5	33.27
121.9	4.6	1469.1	33.30
128.0	4.6	1469.3	33.36
134.1	4.6	1469.5	33.42
137.2	4.5	1469.1	33.45
143.3	4.5	1469.3	33.51
149.4	4.6	1469.9	33.57
152.4	4.6	1470.0	33.59
158.5	4.7	1470.6	33.63
161.5	4.6	1470.2	33.64
167.6	4.7	1470.8	33.68
173.7	4.6	1470.5	33.71
179.8	4.6	1470.7	33.75
182.9	4.6	1470.7	33.76
189.0	4.5	1470.4	33.80
195.1	4.3	1469.6	33.83
198.1	4.4	1470.2	33.85
204.2	4.3	1469.8	33.87
210.3	4.3	1470.0	33.87
213.4	4.2	1469.8	33.88
219.5	4.0	1469.0	33.88

PLATFORM- MARYSVIL

POSITION- 48 46N 158 07W

PARS DEN SQUARE 160 ONE DEGREE SQUARE 08

DATE- JUL 25, 1968 TIME-1700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	10.7	1490.1	32.72
3.0	10.4	1489.0	32.74
9.1	10.4	1489.1	32.77
12.2	10.4	1489.2	32.78
18.3	10.3	1488.9	32.82
21.3	9.8	1487.1	32.83
27.4	9.2	1485.2	32.86
30.5	8.2	1481.5	32.88
36.6	6.9	1476.5	32.91
39.6	6.2	1473.9	32.93
42.7	5.9	1472.6	32.94
48.8	5.8	1472.3	32.97
51.8	5.6	1471.7	32.98
57.9	5.6	1471.8	33.00
61.0	5.6	1471.9	33.00
67.1	5.5	1471.5	33.02
70.1	5.5	1471.6	33.02
76.2	5.4	1471.2	33.04
82.3	5.4	1471.4	33.05
85.3	5.3	1471.0	33.06
91.4	5.2	1470.9	33.07
94.5	5.2	1470.9	33.08
100.6	5.1	1470.6	33.10
103.6	5.1	1470.7	33.13
109.7	4.9	1469.9	33.19
112.8	4.9	1470.0	33.22
118.9	4.6	1469.0	33.27
121.9	4.6	1469.1	33.30
126.0	4.6	1469.3	33.36
134.1	4.5	1469.0	33.42
137.2	4.5	1469.1	33.45
143.3	4.4	1468.8	33.51
149.4	4.5	1469.5	33.57
152.4	4.5	1469.6	33.59
158.5	4.6	1470.2	33.63
161.5	4.5	1469.8	33.64
167.6	4.6	1470.4	33.68
173.7	4.4	1469.6	33.71
179.8	4.5	1470.2	33.75
182.9	4.4	1469.8	33.76
189.0	4.4	1470.0	33.80
195.1	4.2	1469.4	33.83
198.1	4.4	1470.2	33.85
204.2	4.2	1469.6	33.87
210.3	4.2	1469.7	33.87
213.4	4.2	1469.8	33.88
219.5	4.0	1469.0	33.88

PLATFORM- MARYSVIL

POSITION- 48 40N 158 12W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 88

DATE- JUL 25, 1968 TIME- 1800

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.6	1489.7	32.72
3.0	10.5	1489.4	32.74
9.1	10.5	1489.5	32.77
12.2	10.5	1489.6	32.78
18.3	10.4	1489.3	32.82
21.3	10.1	1488.4	32.83
27.4	9.7	1487.1	32.86
30.5	9.4	1485.9	32.88
33.5	8.4	1482.2	32.89
39.6	7.3	1478.1	32.93
42.7	6.3	1474.2	32.94
46.8	6.0	1473.2	32.97
51.8	5.8	1472.4	32.98
57.9	5.7	1472.2	33.00
61.0	5.8	1472.5	33.00
67.1	5.8	1472.6	33.02
70.1	5.7	1472.5	33.02
76.2	5.6	1472.1	33.04
79.2	5.6	1472.2	33.04
85.3	5.5	1471.9	33.06
88.4	5.5	1471.9	33.06
94.5	5.4	1471.6	33.08
97.5	5.3	1471.2	33.08
103.6	5.1	1470.7	33.13
106.7	5.0	1470.3	33.16
112.8	5.0	1470.5	33.22
115.8	4.8	1469.6	33.25
121.9	4.8	1469.8	33.30
128.0	4.7	1469.8	33.36
131.1	4.7	1469.9	33.39
137.2	4.7	1470.0	33.45
140.2	4.6	1469.7	33.48
146.3	4.7	1470.3	33.54
152.4	4.6	1470.0	33.59
155.4	4.7	1470.6	33.61
161.5	4.6	1470.2	33.64
164.6	4.6	1470.3	33.66
170.7	4.4	1469.5	33.70
176.8	4.4	1469.7	33.73
179.8	4.4	1469.7	33.75
185.9	4.3	1469.4	33.78
192.0	4.1	1468.9	33.82
198.1	4.2	1469.5	33.85
201.2	4.1	1469.1	33.86
207.3	4.1	1469.2	33.87
213.4	4.1	1469.3	33.88
216.4	3.8	1468.0	33.88

PLATFORM- MARYSVIL

POSITION- 48 33N 158 09W

PARDEN SQUARE 160 ONE DEGREE SQUARE 88

DATE- JUL 25, 1968 TIME- 1900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	10.4	1488.9	32.72
3.0	10.5	1489.4	32.74
9.1	10.5	1489.5	32.77
12.2	10.5	1489.6	32.78
18.3	10.4	1489.3	32.82
21.3	10.0	1488.0	32.83
24.4	9.7	1487.0	32.85
30.5	9.4	1485.9	32.88
33.5	8.3	1481.8	32.89
36.6	7.1	1477.3	32.91
42.7	6.3	1474.2	32.94
45.7	6.0	1473.1	32.96
51.8	5.8	1472.4	32.98
54.9	5.7	1472.2	32.99
61.0	5.7	1472.3	33.00
64.0	5.6	1471.9	33.01
67.1	5.6	1472.0	33.02
73.2	5.6	1472.1	33.03
76.2	5.5	1471.7	33.04
82.3	5.4	1471.4	33.05
85.3	5.3	1471.0	33.06
91.4	5.2	1470.9	33.07
94.5	5.1	1470.5	33.08
100.6	5.0	1470.1	33.10
103.6	4.9	1469.7	33.13
109.7	4.9	1469.9	33.19
112.8	.7	1469.3	33.22
118.9	4.7	1469.5	33.27
125.0	4.7	1469.7	33.33
128.0	4.7	1469.8	33.36
134.1	4.6	1469.5	33.42
137.2	4.5	1469.1	33.45
143.3	4.6	1469.8	33.51
149.4	4.5	1469.5	33.57
155.4	4.6	1470.1	33.61
158.5	4.5	1469.7	33.63
161.5	4.5	1469.8	33.64
167.6	4.4	1469.5	33.68
173.7	4.5	1470.1	33.71
176.8	4.4	1469.7	33.73
182.9	4.3	1469.4	33.76
189.0	4.2	1469.3	33.80
195.1	4.3	1469.6	33.83
198.1	4.2	1469.5	33.85
204.2	4.2	1469.6	33.87
210.3	4.1	1469.3	33.87
213.4	3.9	1468.4	33.88

PLATFORM- MARYSVIL

POSITION- 48 19N 158 01W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 88

DATE- JUL 25, 1968 TIME- 2100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.7	1490.1	32.72
3.0	10.6	1489.8	32.74
9.1	10.6	1489.9	32.77
12.2	10.6	1490.0	32.78
18.3	10.5	1489.7	32.82
21.3	10.1	1488.4	32.83
27.4	9.8	1487.3	32.86
30.5	9.2	1485.3	32.88
33.5	7.9	1480.3	32.89
39.6	6.8	1476.1	32.93
42.7	6.2	1473.9	32.94
48.8	6.1	1473.6	32.97
51.8	5.9	1472.8	32.98
57.9	5.8	1472.5	33.00
61.0	6.0	1473.4	33.00
67.1	5.9	1473.1	33.02
70.1	5.9	1473.2	33.02
76.2	5.8	1472.8	33.04
79.2	5.8	1472.9	33.04
85.3	5.8	1473.0	33.06
88.4	5.8	1473.1	33.06
94.5	5.7	1473.0	33.08
97.5	5.5	1472.1	33.08
103.6	5.4	1471.8	33.13
106.7	5.3	1471.4	33.16
112.8	5.2	1471.4	33.22
115.8	5.0	1470.6	33.25
121.9	4.9	1470.3	33.30
128.0	4.8	1470.0	33.36
131.1	4.8	1470.1	33.39
137.2	4.8	1470.3	33.45
140.2	4.7	1470.1	33.48
146.3	4.8	1470.5	33.54
152.4	4.7	1470.5	33.59
155.4	4.8	1470.8	33.61
161.5	4.7	1470.7	33.64
164.6	4.7	1470.8	33.66
170.7	4.6	1470.5	33.70
176.8	4.7	1471.1	33.73
179.8	4.7	1471.1	33.75
185.9	4.6	1470.8	33.78
192.0	4.4	1470.0	33.82
198.1	4.6	1471.1	33.85
201.2	4.5	1470.7	33.86
207.3	4.5	1470.8	33.87
213.4	4.4	1470.5	33.88
216.4	4.2	1469.8	33.88

PLATFORM- MARYSVIL

POSITION- 48 12N 157 57W

PARDEN SQUARE 160 ONE DEGREE SQUARE 87

DATE- JUL 25, 1968 TIME- 2200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	10.6	1489.7	32.72
3.0	10.7	1490.2	32.74
9.1	10.7	1490.3	32.77
12.2	10.7	1490.4	32.78
18.3	10.7	1490.5	32.82
21.3	10.5	1489.8	32.83
27.4	10.1	1488.5	32.86
30.5	9.6	1486.7	32.88
36.6	8.6	1483.1	32.91
39.6	7.5	1478.9	32.93
42.7	6.5	1475.1	32.94
48.8	6.3	1474.3	32.97
51.8	6.1	1473.7	32.98
57.9	6.0	1473.4	33.00
61.0	6.1	1473.9	33.00
67.1	6.1	1474.0	33.02
70.1	6.1	1474.1	33.02
76.2	6.0	1473.7	33.04
82.3	6.0	1473.8	33.05
85.3	5.9	1473.5	33.06
91.4	5.9	1473.6	33.07
94.5	5.9	1473.6	33.08
100.6	5.8	1473.3	33.10
103.6	5.7	1473.2	33.13
109.7	5.6	1472.9	33.19
112.8	5.6	1473.0	33.22
118.9	5.3	1471.8	33.27
121.9	5.2	1471.7	33.30
128.0	5.1	1471.4	33.36
134.1	5.0	1471.1	33.42
137.2	4.9	1470.7	33.45
143.3	4.8	1470.5	33.51
149.4	4.8	1470.6	33.57
152.4	4.8	1470.7	33.59
158.5	4.8	1470.9	33.63
161.5	4.8	1470.9	33.64
167.6	4.8	1471.1	33.68
173.7	4.7	1471.0	33.71
179.8	4.7	1471.1	33.75
182.9	4.7	1471.2	33.76
189.0	4.6	1470.9	33.80
195.1	4.4	1470.1	33.83
198.1	4.6	1471.1	33.85
204.2	4.5	1470.8	33.87
210.3	4.5	1470.9	33.87
213.4	4.5	1470.9	33.88
219.5	4.2	1469.9	33.88



PLATFORM- MARYSVIL

POSITION- 42 05N 157 53W

PARDEN SOLARE 160 ONE DEGREE SQUARE 07

DATE- JUL 25, 1968 TIME- 2300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	10.6	1489.7	32.72
3.0	10.6	1489.8	32.74
9.1	10.6	1489.9	32.77
12.2	10.6	1490.0	32.78
18.3	10.6	1490.1	32.82
21.3	10.3	1489.0	32.83
27.4	9.8	1487.3	32.86
30.5	9.4	1485.9	32.88
36.6	8.6	1483.1	32.91
39.6	7.6	1479.4	32.93
42.7	6.6	1475.5	32.94
48.8	6.2	1474.1	32.97
51.8	6.0	1473.3	32.98
57.9	5.9	1472.9	33.00
61.0	6.0	1473.4	33.00
67.1	6.0	1473.5	33.02
70.1	6.0	1473.6	33.02
76.2	5.9	1473.3	33.04
82.3	5.9	1473.4	33.05
85.3	5.8	1473.0	33.06
91.4	5.7	1472.9	33.07
94.5	5.6	1472.5	33.08
100.6	5.5	1472.2	33.10
103.6	5.5	1472.3	33.13
109.7	5.4	1472.0	33.19
112.8	5.4	1472.1	33.22
118.9	5.1	1471.1	33.27
121.9	5.0	1470.7	33.30
126.0	4.9	1470.5	33.36
134.1	4.8	1470.2	33.42
137.2	4.7	1470.0	33.45
143.3	4.6	1469.8	33.51
149.4	4.7	1470.4	33.57
152.4	4.7	1470.5	33.59
158.5	4.7	1470.6	33.63
161.5	4.6	1470.2	33.64
167.6	4.7	1470.8	33.68
173.7	4.6	1470.5	33.71
179.8	4.6	1470.7	33.75
182.9	4.6	1470.7	33.76
189.0	4.5	1470.4	33.80
195.1	4.3	1469.6	33.83
198.1	4.4	1470.2	33.85
204.2	4.3	1469.8	33.87
210.3	4.3	1470.0	33.87
213.4	4.3	1470.0	33.88
219.5	4.1	1469.4	33.88

PLATFORM- MARYSVIL

POSITION- 47 51N 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 77

DATE- JUL 26, 1968 TIME- 0100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	10.9	1490.8	32.85
3.0	10.5	1489.5	32.87
9.1	10.5	1489.7	32.92
12.2	10.4	1489.4	32.95
18.3	10.4	1489.5	33.00
21.3	10.3	1489.2	33.02
24.4	9.8	1487.5	33.05
30.5	9.5	1486.6	33.09
33.5	9.1	1485.2	33.12
36.6	7.9	1480.7	33.14
42.7	6.6	1475.8	33.19
45.7	6.2	1474.4	33.22
51.8	5.9	1473.2	33.25
54.9	5.8	1472.8	33.24
61.0	6.0	1473.7	33.23
64.0	5.9	1473.3	33.23
70.1	5.9	1473.4	33.22
73.2	5.9	1473.5	33.22
79.2	5.9	1473.6	33.21
82.3	5.8	1473.1	33.20
88.4	5.8	1473.2	33.20
91.4	5.7	1473.1	33.19
97.5	5.6	1472.7	33.18
100.6	5.4	1471.8	33.19
106.7	5.2	1471.3	33.25
109.7	5.1	1471.0	33.28
115.8	4.8	1469.8	33.34
118.9	4.7	1469.6	33.36
125.0	4.6	1469.3	33.42
131.1	4.6	1469.5	33.48
134.1	4.5	1469.2	33.51
140.2	4.4	1468.9	33.57
146.3	4.5	1469.5	33.63
149.4	4.4	1469.1	33.66
155.4	4.5	1469.7	33.69
158.5	4.5	1469.8	33.70
164.6	4.5	1469.9	33.73
167.6	4.4	1469.5	33.74
173.7	4.5	1470.1	33.76
179.8	4.4	1469.8	33.78
185.9	4.4	1469.9	33.81
189.0	4.2	1469.3	33.82
195.1	4.3	1469.7	33.84
201.2	4.2	1469.6	33.86
204.2	4.2	1469.6	33.87
210.3	4.2	1469.7	33.87
216.4	4.0	1468.9	33.88

PLATFORM. MARYSVIL

POSITION. 47 45N 197 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 77

DATE. JUL 26, 1968 TIME. 0200

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	11.4	1492.6	32.85
3.0	10.6	1489.9	32.87
9.1	10.6	1490.1	32.92
12.2	10.6	1490.2	32.95
18.3	10.6	1490.3	33.00
21.3	10.6	1490.4	33.02
27.4	10.2	1489.2	33.07
30.5	9.8	1487.6	33.09
33.5	9.7	1487.5	33.12
39.6	6.6	1483.5	33.17
42.7	6.6	1475.8	33.19
45.7	6.2	1474.4	33.22
51.8	5.9	1473.2	33.25
54.9	5.9	1473.2	33.24
61.0	6.0	1473.7	33.23
64.0	6.0	1473.8	33.23
70.1	6.0	1473.9	33.22
73.2	5.9	1473.5	33.22
76.2	5.9	1473.6	33.21
82.3	5.8	1473.1	33.20
88.4	5.8	1473.2	33.20
94.5	5.8	1473.3	33.19
97.5	5.8	1473.4	33.18
100.6	5.7	1473.2	33.19
106.7	5.4	1472.0	33.25
109.7	5.3	1471.7	33.28
115.8	4.9	1470.2	33.34
121.9	4.8	1469.9	33.39
125.0	4.7	1469.8	33.42
131.1	4.6	1469.5	33.48
137.2	4.6	1469.7	33.54
140.2	4.5	1469.3	33.57
146.3	4.5	1469.5	33.63
149.4	4.5	1469.6	33.66
155.4	4.5	1469.7	33.69
161.5	4.5	1469.9	33.71
164.6	4.6	1470.4	33.73
170.7	4.5	1470.1	33.75
176.8	4.6	1470.7	33.77
179.8	4.5	1470.3	33.78
185.9	4.5	1470.4	33.81
192.0	4.3	1469.6	33.83
195.1	4.4	1470.1	33.84
201.2	4.3	1469.8	33.86
207.3	4.3	1469.9	33.87
210.3	4.3	1470.0	33.87
216.4	4.0	1468.9	33.88

PLATFORM. MARYSVIL

POSITION. 47 39N 157 50W

PARDEN SQUARE 160 ONE DEGREE SQUARE 77

DATE. JUL 26, 1968 TIME. 0300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	11.3	1492.2	32.85
3.0	10.6	1489.9	32.87
9.1	10.6	1490.1	32.92
12.2	10.5	1489.8	32.95
18.3	10.6	1490.3	33.00
21.3	10.4	1489.6	33.02
27.4	10.1	1488.8	33.07
30.5	9.7	1487.4	33.09
33.5	9.5	1486.7	33.12
39.6	8.5	1483.1	33.17
42.7	7.1	1477.8	33.19
45.7	6.4	1475.0	33.22
51.8	5.9	1473.2	33.25
54.9	5.9	1473.2	33.26
61.0	6.0	1473.7	33.23
64.0	6.0	1473.8	33.23
70.1	6.0	1473.9	33.22
73.2	5.9	1473.5	33.22
79.2	6.0	1474.0	33.21
82.3	6.0	1474.0	33.20
88.4	5.8	1473.2	33.20
94.5	5.7	1473.1	33.19
97.5	5.5	1472.2	33.18
100.6	5.3	1471.4	33.19
106.7	5.0	1470.4	33.25
109.7	4.9	1470.0	33.28
115.8	4.7	1469.5	33.34
121.9	4.6	1469.3	33.39
125.0	4.6	1469.3	33.42
131.1	4.6	1469.5	33.48
137.2	4.5	1469.2	33.54
140.2	4.4	1468.9	33.57
146.3	4.6	1470.0	33.63
149.4	4.6	1470.1	33.66
155.4	4.7	1470.7	33.69
161.5	4.7	1470.8	33.71
164.6	4.7	1470.9	33.73
170.7	4.6	1470.5	33.75
176.8	4.6	1470.7	33.77
179.8	4.5	1470.3	33.78
185.9	4.4	1469.9	33.81
192.0	4.2	1469.4	33.83
195.1	4.3	1469.7	33.84
201.2	4.2	1469.6	33.86
207.3	4.2	1469.7	33.87
210.3	4.2	1469.7	33.87
216.4	4.0	1468.9	33.88

PLATFORM- MARYSVIL

POSITION- 47 26N 157 50W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 77

DATE- JUL 26, 1968 TIME- 0500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	13.0	1498.2	32.85
3.0	10.9	1490.9	32.87
9.1	10.9	1491.1	32.92
12.2	10.8	1490.8	32.95
18.3	10.8	1490.9	33.00
21.3	10.4	1489.6	33.02
27.4	9.8	1487.5	33.07
30.5	9.4	1486.2	33.09
33.5	8.6	1483.4	33.12
39.6	7.6	1479.7	33.17
42.7	6.7	1476.3	33.19
45.7	6.4	1475.0	33.22
51.8	6.1	1474.1	33.25
54.9	6.1	1474.1	33.24
61.0	6.3	1474.9	33.23
64.0	6.3	1474.9	33.23
70.1	6.3	1475.0	33.22
73.2	6.2	1474.8	33.22
79.2	6.3	1475.1	33.21
82.3	6.3	1475.2	33.20
88.4	6.3	1475.3	33.20
94.5	6.3	1475.3	33.19
97.5	6.1	1474.7	33.18
100.6	5.9	1473.9	33.19
106.7	5.6	1472.9	33.25
109.7	5.5	1472.6	33.28
115.8	5.1	1471.1	33.34
121.9	5.0	1470.9	33.39
125.0	4.9	1470.5	33.42
131.1	4.9	1470.7	33.48
137.2	4.9	1470.9	33.54
140.2	4.9	1470.9	33.57
146.3	5.1	1472.0	33.63
149.4	5.1	1472.1	33.66
155.4	5.2	1472.7	33.69
161.5	5.1	1472.4	33.71
164.6	5.2	1472.9	33.73
170.7	5.0	1472.1	33.75
176.8	5.0	1472.3	33.77
179.8	5.0	1472.3	33.78
185.9	4.9	1472.0	33.81
192.0	4.8	1471.7	33.83
195.1	4.9	1472.2	33.84
201.2	4.8	1471.9	33.86
207.3	4.8	1472.0	33.87
210.3	4.7	1471.8	33.87
216.4	4.5	1471.0	33.88

PLATFORM. MARYSVIL

POSITION. 47 19N 157 50W

PARDEN SQUARE 160 ONE DEGREE SQUARE 77

DATE. JUL 26, 1968 TIME. 0600

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	11.0	1491.2	32.85
3.0	10.8	1490.5	32.87
9.1	10.8	1490.7	32.92
12.2	10.8	1490.8	32.95
18.3	10.8	1490.9	33.00
21.3	10.6	1490.4	33.02
24.4	10.2	1489.1	33.05
30.5	9.8	1487.6	33.09
33.5	9.3	1485.9	33.12
36.6	8.4	1482.6	33.14
43.7	7.3	1478.5	33.19
49.7	6.8	1476.6	33.22
51.8	6.4	1475.2	33.25
54.9	6.3	1474.8	33.24
61.0	6.5	1475.7	33.23
64.0	6.5	1475.8	33.23
67.1	6.6	1476.3	33.23
73.2	6.5	1475.9	33.22
76.2	6.5	1476.0	33.21
82.3	6.5	1476.1	33.20
85.3	6.4	1475.7	33.20
91.4	6.4	1475.7	33.19
94.5	6.2	1475.1	33.19
100.6	6.0	1474.3	33.19
103.6	5.8	1473.5	33.22
109.7	5.6	1473.0	33.28
112.8	5.2	1471.9	33.31
118.9	5.1	1471.2	33.36
125.0	4.9	1470.5	33.42
128.0	4.9	1470.6	33.45
134.1	4.9	1470.8	33.51
137.2	4.9	1470.9	33.54
143.3	5.0	1471.5	33.60
149.4	5.1	1472.1	33.66
155.4	5.2	1472.7	33.69
158.5	5.1	1472.3	33.70
161.5	5.2	1472.9	33.71
167.6	5.0	1472.1	33.74
173.7	5.0	1472.2	33.76
176.8	5.1	1472.7	33.77
182.9	5.0	1472.4	33.79
189.0	4.8	1471.6	33.82
195.1	4.9	1472.2	33.84
198.1	4.8	1471.8	33.85
204.2	4.8	1471.9	33.87
210.3	4.8	1472.0	33.87
213.4	4.5	1470.9	33.88

PLATFORM= MAHYSVIL

POSITION= 47 15N 197 49W

MARSDEN SOLAR= 160 ONE DEGREE SQUARE 77

DATE= JUL 26, 1968 TIME= 0700

INSTRUMENT TYPE= THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	14.0	1501.5	32.85
3.0	10.7	1490.3	32.87
9.1	10.7	1490.5	32.92
12.2	10.6	1490.2	32.95
18.3	10.7	1490.7	33.00
21.3	10.5	1490.0	33.02
27.4	9.8	1487.5	33.07
30.5	9.3	1485.8	33.09
33.5	8.6	1483.4	33.12
39.6	7.7	1480.1	33.17
42.7	6.5	1475.4	33.19
48.8	6.3	1474.7	33.24
51.8	6.1	1474.1	33.25
57.9	6.1	1474.1	33.24
61.0	6.3	1474.9	33.23
67.1	6.3	1474.9	33.23
70.1	6.3	1475.0	33.22
76.2	6.3	1475.1	33.21
79.2	6.3	1475.1	33.21
85.3	6.3	1475.2	33.20
88.4	6.2	1475.0	33.20
94.5	6.1	1474.7	33.19
97.5	6.0	1474.3	33.18
103.6	5.9	1474.0	33.22
106.7	5.6	1472.9	33.25
112.8	5.5	1472.6	33.31
115.8	5.1	1471.1	33.34
121.9	4.9	1470.4	33.39
128.0	4.8	1470.1	33.45
131.1	4.7	1470.0	33.48
137.2	4.7	1470.2	33.54
140.2	4.7	1470.3	33.57
146.3	4.8	1470.7	33.63
152.4	4.9	1471.3	33.68
155.4	5.0	1471.8	33.69
161.5	5.0	1471.9	33.71
164.6	5.1	1472.5	33.73
170.7	5.0	1472.1	33.75
176.8	5.0	1472.3	33.77
179.8	5.0	1472.3	33.78
185.9	4.9	1472.0	33.81
192.0	4.7	1471.4	33.83
196.1	4.9	1472.3	33.85
201.2	4.7	1471.6	33.86
207.3	4.8	1472.0	33.87
213.4	4.7	1471.9	33.88
216.4	4.5	1471.0	33.88

PLATFORM. MARYSVIL

POSITION. 47 09N 157 46W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 77

DATE. JUL 26, 1968 TIME. 0900

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	12.4	1496.1	32.85
3.6	10.7	1490.3	32.87
9.1	10.7	1490.5	32.92
12.2	10.7	1490.6	32.95
18.3	10.5	1489.9	33.00
21.3	10.1	1488.6	33.02
27.4	9.5	1486.5	33.07
30.5	8.9	1484.3	33.09
33.5	8.3	1482.1	33.12
39.6	7.4	1478.8	33.17
42.7	6.4	1474.9	33.19
48.8	6.2	1474.4	33.24
51.8	6.1	1474.1	33.25
57.9	6.1	1474.1	33.24
61.0	6.3	1474.9	33.23
67.1	6.3	1474.9	33.23
70.1	6.4	1475.4	33.22
76.2	6.4	1475.5	33.21
79.2	6.4	1475.6	33.21
85.3	6.4	1475.7	33.20
88.4	6.4	1475.7	33.20
94.5	6.4	1475.8	33.19
97.5	6.3	1475.4	33.18
103.6	6.2	1475.3	33.22
106.7	6.0	1474.5	33.25
112.8	5.9	1474.2	33.31
115.8	5.4	1472.3	33.34
121.9	5.1	1471.3	33.39
126.0	5.0	1471.0	33.45
131.1	5.0	1471.1	33.48
137.2	5.0	1471.3	33.54
140.2	5.1	1471.9	33.57
146.3	5.3	1472.7	33.63
152.4	5.4	1473.3	33.68
155.4	5.5	1473.5	33.69
161.5	5.6	1474.4	33.71
164.6	5.7	1475.0	33.73
170.7	5.6	1474.6	33.75
176.8	5.6	1474.8	33.77
179.8	5.6	1474.8	33.78
185.9	5.5	1474.5	33.81
192.0	5.3	1473.7	33.83
198.1	5.4	1474.3	33.85
201.2	5.3	1473.9	33.86
207.3	5.3	1474.0	33.87
213.4	5.2	1473.9	33.88
216.4	4.9	1472.6	33.88



PLATFORM. MARYSVIL

POSITION. 47 06N 157 45W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 77

DATE. JUL 26, 1968 TIME=1000

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	11.1	1491.6	32.85
3.0	10.8	1490.5	32.87
9.1	10.8	1490.7	32.92
12.2	10.8	1490.8	32.95
16.3	10.8	1490.9	33.00
21.3	10.4	1489.6	33.02
27.4	9.8	1487.5	33.07
30.5	9.2	1485.6	33.09
33.5	8.6	1483.4	33.12
39.6	7.8	1480.3	33.17
42.7	6.8	1476.5	33.19
46.8	6.5	1475.6	33.24
51.8	6.2	1474.5	33.25
57.7	6.2	1474.6	33.24
61.0	6.3	1474.9	33.23
67.3	6.4	1475.4	33.23
70.1	6.4	1475.4	33.22
76.2	6.3	1475.1	33.21
79.2	6.4	1475.6	33.21
85.3	6.3	1475.2	33.20
88.4	6.3	1475.3	33.20
94.5	6.3	1475.3	33.19
97.5	6.2	1475.2	33.18
103.6	6.0	1474.4	33.22
106.7	5.7	1473.4	33.25
112.8	5.6	1473.1	33.31
115.8	5.3	1471.8	33.34
121.9	5.2	1471.8	33.39
128.0	5.2	1472.0	33.45
131.1	5.2	1472.1	33.48
137.2	5.3	1472.5	33.54
140.2	5.4	1473.0	33.57
146.3	5.6	1474.1	33.63
152.4	5.7	1474.7	33.68
155.4	5.8	1475.0	33.69
161.5	5.8	1475.1	33.71
164.6	5.8	1475.2	33.73
170.7	5.7	1475.1	33.75
176.8	5.7	1475.2	33.77
179.8	5.7	1475.3	33.78
185.9	5.6	1475.0	33.81
192.0	5.4	1474.2	33.83
198.1	5.5	1474.8	33.85
201.2	5.4	1474.4	33.86
207.3	5.3	1474.0	33.87
213.4	5.3	1474.3	33.88
216.4	5.0	1473.1	33.88

PLATFORM. MARYSVIL

POSITION. 47 03N 157 43W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 77

DATE. JUL 26, 1968 TIME. 1100

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	11.3	1488.2	32.85
3.0	10.8	1490.5	32.87
9.1	10.8	1490.7	32.92
12.2	10.8	1490.8	32.95
18.3	10.8	1490.9	33.00
21.3	10.3	1489.2	33.02
27.4	9.8	1487.5	33.07
30.5	9.2	1485.6	33.09
33.5	8.5	1482.9	33.12
39.6	7.4	1478.8	33.17
42.7	6.6	1475.8	33.19
48.8	6.4	1475.1	33.24
51.8	6.3	1474.7	33.25
57.9	6.3	1474.8	33.24
61.0	6.4	1475.3	33.23
67.1	6.4	1475.4	33.23
70.1	6.4	1475.4	33.22
76.2	6.3	1475.1	33.21
79.2	6.3	1475.1	33.21
85.3	6.3	1475.2	33.20
88.4	6.2	1475.0	33.20
94.5	6.2	1475.1	33.19
97.5	6.0	1474.3	33.18
103.6	5.8	1473.5	33.22
106.7	5.5	1472.5	33.25
112.8	5.5	1472.6	33.31
118.9	5.3	1471.9	33.36
121.9	5.4	1472.5	33.39
126.0	5.4	1472.6	33.45
131.1	5.4	1472.7	33.48
137.2	5.5	1473.4	33.54
140.2	5.5	1473.5	33.57
146.3	5.7	1474.5	33.63
152.4	5.7	1474.7	33.68
155.4	5.8	1475.0	33.69
161.5	5.7	1474.9	33.71
167.6	5.8	1475.3	33.74
170.7	5.7	1475.1	33.75
176.8	5.7	1475.2	33.77
182.9	5.7	1475.4	33.79
185.9	5.6	1475.0	33.81
192.0	5.4	1474.2	33.83
198.1	5.5	1474.8	33.85
204.2	5.4	1474.4	33.87
207.3	5.4	1474.5	33.87
213.4	5.3	1474.2	33.88
219.5	5.1	1473.6	33.88

PLATFORM- MARYSVIL

POSITION- 46 52N 157 42W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 67

DATE- JUL 26, 1968 TIME- 1300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	14.2	1502.7	33.26
3.0	10.8	1491.0	33.27
9.1	10.8	1491.2	33.29
12.2	10.8	1491.2	33.30
18.3	10.8	1491.4	33.33
21.3	10.7	1491.2	33.34
27.4	10.3	1489.7	33.36
30.5	9.7	1487.8	33.37
33.5	9.5	1487.0	33.38
39.6	8.9	1484.9	33.40
42.7	8.1	1482.0	33.41
48.8	7.4	1479.3	33.44
51.8	6.7	1476.8	33.44
57.9	6.3	1475.1	33.46
61.0	6.3	1475.2	33.46
67.1	6.3	1475.3	33.47
70.1	6.3	1475.3	33.48
76.2	6.3	1475.4	33.49
79.2	6.4	1475.9	33.50
85.3	6.4	1476.1	33.51
88.4	6.4	1476.1	33.52
94.5	6.4	1476.2	33.53
97.5	6.3	1475.9	33.54
103.6	6.2	1475.8	33.56
106.7	6.1	1475.4	33.57
112.8	6.0	1475.1	33.61
115.8	5.8	1474.3	33.62
121.9	5.7	1474.2	33.65
128.0	5.5	1473.4	33.69
131.1	5.3	1472.6	33.70
137.2	5.3	1472.7	33.73
140.2	5.3	1472.8	33.75
146.3	5.4	1473.4	33.78
152.4	5.5	1474.0	33.80
155.4	5.6	1474.5	33.81
161.5	5.5	1474.1	33.81
164.6	5.7	1475.1	33.82
170.7	5.6	1474.7	33.82
176.8	5.6	1474.9	33.83
179.8	5.7	1475.4	33.84
185.9	5.6	1475.0	33.84
192.0	5.4	1474.2	33.85
198.1	5.5	1474.8	33.86
201.2	5.4	1474.4	33.86
207.3	5.4	1474.5	33.87
213.4	5.3	1474.2	33.88
216.4	5.1	1473.5	33.88

PLATFORM- MARYSVIL

POSITION- 46 45N 157 42W

PARDEN SQUARE 160 ONE DEGREE SQUARE 67

DATE- JUL 26, 1968 TIME- 1400

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	17.0	1511.4	33.26
3.0	10.8	1491.0	33.27
9.1	10.8	1491.2	33.29
12.2	10.7	1491.0	33.30
16.3	10.8	1491.4	33.33
21.3	10.6	1490.8	33.34
27.4	9.9	1488.3	33.36
30.5	9.2	1485.9	33.37
33.5	8.9	1484.7	33.38
39.6	8.3	1482.6	33.40
42.7	7.3	1478.8	33.41
46.8	6.8	1476.9	33.44
51.8	6.4	1475.4	33.44
57.9	6.3	1475.1	33.46
61.0	6.4	1475.6	33.46
67.1	6.3	1475.3	33.47
70.1	6.3	1475.3	33.48
76.2	6.3	1475.4	33.49
79.2	6.4	1475.9	33.50
85.3	6.4	1476.1	33.51
88.4	6.4	1476.1	33.52
94.5	6.4	1476.2	33.53
97.5	6.4	1476.3	33.54
103.6	6.4	1476.4	33.56
106.7	6.3	1476.1	33.57
112.8	6.3	1476.2	33.61
115.8	6.0	1475.1	33.62
121.9	5.9	1474.8	33.65
128.0	5.6	1473.9	33.69
131.1	5.6	1473.9	33.70
137.2	5.5	1473.6	33.73
140.2	5.4	1473.2	33.75
146.3	5.5	1473.8	33.78
152.4	5.6	1474.4	33.80
155.4	5.6	1474.5	33.81
161.5	5.6	1474.6	33.81
164.6	5.7	1475.1	33.82
170.7	5.6	1474.7	33.82
176.8	5.7	1475.3	33.83
179.8	5.7	1475.4	33.84
185.9	5.7	1475.5	33.84
192.0	5.5	1474.7	33.85
198.1	5.7	1475.7	33.86
201.2	5.5	1474.8	33.86
207.3	5.6	1475.4	33.87
213.4	5.5	1475.1	33.88
216.4	5.3	1474.2	33.88

PLATFORM. MARYSVIL

POSITION. 46 38N 157 42W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 67

DATE. JUL 26, 1968 TIME. 1500

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	15.3	1506.1	33.26
3.0	10.8	1491.0	33.27
9.1	10.8	1491.2	33.29
12.2	10.8	1491.2	33.30
18.3	10.8	1491.4	33.33
21.3	10.4	1490.0	33.34
27.4	9.6	1487.3	33.36
30.5	8.9	1484.7	33.37
33.5	8.7	1484.1	33.38
39.6	8.2	1482.3	33.40
42.7	7.3	1478.8	33.41
48.8	6.7	1476.7	33.44
51.8	6.5	1475.9	33.44
57.9	6.5	1476.0	33.46
61.0	6.6	1476.5	33.46
67.1	6.6	1476.6	33.47
70.1	6.6	1476.7	33.48
76.2	6.6	1476.8	33.49
79.2	6.6	1476.8	33.50
85.3	6.5	1476.5	33.51
88.4	6.5	1476.6	33.52
94.5	6.5	1476.7	33.53
97.5	6.5	1476.7	33.54
103.6	6.5	1476.9	33.56
106.7	6.5	1476.9	33.57
112.8	6.6	1477.5	33.61
115.8	6.4	1476.7	33.62
121.9	6.4	1476.9	33.65
128.0	6.4	1477.0	33.69
131.1	6.3	1476.6	33.70
137.2	6.2	1476.5	33.73
140.2	6.1	1476.2	33.75
146.3	6.2	1476.8	33.78
152.4	6.1	1476.4	33.80
155.4	6.0	1476.0	33.81
161.5	5.9	1475.7	33.81
164.6	6.0	1476.2	33.82
170.7	5.9	1475.9	33.82
176.8	5.9	1476.0	33.83
179.8	5.9	1476.0	33.84
185.9	5.8	1475.7	33.84
192.0	5.7	1475.6	33.85
198.1	5.8	1475.9	33.86
201.2	5.7	1475.7	33.86
207.3	5.7	1475.9	33.87
213.4	5.7	1476.0	33.88
216.4	5.4	1474.7	33.88

PLATFORM- MARYSVIL

POSITION- 46 24N 157 41W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 67

DATE- JUL 26, 1968 TIME-1700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	13.5	1500.4	33.26
3.0	10.8	1491.0	33.27
9.1	10.8	1491.2	33.29
12.2	10.8	1491.2	33.30
18.3	10.8	1491.4	33.33
21.3	10.6	1490.8	33.34
27.4	9.7	1487.7	33.36
30.5	9.6	1487.4	33.37
33.5	9.3	1486.2	33.38
39.6	8.8	1484.4	33.40
42.7	8.0	1481.6	33.41
48.8	7.5	1479.7	33.44
51.8	7.0	1477.9	33.44
57.9	6.8	1477.1	33.46
61.0	6.8	1477.1	33.46
67.1	6.7	1477.0	33.47
70.1	6.7	1477.1	33.48
76.2	6.6	1476.8	33.49
79.2	6.6	1476.8	33.50
85.3	6.5	1476.5	33.51
88.4	6.5	1476.6	33.52
94.5	6.5	1476.7	33.53
97.5	6.5	1476.7	33.54
103.6	6.5	1476.9	33.56
106.7	6.3	1476.1	33.57
112.8	6.4	1476.6	33.61
115.8	6.3	1476.3	33.62
121.9	6.3	1476.4	33.65
128.0	6.3	1476.5	33.69
131.1	6.2	1476.4	33.70
137.2	6.1	1476.1	33.73
140.2	6.0	1475.7	33.75
146.3	6.2	1476.8	33.78
152.4	6.1	1476.4	33.80
155.4	6.1	1476.5	33.81
161.5	6.1	1476.6	33.81
164.6	6.1	1476.7	33.82
170.7	5.9	1475.9	33.82
176.8	6.0	1476.4	33.83
179.8	6.0	1476.5	33.84
185.9	5.9	1476.1	33.84
192.0	5.8	1475.8	33.85
198.1	6.0	1476.8	33.86
201.2	5.8	1476.0	33.86
207.3	5.9	1476.5	33.87
213.4	5.8	1476.2	33.88
216.4	5.6	1475.6	33.88

PLATFORM. MARYSVIL

POSITION. 46 16N 157 41W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 67

DATE. JUL 26, 1968 TIME. 1800

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	11.4	1493.1	33.26
3.0	10.7	1490.8	33.27
9.1	10.7	1491.0	33.29
12.2	10.7	1491.0	33.30
18.3	10.7	1491.2	33.33
21.3	10.7	1491.2	33.34
27.4	10.3	1489.7	33.36
30.5	10.0	1488.8	33.37
33.5	9.6	1487.4	33.38
39.6	9.2	1486.1	33.40
42.7	8.5	1483.5	33.41
45.7	7.9	1481.2	33.42
51.8	7.1	1478.3	33.44
54.9	6.6	1476.4	33.45
61.0	6.6	1476.5	33.46
64.0	6.6	1476.5	33.47
70.1	6.5	1476.2	33.48
73.2	6.4	1475.8	33.49
79.2	6.4	1475.9	33.50
82.3	6.4	1476.0	33.50
86.4	6.4	1476.1	33.52
94.5	6.5	1476.7	33.53
97.5	6.4	1476.3	33.54
100.6	6.4	1476.4	33.54
106.7	6.3	1476.1	33.57
109.7	6.4	1476.6	33.59
115.8	6.3	1476.3	33.62
121.9	6.3	1476.4	33.65
125.0	6.2	1476.3	33.67
131.1	6.1	1476.0	33.70
137.2	6.0	1475.6	33.73
140.2	5.9	1475.3	33.75
146.3	5.9	1475.4	33.78
149.4	5.9	1475.5	33.80
155.4	5.8	1475.1	33.81
161.5	5.8	1475.3	33.81
164.6	5.9	1475.8	33.82
170.7	5.8	1475.4	33.82
176.8	5.9	1476.0	33.83
179.8	5.9	1476.0	33.84
185.9	5.9	1476.1	33.84
192.0	5.8	1475.8	33.85
195.1	6.0	1476.8	33.85
201.2	5.9	1476.4	33.86
207.3	5.9	1476.5	33.87
210.3	5.9	1476.6	33.87
216.4	5.7	1476.0	33.88

PLATFORM- MARYSVIL

POSITION- 46 09N 157 42W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 67

DATE- JUL 26, 1968 TIME- 1900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	11.0	1491.8	33.26
3.0	10.9	1491.4	33.27
9.1	10.9	1491.6	33.29
12.2	10.9	1491.6	33.30
18.3	10.9	1491.7	33.33
21.3	10.6	1490.8	33.34
27.4	10.1	1489.1	33.36
30.5	9.8	1488.0	33.37
33.5	9.4	1486.6	33.38
39.6	8.8	1484.4	33.40
42.7	7.9	1481.1	33.41
48.8	7.4	1479.3	33.44
51.8	6.9	1477.4	33.44
57.9	6.7	1476.9	33.46
61.0	6.8	1477.1	33.46
67.1	6.8	1477.3	33.47
70.1	6.8	1477.3	33.48
76.2	6.7	1477.2	33.49
79.2	6.7	1477.3	33.50
85.3	6.6	1476.9	33.51
88.4	6.6	1477.0	33.52
94.5	6.6	1477.1	33.53
97.5	6.6	1477.2	33.54
103.6	6.6	1477.3	33.56
106.7	6.6	1477.4	33.57
112.8	6.7	1478.0	33.61
115.8	6.5	1477.2	33.62
121.9	6.5	1477.3	33.65
128.0	6.4	1477.0	33.69
131.1	6.4	1477.1	33.70
137.2	6.4	1477.2	33.73
140.2	6.3	1476.8	33.75
146.3	6.3	1477.0	33.78
152.4	6.2	1476.9	33.80
155.4	6.1	1476.5	33.81
161.5	6.0	1476.2	33.81
164.6	6.1	1476.7	33.82
170.7	6.0	1476.3	33.82
176.8	6.0	1476.4	33.83
179.8	6.1	1476.9	33.84
185.9	6.0	1476.6	33.84
192.0	5.9	1476.3	33.85
198.1	6.1	1477.3	33.86
201.2	5.9	1476.4	33.86
207.3	6.0	1477.0	33.87
213.4	6.0	1477.1	33.88
216.4	5.8	1476.2	33.88



PLATFORM. MARYSVIL

POSITION. 45 57N 197 44W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE. JUL 26, 1968 TIME. 2100

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	11.3	1493.0	33.48
3.0	11.1	1492.5	33.49
9.1	11.1	1492.6	33.51
12.2	11.1	1492.7	33.51
16.3	11.1	1492.8	33.53
21.3	11.1	1492.9	33.54
27.4	11.1	1493.0	33.56
30.5	10.9	1492.3	33.57
33.5	10.7	1491.7	33.57
39.6	10.0	1489.2	33.59
42.7	9.3	1486.6	33.60
45.7	8.6	1484.2	33.61
51.8	7.7	1480.9	33.62
54.9	7.3	1479.2	33.62
61.0	7.3	1479.3	33.61
64.0	7.2	1479.1	33.61
70.1	7.1	1478.8	33.60
73.2	7.0	1478.4	33.60
79.2	7.0	1478.5	33.60
82.3	7.0	1478.5	33.59
88.4	6.9	1478.2	33.59
94.5	6.9	1478.3	33.58
97.5	6.8	1477.9	33.58
100.6	6.8	1478.0	33.58
106.7	6.7	1477.9	33.60
109.7	6.8	1478.1	33.61
115.8	6.7	1478.0	33.62
121.9	6.8	1478.4	33.64
125.0	6.8	1478.4	33.65
131.1	6.7	1478.3	33.67
137.2	6.6	1478.0	33.68
140.2	6.5	1477.6	33.69
146.3	6.5	1477.8	33.71
149.4	6.5	1477.8	33.72
155.4	6.6	1478.4	33.73
161.5	6.5	1478.1	33.75
164.6	6.6	1478.6	33.75
170.7	6.5	1478.2	33.77
176.8	6.5	1478.4	33.78
179.8	6.6	1478.9	33.79
185.9	6.5	1478.5	33.80
192.0	6.4	1478.2	33.81
195.1	6.6	1479.2	33.82
201.2	6.5	1478.8	33.83
207.3	6.5	1478.9	33.84
210.3	6.5	1479.0	33.84
216.4	6.2	1478.0	33.84

PLATFORM. MARYSVIL

POSITION. 45 51N 157 45W

PARDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE. JUL 26, 1968 TIME=2200

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	11.3	1493.0	33.48
3.0	11.2	1492.9	33.49
9.1	11.2	1493.0	33.51
12.2	11.1	1492.7	33.51
16.3	11.2	1493.2	33.53
21.3	11.1	1492.9	33.54
27.4	11.0	1492.6	33.56
30.5	10.6	1491.3	33.57
33.5	10.4	1490.5	33.57
39.6	10.0	1489.2	33.59
42.7	9.2	1486.4	33.60
45.7	8.5	1483.8	33.61
51.8	7.8	1481.1	33.62
54.9	7.2	1479.0	33.62
61.0	7.1	1478.7	33.61
64.0	7.0	1478.3	33.61
70.1	7.0	1478.4	33.60
73.2	6.9	1478.0	33.60
79.2	6.9	1478.1	33.60
82.3	6.8	1477.7	33.59
88.4	6.7	1477.5	33.59
94.5	6.7	1477.6	33.58
97.5	6.6	1477.2	33.58
100.6	6.6	1477.3	33.58
106.7	6.4	1476.5	33.60
109.7	6.5	1477.0	33.61
115.8	6.4	1476.7	33.62
121.9	6.5	1477.3	33.64
125.0	6.6	1477.8	33.65
131.1	6.6	1477.9	33.67
137.2	6.6	1478.0	33.68
140.2	6.5	1477.6	33.69
146.3	6.6	1478.2	33.71
149.4	6.5	1477.8	33.72
155.4	6.5	1477.9	33.73
161.5	6.5	1478.1	33.75
164.6	6.6	1478.6	33.75
170.7	6.4	1477.8	33.77
176.8	6.5	1478.4	33.78
179.8	6.5	1478.4	33.79
185.9	6.4	1478.1	33.80
192.0	6.2	1477.5	33.81
195.1	6.4	1478.3	33.82
201.2	6.3	1477.9	33.83
207.3	6.3	1478.0	33.84
210.3	6.3	1478.1	33.84
216.4	6.0	1477.1	33.84

PLATFORM. MARYSVIL

POSITION. 45 45N 157 46W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE. JUL 26, 1968 TIME= 2300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	11.2	1492.8	33.48
3.0	11.1	1492.5	33.49
9.1	11.1	1492.6	33.51
12.2	11.0	1492.3	33.51
18.3	11.0	1492.4	33.53
21.3	11.0	1492.5	33.54
27.4	10.7	1491.6	33.56
30.5	10.3	1490.1	33.57
33.5	10.0	1489.1	33.57
39.6	9.6	1487.8	33.59
42.7	9.0	1485.6	33.60
45.7	8.4	1483.3	33.61
51.8	7.5	1480.0	33.62
54.9	7.1	1478.6	33.62
61.0	7.1	1478.7	33.61
64.0	7.1	1478.7	33.61
70.1	7.0	1478.4	33.60
73.2	6.9	1478.0	33.60
79.2	6.9	1478.1	33.60
82.3	6.8	1477.7	33.59
86.4	6.8	1477.8	33.59
94.5	6.7	1477.6	33.58
97.5	6.7	1477.7	33.58
100.6	6.7	1477.7	33.58
106.7	6.7	1477.9	33.60
109.7	6.8	1478.1	33.61
115.8	6.7	1478.0	33.62
121.9	6.7	1478.2	33.64
125.0	6.7	1478.2	33.65
131.1	6.6	1477.9	33.67
137.2	6.7	1478.5	33.68
140.2	6.6	1478.1	33.69
146.3	6.7	1478.6	33.71
149.4	6.6	1478.3	33.72
155.4	6.6	1478.4	33.73
161.5	6.5	1478.1	33.75
164.6	6.5	1478.1	33.75
170.7	6.4	1477.8	33.77
176.8	6.4	1477.9	33.78
179.8	6.4	1478.0	33.79
185.9	6.3	1477.6	33.80
192.0	6.2	1477.5	33.81
195.1	6.4	1478.3	33.82
201.2	6.2	1477.7	33.83
207.3	6.3	1478.0	33.84
210.3	6.2	1477.9	33.84
216.4	6.0	1477.1	33.84

PLATFORM- MARYSVIL

POSITION- 45 33N 157 46W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE- JUL 27, 1968 TIME- 0100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	11.2	1492.8	33.48
3.0	11.0	1492.1	33.49
9.1	11.0	1492.2	33.51
12.2	11.0	1492.3	33.51
18.3	11.0	1492.4	33.53
21.3	11.0	1492.5	33.54
24.4	10.9	1492.1	33.55
30.5	10.4	1490.5	33.57
33.5	10.0	1489.1	33.57
36.6	9.7	1488.1	33.58
42.7	9.2	1486.4	33.60
45.7	8.5	1483.8	33.61
48.8	7.7	1480.8	33.62
54.9	7.3	1479.2	33.62
57.9	7.2	1479.0	33.61
64.0	7.1	1478.7	33.61
67.1	7.0	1478.3	33.61
73.2	6.8	1477.5	33.60
76.2	6.8	1477.6	33.60
82.3	6.7	1477.4	33.59
85.3	6.7	1477.5	33.59
91.4	6.6	1477.1	33.59
94.5	6.6	1477.2	33.58
100.6	6.6	1477.3	33.58
103.6	6.5	1476.9	33.59
109.7	6.6	1477.5	33.61
112.8	6.6	1477.5	33.62
118.9	6.7	1478.1	33.63
121.9	6.7	1478.2	33.64
128.0	6.7	1478.3	33.66
134.1	6.5	1477.5	33.68
137.2	6.4	1477.1	33.68
143.3	6.5	1477.7	33.70
149.4	6.5	1477.8	33.72
152.4	6.6	1478.3	33.73
156.5	6.5	1478.0	33.74
161.5	6.6	1478.5	33.75
167.6	6.5	1478.2	33.76
173.7	6.6	1478.7	33.77
176.8	6.6	1478.8	33.78
182.9	6.6	1478.9	33.79
189.0	6.5	1478.6	33.81
192.0	6.6	1479.1	33.81
198.1	6.4	1478.3	33.83
204.2	6.4	1478.4	33.83
207.3	6.4	1477.5	33.84
213.4	6.1	1477.5	33.84

PLATFORM. MARYSVIL

POSITION. 45 28N 197 49W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE. JUL 27, 1968 TIME. 0200

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	11.2	1492.8	33.48
3.0	11.0	1492.1	33.49
9.1	11.0	1492.2	33.51
12.2	10.9	1491.9	33.51
18.3	10.9	1492.0	33.53
21.3	10.8	1491.7	33.54
24.4	10.6	1491.1	33.55
30.5	10.2	1489.9	33.57
33.5	9.6	1487.7	33.57
36.6	8.8	1484.6	33.58
42.7	8.0	1481.8	33.60
45.7	7.6	1480.4	33.61
51.8	7.1	1478.5	33.62
54.9	6.9	1477.7	33.62
61.0	7.0	1478.2	33.61
64.0	6.9	1477.8	33.61
67.1	6.9	1477.9	33.61
73.2	6.8	1477.5	33.60
76.2	6.8	1477.6	33.60
82.3	6.7	1477.4	33.59
85.3	6.7	1477.5	33.59
91.4	6.6	1477.1	33.59
94.5	6.5	1476.8	33.58
100.6	6.6	1477.3	33.58
103.6	6.5	1476.9	33.59
109.7	6.7	1477.9	33.61
112.8	6.7	1478.0	33.62
118.9	6.7	1478.1	33.63
125.0	6.8	1478.4	33.65
128.0	6.8	1478.5	33.66
134.1	6.7	1478.4	33.68
137.2	6.6	1478.0	33.68
143.3	6.7	1478.6	33.70
149.4	6.6	1478.3	33.72
155.4	6.7	1478.8	33.73
158.5	6.6	1478.4	33.74
161.5	6.6	1478.5	33.75
167.6	6.4	1477.7	33.76
173.7	6.4	1477.9	33.77
176.8	6.4	1477.9	33.78
182.9	6.3	1477.6	33.79
189.0	6.1	1477.0	33.81
195.1	6.3	1477.8	33.82
198.1	6.2	1477.7	33.83
204.2	6.3	1478.0	33.83
210.3	6.2	1477.9	33.84
213.4	5.9	1476.6	33.84

PLATFORM. MARYSVIL

POSITION. 45 24N 157 45W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE. JUL 27, 1968 TIME. 0300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	11.4	1493.4	33.48
3.0	11.3	1493.1	33.49
9.1	11.2	1493.0	33.51
12.2	11.2	1493.1	33.51
18.3	11.2	1493.2	33.53
21.3	11.1	1492.9	33.54
27.4	10.9	1492.2	33.56
30.5	10.4	1490.5	33.57
33.5	9.9	1488.7	33.57
39.6	8.9	1485.1	33.59
42.7	7.8	1480.9	33.60
45.7	7.3	1479.1	33.61
51.8	7.0	1478.1	33.62
54.9	6.9	1477.7	33.62
61.0	7.0	1478.2	33.61
64.0	7.0	1478.3	33.61
70.1	6.9	1477.9	33.60
73.2	6.9	1478.0	33.60
79.2	6.8	1477.6	33.60
82.3	6.8	1477.7	33.59
86.4	6.7	1477.5	33.59
94.5	6.7	1477.6	33.58
97.5	6.6	1477.2	33.58
100.6	6.6	1477.3	33.58
106.7	6.5	1477.0	33.60
109.7	6.6	1477.5	33.61
115.8	6.5	1477.2	33.62
121.9	6.5	1477.3	33.64
125.0	6.5	1477.3	33.65
131.1	6.5	1477.5	33.67
137.2	6.5	1477.6	33.68
140.2	6.2	1476.5	33.69
146.3	6.4	1477.3	33.71
149.4	6.4	1477.4	33.72
155.4	6.4	1477.5	33.73
161.5	6.4	1477.6	33.75
164.6	6.5	1478.1	33.75
170.7	6.4	1477.8	33.77
176.8	6.4	1477.9	33.78
179.8	6.5	1478.4	33.79
185.9	6.5	1478.5	33.80
192.0	6.3	1477.8	33.81
195.1	6.5	1478.7	33.82
201.2	6.4	1478.4	33.83
207.3	6.4	1478.5	33.84
210.3	6.3	1478.1	33.84
216.4	6.1	1477.5	33.84

PLATFORM- MARYSVIL

POSITION- 45 15N 157 44W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- JUL 27, 1968 TIME- 0500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	11.5	1493.8	33.48
3.0	11.3	1493.1	33.49
9.1	11.3	1493.2	33.51
12.2	11.2	1493.1	33.51
18.3	11.2	1493.2	33.53
21.3	11.2	1493.3	33.54
27.4	11.1	1493.0	33.56
30.5	10.9	1492.3	33.57
33.5	10.5	1490.9	33.57
39.6	10.2	1490.0	33.59
42.7	9.6	1487.9	33.60
45.7	9.0	1485.6	33.61
51.8	7.9	1481.5	33.62
54.9	7.3	1479.2	33.62
61.0	7.3	1479.3	33.61
64.0	7.2	1479.1	33.61
70.1	7.1	1478.8	33.60
73.2	7.1	1478.8	33.60
79.2	7.0	1478.5	33.60
82.3	6.9	1478.1	33.59
86.4	6.8	1477.8	33.59
94.5	6.8	1477.9	33.58
97.5	6.8	1477.9	33.58
100.6	6.8	1478.0	33.58
106.7	6.7	1477.9	33.60
109.7	6.7	1477.9	33.61
115.8	6.4	1476.7	33.62
121.9	6.4	1476.8	33.64
125.0	6.4	1476.9	33.65
131.1	6.4	1477.0	33.67
137.2	6.3	1476.7	33.68
140.2	6.2	1476.5	33.69
146.3	6.3	1476.9	33.71
149.4	6.3	1476.9	33.72
155.4	6.3	1477.1	33.73
161.5	6.3	1477.2	33.75
164.6	6.4	1477.7	33.75
170.7	6.3	1477.4	33.77
176.8	6.4	1477.9	33.78
179.8	6.4	1478.0	33.79
185.9	6.3	1477.6	33.80
192.0	6.2	1477.5	33.81
195.1	6.4	1478.3	33.82
201.2	6.2	1477.7	33.83
207.3	6.3	1478.0	33.84
210.3	6.2	1477.9	33.84
216.4	6.0	1477.1	33.84

PLATFORM- MARYSVIL

POSITION- 45 10N 157 44W

PARDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE- JUL 27, 1968 TIME- 0600

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	11.6	1494.2	33.48
3.0	11.5	1493.9	33.49
9.1	11.5	1494.0	33.51
12.2	11.4	1493.7	33.51
18.3	11.4	1493.8	33.53
21.3	11.3	1493.4	33.54
27.4	11.1	1493.0	33.56
30.5	10.9	1492.3	33.57
33.5	10.4	1490.5	33.57
39.6	9.8	1488.4	33.59
42.7	9.0	1485.6	33.60
45.7	8.6	1484.2	33.61
51.8	7.9	1481.5	33.62
54.9	7.4	1479.7	33.62
61.0	7.4	1479.7	33.61
64.0	7.2	1479.1	33.61
70.1	7.2	1479.2	33.60
73.2	7.1	1478.8	33.60
79.2	7.1	1478.9	33.60
82.3	7.0	1478.5	33.59
88.4	6.9	1478.2	33.59
94.5	6.8	1477.9	33.58
97.5	6.8	1477.9	33.58
100.6	6.8	1478.0	33.58
106.7	6.7	1477.9	33.60
109.7	6.8	1478.1	33.61
115.8	6.7	1478.0	33.62
121.9	6.7	1478.2	33.64
125.0	6.7	1478.2	33.65
131.1	6.7	1478.3	33.67
137.2	6.7	1478.5	33.68
140.2	6.6	1478.1	33.69
146.3	6.8	1478.9	33.71
149.4	6.7	1478.7	33.72
155.4	6.7	1478.8	33.73
161.5	6.6	1478.5	33.75
164.6	6.7	1479.0	33.75
170.7	6.5	1478.2	33.77
176.8	6.5	1478.4	33.78
179.8	6.5	1478.4	33.79
185.9	6.4	1478.1	33.80
192.0	6.3	1477.8	33.81
195.1	6.4	1478.3	33.82
201.2	6.3	1477.9	33.83
207.3	6.3	1478.0	33.84
210.3	6.2	1477.9	33.84
216.4	6.0	1477.1	33.84



PLATFORM. MARYSVIL

POSITION. 45 02N 157 44W

PARDEN SQUARE 160 ONE DEGREE SQUARE 57

DATE. JUL 27, 1968 TIME. 0700

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	11.6	1494.2	33.48
3.0	11.4	1493.5	33.49
9.1	11.3	1493.2	33.51
12.2	11.3	1493.3	33.51
18.3	11.3	1493.4	33.53
21.3	11.3	1493.4	33.54
24.4	11.1	1492.9	33.55
30.5	10.7	1491.7	33.57
33.5	10.1	1489.5	33.57
36.6	9.6	1487.7	33.58
42.7	8.9	1485.2	33.60
45.7	8.3	1482.9	33.61
51.8	7.6	1480.5	33.62
54.9	7.5	1480.1	33.62
61.0	7.6	1480.6	33.61
64.0	7.5	1480.2	33.61
70.1	7.4	1479.9	33.60
73.2	7.2	1479.3	33.60
79.2	7.1	1478.9	33.60
82.3	6.9	1478.1	33.59
88.4	6.8	1477.8	33.59
91.4	6.8	1477.8	33.59
97.5	6.8	1477.9	33.58
100.6	6.7	1477.7	33.58
106.7	6.6	1477.4	33.60
109.7	6.7	1477.9	33.61
115.8	6.7	1478.0	33.62
116.9	6.8	1478.3	33.63
125.0	6.7	1478.2	33.65
131.1	6.5	1477.5	33.67
134.1	6.5	1477.5	33.68
140.2	6.4	1477.2	33.69
146.3	6.5	1477.8	33.71
149.4	6.4	1477.4	33.72
155.4	6.4	1477.5	33.73
158.5	6.3	1477.1	33.74
164.6	6.3	1477.2	33.75
167.6	6.2	1477.1	33.76
173.7	6.2	1477.2	33.77
179.8	6.2	1477.3	33.79
185.9	6.2	1477.4	33.80
189.0	6.1	1477.0	33.81
195.1	6.2	1477.6	33.82
201.2	6.1	1477.3	33.83
204.2	6.2	1477.8	33.83
210.3	6.2	1477.9	33.84
216.4	6.0	1477.1	33.84

PLATFORM. MARYSVIL

POSITION. 44 48N 157 43W

PARDEN SQUARE 160 ONE DEGREE SQUARE 47

DATE. JUL 27, 1968 TIME. 0900

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	11.8	1494.8	33.48
3.0	11.7	1494.6	33.49
9.1	11.6	1494.4	33.51
12.2	11.6	1494.4	33.51
18.3	11.6	1494.6	33.53
21.3	11.5	1494.2	33.54
24.4	10.9	1492.1	33.55
30.5	10.3	1490.1	33.57
33.5	9.9	1488.7	33.57
36.6	9.3	1486.5	33.58
42.7	8.4	1483.3	33.60
45.7	7.6	1480.4	33.61
51.8	7.2	1479.0	33.62
54.9	7.1	1478.6	33.62
61.0	7.2	1479.1	33.61
64.0	7.1	1478.7	33.61
70.1	7.1	1478.8	33.60
73.2	7.1	1478.8	33.60
79.2	7.1	1478.9	33.60
82.3	7.1	1479.0	33.59
88.4	7.0	1478.6	33.59
91.4	7.0	1478.7	33.59
97.5	6.9	1478.3	33.58
100.6	6.8	1478.0	33.58
106.7	6.7	1477.9	33.60
109.7	6.8	1478.1	33.61
115.8	6.6	1477.6	33.62
118.9	6.6	1477.7	33.63
125.0	6.5	1477.3	33.65
131.1	6.6	1477.9	33.67
134.1	6.6	1478.0	33.68
140.2	6.5	1477.6	33.69
146.3	6.7	1478.6	33.71
149.4	6.6	1478.3	33.72
155.4	6.6	1478.4	33.73
156.5	6.5	1478.0	33.74
164.6	6.5	1478.1	33.75
167.6	6.4	1477.7	33.76
173.7	6.4	1477.9	33.77
179.8	6.5	1478.4	33.79
185.9	6.4	1478.1	33.80
189.0	6.4	1478.1	33.81
195.1	6.3	1477.8	33.82
201.2	6.5	1478.8	33.83
204.2	6.4	1478.4	33.83
210.3	6.4	1478.5	33.84
216.4	6.1	1477.5	33.84

PLATFORM. MARYSVIL

POSITION. 44 41N 157 43W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 47

DATE. JUL 27, 1968 TIME. 1000

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	11.8	1494.8	33.48
3.0	11.6	1494.3	33.49
9.1	11.5	1494.0	33.51
12.2	11.5	1494.1	33.51
18.3	11.5	1494.2	33.53
21.3	11.4	1493.8	33.54
24.4	11.0	1492.5	33.55
30.5	10.5	1490.9	33.57
33.5	10.1	1489.5	33.57
36.6	9.7	1488.1	33.58
42.7	9.0	1485.6	33.60
45.7	8.1	1482.3	33.61
51.8	7.5	1480.0	33.62
54.9	7.3	1479.2	33.62
61.0	7.4	1479.7	33.61
64.0	7.3	1479.4	33.61
67.1	7.2	1479.2	33.61
73.2	7.1	1478.8	33.60
76.2	7.1	1478.9	33.60
82.3	7.1	1479.0	33.59
85.3	7.0	1478.6	33.59
91.4	6.9	1478.2	33.59
94.5	6.7	1477.6	33.58
100.6	6.7	1477.7	33.58
103.6	6.7	1477.8	33.59
109.7	6.8	1478.1	33.61
112.8	6.8	1478.2	33.62
118.9	6.9	1478.8	33.63
125.0	6.9	1478.9	33.65
126.0	6.9	1478.9	33.66
134.1	6.9	1479.1	33.67
137.2	6.8	1478.7	33.68
143.3	6.9	1479.2	33.70
149.4	6.8	1478.9	33.72
155.4	6.8	1479.0	33.73
158.5	6.7	1478.9	33.74
161.5	6.8	1479.2	33.75
167.6	6.7	1479.1	33.76
173.7	6.6	1478.7	33.77
176.8	6.6	1478.8	33.78
182.9	6.5	1478.5	33.79
189.0	6.3	1477.7	33.81
195.1	6.5	1478.7	33.82
198.1	6.4	1478.3	33.83
204.2	6.4	1478.4	33.83
210.3	6.4	1478.5	33.84
213.4	6.1	1477.5	33.84

PLATFORM. MARYSVIL

POSITION. 44 34N 157 43W

PARDEN SQUARE 160 ONE DEGREE SQUARE 47

DATE. JUL 27, 1968 TIME. 1100

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	11.8	1494.8	33.48
3.0	11.6	1494.3	33.49
9.1	11.5	1494.0	33.51
12.2	11.5	1494.1	33.51
18.3	11.5	1494.2	33.53
21.3	11.2	1493.3	33.54
24.4	10.8	1491.7	33.55
30.5	10.3	1490.1	33.57
33.5	9.8	1488.3	33.57
36.6	8.8	1484.6	33.58
42.7	8.1	1482.2	33.60
45.7	8.0	1481.9	33.61
48.8	7.7	1480.8	33.62
54.9	7.7	1480.9	33.62
57.9	7.8	1481.2	33.61
64.0	7.8	1481.3	33.61
67.1	7.7	1481.1	33.61
73.2	7.6	1480.8	33.60
76.2	7.6	1480.8	33.60
82.3	7.5	1480.5	33.59
85.3	7.5	1480.5	33.59
91.4	7.5	1480.6	33.59
94.5	7.5	1480.7	33.58
100.6	7.5	1480.8	33.58
103.6	7.4	1480.4	33.59
109.7	7.5	1481.0	33.61
112.8	7.3	1480.2	33.62
116.9	7.3	1480.3	33.63
121.9	7.3	1480.3	33.64
128.0	7.2	1480.3	33.66
134.1	7.1	1479.9	33.68
137.2	7.0	1479.6	33.68
143.3	7.0	1479.7	33.70
149.4	7.0	1479.8	33.72
152.4	7.0	1479.9	33.73
156.5	6.9	1479.5	33.74
161.5	7.0	1480.0	33.75
167.6	6.8	1479.3	33.76
173.7	6.8	1479.4	33.77
176.8	6.8	1479.5	33.78
182.9	6.7	1479.4	33.79
189.0	6.5	1478.6	33.81
192.0	6.7	1479.5	33.81
198.1	6.6	1479.2	33.83
204.2	6.6	1479.3	33.83
207.3	6.5	1478.9	33.84
213.4	6.3	1478.1	33.84

PLATFORM. MARYSVIL

POSITION. 44 24N 157 43W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 47

DATE. JUL 27, 1968 TIME. 1300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	12.0	1495.6	33.48
3.0	11.9	1495.2	33.49
9.1	11.8	1495.0	33.51
12.2	11.8	1495.0	33.51
18.3	11.8	1495.1	33.53
21.3	11.8	1495.2	33.54
24.4	11.6	1494.7	33.55
30.5	11.3	1493.6	33.57
33.5	10.8	1491.9	33.57
36.6	10.2	1490.0	33.58
42.7	9.3	1486.6	33.60
45.7	8.6	1484.2	33.61
48.8	8.0	1481.9	33.62
54.9	8.0	1482.0	33.62
57.9	8.0	1482.1	33.61
64.0	8.0	1482.2	33.61
67.1	7.9	1481.8	33.61
73.2	7.8	1481.4	33.60
76.2	7.8	1481.3	33.60
82.3	7.8	1481.6	33.59
85.3	7.9	1482.1	33.59
91.4	7.9	1482.1	33.59
94.5	7.9	1482.2	33.58
100.6	7.9	1482.3	33.58
103.6	7.9	1482.4	33.59
109.7	7.9	1482.5	33.61
112.8	7.7	1481.9	33.62
118.9	7.7	1482.0	33.63
121.9	7.7	1482.1	33.64
128.0	7.7	1482.2	33.66
134.1	7.6	1481.9	33.68
137.2	7.5	1481.5	33.68
143.3	7.5	1481.6	33.70
149.4	7.4	1481.3	33.72
152.4	7.4	1481.4	33.73
158.5	7.2	1480.9	33.74
161.5	7.2	1480.9	33.75
167.6	7.1	1480.6	33.76
173.7	7.2	1481.1	33.77
176.8	7.3	1481.4	33.78
182.9	7.2	1481.3	33.79
189.0	7.1	1481.0	33.81
192.0	7.2	1481.3	33.81
198.1	7.1	1481.2	33.83
204.2	7.2	1481.7	33.83
207.3	7.1	1481.3	33.84
213.4	6.8	1480.1	33.84

PLATFORM. MARYSVIL

POSITION. 44 20N 157 42W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 47

DATE. JUL 27, 1968 TIME. 1400

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	12.1	1495.9	33.48
3.0	11.9	1495.2	33.49
9.1	11.9	1495.3	33.51
12.2	11.8	1495.0	33.51
16.3	11.8	1495.1	33.53
21.3	11.7	1495.0	33.54
24.4	11.2	1493.3	33.55
30.5	10.6	1491.3	33.57
33.5	10.1	1489.5	33.57
36.6	9.4	1486.9	33.58
42.7	8.5	1483.7	33.60
45.7	8.0	1481.9	33.61
51.8	7.6	1480.5	33.62
54.9	7.4	1479.7	33.62
61.0	7.4	1479.7	33.61
64.0	7.3	1479.4	33.61
67.1	7.3	1479.4	33.61
73.2	7.2	1479.3	33.60
76.2	7.2	1479.3	33.60
82.3	7.1	1479.0	33.59
85.3	7.0	1478.6	33.59
91.4	7.1	1479.1	33.59
94.5	7.2	1479.6	33.58
100.6	7.4	1480.4	33.58
103.6	7.6	1481.3	33.59
109.7	7.8	1482.0	33.61
112.8	7.7	1481.9	33.62
118.9	7.6	1481.6	33.63
125.0	7.7	1482.1	33.65
128.0	7.7	1482.2	33.66
134.1	7.6	1481.9	33.68
137.2	7.4	1481.1	33.68
143.3	7.5	1481.6	33.70
149.4	7.4	1481.3	33.72
155.4	7.4	1481.4	33.73
158.5	7.3	1481.1	33.74
161.5	7.3	1481.1	33.75
167.6	7.2	1481.0	33.76
173.7	7.3	1481.4	33.77
176.8	7.3	1481.4	33.78
182.9	7.2	1481.3	33.79
189.0	7.1	1481.0	33.81
195.1	7.2	1481.6	33.82
198.1	7.1	1481.2	33.83
204.2	7.1	1481.3	33.83
210.3	7.0	1481.0	33.84
213.4	6.7	1479.9	33.84

PLATFORM- MARYSVIL

POSITION- 44 16N 157 42W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 47

DATE- JUL 27, 1968 TIME- 1500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	12.2	1496.3	33.48
3.0	12.1	1496.0	33.49
9.1	12.0	1495.7	33.51
12.2	12.0	1495.8	33.51
18.3	12.0	1495.9	33.53
21.3	11.9	1495.6	33.54
27.4	11.2	1493.4	33.56
30.5	10.6	1491.3	33.57
33.5	10.3	1490.1	33.57
39.6	10.0	1489.2	33.59
42.7	8.9	1485.2	33.60
48.8	8.0	1481.9	33.62
51.8	7.7	1480.9	33.62
57.9	7.6	1480.6	33.61
61.0	7.6	1480.6	33.61
67.1	7.5	1480.3	33.61
70.1	7.4	1479.9	33.60
76.2	7.2	1479.3	33.60
79.2	7.2	1479.4	33.60
85.3	7.3	1479.7	33.59
88.4	7.6	1481.0	33.59
94.5	7.9	1482.2	33.58
97.5	8.0	1482.7	33.58
103.6	7.9	1482.4	33.59
106.7	7.8	1482.0	33.60
112.8	7.8	1482.1	33.62
115.8	7.6	1481.5	33.62
121.9	7.7	1482.1	33.64
128.0	7.7	1482.2	33.66
131.1	7.7	1482.3	33.67
137.2	7.6	1481.9	33.68
140.2	7.4	1481.1	33.69
146.3	7.4	1481.3	33.71
152.4	7.4	1481.4	33.73
155.4	7.4	1481.4	33.73
161.5	7.3	1481.1	33.75
164.6	7.4	1481.6	33.75
170.7	7.4	1481.7	33.77
176.8	7.4	1481.9	33.78
179.8	7.4	1481.9	33.79
185.9	7.4	1482.0	33.80
192.0	7.3	1481.7	33.81
198.1	7.4	1482.3	33.83
201.2	7.3	1481.9	33.83
207.3	7.3	1482.0	33.84
213.4	7.2	1481.9	33.84
216.4	7.0	1481.1	33.84

PLATFORM- MARYSVIL

POSITION- 44 08N 157 40W

MARSDEN SOLARE 160 ONE DEGREE SQUARE 47

DATE- JUL 27, 1968 TIME- 1700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	12.5	1497.3	33.48
3.0	12.3	1496.6	33.49
9.1	12.3	1496.7	33.51
12.2	12.3	1496.8	33.51
18.3	12.3	1496.9	33.53
21.3	12.2	1496.7	33.54
27.4	12.2	1496.9	33.56
30.5	12.2	1496.9	33.57
33.5	11.8	1495.4	33.57
39.6	11.0	1492.8	33.59
42.7	9.5	1487.4	33.60
46.8	8.8	1484.9	33.62
51.8	8.4	1483.5	33.62
57.9	8.3	1483.1	33.61
61.0	8.3	1483.2	33.61
67.1	8.3	1483.3	33.61
70.1	8.3	1483.3	33.60
76.2	8.2	1483.2	33.60
79.2	8.3	1483.5	33.60
85.3	8.3	1483.5	33.59
88.4	8.3	1483.6	33.59
94.5	8.2	1483.5	33.58
97.5	8.1	1483.1	33.58
103.6	8.0	1482.8	33.59
106.7	7.9	1482.4	33.60
112.8	7.9	1482.5	33.62
115.8	7.8	1482.2	33.62
121.9	7.8	1482.3	33.64
128.0	7.7	1482.2	33.66
131.1	7.7	1482.3	33.67
137.2	7.6	1481.9	33.68
140.2	7.5	1481.6	33.69
146.3	7.6	1482.1	33.71
152.4	7.6	1482.3	33.73
155.4	7.6	1482.3	33.73
161.5	7.5	1482.0	33.75
164.6	7.6	1482.5	33.75
170.7	7.5	1482.2	33.77
176.8	7.5	1482.3	33.78
179.8	7.6	1482.8	33.79
185.9	7.6	1482.9	33.80
192.0	7.5	1482.6	33.81
198.1	7.7	1483.6	33.83
201.2	7.5	1482.8	33.83
207.3	7.6	1483.3	33.84
213.4	7.6	1483.4	33.84
216.4	7.4	1482.6	33.84



PLATFORM- MARYSVIL

POSITION- 44 04N 157 40W

PARDEN SOLARE 160 ONE DEGREE SQUARE 47

DATE- JUL 27, 1968 TIME- 1800

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	12.9	1498.6	33.48
3.0	12.7	1498.1	33.49
9.1	12.7	1498.2	33.51
12.2	12.7	1498.3	33.51
16.3	12.7	1498.4	33.53
21.3	12.7	1498.5	33.54
27.4	12.6	1498.2	33.56
30.5	12.3	1497.1	33.57
33.5	11.6	1494.9	33.57
39.6	10.5	1491.0	33.59
42.7	9.4	1487.0	33.60
48.8	8.8	1484.9	33.62
51.8	8.4	1483.5	33.62
57.9	8.2	1482.9	33.61
61.0	8.2	1483.0	33.61
67.1	8.2	1483.1	33.61
70.1	8.2	1483.1	33.60
76.2	8.2	1483.2	33.60
79.2	8.2	1483.2	33.60
85.3	8.2	1483.3	33.59
88.4	8.2	1483.4	33.59
94.5	8.1	1483.0	33.58
97.5	8.0	1482.7	33.58
103.6	8.0	1482.8	33.59
106.7	8.0	1482.8	33.60
112.8	8.1	1483.4	33.62
115.8	8.1	1483.4	33.62
121.9	8.1	1483.6	33.64
128.0	8.2	1484.1	33.66
131.1	8.3	1484.4	33.67
137.2	8.3	1484.5	33.68
140.2	8.2	1484.4	33.69
146.3	8.3	1484.7	33.71
152.4	8.3	1484.8	33.73
155.4	8.2	1484.7	33.73
161.5	8.2	1484.8	33.75
164.6	8.3	1485.0	33.75
170.7	8.1	1484.5	33.77
176.8	8.2	1485.1	33.78
179.8	8.3	1485.3	33.79
185.9	8.2	1485.2	33.80
192.0	8.1	1484.9	33.81
198.1	8.1	1485.1	33.83
201.2	8.0	1484.7	33.83
207.3	8.0	1484.8	33.84
213.4	8.0	1484.9	33.84
216.4	7.7	1483.9	33.84

PLATFORM- MARYSVIL

POSITION- 43 57N 157 38W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- JUL 27, 1968 TIME- 1900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	13.0	1499.2	33.69
3.0	12.9	1498.9	33.71
9.1	12.9	1499.1	33.75
12.2	12.8	1498.8	33.77
18.3	12.8	1498.9	33.81
21.3	12.8	1499.0	33.84
24.4	12.6	1498.5	33.86
30.5	11.9	1496.2	33.90
33.5	11.5	1494.9	33.92
36.6	10.8	1492.4	33.94
42.7	9.7	1488.8	33.98
45.7	9.2	1487.0	34.00
51.8	8.7	1485.3	34.03
54.9	8.6	1484.9	34.04
61.0	8.6	1485.0	34.05
64.0	8.4	1484.2	34.05
70.1	8.4	1484.3	34.06
73.2	8.3	1484.0	34.06
79.2	8.4	1484.5	34.07
82.3	8.4	1484.5	34.08
86.4	8.5	1485.1	34.08
91.4	8.5	1485.1	34.09
97.5	8.6	1485.7	34.10
100.6	8.7	1486.1	34.10
106.7	8.7	1486.2	34.10
109.7	8.7	1486.3	34.10
115.8	8.5	1485.5	34.09
118.9	8.5	1485.6	34.09
125.0	8.5	1485.7	34.09
131.1	8.5	1485.8	34.09
134.1	8.5	1485.8	34.09
140.2	8.6	1486.3	34.08
146.3	8.7	1486.9	34.08
149.4	8.7	1486.9	34.08
155.4	8.6	1486.6	34.08
158.5	8.5	1486.2	34.07
164.6	8.5	1486.3	34.07
167.6	8.3	1485.5	34.07
173.7	8.2	1485.4	34.06
179.8	8.2	1485.5	34.06
185.9	8.1	1485.2	34.05
189.0	8.0	1484.8	34.05
195.1	8.2	1485.7	34.04
201.2	8.1	1485.4	34.04
204.2	8.2	1485.9	34.04
210.3	8.2	1486.0	34.03
216.4	8.0	1485.2	34.03

PLATFORM= MARYSVIL

POSITION= 43 45N 197 36W

PARDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE= JUL 27, 1968 TIME= 2100

INSTRUMENT TYPE= THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	13.3	1500.2	33.69
3.0	13.1	1499.7	33.71
9.1	13.0	1499.5	33.75
12.2	12.9	1499.2	33.77
16.3	12.9	1499.3	33.81
21.3	12.9	1499.4	33.84
27.4	12.8	1499.2	33.88
30.5	12.7	1499.0	33.90
33.5	12.4	1498.0	33.92
39.6	11.4	1494.7	33.96
42.7	9.5	1487.9	33.98
48.8	8.6	1484.8	34.02
51.8	8.3	1483.6	34.03
57.9	8.2	1483.5	34.04
61.0	8.3	1483.7	34.05
67.1	8.2	1483.6	34.05
70.1	8.3	1483.9	34.06
76.2	8.3	1484.0	34.07
79.2	8.4	1484.5	34.07
85.3	8.4	1484.6	34.08
88.4	8.5	1485.1	34.08
94.5	8.6	1485.6	34.09
97.5	8.5	1485.2	34.10
103.6	8.5	1485.3	34.10
106.7	8.5	1485.4	34.10
112.8	8.5	1485.5	34.09
115.8	8.3	1484.7	34.09
121.9	8.2	1484.6	34.09
128.0	8.2	1484.7	34.09
131.1	8.3	1484.9	34.09
137.2	8.3	1485.0	34.09
140.2	8.2	1484.9	34.08
146.3	8.2	1485.0	34.08
152.4	8.1	1484.6	34.08
155.4	8.1	1484.7	34.08
161.5	8.0	1484.4	34.07
164.6	8.0	1484.4	34.07
170.7	7.8	1483.6	34.06
176.8	7.8	1483.7	34.06
179.8	7.8	1483.8	34.06
185.9	7.8	1483.9	34.05
192.0	7.7	1483.8	34.05
196.1	8.0	1484.9	34.04
201.2	7.9	1484.5	34.04
207.3	8.0	1485.1	34.04
213.4	8.1	1485.6	34.03
216.4	7.9	1484.8	34.03

PLATFORM- MARYSVIL

POSITION- 43 39N 157 35W

PARDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- JUL 27, 1968 TIME- 2200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SQVEL (M/SEC)	SAL (0/00)
0.0	13.2	1500.0	33.69
3.0	13.0	1499.3	33.71
9.1	12.9	1499.1	33.75
12.2	12.8	1498.8	33.77
18.3	12.8	1498.9	33.81
21.3	12.8	1499.0	33.84
27.4	12.8	1499.2	33.88
30.5	12.6	1498.7	33.90
33.5	12.3	1497.6	33.92
39.6	11.4	1494.7	33.96
42.7	10.2	1490.6	33.98
48.8	9.5	1488.1	34.02
51.8	9.1	1486.7	34.03
57.9	8.9	1486.0	34.04
61.0	8.9	1486.0	34.05
67.1	8.7	1485.5	34.05
70.1	8.6	1485.2	34.06
76.2	8.6	1485.3	34.07
79.2	8.6	1485.3	34.07
85.3	8.6	1485.4	34.08
88.4	8.6	1485.5	34.08
94.5	8.7	1486.0	34.09
97.5	8.7	1486.1	34.10
103.6	8.7	1486.2	34.10
106.7	8.8	1486.4	34.10
112.8	8.8	1486.5	34.09
115.8	8.6	1486.0	34.09
121.9	8.6	1486.1	34.09
128.0	8.6	1486.2	34.09
131.1	8.6	1486.2	34.09
137.2	8.6	1486.3	34.09
140.2	8.5	1485.9	34.08
146.3	8.7	1486.9	34.08
152.4	8.6	1486.5	34.08
155.4	8.6	1486.6	34.08
161.5	8.4	1485.8	34.07
164.6	8.4	1485.9	34.07
170.7	8.1	1484.9	34.06
176.8	8.1	1485.0	34.06
179.8	8.0	1484.6	34.06
185.9	6.0	1484.7	34.05
192.0	7.9	1484.4	34.05
198.1	8.1	1485.3	34.04
201.2	8.0	1485.0	34.04
207.3	8.2	1485.9	34.04
213.4	8.2	1486.0	34.03
216.4	8.0	1485.2	34.03

PLATFORM- MARYSVIL

POSITION- 43 33N 157 34W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- JUL 27, 1968 TIME- 2300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	13.1	1499.6	33.69
3.0	13.0	1499.3	33.71
9.1	12.9	1499.1	33.75
12.2	12.8	1498.8	33.77
18.3	12.8	1498.9	33.81
21.3	12.7	1498.8	33.84
27.4	12.7	1499.0	33.88
30.5	12.6	1498.7	33.90
33.5	12.2	1497.4	33.92
39.6	11.5	1495.1	33.96
42.7	10.5	1491.6	33.98
48.8	9.5	1488.1	34.02
51.8	9.0	1486.3	34.03
57.9	8.8	1485.6	34.04
61.0	8.8	1485.6	34.05
67.1	8.7	1485.5	34.05
70.1	8.6	1485.2	34.06
76.2	8.5	1484.9	34.07
79.2	8.6	1485.3	34.07
85.3	8.5	1485.0	34.08
88.4	8.5	1485.1	34.08
94.5	8.6	1485.6	34.09
97.5	8.6	1485.7	34.10
103.6	8.6	1485.8	34.10
106.7	8.5	1485.4	34.10
112.8	8.6	1485.9	34.09
115.8	8.4	1485.1	34.09
121.9	8.4	1485.2	34.09
128.0	8.4	1485.3	34.09
131.1	8.5	1485.8	34.09
137.2	8.6	1486.3	34.09
140.2	8.5	1485.9	34.08
146.3	8.5	1486.0	34.08
152.4	8.3	1485.3	34.08
155.4	8.3	1485.3	34.08
161.5	8.2	1485.2	34.07
164.6	8.2	1485.2	34.07
170.7	8.0	1484.5	34.06
176.8	8.0	1484.6	34.06
179.8	8.0	1484.6	34.06
185.9	8.0	1484.7	34.05
192.0	7.9	1484.4	34.05
198.1	8.2	1485.8	34.04
201.2	8.2	1485.8	34.04
207.3	8.2	1485.9	34.04
213.4	8.2	1486.0	34.03
216.4	8.1	1485.1	34.03

PLATFORM- MARYSVIL

POSITION- 43 23N 157 33W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- JUL 28, 1968 TIME- 0100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	13.2	1500.0	33.69
3.0	13.0	1499.3	33.71
9.1	12.9	1499.1	33.75
12.2	12.7	1498.6	33.77
18.3	12.7	1498.7	33.81
21.3	12.7	1498.8	33.84
24.4	12.6	1498.5	33.86
30.5	12.4	1497.9	33.90
33.5	12.0	1496.7	33.92
36.6	10.9	1492.8	33.94
42.7	9.8	1489.0	33.98
45.7	9.5	1488.0	34.00
51.8	9.2	1487.1	34.03
54.9	9.0	1486.4	34.04
61.0	9.0	1486.5	34.05
64.0	8.9	1486.1	34.05
70.1	8.9	1486.2	34.06
73.2	8.8	1485.9	34.06
79.2	8.9	1486.4	34.07
82.3	8.9	1486.4	34.08
88.4	8.9	1486.5	34.08
91.4	8.9	1486.6	34.09
97.5	8.8	1486.3	34.10
100.6	8.8	1486.3	34.10
106.7	8.8	1486.4	34.10
109.7	8.9	1486.9	34.10
115.8	8.7	1486.4	34.09
118.9	8.7	1486.4	34.09
125.0	8.7	1486.5	34.09
131.1	8.7	1486.6	34.09
134.1	8.7	1486.7	34.09
140.2	8.6	1486.3	34.08
146.3	8.7	1486.9	34.08
149.4	8.6	1486.5	34.08
155.4	8.6	1486.6	34.08
158.5	8.5	1486.2	34.07
164.6	8.5	1486.3	34.07
167.6	8.2	1485.3	34.07
173.7	8.3	1485.6	34.06
179.8	8.3	1485.7	34.06
185.9	8.2	1485.6	34.05
189.0	8.1	1485.2	34.05
195.1	8.3	1485.9	34.04
201.2	8.2	1485.8	34.04
204.2	8.2	1485.9	34.04
210.3	8.2	1486.0	34.03
216.4	8.0	1485.2	34.03

PLATFORM- MARYSVIL

POSITION- 43 18N 157 33W

PARDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- JUL 28, 1968 TIME- 0200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	13.7	1501.6	33.69
3.0	13.5	1501.0	33.71
9.1	13.4	1500.8	33.75
12.2	13.3	1500.5	33.77
18.3	13.2	1500.4	33.81
21.3	13.1	1500.1	33.84
24.4	13.1	1500.2	33.86
30.5	13.0	1500.0	33.90
33.5	12.4	1498.0	33.92
36.6	11.2	1494.0	33.94
42.7	9.9	1489.4	33.98
45.7	9.3	1487.2	34.00
51.8	9.0	1486.3	34.03
54.9	8.8	1485.5	34.04
61.0	8.9	1486.0	34.05
64.0	8.8	1485.7	34.05
67.1	8.8	1485.7	34.05
73.2	8.8	1485.9	34.06
76.2	8.9	1486.3	34.07
82.3	8.9	1486.4	34.08
85.3	8.9	1486.5	34.08
91.4	8.9	1486.6	34.09
94.5	8.9	1486.7	34.09
100.6	8.8	1486.3	34.10
103.6	8.7	1486.2	34.10
109.7	8.8	1486.5	34.10
112.8	8.6	1485.9	34.09
116.9	8.6	1486.0	34.09
125.0	8.7	1486.5	34.09
128.0	8.9	1487.2	34.09
134.1	8.9	1487.3	34.09
137.2	8.8	1486.9	34.09
143.3	8.9	1487.4	34.08
149.4	8.8	1487.1	34.08
155.4	8.8	1487.2	34.08
158.5	8.7	1487.1	34.07
161.5	8.7	1487.1	34.07
167.6	8.5	1486.4	34.07
173.7	8.5	1486.4	34.06
176.8	8.4	1486.1	34.06
182.9	8.3	1485.7	34.05
189.0	8.1	1485.2	34.05
195.1	8.3	1485.9	34.04
198.1	8.3	1486.0	34.04
204.2	8.3	1486.1	34.04
210.3	8.3	1485.2	34.03
213.4	8.1	1485.6	34.03

PLATFORM- MARYSVIL

POSITION- 43 13N 157 34W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- JUL 28, 1968 TIME- 0300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	14.1	1502.9	33.69
3.0	13.9	1502.3	33.71
9.1	13.9	1502.4	33.75
12.2	13.7	1501.9	33.77
18.3	13.6	1501.7	33.81
21.3	13.5	1501.4	33.84
24.4	13.5	1501.5	33.86
30.5	13.5	1501.7	33.90
33.5	13.5	1501.7	33.92
36.6	13.1	1500.5	33.94
42.7	12.0	1496.9	33.98
45.7	11.0	1493.4	34.00
51.8	10.0	1490.0	34.03
54.9	9.5	1488.2	34.04
61.0	9.4	1487.9	34.05
64.0	9.3	1487.6	34.05
70.1	9.2	1487.5	34.06
73.2	9.2	1487.5	34.06
79.2	9.2	1487.6	34.07
82.3	9.2	1487.7	34.08
88.4	9.2	1487.8	34.08
91.4	9.2	1487.8	34.09
97.5	9.2	1488.0	34.10
100.6	9.2	1488.0	34.10
106.7	9.1	1487.7	34.10
109.7	9.2	1488.2	34.10
115.8	9.0	1487.4	34.09
116.9	8.9	1487.1	34.09
125.0	9.0	1487.6	34.09
131.1	9.0	1487.7	34.09
134.1	9.0	1487.7	34.09
140.2	9.0	1487.8	34.08
146.3	9.1	1488.3	34.08
149.4	9.1	1488.4	34.08
155.4	9.1	1488.5	34.08
156.5	9.1	1488.5	34.07
164.6	9.1	1488.6	34.07
167.6	8.9	1487.8	34.07
173.7	8.9	1487.9	34.06
179.8	9.0	1488.4	34.06
185.9	8.9	1488.1	34.05
189.0	8.7	1487.5	34.05
195.1	8.9	1488.2	34.04
201.2	8.8	1487.9	34.04
204.2	8.8	1488.0	34.04
210.3	8.8	1488.1	34.03
216.4	8.6	1485.5	34.03



PLATFORM- MARYSVIL

POSITION- 43 03N 157 34W

PARDEN SQUARE 160 ONE DEGREE SQUARE 37

DATE- JUL 28, 1968 TIME: 0500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	14.0	1502.6	33.69
3.0	13.8	1501.9	33.71
9.1	13.8	1502.0	33.75
12.2	13.7	1501.9	33.77
16.3	13.6	1501.7	33.81
21.3	13.6	1501.8	33.84
27.4	13.5	1501.6	33.88
30.5	13.1	1500.4	33.90
33.5	12.5	1498.4	33.92
39.6	11.5	1495.1	33.96
42.7	10.3	1490.8	33.98
48.8	9.8	1489.1	34.02
51.8	9.4	1487.7	34.03
57.9	9.3	1487.4	34.04
61.0	9.4	1487.9	34.05
67.1	9.3	1487.6	34.05
70.1	9.4	1488.1	34.06
76.2	9.3	1487.8	34.07
79.2	9.4	1488.2	34.07
85.3	9.3	1487.9	34.08
88.4	9.3	1488.0	34.08
94.5	9.3	1488.1	34.09
97.5	9.2	1488.0	34.10
103.6	9.2	1488.1	34.10
106.7	9.1	1487.7	34.10
112.8	9.2	1488.2	34.09
115.8	9.0	1487.4	34.09
121.9	9.0	1487.5	34.09
128.0	9.0	1487.6	34.09
131.1	9.1	1488.1	34.09
137.2	9.1	1488.2	34.09
140.2	9.0	1487.8	34.08
146.3	9.1	1488.3	34.08
152.4	9.1	1488.4	34.08
155.4	9.1	1488.5	34.08
161.5	9.0	1488.1	34.07
164.6	9.0	1488.2	34.07
170.7	8.8	1487.4	34.06
176.8	8.8	1487.5	34.06
179.8	8.8	1487.6	34.06
185.9	8.8	1487.7	34.05
192.0	8.6	1487.1	34.05
198.1	8.8	1487.9	34.04
201.2	8.7	1487.7	34.04
207.3	8.7	1487.8	34.04
213.4	8.7	1487.9	34.03
216.4	8.5	1487.1	34.03

PLATFORM- MARYSVIL

POSITION- 42 58N 157 34W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- JUL 28, 1968 TIME- 0600

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	14.1	1502.9	33.69
3.0	14.0	1502.6	33.71
9.1	14.0	1502.8	33.75
12.2	13.8	1502.1	33.77
16.3	13.7	1502.1	33.81
21.3	13.7	1502.2	33.84
27.4	13.4	1501.2	33.88
30.5	12.7	1499.0	33.90
33.5	11.7	1495.7	33.92
39.6	11.0	1493.3	33.96
42.7	10.5	1491.6	33.98
46.8	10.3	1490.9	34.02
51.8	10.0	1490.0	34.03
57.9	9.8	1489.3	34.04
61.0	9.9	1489.8	34.05
67.1	9.8	1489.5	34.05
70.1	9.7	1489.3	34.06
76.2	9.6	1489.0	34.07
79.2	9.5	1488.7	34.07
85.3	9.4	1488.4	34.08
86.4	9.4	1488.4	34.08
94.5	9.4	1488.5	34.09
97.5	9.4	1488.6	34.10
103.6	9.4	1488.7	34.10
106.7	9.3	1488.3	34.10
112.8	9.2	1488.2	34.09
115.8	9.0	1487.4	34.09
121.9	9.0	1487.5	34.09
128.0	9.1	1488.0	34.09
131.1	9.2	1488.5	34.09
137.2	9.3	1488.8	34.09
140.2	9.3	1488.8	34.08
146.3	9.4	1489.4	34.08
152.4	9.3	1489.0	34.08
155.4	9.2	1488.9	34.08
161.5	9.1	1488.6	34.07
164.6	9.1	1488.6	34.07
170.7	8.8	1487.4	34.06
176.8	8.8	1487.5	34.06
179.8	8.8	1487.6	34.06
185.9	8.8	1487.7	34.05
192.0	8.6	1487.1	34.05
198.1	8.9	1488.3	34.04
201.2	8.7	1487.7	34.04
207.3	8.8	1488.0	34.04
213.4	8.7	1487.9	34.03
216.4	8.5	1487.1	34.03

PLATFORM. MARYSVIL

POSITION. 42 51N 157 35W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE. JUL 28, 1968 TIME=0700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	14.1	1502.9	33.69
3.0	13.9	1502.3	33.71
9.1	13.9	1502.4	33.75
12.2	13.8	1502.1	33.77
18.3	13.7	1502.1	33.81
21.3	13.7	1502.2	33.84
27.4	13.6	1501.9	33.88
30.5	13.3	1500.9	33.90
33.5	12.9	1499.7	33.92
39.6	12.1	1497.2	33.96
42.7	11.2	1494.2	33.98
45.7	10.4	1491.3	34.00
51.8	9.9	1489.6	34.03
54.9	9.8	1489.2	34.04
61.0	9.9	1489.8	34.05
64.0	9.9	1489.8	34.05
70.1	9.8	1489.5	34.06
73.2	9.7	1489.4	34.06
74.2	9.7	1489.5	34.07
82.3	9.7	1489.5	34.08
88.4	9.6	1489.2	34.08
94.5	9.6	1489.3	34.09
97.5	9.5	1489.0	34.10
100.6	9.5	1489.0	34.10
106.7	9.4	1488.7	34.10
109.7	9.4	1488.8	34.10
115.8	9.3	1488.5	34.09
121.9	9.3	1488.6	34.09
125.0	9.3	1488.6	34.09
131.1	9.2	1488.5	34.09
137.2	9.2	1488.6	34.09
140.2	9.2	1488.6	34.08
146.3	7.4	1489.4	34.08
149.4	9.3	1489.0	34.08
155.4	9.3	1489.1	34.08
161.5	9.2	1489.0	34.07
164.6	9.2	1489.0	34.07
170.7	9.0	1488.3	34.06
176.8	9.0	1488.4	34.06
179.8	9.0	1488.4	34.06
185.9	8.9	1488.1	34.05
192.0	8.7	1487.6	34.05
195.1	8.5	1488.2	34.04
201.2	8.8	1487.9	34.04
207.3	8.8	1488.0	34.04
210.3	8.8	1488.1	34.03
216.4	8.6	1487.5	34.03

PLATFORM- MARYSVIL

POSITION- 42 39N 157 38W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- JUL 22, 1968 TIME- 0900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	14.3	1503.5	33.69
3.0	14.1	1503.0	33.71
9.1	14.1	1503.1	33.75
12.2	13.9	1502.5	33.77
18.3	13.8	1502.3	33.81
21.3	13.7	1502.2	33.84
24.4	13.4	1501.1	33.86
30.5	12.3	1497.5	33.90
33.5	11.3	1494.1	33.92
36.6	10.5	1491.4	33.94
42.7	10.3	1490.8	33.98
45.7	10.2	1490.7	34.00
51.8	10.0	1490.0	34.03
54.9	9.9	1489.6	34.04
61.0	10.0	1490.2	34.05
64.0	9.9	1489.8	34.05
70.1	9.9	1489.9	34.06
73.2	9.8	1489.6	34.06
79.2	9.9	1490.1	34.07
82.3	9.8	1489.7	34.08
88.4	9.8	1489.8	34.08
91.4	9.8	1489.9	34.09
97.5	9.8	1490.0	34.10
100.6	9.8	1490.1	34.10
106.7	9.7	1490.0	34.10
109.7	9.8	1490.2	34.10
115.8	9.6	1489.7	34.09
118.9	9.6	1489.7	34.09
125.0	9.6	1489.8	34.09
131.1	9.6	1489.9	34.09
134.1	9.5	1489.6	34.09
140.2	9.4	1489.3	34.08
146.3	9.5	1489.8	34.08
149.4	9.4	1489.4	34.08
155.4	9.4	1489.5	34.08
158.5	9.2	1488.9	34.07
164.6	9.2	1489.0	34.07
167.6	9.0	1488.2	34.07
173.7	9.0	1488.3	34.06
179.8	9.0	1488.4	34.06
185.9	8.8	1487.7	34.05
189.0	8.6	1487.1	34.05
195.1	8.8	1487.8	34.04
201.2	8.6	1487.3	34.04
204.2	8.7	1487.8	34.04
210.3	8.7	1487.8	34.03
216.4	8.4	1486.7	34.03

PLATFORM- MARYSVIL

POSITION- 42 33N 157 40W

PARDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- JUL 28, 1968 TIME- 1000

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SVEL (M/SEC)	SAL (0/00)
0.0	14.6	1504.5	33.69
3.0	14.4	1503.9	33.71
9.1	14.1	1503.1	33.75
12.2	13.8	1502.1	33.77
18.3	13.8	1502.3	33.81
21.3	13.8	1502.3	33.84
27.4	13.6	1501.9	33.88
30.5	13.3	1500.9	33.90
33.5	12.8	1499.3	33.92
39.6	12.2	1497.6	33.96
42.7	11.2	1494.2	33.98
48.8	10.5	1491.7	34.02
51.8	10.1	1490.4	34.03
57.9	10.0	1490.1	34.04
61.0	10.1	1490.6	34.05
67.1	10.0	1490.3	34.05
70.1	10.0	1490.3	34.06
76.2	9.9	1490.0	34.07
79.2	10.0	1490.5	34.07
85.3	10.0	1490.6	34.08
88.4	9.9	1490.2	34.08
94.5	9.9	1490.4	34.09
97.5	9.9	1490.4	34.10
103.6	9.8	1490.1	34.10
106.7	9.8	1490.2	34.10
112.8	9.8	1490.3	34.09
115.8	9.8	1490.3	34.09
121.9	10.0	1491.2	34.09
128.0	9.8	1490.5	34.09
131.1	9.6	1489.9	34.09
137.2	9.4	1489.2	34.09
140.2	9.3	1488.8	34.08
146.3	9.4	1489.4	34.08
152.4	9.3	1489.0	34.08
155.4	9.2	1488.9	34.08
161.5	9.1	1488.6	34.07
164.6	9.1	1488.6	34.07
170.7	8.9	1487.9	34.06
176.8	8.9	1488.0	34.06
179.8	8.9	1488.0	34.06
185.9	8.9	1488.1	34.05
192.0	8.7	1487.6	34.05
196.1	8.9	1488.3	34.04
201.2	8.7	1487.7	34.04
207.3	8.8	1488.0	34.04
213.4	8.8	1488.1	34.03
216.4	8.5	1487.1	34.03

PLATFORM- MARYSVIL

POSITION- 42 27N 157 41W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- JUL 28, 1968 TIME-1100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	LEVEL (M/SEC)	SAL (0/00)
0.0	14.5	1504.2	33.09
3.0	14.3	1503.5	33.71
9.1	14.3	1503.7	33.75
12.2	14.0	1502.9	33.77
16.3	13.9	1502.6	33.81
21.3	13.8	1502.3	33.84
27.4	13.7	1502.3	33.88
30.5	13.4	1501.3	33.90
33.5	13.2	1500.8	33.92
39.6	12.7	1499.3	33.96
42.7	12.2	1497.6	33.98
46.8	11.1	1493.9	34.02
51.8	10.4	1491.4	34.03
57.9	10.1	1490.5	34.04
61.0	10.2	1491.0	34.05
67.1	10.2	1491.1	34.05
70.1	10.2	1491.1	34.06
76.2	10.1	1490.8	34.07
79.2	10.1	1490.9	34.07
85.3	10.0	1490.6	34.08
86.4	9.9	1490.2	34.08
94.5	9.9	1490.4	34.09
97.5	9.8	1490.0	34.10
103.6	9.8	1490.1	34.10
106.7	9.7	1490.0	34.10
112.8	9.8	1490.3	34.09
115.8	9.7	1490.1	34.09
121.9	9.7	1490.2	34.09
128.0	9.6	1489.9	34.09
131.1	9.6	1489.9	34.09
137.2	9.5	1489.6	34.09
140.2	9.4	1489.3	34.08
146.3	9.4	1489.4	34.08
152.4	9.3	1489.0	34.08
155.4	9.3	1489.1	34.08
161.5	9.1	1488.6	34.07
164.6	9.2	1489.0	34.07
170.7	9.0	1488.3	34.06
176.8	9.0	1488.4	34.06
179.8	9.0	1488.4	34.06
185.9	9.0	1488.5	34.05
192.0	8.8	1487.8	34.05
196.1	9.0	1488.7	34.04
201.2	8.8	1487.9	34.04
207.3	8.9	1483.4	34.04
213.4	8.9	1488.5	34.03
216.4	8.6	1487.5	34.03

PLATFORM- MARYSVIL

POSITION- 42 15N 157 42W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- JUL 28, 1968 TIME- 1300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	14.6	1504.5	33.69
3.0	14.4	1503.9	33.71
9.1	14.4	1504.0	33.75
12.2	14.1	1503.2	33.77
18.3	14.0	1503.0	33.81
21.3	14.0	1503.1	33.84
27.4	13.9	1502.9	33.88
30.5	13.7	1502.4	33.90
33.5	13.4	1501.4	33.92
37.6	12.9	1499.8	33.96
42.7	12.1	1497.3	33.98
45.7	11.2	1494.2	34.00
51.8	10.4	1491.4	34.03
54.9	10.0	1490.0	34.04
61.0	10.1	1490.6	34.05
64.0	10.0	1490.2	34.05
70.1	10.0	1490.3	34.06
73.2	9.9	1490.0	34.06
76.2	9.9	1490.1	34.07
82.3	9.9	1490.1	34.08
86.4	9.9	1490.2	34.08
94.5	9.9	1490.4	34.09
97.5	9.9	1490.4	34.10
100.6	9.9	1490.5	34.10
106.7	9.8	1490.2	34.10
109.7	9.8	1490.2	34.10
115.8	9.7	1490.1	34.09
121.9	9.7	1490.2	34.09
125.0	9.7	1490.2	34.09
131.1	9.7	1490.3	34.09
137.2	9.6	1490.0	34.09
140.2	9.5	1489.7	34.08
146.3	9.5	1489.8	34.08
149.4	9.4	1489.4	34.08
155.4	9.4	1489.5	34.08
161.5	9.3	1489.2	34.07
164.6	9.3	1489.2	34.07
170.7	9.2	1489.1	34.06
176.8	9.2	1489.2	34.06
179.8	9.1	1488.8	34.06
185.9	9.0	1488.5	34.05
192.0	8.9	1488.2	34.05
195.1	9.0	1488.7	34.04
201.2	8.9	1488.3	34.04
207.3	8.9	1488.4	34.04
210.3	8.9	1488.5	34.03
216.4	8.7	1487.9	34.03

PLATFORM- MARYSVIL

POSITION- 42 09N 157 43W

PARDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE- JUL 28, 1968 TIME- 1400

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	14.7	1504.9	33.69
3.0	14.5	1504.3	33.71
9.1	14.4	1504.0	33.75
12.2	14.1	1503.2	33.77
16.3	14.1	1503.4	33.81
21.3	14.0	1503.1	33.84
24.4	14.0	1503.2	33.86
30.5	13.7	1502.4	33.90
33.5	13.4	1501.4	33.92
36.6	12.9	1499.8	33.94
42.7	12.2	1497.6	33.98
45.7	11.2	1494.2	34.00
51.8	10.3	1491.0	34.03
54.9	10.0	1490.0	34.04
61.0	10.0	1490.2	34.05
64.0	9.9	1489.8	34.05
67.1	9.8	1489.5	34.05
73.2	9.8	1489.6	34.06
76.2	9.8	1489.6	34.07
82.3	9.7	1489.5	34.08
85.3	9.7	1489.6	34.08
91.4	9.7	1489.7	34.09
94.5	9.6	1489.3	34.09
100.6	9.6	1489.4	34.10
103.6	9.6	1489.5	34.10
109.7	9.7	1490.0	34.10
112.8	9.6	1489.6	34.09
118.9	9.6	1489.7	34.09
125.0	9.6	1489.8	34.09
128.0	9.6	1489.9	34.09
134.1	9.5	1489.6	34.09
137.2	9.4	1489.2	34.09
143.3	9.4	1489.3	34.08
149.4	9.4	1489.4	34.08
155.4	9.4	1489.5	34.08
156.5	9.2	1488.9	34.07
161.5	9.2	1489.0	34.07
167.6	9.1	1488.6	34.07
173.7	9.1	1488.7	34.06
176.8	9.0	1488.4	34.06
182.9	8.9	1488.1	34.05
189.0	8.7	1487.5	34.05
195.1	8.9	1488.2	34.04
198.1	8.8	1487.9	34.04
204.2	8.8	1488.0	34.04
210.3	8.8	1488.1	34.03
213.4	8.5	1487.1	34.03



PLATFORM. MARYSVIL

POSITION. 42 03N 157 43W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 27

DATE. JUL 28, 1968 TIME. 1500

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	14.8	1505.1	33.69
3.0	14.6	1504.6	33.71
9.1	14.3	1503.7	33.75
12.2	14.1	1503.2	33.77
16.3	14.1	1503.4	33.81
21.3	14.0	1503.1	33.84
24.4	14.0	1503.2	33.86
30.5	13.7	1502.4	33.90
33.5	13.5	1501.7	33.92
36.6	12.7	1499.2	33.94
42.7	11.4	1494.7	33.98
45.7	10.5	1491.7	34.00
51.8	10.0	1490.0	34.03
54.9	10.0	1490.0	34.04
61.0	10.0	1490.2	34.05
64.0	10.0	1490.2	34.05
70.1	10.0	1490.3	34.06
73.2	9.9	1490.0	34.06
76.2	10.0	1490.5	34.07
82.3	9.9	1490.1	34.08
88.4	10.0	1490.7	34.08
91.4	10.0	1490.7	34.09
97.5	9.9	1490.4	34.10
100.6	9.9	1490.5	34.10
106.7	9.9	1490.6	34.10
109.7	10.0	1491.0	34.10
115.8	9.9	1490.7	34.09
118.9	9.9	1490.8	34.09
125.0	10.0	1491.3	34.09
131.1	9.9	1491.0	34.09
134.1	9.7	1490.4	34.09
140.2	9.6	1490.1	34.08
146.3	9.6	1490.2	34.08
149.4	9.5	1489.8	34.08
155.4	9.4	1489.5	34.08
158.5	9.3	1489.1	34.07
164.6	9.3	1489.2	34.07
167.6	9.1	1488.6	34.07
173.7	9.1	1488.7	34.06
179.8	9.0	1488.4	34.06
185.9	8.9	1488.1	34.05
189.0	8.6	1487.1	34.05
195.1	8.8	1487.8	34.04
201.2	8.7	1487.7	34.04
204.2	8.7	1487.8	34.04
210.3	8.7	1487.8	34.03
216.4	8.5	1487.1	34.03

PLATFORM. HARVSVIL

POSITION. 41 51N 157 40W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 17

DATE. JUL 28, 1968 TIME. 1700

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SEVEL (M/SEC)	SAL (0/00)
0.0	14.7	1505.0	33.79
3.0	14.7	1505.1	33.79
9.1	14.6	1504.8	33.79
12.2	14.3	1503.8	33.79
18.3	14.3	1503.9	33.80
21.3	14.2	1503.8	33.80
27.4	13.9	1502.8	33.80
30.5	13.5	1501.5	33.80
33.5	13.3	1500.8	33.80
39.6	13.0	1500.0	33.81
42.7	12.1	1497.0	33.81
48.8	11.4	1494.6	33.81
51.8	10.8	1492.5	33.81
57.9	10.6	1492.0	33.81
61.0	10.6	1492.1	33.82
67.1	10.4	1491.4	33.82
70.1	10.3	1491.0	33.82
76.2	10.2	1490.9	33.83
79.2	10.2	1491.0	33.83
85.3	10.1	1490.7	33.83
88.4	10.1	1490.7	33.83
94.5	10.1	1490.8	33.84
97.5	10.1	1490.9	33.84
103.6	10.1	1491.0	33.84
106.7	10.0	1490.6	33.84
112.8	10.0	1490.7	33.85
115.8	9.9	1490.4	33.85
121.9	9.8	1490.1	33.85
128.0	9.7	1490.0	33.85
131.1	9.7	1490.0	33.85
137.2	9.6	1489.7	33.85
140.2	9.5	1489.4	33.86
146.3	9.5	1489.5	33.86
152.4	9.4	1489.2	33.86
155.4	9.4	1489.2	33.87
161.5	9.3	1488.9	33.88
164.6	9.3	1489.0	33.89
170.7	9.1	1488.5	33.90
176.8	9.1	1488.6	33.91
179.8	9.1	1488.7	33.91
185.9	8.9	1487.9	33.92
192.0	8.7	1487.4	33.94
198.1	8.9	1488.2	33.95
201.2	8.7	1487.6	33.95
207.3	8.8	1487.9	33.95
213.4	8.8	1488.0	33.96
216.4	8.5	1487.0	33.96

PLATFORM- MARYSVIL

POSITION- 41 45N 157 44W

PARDEN SQUARE 160 ONE DEGREE SQUARE 17

DATE- JUL 28, 1968 TIME- 1800

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SQVEL (M/SEC)	SAL (0/00)
0.0	14.8	1505.2	33.79
3.0	14.8	1505.2	33.79
9.1	14.5	1504.5	33.79
12.2	14.3	1503.8	33.79
18.3	14.2	1503.7	33.80
21.3	14.1	1503.4	33.80
24.4	13.8	1502.4	33.80
30.5	13.5	1501.5	33.80
33.5	13.1	1500.3	33.80
36.6	12.3	1497.5	33.80
42.7	11.5	1494.9	33.81
45.7	11.0	1493.2	33.81
51.8	10.3	1490.7	33.81
54.9	10.0	1489.8	33.81
61.0	10.1	1490.3	33.82
64.0	10.0	1489.9	33.82
70.1	10.1	1490.4	33.82
73.2	10.0	1490.1	33.82
79.2	10.1	1490.6	33.83
82.3	10.0	1490.2	33.83
86.4	10.0	1490.3	33.83
91.4	10.1	1490.8	33.83
97.5	10.1	1490.9	33.84
100.6	10.1	1490.9	33.84
106.7	10.0	1490.6	33.84
109.7	10.1	1491.1	33.84
115.8	10.0	1490.8	33.85
116.9	10.1	1491.3	33.85
125.0	10.0	1491.0	33.85
131.1	10.0	1491.1	33.85
134.1	9.9	1490.7	33.85
137.2	9.7	1490.1	33.85
146.3	9.7	1490.3	33.86
149.4	9.6	1489.9	33.86
155.4	9.5	1489.6	33.87
158.5	9.3	1488.9	33.88
164.6	9.3	1489.0	33.89
167.6	9.2	1488.8	33.89
173.7	9.1	1488.5	33.90
179.8	9.1	1488.7	33.91
185.9	9.0	1488.4	33.92
189.0	8.7	1487	33.93
195.1	9.0	1487	33.94
201.2	8.8	1487.8	33.95
204.2	8.8	1487.9	33.95
210.3	8.8	1488.0	33.96
216.4	8.6	1487.4	33.96

PLATFORM- MARYSVIL

POSITION- 41 30N 157 45W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 17

DATE- JUL 28, 1968 TIME-1900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	15.1	1506.3	33.79
3.0	15.1	1506.3	33.79
9.1	14.7	1505.2	33.79
12.2	14.4	1504.1	33.79
18.3	14.4	1504.2	33.80
21.3	14.3	1503.9	33.80
27.4	13.9	1502.8	33.80
30.5	13.1	1500.2	33.80
33.5	12.3	1497.5	33.80
39.6	11.3	1494.1	33.81
42.7	10.6	1491.8	33.81
45.7	10.4	1491.0	33.81
51.8	10.1	1490.1	33.81
54.9	10.0	1489.8	33.81
61.0	10.1	1490.3	33.82
64.0	10.1	1490.3	33.82
70.1	10.0	1490.0	33.82
73.2	9.9	1489.7	33.82
79.2	9.9	1489.8	33.83
82.3	9.9	1489.8	33.83
88.4	9.8	1489.5	33.83
94.5	9.8	1489.6	33.84
97.5	9.8	1489.7	33.84
100.6	9.8	1489.7	33.84
106.7	9.8	1489.8	33.84
109.7	9.8	1489.9	33.84
115.8	9.7	1489.8	33.85
121.9	9.7	1489.9	33.85
125.0	9.7	1489.9	33.85
131.1	9.7	1490.0	33.85
137.2	9.6	1489.7	33.85
140.2	9.5	1489.4	33.86
146.3	9.5	1489.5	33.86
149.4	9.4	1489.1	33.86
155.4	9.4	1489.2	33.87
161.5	9.3	1488.9	33.88
164.6	9.3	1489.0	33.89
170.7	9.1	1488.5	33.90
176.8	9.1	1488.6	33.91
179.8	9.1	1488.7	33.91
185.9	9.0	1488.4	33.92
192.0	8.8	1487.6	33.94
195.1	9.0	1488.5	33.94
201.2	8.8	1487.8	33.95
207.3	8.9	1488.3	33.95
210.3	8.9	1488.4	33.96
216.4	8.6	1487.4	33.96

PLATFORM- MARYSVIL

POSITION- 41 24N 157 47W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 17

DATE- JUL 28, 1968 TIME- 2100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	15.6	1507.8	33.79
3.0	15.5	1507.5	33.79
9.1	15.4	1507.3	33.79
12.2	15.1	1506.5	33.79
18.3	15.0	1506.2	33.80
21.3	14.8	1505.6	33.80
27.4	14.4	1504.4	33.80
30.5	14.1	1503.5	33.80
33.5	13.6	1502.0	33.80
39.6	12.7	1499.1	33.81
42.7	11.7	1495.7	33.81
48.8	10.9	1492.9	33.81
51.8	10.4	1491.1	33.81
57.9	10.2	1490.6	33.81
61.0	10.3	1490.9	33.82
67.1	10.3	1491.0	33.82
70.1	10.3	1491.0	33.82
76.2	10.2	1490.9	33.83
79.2	10.2	1491.0	33.83
85.3	10.1	1490.7	33.83
88.4	10.0	1490.3	33.83
94.5	10.0	1490.4	33.84
97.5	9.9	1490.1	33.84
103.6	9.9	1490.2	33.84
106.7	9.8	1489.8	33.84
112.8	10.0	1490.7	33.85
115.8	9.9	1490.4	33.85
121.9	9.9	1490.5	33.85
126.0	9.8	1490.2	33.85
131.1	9.7	1490.0	33.85
137.2	9.7	1490.1	33.85
140.2	9.6	1489.8	33.86
146.3	9.7	1490.3	33.86
152.4	9.6	1490.0	33.86
155.4	9.6	1490.0	33.87
161.5	9.5	1489.8	33.88
164.6	9.5	1489.8	33.89
170.7	9.3	1489.1	33.90
176.8	9.2	1489.0	33.91
179.8	9.2	1489.1	33.91
185.9	9.1	1488.8	33.92
192.0	8.9	1488.0	33.94
196.1	9.2	1489.4	33.95
201.2	9.0	1488.6	33.95
207.3	9.0	1488.7	33.95
213.4	9.0	1488.8	33.96
216.4	8.8	1488.1	33.96

PLATFORM. MARYSVIL

POSITION. 41 17N 157 48W

MARSDEN SOLAR 160 ONE DEGREE SQUARE 17

DATE. JUL 28, 1968 TIME. 2200

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	15.8	1508.3	33.79
3.0	15.5	1507.5	33.79
9.1	15.4	1507.3	33.79
12.2	15.2	1506.8	33.79
18.3	15.1	1506.6	33.80
21.3	14.9	1505.9	33.80
27.4	14.5	1504.8	33.80
30.5	14.1	1503.5	33.80
33.5	13.8	1502.5	33.80
36.6	13.3	1501.0	33.81
42.7	12.7	1499.1	33.81
48.8	12.3	1497.7	33.81
51.8	11.6	1495.5	33.81
57.9	10.9	1493.0	33.81
61.0	10.6	1492.1	33.82
67.1	10.3	1491.0	33.82
70.1	10.2	1490.8	33.82
76.2	10.0	1490.1	33.83
79.2	10.0	1490.2	33.83
85.3	9.9	1489.9	33.83
88.4	9.9	1489.9	33.83
94.5	9.9	1490.0	33.84
97.5	9.8	1489.7	33.84
103.6	9.8	1489.8	33.84
106.7	9.7	1489.6	33.84
112.8	9.8	1489.9	33.85
115.8	9.7	1489.8	33.85
121.9	9.7	1489.9	33.85
126.0	9.7	1490.0	33.85
131.1	9.7	1490.0	33.85
137.2	9.6	1489.7	33.85
140.2	9.6	1489.8	33.86
146.3	9.6	1489.9	33.86
152.4	9.5	1489.6	33.86
155.4	9.5	1489.6	33.87
161.5	9.3	1488.9	33.88
164.6	9.3	1489.0	33.89
170.7	9.2	1488.9	33.90
176.8	9.1	1488.6	33.91
179.8	9.1	1488.7	33.91
185.9	9.0	1488.4	33.92
192.0	8.7	1487.4	33.94
198.1	9.0	1488.6	33.95
201.2	8.8	1487.8	33.95
207.3	8.9	1488.3	33.95
213.4	8.9	1488.4	33.96
216.4	8.7	1487.8	33.96

PLATFORM- MARYSVIL

POSITION- 41 00N 157 45W

PARDEN SOLARE 160 ONE DEGREE. WARE 17

DATE- JUL 29, 1968 TIME- 0100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	16.5	1910.6	33.79
3.0	15.8	1908.4	33.79
9.1	15.5	1907.6	33.79
12.2	15.2	1906.8	33.79
18.3	15.1	1906.6	33.80
21.3	14.9	1905.9	33.80
24.4	14.5	1904.7	33.80
30.5	14.1	1903.5	33.80
33.5	13.5	1901.6	33.80
36.6	12.7	1499.0	33.80
42.7	11.9	1496.3	33.81
45.7	11.3	1494.2	33.81
51.8	10.8	1492.5	33.81
54.9	10.5	1491.6	33.81
61.0	10.5	1491.7	33.82
64.0	10.5	1491.7	33.82
67.1	10.4	1491.4	33.82
73.2	10.3	1491.1	33.82
76.2	10.4	1491.5	33.83
82.3	10.3	1491.2	33.83
85.3	10.3	1491.3	33.83
91.4	10.4	1491.8	33.83
94.5	10.3	1491.4	33.84
100.6	10.3	1491.6	33.84
103.6	10.2	1491.4	33.84
109.7	10.2	1491.5	33.84
112.8	10.1	1491.2	33.85
118.9	10.2	1491.7	33.85
125.0	10.1	1491.4	33.85
128.0	10.2	1491.8	33.85
134.1	10.1	1491.5	33.85
137.2	10.0	1491.2	33.85
143.3	10.0	1491.3	33.86
149.4	9.9	1491.0	33.86
155.4	9.8	1490.7	33.87
158.5	9.7	1490.5	33.88

PLATFORM. MARYSVIL

POSITION. 40 58N 157 43W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE. JUL 29, 1968 TIME. 0200

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	16.5	1510.6	33.79
3.0	15.9	1508.7	33.79
6.1	15.4	1507.3	33.79
12.2	15.3	1507.0	33.79
18.3	15.0	1506.2	33.80
21.3	14.6	1505.0	33.80
24.4	14.3	1504.0	33.80
30.5	13.4	1501.2	33.80
33.5	13.1	1500.3	33.80
36.6	12.3	1497.5	33.80
42.7	11.5	1494.9	33.81
45.7	11.1	1493.6	33.81
51.8	10.7	1492.3	33.81
54.9	10.6	1492.0	33.81
61.0	10.6	1492.1	33.82
64.0	10.6	1492.1	33.82
70.1	10.5	1491.8	33.82
73.2	10.4	1491.5	33.82
79.2	10.5	1492.0	33.83
82.3	10.4	1491.6	33.83
88.4	10.4	1491.7	33.83
91.4	10.4	1491.8	33.83
97.5	10.3	1491.5	33.84
100.6	10.3	1491.6	33.84
106.7	10.2	1491.5	33.84
109.7	10.2	1491.5	33.84
115.8	10.1	1491.2	33.85
118.9	10.1	1491.3	33.85
125.0	10.1	1491.4	33.85
131.1	10.1	1491.5	33.85
134.1	10.1	1491.5	33.85
140.2	10.0	1491.2	33.86
146.3	10.0	1491.3	33.86
149.4	9.9	1491.0	33.86
155.4	9.9	1491.1	33.87
158.5	9.8	1490.7	33.88
164.6	9.8	1490.8	33.89
167.6	9.6	1490.3	33.89
173.7	9.6	1490.4	33.90
179.8	9.5	1490.1	33.91
185.9	9.4	1489.8	33.92
189.0	9.2	1489.2	33.93
195.1	9.4	1490.0	33.94
201.2	9.3	1489.7	33.95
204.2	9.3	1489.7	33.95
210.3	9.3	1489.8	33.96
216.4	9.0	1488.9	33.96



PLATFORM- MARYSVIL

POSITION- 40 51N 197 37W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- JUL 29, 1968 TIME- 0500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	17.2	1512.7	33.79
3.0	16.9	1511.8	33.79
9.1	16.4	1510.4	33.79
12.2	15.9	1508.9	33.79
18.3	15.8	1508.7	33.80
21.3	15.4	1507.5	33.80
27.4	14.9	1506.0	33.80
30.5	14.5	1504.8	33.80
33.5	14.1	1503.6	33.80
39.6	13.2	1500.8	33.81
42.7	12.1	1497.0	33.81
48.8	11.6	1495.4	33.81
51.8	11.2	1494.1	33.81
57.9	11.1	1493.8	33.81
61.0	11.2	1494.3	33.82
67.1	11.1	1494.0	33.82
70.1	11.0	1493.6	33.82
76.2	10.8	1492.9	33.83
79.2	10.9	1493.4	33.83
85.3	10.8	1493.1	33.83
88.4	10.8	1493.1	33.83
94.5	10.8	1493.2	33.84
97.5	10.8	1493.3	33.84
103.6	10.8	1493.4	33.84
106.7	10.8	1493.5	33.84
112.8	10.8	1493.6	33.85
115.8	10.7	1493.4	33.85
121.9	10.7	1493.5	33.85
126.0	10.6	1493.2	33.85
131.1	10.5	1492.9	33.85
137.2	10.5	1493.0	33.85
140.2	10.3	1492.2	33.86
146.3	10.3	1492.3	33.86
152.4	10.3	1492.4	33.86
155.4	10.3	1492.5	33.87
161.5	10.1	1492.0	33.88
164.6	10.2	1492.5	33.89
170.7	10.0	1491.8	33.90
176.8	9.9	1491.5	33.91
179.8	9.9	1491.5	33.91
185.9	9.7	1491.0	33.92
192.0	9.5	1490.3	33.94
198.1	9.6	1490.8	33.95
201.2	9.5	1490.5	33.95
207.3	9.5	1490.6	33.95
213.4	9.4	1490.3	33.96
216.4	9.2	1489.7	33.96

PLATFORM- MARYSVIL

POSITION- 40 49N 157 39W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- JUL 29, 1968 TIME- 0600

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	17.0	1512.1	33.79
3.0	17.0	1512.1	33.79
9.1	16.4	1510.4	33.79
12.2	16.0	1509.2	33.79
16.3	15.8	1508.7	33.80
21.3	15.6	1508.2	33.80
27.4	15.3	1507.2	33.80
30.5	14.6	1505.2	33.80
33.5	14.2	1504.0	33.80
39.6	13.7	1502.4	33.81
42.7	13.0	1500.1	33.81
48.8	12.6	1498.9	33.81
51.8	11.9	1496.4	33.81
57.9	11.4	1494.8	33.81
61.0	11.3	1494.4	33.82
67.1	11.1	1494.0	33.82
70.1	11.0	1493.6	33.82
76.2	10.8	1492.9	33.83
79.2	10.8	1493.0	33.83
85.3	10.8	1493.1	33.83
88.4	10.7	1492.9	33.83
94.5	10.7	1493.0	33.84
97.5	10.7	1493.1	33.84
103.6	10.7	1493.2	33.84
106.7	10.6	1492.9	33.84
112.8	10.7	1493.4	33.85
115.8	10.6	1493.0	33.85
121.9	10.6	1493.1	33.85
128.0	10.7	1493.6	33.85
131.1	10.7	1493.7	33.85
137.2	10.6	1493.4	33.85
140.2	10.5	1493.0	33.86
146.3	10.5	1493.1	33.86
152.4	10.4	1492.8	33.86
155.4	10.3	1492.5	33.87
161.5	10.2	1492.4	33.88
164.6	10.2	1492.5	33.89
170.7	10.1	1492.2	33.90
176.8	10.0	1491.9	33.91
179.8	10.0	1491.9	33.91
185.9	9.8	1491.2	33.92
192.0	9.6	1490.7	33.94
198.1	9.8	1491.5	33.95
201.2	9.6	1490.9	33.95
207.3	9.6	1491.0	33.95
213.4	9.6	1491.1	33.96
216.4	9.3	1489.9	33.96

PLATFORM- MARYSVIL

POSITION- 40 41N 157 37W

PARDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- JUL 29, 1968 TIME- 0700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	17.3	1512.9	33.79
3.0	17.1	1512.5	33.79
9.1	16.6	1511.1	33.79
12.2	16.1	1509.6	33.79
18.3	16.0	1509.3	33.80
21.3	15.6	1508.2	33.80
27.4	15.0	1506.4	33.80
30.5	14.6	1505.2	33.80
33.5	14.4	1504.5	33.80
39.6	14.0	1503.3	33.81
42.7	13.3	1501.0	33.81
48.8	12.6	1498.9	33.81
51.8	11.8	1496.0	33.81
57.9	11.2	1494.2	33.81
61.0	11.0	1493.5	33.82
67.1	10.9	1493.2	33.82
70.1	10.9	1493.2	33.82
76.2	10.7	1492.7	33.83
79.2	10.8	1493.0	33.83
85.3	10.8	1493.1	33.83
88.4	10.8	1493.1	33.83
94.5	10.8	1493.2	33.84
97.5	10.7	1493.1	33.84
103.6	10.7	1493.2	33.84
106.7	10.7	1493.3	33.84
112.8	10.8	1493.6	33.85
115.8	10.7	1493.4	33.85
121.9	10.8	1493.7	33.85
128.0	10.8	1493.8	33.85
131.1	10.8	1493.9	33.85
137.2	10.8	1494.0	33.85
140.2	10.8	1494.0	33.86
146.3	10.9	1494.5	33.86
152.4	10.9	1494.6	33.86
155.4	10.8	1494.3	33.87
161.5	10.6	1493.8	33.88
164.6	10.7	1494.3	33.89
170.7	10.5	1493.6	33.90
176.8	10.5	1493.7	33.91
179.8	10.5	1493.7	33.91
185.9	10.3	1493.1	33.92
192.0	10.1	1492.6	33.94
198.1	10.3	1493.3	33.95
201.2	10.1	1492.7	33.95
207.3	10.1	1492.8	33.95
213.4	10.1	1492.9	33.96
216.4	9.8	1491.8	33.96

PLATFORM- MARYSVIL

POSITION- 40 27N 157 39W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- JUL 29, 1968 TIME- 0900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	16.9	1511.8	33.79
3.0	16.7	1511.3	33.79
9.1	16.3	1510.0	33.79
12.2	15.9	1508.9	33.79
18.3	15.6	1508.1	33.80
21.3	14.9	1505.9	33.80
27.4	14.3	1504.0	33.80
30.5	13.4	1501.2	33.80
33.5	12.7	1499.0	33.80
39.6	12.1	1497.0	33.81
42.7	11.5	1494.9	33.81
48.8	11.2	1494.0	33.81
51.8	10.8	1492.5	33.81
57.9	10.5	1491.6	33.81
61.0	10.5	1491.7	33.82
67.1	10.4	1491.4	33.82
70.1	10.3	1491.0	33.82
76.2	10.2	1490.9	33.83
79.2	10.3	1491.2	33.83
85.3	10.3	1491.3	33.83
88.4	10.4	1491.7	33.83
94.5	10.5	1492.2	33.84
97.5	10.5	1492.3	33.84
103.6	10.5	1492.4	33.84
106.7	10.5	1492.5	33.84
112.8	10.5	1492.6	33.85
115.8	10.3	1491.8	33.85
121.9	10.4	1492.3	33.85
128.0	10.4	1492.4	33.85
131.1	10.3	1492.1	33.85
137.2	10.4	1492.6	33.85
140.2	10.4	1492.6	33.86
146.3	10.5	1493.1	33.86
152.4	10.5	1493.2	33.86
155.4	10.6	1493.7	33.87
161.5	10.4	1493.0	33.88
164.6	10.4	1493.1	33.89
170.7	10.2	1492.6	33.90
176.8	10.2	1492.7	33.91
179.8	10.3	1492.9	33.91
185.9	10.2	1492.9	33.92
192.0	9.9	1491.8	33.94
198.1	10.1	1492.7	33.95
201.2	9.9	1491.9	33.95
207.3	9.9	1492.0	33.95
213.4	9.9	1492.1	33.96
216.4	9.6	1491.2	33.96

PLATFORM. MARYSVIL

POSITION. 40 20N 157 40W

PARDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE. JUL 29, 1968 TIME. 1000

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SEVEL (M/SEC)	SAL (0/00)
0.0	17.0	1512.1	33.79
3.0	16.8	1511.5	33.79
9.1	16.4	1510.4	33.79
12.2	15.9	1508.9	33.79
18.3	15.3	1507.8	33.80
21.3	14.8	1505.6	33.80
27.4	14.2	1503.9	33.80
30.5	13.4	1501.2	33.80
33.5	12.9	1499.5	33.80
39.6	12.2	1497.4	33.81
42.7	11.6	1495.3	33.81
48.8	11.3	1494.2	33.81
51.8	10.9	1492.9	33.81
57.9	10.6	1492.0	33.81
61.0	10.6	1492.1	33.82
67.1	10.5	1491.8	33.82
70.1	10.4	1491.4	33.82
76.2	10.3	1491.1	33.83
79.2	10.4	1491.6	33.83
85.3	10.4	1491.7	33.83
88.4	10.4	1491.7	33.83
94.5	10.5	1492.2	33.84
97.5	10.6	1492.7	33.84
103.6	10.6	1492.8	33.84
106.7	10.6	1492.9	33.84
112.8	10.7	1493.4	33.85
118.9	10.6	1493.1	33.85
121.9	10.6	1493.1	33.85
128.0	10.6	1493.2	33.85
131.1	10.6	1493.3	33.85
137.2	10.7	1493.8	33.85
140.2	10.6	1493.4	33.86
146.3	10.7	1493.9	33.86
152.4	10.7	1494.0	33.86
155.4	10.7	1494.1	33.87
161.5	10.5	1493.4	33.88
167.6	10.5	1493.5	33.89
170.7	10.4	1493.2	33.90
176.8	10.4	1493.3	33.91
182.9	10.4	1493.4	33.92
189.9	10.2	1492.9	33.92
192.0	10.0	1492.2	33.94
198.1	10.2	1493.1	33.95
204.2	10.0	1492.4	33.95
207.3	10.0	1492.4	33.95
213.4	10.0	1492.5	33.96
219.5	9.7	1491.6	33.96

PLATFORM- MARYSVIL

POSITION- 40 13N 157 41W

PARDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- JUL 29, 1968 TIME- 1100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	17.0	1512.1	33.79
3.0	16.8	1511.5	33.79
9.1	16.6	1511.1	33.79
12.2	16.3	1510.1	33.79
18.3	16.0	1509.3	33.80
21.3	15.6	1508.2	33.80
27.4	15.0	1506.4	33.80
30.5	14.3	1504.1	33.80
33.5	13.7	1502.3	33.80
39.6	13.0	1500.0	33.81
42.7	12.2	1497.4	33.81
45.7	11.8	1495.9	33.81
51.8	11.3	1494.3	33.81
54.9	11.0	1493.4	33.81
61.0	10.9	1493.1	33.82
64.0	10.7	1492.5	33.82
70.1	10.6	1492.2	33.82
73.2	10.4	1491.5	33.82
79.2	10.4	1491.6	33.83
82.3	10.4	1491.5	33.83
88.4	10.4	1491.7	33.83
94.5	10.5	1492.2	33.84
97.5	10.5	1492.3	33.84
100.6	10.6	1492.2	33.84
106.7	10.7	1493.3	33.84
109.7	10.6	1492.9	33.84
115.8	10.6	1493.0	33.85
121.9	10.6	1493.1	33.85
125.0	10.6	1493.2	33.85
131.1	10.6	1493.3	33.85
137.2	10.6	1493.4	33.85
140.2	10.5	1493.0	33.86
146.3	10.7	1493.9	33.86
149.4	10.7	1494.0	33.86
155.4	10.8	1494.3	33.87
161.5	10.7	1494.2	33.88
164.6	10.7	1494.3	33.89
170.7	10.5	1493.6	33.90
176.8	10.5	1493.7	33.91
179.8	10.5	1493.7	33.91
185.9	10.4	1493.5	33.92
192.0	10.2	1493.0	33.94
195.1	10.3	1493.2	33.94
201.2	10.2	1493.1	33.95
207.3	10.2	1493.2	33.95
210.3	10.1	1492.9	33.96
216.4	9.9	1492.2	33.96

PLATFORM- MARYSVIL

POSITION- 40 02N 157 43W

PARDEN SQUARE 160 ONE DEGREE SQUARE 7

DATE- JUL 29, 1968 TIME- 1300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	17.0	1512.1	33.79
3.0	16.6	1511.0	33.79
9.1	16.3	1510.0	33.79
12.2	16.0	1509.2	33.79
18.3	15.7	1508.5	33.80
21.3	15.1	1506.6	33.80
24.4	14.6	1505.1	33.80
30.5	14.2	1503.9	33.80
33.5	14.0	1503.2	33.80
36.6	13.5	1501.6	33.80
42.7	12.5	1498.4	33.81
45.7	12.1	1497.1	33.81
51.8	11.5	1495.1	33.81
54.9	11.0	1493.4	33.81
61.0	10.9	1493.1	33.82
64.0	10.7	1492.5	33.82
70.1	10.6	1492.2	33.82
73.2	10.5	1491.9	33.82
79.2	10.5	1492.0	33.83
82.3	10.5	1492.0	33.83
88.4	10.5	1492.1	33.83
91.4	10.5	1492.2	33.83
97.5	10.5	1492.3	33.84
100.6	10.6	1492.8	33.84
106.7	10.6	1492.9	33.84
109.7	10.7	1493.3	33.84
115.8	10.6	1493.0	33.85
118.9	10.5	1492.7	33.85
125.0	10.5	1492.8	33.85
131.1	10.5	1492.9	33.85
134.1	10.5	1492.9	33.85
140.2	10.4	1492.6	33.86
146.3	10.6	1493.5	33.86
149.4	10.6	1493.6	33.86
155.4	10.6	1493.7	33.87
156.5	10.5	1493.3	33.88
164.6	10.6	1493.9	33.89
167.6	10.5	1493.5	33.89
173.7	10.5	1493.6	33.90
179.8	10.5	1493.7	33.91
185.9	10.3	1493.1	33.92
189.0	10.1	1492.5	33.93
195.1	10.3	1493.2	33.94
201.2	10.1	1492.7	33.95
204.2	10.1	1492.8	33.95
210.3	10.0	1492.5	33.96
216.4	9.7	1491.6	33.96

PLATFORM. MARYSVIL

POSITION. 39 58N 157 44W

PARDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE. JUL 29, 1968 TIME=1400

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	17.0	1512.5	34.11
3.0	16.8	1511.9	34.11
9.1	16.3	1510.4	34.12
12.2	16.0	1509.6	34.12
18.3	15.6	1508.5	34.12
21.3	15.0	1506.7	34.12
27.4	14.6	1505.5	34.13
30.5	14.2	1504.3	34.13
33.5	13.8	1502.9	34.13
39.6	13.2	1501.2	34.13
42.7	12.2	1497.8	34.14
45.7	11.7	1496.2	34.14
51.8	11.1	1494.1	34.14
54.9	10.8	1493.0	34.14
61.0	10.8	1493.1	34.15
64.0	10.6	1492.6	34.15
70.1	10.5	1492.3	34.16
73.2	10.4	1491.9	34.16
79.2	10.5	1492.4	34.16
82.3	10.5	1492.5	34.17
88.4	10.5	1492.6	34.17
94.5	10.6	1493.1	34.18
97.5	10.6	1493.1	34.18
100.6	10.7	1493.6	34.18
106.7	10.6	1493.3	34.18
109.7	10.7	1493.7	34.17
115.8	10.5	1493.0	34.17
121.9	10.6	1493.5	34.17
125.0	10.5	1493.2	34.17
131.1	10.5	1493.3	34.16
137.2	10.5	1493.4	34.16
140.2	10.4	1493.0	34.16
146.3	10.6	1493.9	34.15
149.4	10.6	1493.9	34.15
155.4	10.6	1494.0	34.15
161.5	10.4	1493.3	34.14
164.6	10.5	1493.8	34.14
170.7	10.3	1493.1	34.14
176.8	10.3	1493.2	34.13
179.8	10.2	1493.0	34.13
185.9	10.0	1492.3	34.13
192.0	9.8	1491.6	34.12
195.1	10.0	1492.4	34.12
201.2	9.8	1491.7	34.12
207.3	9.8	1491.8	34.12
210.3	9.7	1491.7	34.12
216.4	9.5	1491.0	34.12



PLATFORM. HARYSVIL

POSITION. 39 54N 157 45W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE. JUL 29, 1968 TIME. 1500

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SSEVEL (M/SEC)	SAL (0/00)
0.0	17.0	1512.5	34.11
3.0	16.8	1511.9	34.11
9.1	16.4	1510.8	34.12
12.2	15.9	1509.3	34.12
18.3	15.3	1507.5	34.12
21.3	14.8	1505.9	34.12
24.4	14.5	1505.1	34.12
30.5	14.2	1504.3	34.13
33.5	13.7	1502.7	34.13
36.6	13.0	1500.4	34.13
42.7	12.2	1497.8	34.14
45.7	11.7	1496.2	34.14
51.8	11.1	1494.1	34.14
54.9	10.8	1493.0	34.14
61.0	10.8	1493.1	34.15
64.0	10.6	1492.6	34.15
70.1	10.6	1492.7	34.16
73.2	10.5	1492.3	34.16
79.2	10.6	1492.8	34.16
82.3	10.6	1492.9	34.17
86.4	10.9	1494.0	34.17
91.4	10.5	1492.6	34.17
97.5	10.5	1492.7	34.18
100.6	10.5	1492.5	34.18
106.7	10.4	1492.5	34.18
109.7	10.5	1492.9	34.17
115.8	10.3	1492.2	34.17
118.9	10.3	1492.3	34.17
125.0	10.3	1492.4	34.17
131.1	10.3	1492.5	34.16
134.1	10.3	1492.5	34.16
140.2	10.3	1492.6	34.16
146.3	10.5	1493.5	34.15
149.4	10.5	1493.5	34.15
155.4	10.5	1493.6	34.15
158.5	10.2	1492.7	34.14
164.6	10.2	1492.8	34.14
167.6	10.0	1492.0	34.14
173.7	10.0	1492.1	34.14
179.8	10.0	1492.2	34.13
185.9	9.9	1491.9	34.13
189.0	9.7	1491.3	34.13
195.1	9.9	1492.0	34.12
201.2	9.7	1491.5	34.12
204.2	9.7	1491.6	34.12
210.3	9.7	1491.7	34.12
216.4	9.4	1490.5	34.12

PLATFORM. MARYSVIL

POSITION. 39 46N 157 47W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE. JUL 29, 1968 TIME. 1700

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	16.8	1511.8	34.11
3.0	16.5	1511.0	34.11
9.1	16.2	1510.3	34.12
12.2	15.7	1508.8	34.12
18.3	15.2	1507.3	34.12
21.3	14.7	1505.8	34.12
24.4	14.4	1504.8	34.12
30.5	14.0	1503.6	34.13
33.5	13.7	1502.7	34.13
36.6	13.1	1500.8	34.13
42.7	12.3	1498.0	34.14
45.7	11.7	1496.2	34.14
51.8	11.0	1493.7	34.14
54.9	10.6	1492.4	34.14
61.0	10.7	1492.9	34.15
64.0	10.5	1492.2	34.15
70.1	10.4	1491.9	34.16
73.2	10.3	1491.5	34.16
79.2	10.4	1492.0	34.16
82.3	10.3	1491.7	34.17
88.4	10.3	1491.8	34.17
91.4	10.2	1491.6	34.17
97.5	10.2	1491.7	34.18
100.6	10.2	1491.8	34.18
106.7	10.2	1491.9	34.18
109.7	10.2	1491.9	34.17
115.8	10.1	1491.6	34.17
118.9	10.2	1492.1	34.17
125.0	10.2	1492.2	34.17
131.1	10.2	1492.3	34.16
134.1	10.2	1492.3	34.16
140.2	10.1	1492.0	34.16
146.3	10.1	1492.1	34.15
149.4	10.1	1492.1	34.15
155.4	10.1	1492.2	34.15
158.5	9.9	1491.5	34.14
164.6	10.0	1492.0	34.14
167.6	9.9	1491.6	34.14
173.7	9.9	1491.7	34.14
179.8	9.9	1491.8	34.13
185.9	9.8	1491.5	34.13
189.0	9.7	1491.3	34.13
195.1	9.7	1491.4	34.12
201.2	9.5	1490.7	34.12
204.2	9.6	1491.2	34.12
210.3	9.5	1490.9	34.12
216.4	9.3	1490.1	34.12

PLATFORM: MARYSVIL

POSITION: 39 42N 157 48W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE: JUL 29, 1968 TIME: 1800

INSTRUMENT TYPE: THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	16.9	1512.1	34.11
3.0	16.6	1511.3	34.11
9.1	16.2	1510.3	34.12
12.2	15.6	1508.4	34.12
18.3	15.1	1507.0	34.12
21.3	14.3	1504.3	34.12
27.4	13.9	1503.2	34.13
30.5	13.6	1502.3	34.13
33.5	13.2	1501.1	34.13
39.6	12.4	1498.4	34.13
42.7	11.3	1494.6	34.14
45.7	11.0	1493.6	34.14
51.8	10.5	1491.9	34.14
54.9	10.3	1491.2	34.14
61.0	10.4	1491.7	34.15
64.0	10.3	1491.4	34.15
70.1	10.4	1491.9	34.16
73.2	10.3	1491.5	34.16
79.2	10.4	1492.0	34.16
82.3	10.3	1491.7	34.17
88.4	10.3	1491.8	34.17
94.5	10.2	1491.7	34.18
97.5	10.2	1491.7	34.18
100.6	10.2	1491.8	34.18
106.7	10.2	1491.9	34.18
109.7	10.3	1492.1	34.17
115.8	10.2	1492.0	34.17
121.9	10.2	1492.1	34.17
125.0	10.2	1492.2	34.17
131.1	10.2	1492.3	34.16
137.2	10.2	1492.4	34.16
140.2	10.1	1492.0	34.16
146.3	10.1	1492.1	34.15
149.4	10.0	1491.7	34.15
155.4	10.0	1491.8	34.15
161.5	9.8	1491.1	34.14
164.6	9.9	1491.6	34.14
170.7	9.8	1491.3	34.14
176.8	9.8	1491.4	34.13
179.8	9.8	1491.4	34.13
185.9	9.7	1491.3	34.13
192.0	9.5	1490.6	34.12
195.1	9.7	1491.4	34.12
201.2	9.5	1490.7	34.12
207.3	9.6	1491.2	34.12
210.3	9.5	1490.9	34.12
216.4	9.2	1498.9	34.12

PLATFORM- HARYSVIL

POSITION- 39 37N 157 48W

PARDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE- JUL 29, 1968 TIME- 1900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	17.3	1513.3	34.11
3.0	17.1	1512.9	34.11
9.1	16.7	1511.8	34.12
12.2	16.2	1510.3	34.12
18.3	15.4	1507.8	34.12
21.3	14.7	1505.8	34.12
24.4	14.3	1504.4	34.12
30.9	14.1	1504.0	34.13
33.9	13.7	1502.7	34.13
36.6	12.7	1499.4	34.13
42.7	11.6	1495.7	34.14
45.7	11.3	1494.6	34.14
51.8	10.7	1492.7	34.14
54.9	10.5	1492.0	34.14
61.0	10.5	1492.1	34.15
64.0	10.5	1492.2	34.15
70.1	10.5	1492.3	34.16
73.2	10.4	1491.9	34.16
79.2	10.9	1492.4	34.16
82.3	10.4	1492.1	34.17
88.4	10.4	1492.2	34.17
91.4	10.4	1492.2	34.17
97.5	10.3	1491.9	34.18
100.6	10.4	1492.4	34.18
106.7	10.4	1492.5	34.18
109.7	10.4	1492.5	34.17
115.8	10.3	1492.2	34.17
118.9	10.4	1492.7	34.17
125.0	10.4	1492.8	34.17
131.1	10.5	1493.3	34.16
134.1	10.5	1493.3	34.16
140.2	10.4	1493.0	34.16
146.3	10.4	1493.1	34.15
149.4	10.3	1492.7	34.15
155.4	10.2	1492.6	34.15
158.5	10.0	1491.9	34.14
164.6	10.2	1492.8	34.14
167.6	10.0	1492.0	34.14
173.7	10.0	1492.1	34.14
179.8	9.9	1491.8	34.13
183.9	9.8	1491.5	34.13
189.0	9.6	1490.9	34.13
195.1	9.8	1491.6	34.12
201.2	9.6	1491.1	34.12
204.2	9.6	1491.2	34.12
210.3	9.6	1491.3	34.12
216.4	9.3	1490.1	34.12

PLATFORM: MARYSVIL

POSITION: 39 27N 157 49W

PARDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE: JUL 29, 1968 TIME: 2100

INSTRUMENT TYPE: THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SVEL (M/SEC)	SAL (0/00)
0.0	18.0	1515.4	34.11
3.0	17.7	1514.7	34.11
9.1	17.3	1513.5	34.12
12.2	17.0	1512.7	34.12
18.3	16.6	1511.6	34.12
21.3	15.8	1509.1	34.12
24.4	15.2	1507.4	34.12
30.5	14.7	1505.9	34.13
33.5	14.4	1504.9	34.13
36.6	13.9	1503.3	34.13
42.7	13.2	1501.2	34.14
45.7	13.0	1500.5	34.14
51.8	12.3	1498.2	34.14
54.9	12.0	1497.3	34.14
61.0	11.9	1497.0	34.15
64.0	11.7	1496.5	34.15
67.1	11.6	1496.1	34.15
73.2	11.4	1495.5	34.16
76.2	11.5	1495.9	34.16
82.3	11.3	1495.2	34.17
85.3	11.3	1495.3	34.17
91.4	11.4	1495.8	34.17
94.5	11.4	1495.8	34.18
100.6	11.4	1495.9	34.18
103.6	11.3	1495.6	34.18
109.7	11.4	1496.1	34.17
112.8	11.2	1495.5	34.17
118.9	11.3	1495.8	34.17
125.0	11.3	1495.9	34.17
129.0	11.2	1495.8	34.16
134.1	11.2	1495.9	34.16
137.2	11.1	1495.5	34.16
143.3	11.1	1495.6	34.15
149.4	11.1	1495.7	34.15
155.4	11.1	1495.8	34.15
158.5	10.8	1494.7	34.14
161.5	10.9	1495.1	34.14
167.6	10.7	1494.6	34.14
173.7	10.7	1494.7	34.14
176.8	10.6	1494.4	34.13
182.9	10.5	1494.1	34.13
189.0	10.3	1493.2	34.13
195.1	10.2	1493.9	34.12
198.1	10.2	1493.3	34.12
204.2	10.3	1493.6	34.12
210.3	10.2	1493.5	34.12
213.4	9.9	1492.3	34.12

PLATFORM- MARYSVIL

POSITION- 39 22N 157 49W

PASCEN SOLARE 124 ONE DEGREE SQUARE 97

DATE- JUL 29, 1968 TIME- 2200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	18.2	1516.1	34.11
3.0	17.7	1514.7	34.11
9.1	17.3	1513.5	34.12
12.2	16.9	1512.3	34.12
18.3	16.4	1510.9	34.12
21.3	15.6	1508.6	34.12
24.4	14.9	1506.4	34.12
30.5	14.5	1505.2	34.13
33.5	14.1	1504.0	34.13
36.6	13.7	1502.8	34.13
42.7	13.0	1500.5	34.14
45.7	12.7	1499.6	34.14
51.8	12.3	1498.2	34.14
54.9	12.1	1497.7	34.14
61.0	12.1	1497.8	34.15
64.0	11.9	1497.1	34.15
70.1	11.7	1496.6	34.16
73.2	11.5	1495.9	34.16
79.2	11.5	1496.0	34.16
82.3	11.4	1495.6	34.17
88.4	11.4	1495.7	34.17
91.4	11.4	1495.8	34.17
97.5	11.4	1495.9	34.18
100.6	11.4	1495.9	34.18
106.7	11.4	1496.0	34.18
109.7	11.4	1496.1	34.17
115.8	11.4	1496.2	34.17
118.9	11.4	1496.2	34.17
125.0	11.3	1495.9	34.17
131.1	11.3	1496.0	34.16
134.1	11.2	1495.9	34.16
140.2	11.1	1495.6	34.16
146.3	11.2	1496.1	34.15
149.4	11.1	1495.7	34.15
155.4	11.1	1495.8	34.15
158.5	10.8	1494.7	34.14
164.6	10.9	1495.2	34.14
167.6	10.7	1494.6	34.14
173.7	10.7	1494.7	34.14
179.8	10.6	1494.4	34.13
185.9	10.5	1494.1	34.13
189.0	10.2	1493.2	34.13
195.1	10.4	1493.9	34.12
201.2	10.2	1493.4	34.12
204.2	10.2	1493.4	34.12
210.3	10.2	1493.5	34.12
216.4	9.9	1492.4	34.12

PLATFORM. MARYSVIL

POSITION. 39 17N 157 50W

PARDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE. JUL 29, 1968 TIME. 2300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	18.6	1517.2	34.11
3.0	17.9	1515.2	34.11
9.1	17.3	1513.5	34.12
12.2	16.9	1512.3	34.12
18.3	16.3	1510.6	34.12
21.3	15.7	1508.9	34.12
24.4	15.1	1507.1	34.12
30.5	14.8	1506.1	34.13
33.5	14.5	1505.3	34.13
36.6	13.9	1503.3	34.13
42.7	13.3	1501.4	34.14
45.7	12.9	1500.2	34.14
48.8	12.2	1497.9	34.14
54.9	11.9	1496.9	34.14
57.9	11.8	1496.6	34.15
64.0	11.7	1496.5	34.15
67.1	11.5	1495.8	34.15
73.2	11.4	1495.5	34.16
76.2	11.4	1495.5	34.16
82.3	11.3	1495.2	34.17
85.3	11.3	1495.3	34.17
91.4	11.4	1495.8	34.17
94.5	11.3	1495.5	34.18
100.6	11.3	1495.6	34.18
103.6	11.3	1495.6	34.18
109.7	11.3	1495.7	34.17
112.8	11.2	1495.5	34.17
118.9	11.2	1495.6	34.17
121.9	11.2	1495.7	34.17
128.0	11.2	1495.8	34.16
134.1	11.1	1495.5	34.16
137.2	11.0	1495.1	34.16
143.3	11.0	1495.2	34.15
149.4	11.0	1495.3	34.15
152.4	10.9	1495.0	34.15
158.5	10.7	1494.5	34.14
161.5	10.8	1494.7	34.14
167.6	10.6	1494.2	34.14
173.7	10.6	1494.3	34.14
176.8	10.5	1494.0	34.13
182.9	10.4	1493.7	34.13
189.0	10.1	1492.8	34.13
192.0	10.3	1493.4	34.12
198.1	10.1	1492.9	34.12
204.2	10.1	1493.0	34.12
207.4	10.1	1493.0	34.12
213.4	9.8	1491.9	34.12

PLATFORM- MARYSVIL

POSITION- 39 06N 157 30W

PARDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE- JUL 30, 1968 TIME- 0100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	19.0	1518.3	34.11
3.0	18.5	1516.9	34.11
9.1	18.0	1515.6	34.12
12.2	17.3	1513.5	34.12
18.3	16.8	1512.1	34.12
21.3	16.1	1510.1	34.12
24.4	15.9	1508.3	34.12
30.5	15.2	1507.5	34.13
33.5	15.0	1506.9	34.13
36.6	14.5	1505.3	34.13
42.7	13.7	1502.9	34.14
45.7	13.4	1501.8	34.14
51.8	12.7	1499.7	34.14
54.9	12.0	1497.3	34.14
61.0	11.8	1496.6	34.15
64.0	11.6	1496.1	34.15
67.1	11.5	1495.8	34.15
73.2	11.3	1495.1	34.16
76.2	11.3	1495.1	34.16
82.3	11.2	1495.0	34.17
85.3	11.2	1495.1	34.17
91.4	11.2	1495.2	34.17
94.5	11.2	1495.3	34.18
100.6	11.2	1495.4	34.18
103.6	11.2	1495.4	34.18
109.7	11.3	1495.7	34.17
112.8	11.1	1495.2	34.17
118.9	11.1	1495.3	34.17
125.0	11.1	1495.3	34.17
128.0	11.1	1495.4	34.16
134.1	11.1	1495.5	34.16
137.2	11.0	1495.1	34.16
143.3	11.1	1495.6	34.15
149.4	11.0	1495.3	34.15
155.4	11.0	1495.4	34.15
158.5	10.8	1494.7	34.14
161.5	10.9	1495.1	34.14
167.6	10.7	1494.6	34.14
173.7	10.7	1494.7	34.14
176.8	10.6	1494.4	34.13
182.9	10.5	1494.1	34.13
189.0	10.2	1493.2	34.13
195.1	10.4	1493.9	34.12
198.1	10.2	1493.3	34.12
204.2	10.2	1493.4	34.12
210.3	10.2	1493.5	34.12
213.4	9.9	1492.3	34.12



PLATFORM- MARYSVIL

POSITION- 38 59N 137 50W

PASCEN SQUARE 124 ONE DEGREE SQUARE 87

DATE- JUL 30, 1968 TIME-0200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	19.3	1519.1	34.11
3.0	18.7	1517.6	34.11
9.1	18.3	1516.4	34.12
12.2	17.8	1515.0	34.12
18.3	16.9	1512.4	34.12
21.3	16.3	1510.6	34.12
24.4	15.9	1509.5	34.12
30.5	15.5	1508.4	34.13
33.5	15.1	1507.2	34.13
36.6	14.6	1505.7	34.13
42.7	13.8	1503.1	34.14
45.7	13.5	1502.2	34.14
51.8	12.9	1500.3	34.14
54.9	12.5	1499.0	34.14
61.0	12.4	1498.7	34.15
64.0	12.1	1497.8	34.15
67.1	12.0	1497.5	34.15
73.2	11.8	1496.8	34.16
76.2	11.6	1496.3	34.16
82.3	11.6	1496.4	34.17
85.3	11.5	1496.1	34.17
91.4	11.5	1496.2	34.17
94.5	11.5	1496.2	34.18
100.6	11.5	1496.3	34.18
103.6	11.4	1496.0	34.18
109.7	11.5	1496.5	34.17
112.8	11.3	1495.7	34.17
118.9	11.3	1495.8	34.17
125.0	11.3	1495.9	34.17
128.0	11.2	1495.8	34.16
134.1	11.1	1495.5	34.16
137.2	11.0	1495.1	34.16
143.3	11.1	1495.6	34.15
149.4	11.0	1495.3	34.15
155.4	11.0	1495.4	34.15
156.5	10.7	1494.5	34.14
161.5	10.9	1495.1	34.14
167.6	10.7	1494.6	34.14
173.7	10.7	1494.7	34.14
176.8	10.6	1494.4	34.13
182.9	10.5	1494.1	34.13
189.0	10.4	1493.8	34.13
195.1	10.4	1493.9	34.12
198.1	10.2	1493.3	34.12
204.2	10.2	1493.4	34.12
210.3	10.1	1493.1	34.12
213.4	9.8	1491.9	34.12

PLATFORM. MARYSVIL

POSITION. 38 53N 157 50W

PARDEN SQUARE 124 ONE DEGREE SQUARE 87

DATE- JUL 30, 1968 TIME-0300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	19.4	1519.4	34.11
3.0	18.7	1517.6	34.11
9.1	18.3	1516.4	34.12
12.2	17.8	1515.0	34.12
15.2	16.8	1512.1	34.12
21.3	16.4	1511.0	34.12
24.4	16.0	1509.8	34.12
30.5	15.6	1508.7	34.13
33.5	15.2	1507.6	34.13
36.6	14.8	1506.2	34.13
39.6	14.1	1504.1	34.13
45.7	13.8	1503.1	34.14
48.8	13.2	1501.3	34.14
54.9	12.9	1500.3	34.14
57.9	12.7	1499.8	34.15
61.0	12.5	1499.1	34.15
67.1	12.4	1498.2	34.15
70.1	12.1	1497.9	34.16
76.2	12.1	1498.0	34.16
79.2	12.0	1497.7	34.16
85.3	12.0	1497.8	34.17
88.4	11.9	1497.5	34.17
94.5	11.8	1497.2	34.18
97.5	11.8	1497.3	34.18
100.6	11.7	1497.1	34.18
106.7	11.7	1497.2	34.18
112.8	11.5	1496.5	34.17
115.8	11.5	1496.6	34.17
121.9	11.4	1496.3	34.17
125.0	11.3	1495.9	34.17
131.1	11.2	1495.8	34.16
134.1	11.1	1495.5	34.16
140.2	11.1	1495.6	34.16
146.3	11.0	1495.3	34.15
152.4	11.0	1495.4	34.15
155.4	10.8	1494.6	34.15
161.5	10.9	1495.1	34.14
164.6	10.7	1494.6	34.14
170.7	10.7	1494.7	34.14
176.8	10.7	1494.8	34.13
179.8	10.6	1494.4	34.13
185.9	10.3	1493.3	34.13
192.0	10.5	1494.2	34.12
195.1	10.4	1493.9	34.12
201.2	10.4	1494.0	34.12
207.3	10.3	1493.7	34.12
210.3	10.0	1492.7	34.12

PLATFORM- MARYSVIL

POSITION- 38 41N 157 50W

PARDEN SQUARE 124 ONE DEGREE SQUARE 87

DATE- JUL 30, 1968 TIME- 0500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	19.6	1520.0	34.11
3.0	18.9	1518.0	34.11
9.1	18.5	1517.0	34.12
12.2	18.2	1516.3	34.12
15.2	17.6	1514.5	34.12
21.3	16.5	1511.3	34.12
24.4	16.1	1510.2	34.12
30.5	15.9	1509.6	34.13
33.5	15.8	1509.3	34.13
36.6	15.2	1507.6	34.13
42.7	14.3	1504.7	34.14
45.7	14.1	1504.2	34.14
48.8	13.4	1501.9	34.14
54.9	12.9	1500.3	34.14
57.9	12.7	1499.8	34.15
64.0	12.5	1499.2	34.15
67.1	12.6	1499.6	34.15
73.2	12.5	1499.3	34.16
76.2	12.4	1499.0	34.16
82.3	12.3	1498.7	34.17
85.3	12.2	1498.6	34.17
91.4	12.1	1498.3	34.17
94.5	11.9	1497.6	34.18
97.5	11.8	1497.3	34.18
103.6	11.7	1497.2	34.18
106.7	11.6	1496.8	34.18
112.8	11.4	1496.1	34.17
115.8	11.5	1496.6	34.17
121.9	11.4	1496.3	34.17
128.0	11.4	1496.4	34.16
131.1	11.3	1496.0	34.16
137.2	11.2	1495.9	34.16
143.3	11.3	1496.2	34.15
146.3	11.2	1496.1	34.15
152.4	11.2	1496.2	34.15
155.4	11.0	1495.4	34.15
161.5	11.1	1495.9	34.14
164.6	10.9	1495.2	34.14
170.7	10.9	1495.3	34.14
176.8	10.8	1495.0	34.13
182.9	10.7	1494.9	34.13
185.9	10.5	1494.1	34.13
192.0	10.7	1495.0	34.12
198.1	10.5	1494.3	34.12
201.2	10.4	1494.0	34.12
207.3	10.4	1494.1	34.12
213.4	10.1	1493.1	34.12

PLATFORM. MARYSVIL

POSITION. 38 34N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 87

DATE. JUL 30, 1968 TIME= 0600

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	19.8	1520.5	34.11
3.0	19.1	1518.7	34.11
9.1	18.7	1517.7	34.12
12.2	18.3	1516.4	34.12
18.3	17.6	1514.6	34.12
21.3	16.4	1511.0	34.12
24.4	16.2	1510.5	34.12
30.5	15.9	1509.6	34.13
33.5	15.6	1508.8	34.13
36.6	14.9	1506.6	34.13
42.7	14.1	1504.2	34.14
45.7	13.9	1503.5	34.14
48.8	13.4	1501.9	34.14
54.9	13.1	1501.1	34.14
57.9	12.9	1500.4	34.15
64.0	12.7	1499.9	34.15
67.1	12.5	1499.2	34.15
73.2	12.3	1498.6	34.16
76.2	12.3	1498.6	34.16
82.3	12.1	1498.1	34.17
85.3	12.0	1497.8	34.17
91.4	11.9	1497.5	34.17
94.5	11.8	1497.2	34.18
100.6	11.8	1497.3	34.18
103.6	11.7	1497.2	34.18
109.7	11.6	1496.9	34.17
112.8	11.5	1496.5	34.17
116.9	11.5	1496.6	34.17
121.9	11.5	1496.7	34.17
126.0	11.4	1496.4	34.16
134.1	11.4	1496.5	34.16
138.2	11.3	1496.1	34.16
143.3	11.3	1496.2	34.15
149.4	11.3	1496.3	34.15
152.4	11.2	1496.2	34.15
158.5	10.9	1495.1	34.14
161.5	11.1	1495.9	34.14
167.6	10.9	1495.2	34.14
173.7	10.9	1495.3	34.14
176.8	10.9	1495.4	34.13
182.9	10.7	1494.9	34.13
189.0	10.5	1494.2	34.13
192.0	10.7	1495.0	34.12
198.1	10.5	1494.3	34.12
204.2	10.5	1494.4	34.12
207.3	10.4	1494.1	34.12
213.4	10.1	1493.1	34.12

PLATFORM- MARYSVIL

POSITION- 38 30N 157 50W

PARDEN SOLARE 124 ONE DEGREE SQUARE 87

DATE- JUL 30, 1968 TIME-0700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	20.0	1521.1	34.11
3.0	19.3	1519.1	34.11
9.1	18.6	1517.3	34.12
12.2	18.3	1516.4	34.12
18.3	17.4	1513.9	34.12
21.3	16.5	1511.3	34.12
24.4	16.2	1510.5	34.12
30.5	15.8	1509.3	34.13
33.5	15.4	1508.1	34.13
36.6	14.9	1506.6	34.13
42.7	14.1	1504.2	34.14
45.7	13.8	1503.1	34.14
48.8	13.1	1501.0	34.14
54.9	12.9	1500.3	34.14
57.9	13.0	1500.7	34.15
64.0	12.8	1500.1	34.15
67.1	12.7	1500.0	34.15
73.2	12.5	1499.3	34.16
76.2	12.5	1499.4	34.16
82.3	12.3	1498.7	34.17
85.3	12.3	1498.8	34.17
91.4	12.2	1498.7	34.17
94.5	12.1	1498.4	34.18
100.6	12.1	1498.5	34.18
103.6	12.0	1498.1	34.18
109.7	12.0	1498.2	34.17
112.8	11.9	1497.9	34.17
118.9	11.9	1498.0	34.17
121.9	11.8	1497.6	34.17
128.0	11.7	1497.5	34.16
134.1	11.6	1497.2	34.16
137.2	11.5	1496.9	34.16
143.3	11.5	1497.0	34.15
149.4	11.5	1497.1	34.15
152.4	11.4	1496.8	34.15
158.5	11.2	1496.3	34.14
161.5	11.4	1496.9	34.14
167.6	11.2	1496.4	34.14
173.7	11.1	1496.1	34.14
176.8	11.1	1496.2	34.13
182.9	10.9	1495.5	34.13
189.0	10.7	1495.0	34.13
192.0	10.9	1495.6	34.12
198.1	10.7	1495.1	34.12
204.2	10.7	1495.2	34.12
207.3	10.6	1494.9	34.12
213.4	10.3	1493.8	34.12

PLATFORM- MARYSV.

POSITION- 38 20N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 87

DATE- JUL 30, 1968 TIME- 0900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	20.2	1521.7	34.11
3.0	19.4	1519.4	34.11
9.1	18.5	1517.0	34.12
12.2	18.3	1516.4	34.12
18.3	17.9	1515.4	34.12
21.3	16.9	1512.5	34.12
24.4	16.3	1510.7	34.12
30.5	16.0	1509.9	34.13
33.5	15.5	1508.4	34.13
36.6	14.8	1506.2	34.13
42.7	14.1	1504.2	34.14
45.7	14.0	1503.8	34.14
51.8	13.5	1502.3	34.14
54.9	13.2	1501.4	34.14
61.0	13.2	1501.5	34.15
64.0	12.9	1500.5	34.15
70.1	12.7	1500.0	34.16
73.2	12.5	1499.3	34.16
79.2	12.4	1499.0	34.16
82.3	12.3	1498.7	34.17
86.4	12.1	1498.2	34.17
91.4	12.1	1498.3	34.17
97.5	12.0	1498.0	34.18
100.6	12.0	1498.1	34.18
106.7	11.9	1497.8	34.18
109.7	11.9	1497.8	34.17
115.8	11.8	1497.5	34.17
116.9	11.8	1497.6	34.17
125.0	11.7	1497.5	34.17
131.1	11.7	1497.6	34.16
134.1	11.6	1497.2	34.16
140.2	11.5	1497.0	34.16
146.3	11.5	1497.0	34.15
149.4	11.5	1497.1	34.15
155.4	11.5	1497.2	34.15
156.5	11.3	1496.5	34.14
164.6	11.4	1496.9	34.14
167.6	11.3	1496.6	34.14
173.7	11.3	1496.7	34.14
179.8	11.3	1496.8	34.13
185.9	11.2	1496.7	34.13
189.0	10.9	1495.6	34.13
195.1	11.1	1496.4	34.12
201.2	10.9	1495.7	34.12
204.2	10.9	1495.8	34.12
210.3	10.9	1495.9	34.12
216.4	10.6	1495.0	34.12

PLATFORM- MARYSVIL

POSITION- 30 15N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 07

DATE- JUL 30, 1968 TIME- 1000

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	20.2	1521.7	34.11
3.0	19.3	1519.1	34.11
9.1	18.8	1517.8	34.12
12.2	18.3	1516.4	34.12
18.3	17.9	1515.4	34.12
21.3	16.9	1512.5	34.12
24.4	16.5	1511.4	34.12
30.5	16.2	1510.6	34.13
33.5	15.9	1509.7	34.13
36.6	15.1	1507.3	34.13
42.7	14.4	1505.1	34.14
45.7	14.3	1504.8	34.14
48.8	13.6	1502.6	34.14
54.9	13.2	1501.4	34.14
57.9	13.1	1501.1	34.15
64.0	12.9	1500.5	34.15
67.1	12.8	1500.2	34.15
73.2	12.5	1499.3	34.16
76.2	12.5	1499.4	34.16
82.3	12.3	1498.7	34.17
85.3	12.2	1498.6	34.17
91.4	12.0	1497.9	34.17
94.5	11.9	1497.6	34.18
100.6	11.9	1497.7	34.18
103.6	11.8	1497.4	34.18
109.7	11.9	1497.8	34.17
112.8	11.8	1497.5	34.17
116.9	11.8	1497.6	34.17
121.9	11.8	1497.6	34.17
128.0	11.7	1497.5	34.16
134.1	11.7	1497.6	34.16
137.2	11.6	1497.3	34.16
143.3	11.6	1497.4	34.15
149.4	11.6	1497.5	34.15
152.4	11.6	1497.5	34.15
158.5	11.3	1496.5	34.14
161.5	11.6	1497.7	34.14
167.6	11.4	1497.0	34.14
173.7	11.4	1497.1	34.14
176.8	11.4	1497.1	34.13
182.9	11.2	1496.6	34.13
189.0	10.9	1495.6	34.13
192.0	11.2	1496.8	34.12
196.1	11.0	1496.1	34.12
204.2	11.0	1496.2	34.12
207.3	10.9	1495.8	34.12
213.4	10.5	1494.6	34.12

PLATFORM. MARYSVIL

POSITION. 38 10N 157 50W

PARDEN SQUARE 124 ONE DEGREE SQUARE 87

DATE. JUL 30, 1968 TIME. 1100

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	20.2	1521.7	34.11
3.0	19.3	1519.1	34.11
9.1	18.4	1516.7	34.12
12.2	17.8	1515.0	34.12
18.3	17.2	1513.4	34.12
21.3	16.5	1511.3	34.12
24.4	15.9	1509.5	34.12
30.5	15.6	1508.7	34.13
33.5	15.3	1507.7	34.13
36.6	14.8	1506.2	34.13
42.7	14.0	1503.8	34.14
45.7	13.7	1502.9	34.14
51.8	13.2	1501.4	34.14
54.9	12.9	1500.3	34.14
61.0	12.9	1500.4	34.15
64.0	12.7	1499.9	34.15
70.1	12.6	1499.6	34.16
73.2	12.3	1498.6	34.16
79.2	12.2	1498.5	34.16
82.3	12.1	1498.1	34.17
86.4	12.0	1497.9	34.17
91.4	11.9	1497.5	34.17
97.5	11.8	1497.3	34.18
100.6	11.8	1497.3	34.18
106.7	11.8	1497.4	34.18
109.7	11.8	1497.4	34.17
115.8	11.7	1497.3	34.17
118.9	11.7	1497.4	34.17
125.0	11.7	1497.5	34.17
131.1	11.6	1497.2	34.16
134.1	11.6	1497.2	34.16
140.2	11.5	1497.0	34.16
146.3	11.5	1497.0	34.15
149.4	11.4	1496.7	34.15
155.4	11.4	1496.8	34.15
156.5	11.1	1495.9	34.14
164.6	11.3	1496.6	34.14
167.6	11.2	1496.4	34.14
173.7	11.2	1496.5	34.14
179.8	11.1	1496.2	34.13
185.9	11.0	1495.9	34.13
189.0	10.7	1495.0	34.13
195.1	10.9	1495.7	34.12
201.2	10.7	1495.2	34.12
204.2	10.7	1495.2	34.12
210.3	10.6	1494.9	34.12
216.4	10.3	1493.8	34.12



PLATFORM. MARYSVIL

POSITION. 37 59N 157 49W

PARDEN SQUARE 124 ONE DEGREE SQUARE 77

DATE. JUL 30, 1968 TIME. 1300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	20.1	1521.7	34.39
3.0	18.6	1517.6	34.37
9.1	17.5	1514.4	34.34
12.2	16.5	1511.4	34.33
18.3	15.9	1509.6	34.29
21.3	15.6	1508.8	34.28
24.4	15.3	1507.8	34.26
30.5	15.0	1506.9	34.23
33.5	14.7	1506.1	34.22
36.6	14.1	1504.1	34.20
42.7	13.4	1501.8	34.17
47.7	13.1	1500.9	34.15
52.8	12.6	1499.3	34.13
54.9	12.2	1498.0	34.13
61.0	12.1	1497.7	34.13
64.0	12.0	1497.4	34.12
67.1	11.9	1497.1	34.12
73.2	11.8	1496.8	34.12
76.2	11.8	1496.6	34.12
82.3	11.7	1496.7	34.12
85.3	11.7	1496.8	34.12
91.4	11.6	1496.5	34.11
94.5	11.6	1496.5	34.11
100.6	11.5	1496.2	34.11
103.6	11.5	1496.3	34.11
109.7	11.5	1496.4	34.11
112.8	11.3	1495.7	34.11
118.9	11.3	1495.8	34.11
125.0	11.3	1495.9	34.11
128.0	11.3	1495.9	34.11
134.1	11.2	1495.8	34.11
137.2	11.1	1495.5	34.11
143.3	11.1	1495.6	34.11
149.4	11.0	1495.3	34.11
155.4	11.0	1495.4	34.11
158.5	10.8	1494.6	34.11
161.5	10.9	1495.1	34.11
167.6	10.7	1494.6	34.11
173.7	10.7	1494.7	34.11
176.8	10.7	1494.7	34.12
182.9	10.5	1494.1	34.12
189.0	10.3	1493.4	34.12
195.1	10.5	1494.3	34.12
198.1	10.3	1493.5	34.12
204.2	10.4	1494.0	34.12
210.3	10.3	1493.7	34.12
213.4	10.3	1492.7	34.12

PLATFORM- MARYSVIL

POSITION- 37 51N 157 48W

MARSDEN SOLARE 124 ONE DEGREE SQUARE 77

DATE- JUL 30, 1968 TIME- 1400

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	20.3	1522.2	34.39
3.0	19.3	1519.4	34.37
9.1	18.6	1517.6	34.34
12.2	17.5	1514.4	34.33
16.3	16.5	1511.5	34.29
21.3	15.6	1508.8	34.28
24.4	15.2	1507.6	34.26
30.5	14.9	1506.6	34.23
33.5	14.6	1505.7	34.22
36.6	14.1	1504.1	34.20
42.7	13.4	1501.8	34.17
45.7	13.1	1500.9	34.15
51.8	12.5	1498.9	34.13
54.9	12.2	1498.0	34.13
61.0	12.2	1498.1	34.13
64.0	12.0	1497.4	34.12
70.1	11.8	1496.7	34.12
73.2	11.7	1496.6	34.12
79.2	11.7	1496.7	34.12
82.3	11.6	1496.3	34.12
86.4	11.5	1496.1	34.11
91.4	11.5	1496.1	34.11
97.5	11.5	1496.2	34.11
100.6	11.5	1496.2	34.11
106.7	11.4	1496.0	34.11
109.7	11.4	1496.0	34.11
115.8	11.3	1495.7	34.11
116.9	11.3	1495.8	34.11
125.0	11.3	1495.9	34.11
131.1	11.3	1496.0	34.11
134.1	11.2	1495.8	34.11
140.2	11.1	1495.5	34.11
146.3	11.2	1496.0	34.11
149.4	11.1	1495.7	34.11
155.4	11.1	1495.8	34.11
158.5	10.8	1494.6	34.11
164.6	11.0	1495.5	34.11
167.6	10.8	1494.8	34.11
173.7	10.8	1494.9	34.11
179.8	10.7	1494.8	34.12
185.9	10.6	1494.5	34.12
189.0	10.3	1493.4	34.12
195.1	10.6	1494.7	34.12
201.2	10.4	1494.0	34.12
204.2	10.4	1494.0	34.12
210.3	10.4	1494.1	34.12
216.4	10.1	1493.2	34.12

PLATFORM MARYSVIL

POSITION 37 43N 157 47W

PARDEN SQUARE 124 ONE DEGREE SQUARE 77

DATE JUL 30, 1968 TIME 1500

INSTRUMENT TYPE THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	20.7	1523.4	34.39
3.0	19.4	1519.7	34.37
9.1	16.5	1517.3	34.34
12.2	17.7	1515.1	34.33
16.3	16.9	1512.7	34.29
21.3	16.3	1510.8	34.28
24.4	16.0	1510.0	34.26
30.5	15.7	1509.2	34.23
33.5	15.5	1508.5	34.22
36.6	14.9	1506.6	34.20
42.7	14.0	1503.8	34.17
45.7	13.6	1502.6	34.15
51.8	13.0	1500.6	34.13
54.9	12.6	1499.4	34.13
61.0	12.6	1499.5	34.13
64.0	12.3	1498.4	34.12
70.1	12.2	1498.3	34.12
73.2	12.0	1497.6	34.12
76.2	11.9	1497.3	34.12
82.3	11.8	1496.9	34.12
88.4	11.7	1496.8	34.11
91.4	11.7	1496.9	34.11
97.5	11.6	1496.6	34.11
100.6	11.5	1496.2	34.11
106.7	11.4	1496.0	34.11
109.7	11.4	1496.0	34.11
115.8	11.3	1495.7	34.11
118.9	11.3	1495.8	34.11
125.0	11.3	1495.9	34.11
131.1	11.3	1496.0	34.11
134.1	11.2	1495.8	34.11
140.2	11.1	1495.5	34.11
146.3	11.2	1496.0	34.11
149.4	11.2	1496.1	34.11
155.4	11.1	1495.8	34.11
156.5	10.9	1495.0	34.11
164.6	11.0	1495.5	34.11
167.6	10.8	1494.8	34.11
173.7	10.8	1494.9	34.11
179.8	10.8	1495.0	34.12
185.9	10.6	1494.5	34.12
189.0	10.3	1493.4	34.12
195.1	10.6	1494.7	34.12
201.2	10.4	1494.0	34.12
204.2	10.4	1494.0	34.12
210.3	10.3	1493.7	34.12
216.4	10.0	1492.8	34.12

PLATFORM- MARYSVIL

POSITION- 37 27N 157 45W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 77

DATE- JUL 30, 1968 TIME- 1700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	20.6	1523.1	34.39
3.0	19.9	1521.1	34.37
9.1	18.6	1517.6	34.34
12.2	17.7	1515.1	34.33
15.2	16.7	1512.1	34.31
21.3	16.1	1510.3	34.28
24.4	15.9	1509.7	34.26
30.5	15.8	1509.4	34.23
33.5	15.7	1509.2	34.22
36.6	15.2	1507.7	34.20
42.7	14.2	1504.6	34.17
45.7	13.8	1503.1	34.15
48.8	13.1	1501.0	34.14
54.9	12.7	1499.7	34.13
57.9	12.6	1499.4	34.13
64.0	12.4	1498.7	34.12
67.1	12.2	1498.2	34.12
73.2	12.0	1497.6	34.12
76.2	12.0	1497.6	34.12
82.3	11.9	1497.3	34.12
85.3	11.8	1497.0	34.12
91.4	11.8	1497.1	34.11
94.5	11.7	1496.9	34.11
97.5	11.6	1496.6	34.11
103.6	11.5	1496.3	34.11
106.7	11.5	1496.3	34.11
112.8	11.3	1495.7	34.11
115.8	11.3	1495.7	34.11
121.9	11.2	1495.6	34.11
128.0	11.1	1495.3	34.11
131.1	11.1	1495.4	34.11
137.2	10.9	1494.7	34.11
143.3	11.0	1495.2	34.11
146.3	11.0	1495.2	34.11
152.4	11.0	1495.3	34.11
155.4	10.7	1494.4	34.11
161.5	10.8	1494.7	34.11
164.6	10.6	1494.1	34.11
170.7	10.6	1494.2	34.11
176.8	10.6	1494.3	34.12
182.9	10.5	1494.1	34.12
185.9	10.2	1493.1	34.12
192.0	10.5	1494.2	34.12
198.1	10.3	1493.5	34.12
201.2	10.3	1493.6	34.12
207.3	10.3	1493.7	34.12
213.4	10.0	1492.7	34.12

PLATFORM- MARYSVIL

POSITION- 37 20N 197 44W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 77

DATE- JUL 30, 1968 TIME- 1800

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	20.8	1523.5	34.39
3.0	20.2	1522.0	34.37
9.1	19.0	1518.7	34.34
12.2	18.2	1516.5	34.33
16.3	17.3	1513.8	34.29
21.3	16.3	1510.8	34.28
24.4	16.0	1510.0	34.26
30.5	15.7	1509.2	34.23
33.5	15.5	1508.5	34.22
36.6	15.1	1507.4	34.20
42.7	14.3	1504.7	34.17
45.7	13.8	1503.1	34.15
48.8	13.1	1501.0	34.14
54.9	12.7	1499.7	34.13
57.9	12.7	1499.8	34.13
64.0	12.6	1499.5	34.12
67.1	12.4	1498.8	34.12
73.2	12.2	1498.3	34.12
76.2	12.2	1498.4	34.12
82.3	12.1	1498.1	34.12
85.3	12.0	1497.7	34.12
91.4	11.9	1497.5	34.11
94.5	11.8	1497.1	34.11
100.6	11.8	1497.2	34.11
103.6	11.7	1497.1	34.11
109.7	11.6	1496.8	34.11
112.8	11.5	1496.4	34.11
118.9	11.5	1496.5	34.11
121.9	11.4	1496.2	34.11
126.0	11.3	1495.9	34.11
134.1	11.3	1496.0	34.11
137.2	11.2	1495.9	34.11
143.3	11.2	1496.0	34.11
149.4	11.2	1496.1	34.11
152.4	11.2	1496.1	34.11
158.5	10.9	1495.0	34.11
161.5	11.1	1495.9	34.11
167.6	10.9	1495.2	34.11
173.7	10.9	1495.3	34.11
176.8	10.9	1495.3	34.12
182.9	10.8	1495.0	34.12
189.0	10.6	1494.6	34.12
192.0	10.7	1495.0	34.12
196.1	10.6	1494.7	34.12
204.2	10.6	1494.8	34.12
207.4	10.5	1494.5	34.12
213.4	10.2	1493.6	34.12

PLATFORM. MARYSVIL

POSITION. 37 14N 157 44W

PASCEN SOLARE 124 ONE DEGREE SQUARE 77

DATE. JUL 30, 1968 TIME. 1900

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	20.9	1523.8	34.39
3.0	20.1	1521.7	34.37
9.1	19.0	1518.7	34.34
12.2	18.1	1516.2	34.33
15.2	17.1	1513.3	34.31
21.3	16.3	1510.8	34.28
24.4	15.9	1509.7	34.26
27.4	15.6	1508.8	34.25
33.5	15.2	1507.7	34.22
36.6	14.6	1505.8	34.20
39.6	13.8	1503.1	34.18
45.7	13.7	1503.0	34.15
48.8	13.2	1501.3	34.14
51.8	13.0	1500.6	34.13
57.9	13.0	1500.7	34.13
61.0	12.7	1499.8	34.13
67.1	12.6	1499.6	34.12
70.1	12.3	1498.5	34.12
76.2	12.3	1498.6	34.12
79.2	12.2	1498.4	34.12
85.3	12.1	1498.1	34.12
88.4	12.1	1498.2	34.11
94.5	12.0	1497.9	34.11
97.5	11.9	1497.6	34.11
100.6	11.8	1497.2	34.11
106.7	11.8	1497.3	34.11
109.7	11.6	1496.8	34.11
115.8	11.6	1496.9	34.11
118.9	11.5	1496.5	34.11
125.0	11.4	1496.3	34.11
131.1	11.3	1496.0	34.11
134.1	11.2	1495.8	34.11
140.2	11.3	1496.1	34.11
146.3	11.2	1496.0	34.11
149.4	11.2	1496.1	34.11
155.4	10.9	1495.0	34.11
158.5	11.1	1495.8	34.11
164.6	10.9	1495.1	34.11
170.7	10.9	1495.2	34.11
173.7	10.9	1495.3	34.11
179.8	10.8	1495.0	34.12
185.9	10.5	1494.1	34.12
189.0	10.8	1495.1	34.12
195.1	10.6	1494.7	34.12
201.2	10.6	1494.8	34.12
204.2	10.5	1494.4	34.12
210.3	10.2	1493.5	34.12

PLATFORM- MARYSVIL

POSITION- 37 02N 157 43W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 77

DATE- JUL 30, 1968 TIME-2100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	21.3	1524.8	34.39
3.0	20.2	1522.0	34.37
9.1	19.2	1519.3	34.34
12.2	18.4	1517.0	34.33
15.2	17.8	1515.3	34.31
21.3	17.1	1513.4	34.28
24.4	16.2	1510.7	34.26
30.5	15.1	1507.3	34.23
33.5	14.4	1505.0	34.22
36.6	13.8	1503.0	34.20
39.6	13.3	1501.4	34.18
45.7	13.3	1501.5	34.15
48.8	12.9	1500.2	34.14
54.9	12.7	1499.7	34.13
57.9	12.8	1500.0	34.13
61.0	12.6	1499.5	34.13
67.1	12.5	1499.2	34.12
70.1	12.3	1498.5	34.12
76.2	12.2	1498.4	34.12
79.2	12.1	1498.0	34.12
85.3	12.1	1498.1	34.12
88.4	12.0	1497.8	34.11
94.5	11.9	1497.5	34.11
97.5	11.9	1497.6	34.11
100.6	11.8	1497.2	34.11
106.7	11.8	1497.3	34.11
112.8	11.7	1497.2	34.11
115.8	11.7	1497.3	34.11
121.9	11.6	1497.0	34.11
125.0	11.5	1496.6	34.11
131.1	11.5	1496.7	34.11
134.1	11.4	1496.4	34.11
140.2	11.5	1496.9	34.11
146.3	11.5	1497.0	34.11
152.4	11.4	1496.7	34.11
155.4	11.2	1496.2	34.11
161.5	11.4	1496.9	34.11
164.6	11.2	1496.3	34.11
170.7	11.2	1496.4	34.11
176.8	11.1	1496.1	34.12
179.8	11.0	1495.8	34.12
185.9	10.7	1494.9	34.12
192.0	10.9	1495.6	34.12
195.1	10.7	1495.1	34.12
201.2	10.8	1495.4	34.12
207.3	10.7	1495.3	34.12
210.3	10.4	1494.1	34.12

PLATFORM= MARYSVIL

POSITION= 36 56N 157 42W

MARSDEN SOLARE 124 ONE DEGREE SQUARE 67

DATE= JUL 30, 1968 TIME= 2200

INSTRUMENT TYPE= THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	21.6	1526.0	34.62
3.0	20.0	1521.7	34.60
9.1	19.0	1519.0	34.55
12.2	18.2	1516.8	34.53
16.3	17.6	1515.0	34.48
21.3	16.8	1512.6	34.46
24.4	15.8	1509.5	34.44
30.5	14.9	1506.8	34.39
33.5	14.4	1505.2	34.37
36.6	13.9	1503.6	34.35
42.7	13.4	1502.0	34.30
45.7	13.3	1501.6	34.28
48.8	13.0	1500.7	34.26
54.9	12.8	1500.1	34.24
57.9	12.8	1500.1	34.24
64.0	12.6	1499.6	34.23
67.1	12.5	1499.3	34.23
73.2	12.4	1499.0	34.22
76.2	12.4	1499.1	34.22
82.3	12.2	1498.6	34.21
85.3	12.2	1498.6	34.21
91.4	12.2	1498.7	34.20
94.5	12.1	1498.4	34.20
100.6	12.0	1498.1	34.19
103.6	11.9	1497.7	34.19
106.7	11.9	1497.8	34.18
112.8	11.7	1497.3	34.18
118.9	11.7	1497.4	34.17
121.9	11.6	1497.1	34.17
128.0	11.5	1496.8	34.17
134.1	11.5	1496.9	34.16
137.2	11.4	1496.5	34.16
143.3	11.4	1496.6	34.16
149.4	11.3	1496.3	34.15
152.4	11.3	1496.4	34.15
158.5	11.0	1495.5	34.15
161.5	11.2	1496.3	34.15
167.6	11.0	1495.6	34.16
173.7	11.0	1495.7	34.16
176.8	10.9	1495.4	34.16
182.9	10.8	1495.1	34.16
189.0	10.5	1494.2	34.17
192.0	10.8	1495.3	34.17
198.1	10.6	1494.8	34.17
204.2	10.6	1494.9	34.17
207.3	10.5	1494.5	34.17
213.4	10.2	1493.6	34.17



PLATFORM. MARYSVIL

POSITION. 36 50N 157 42W

PARDEN SQUARE 124 ONE DEGREE SQUARE 67

DATE. JUL 30, 1968 TIME=2300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	21.6	1526.0	34.62
3.0	19.7	1520.9	34.60
9.1	19.0	1519.0	34.55
12.2	18.4	1517.2	34.53
18.3	17.5	1514.7	34.48
21.3	16.8	1512.6	34.46
24.4	16.0	1510.2	34.44
30.5	15.0	1507.1	34.39
33.5	14.4	1505.2	34.37
36.6	13.9	1503.6	34.35
42.7	13.4	1502.0	34.30
45.7	13.3	1501.6	34.28
48.8	13.0	1500.7	34.26
54.9	12.8	1500.1	34.24
57.9	12.9	1500.5	34.24
64.0	12.8	1500.2	34.23
67.1	12.7	1500.1	34.23
73.2	12.5	1499.4	34.22
76.2	12.5	1499.4	34.22
82.3	12.3	1498.8	34.21
85.3	12.3	1498.8	34.21
91.4	12.2	1498.7	34.20
94.5	12.1	1498.4	34.20
100.6	12.0	1498.1	34.19
103.6	11.9	1497.7	34.19
109.7	11.9	1497.3	34.18
112.8	11.8	1497.5	34.18
118.9	11.8	1497.6	34.17
121.9	11.7	1497.5	34.17
128.0	11.6	1497.2	34.17
134.1	11.5	1496.9	34.16
137.2	11.4	1496.5	34.16
143.3	11.4	1496.6	34.16
149.4	11.3	1496.3	34.15
152.4	11.3	1496.4	34.15
158.5	11.0	1495.5	34.15
161.5	11.2	1496.3	34.15
167.6	11.0	1495.6	34.16
173.7	11.0	1495.7	34.16
176.8	11.0	1495.8	34.16
182.9	10.8	1495.1	34.16
189.0	10.6	1494.6	34.17
192.0	10.8	1495.3	34.17
198.1	10.7	1495.2	34.17
204.2	10.7	1495.3	34.17
207.3	10.6	1494.9	34.17
213.4	10.3	1493.8	34.17

PLATFORM- HARYSVIL

POSITION- 36 38N 157 42W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 67

DATE- JUL 31, 1968 TIME- 0100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	22.0	1527.0	34.62
3.0	20.8	1523.8	34.60
9.1	19.2	1519.6	34.55
12.2	18.7	1518.2	34.53
15.2	18.2	1516.8	34.51
21.3	17.6	1515.1	34.46
24.4	17.0	1513.3	34.44
30.5	16.1	1510.6	34.39
33.5	15.3	1508.0	34.37
36.6	14.5	1505.6	34.35
39.6	13.7	1503.1	34.33
45.7	13.4	1502.0	34.28
46.8	13.0	1500.7	34.26
54.9	12.8	1500.1	34.24
57.9	12.8	1500.1	34.24
61.0	12.7	1500.0	34.24
67.1	12.6	1499.7	34.23
70.1	12.4	1499.0	34.23
76.2	12.4	1499.1	34.22
79.2	12.3	1498.7	34.21
85.3	12.2	1498.6	34.21
86.4	12.2	1498.7	34.20
94.5	12.1	1498.4	34.20
97.5	12.0	1498.0	34.19
100.6	11.9	1497.7	34.19
106.7	11.9	1497.8	34.18
112.8	11.8	1497.5	34.18
115.8	11.8	1497.6	34.18
121.9	11.7	1497.5	34.17
125.0	11.6	1497.1	34.17
131.1	11.5	1496.8	34.17
134.1	11.4	1496.5	34.16
140.2	11.4	1496.6	34.16
146.3	11.3	1496.3	34.15
152.4	11.3	1496.4	34.15
155.4	11.0	1495.4	34.15
161.5	11.2	1496.3	34.15
164.6	11.0	1495.6	34.16
170.7	11.0	1495.7	34.16
176.8	11.0	1495.8	34.16
179.8	10.8	1495.1	34.16
185.9	10.6	1494.6	34.16
192.0	10.8	1495.3	34.17
195.1	10.5	1494.7	34.17
201.2	10.7	1495.2	34.17
207.3	10.6	1494.9	34.17
210.3	10.3	1493.8	34.17

PLATFORM- MARYSVIL

POSITION- 36 33N 157 43W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 67

DATE- JUL 31, 1968 TIME- 0200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	22.1	1527.3	34.62
3.0	20.6	1523.4	34.60
9.1	19.2	1519.6	34.55
12.2	18.6	1517.9	34.53
15.2	18.0	1516.1	34.51
21.3	17.1	1513.6	34.46
24.4	16.1	1510.6	34.44
30.5	15.0	1507.1	34.39
33.5	14.4	1505.2	34.37
36.6	13.9	1503.6	34.35
39.6	13.4	1502.0	34.33
45.7	13.3	1501.6	34.28
46.8	13.0	1500.7	34.26
54.9	12.8	1500.1	34.24
57.9	12.9	1500.5	34.24
61.0	12.7	1500.0	34.24
67.1	12.6	1499.7	34.23
70.1	12.4	1499.0	34.23
76.2	12.4	1499.1	34.22
79.2	12.2	1498.5	34.21
85.3	12.2	1498.6	34.21
88.4	12.2	1498.7	34.20
94.5	12.1	1498.4	34.20
97.5	12.1	1498.4	34.19
100.6	12.0	1498.1	34.19
106.7	11.9	1497.8	34.18
112.8	11.8	1497.5	34.18
115.8	11.8	1497.6	34.18
121.9	11.7	1497.5	34.17
125.0	11.7	1497.5	34.17
131.1	11.6	1497.2	34.17
134.1	11.5	1496.9	34.16
140.2	11.5	1497.0	34.16
146.3	11.4	1496.7	34.15
152.4	11.3	1496.4	34.15
155.4	11.1	1495.8	34.15
161.5	11.3	1496.5	34.15
164.6	11.1	1496.0	34.16
170.7	11.1	1496.1	34.16
176.8	11.0	1495.8	34.16
179.8	10.9	1495.5	34.16
185.9	10.6	1494.6	34.16
192.0	10.9	1495.7	34.17
195.1	10.7	1495.1	34.17
201.2	10.7	1495.2	34.17
207.3	10.6	1494.9	34.17
210.3	10.3	1493.8	34.17

PLATFORM. MARYSVIL

POSITION. 36 28N 157 44W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 67

DATE. JUL 31, 1968 TIME. 0300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	22.2	1527.6	34.62
3.0	20.5	1523.1	34.60
9.1	19.3	1519.7	34.55
12.2	18.7	1518.2	34.53
16.3	18.0	1516.2	34.48
21.3	17.2	1513.9	34.46
24.4	16.3	1511.1	34.44
30.5	15.5	1508.7	34.39
33.5	14.9	1506.8	34.37
36.6	14.2	1504.7	34.35
42.7	13.6	1502.7	34.30
45.7	13.6	1502.8	34.28
48.8	13.3	1501.7	34.26
54.9	13.1	1501.2	34.24
57.9	13.0	1500.9	34.24
64.0	12.7	1500.0	34.23
67.1	12.6	1499.7	34.23
73.2	12.4	1499.0	34.22
76.2	12.3	1498.7	34.22
82.3	12.2	1498.6	34.21
85.3	12.1	1498.2	34.21
91.4	12.1	1498.3	34.20
94.5	12.0	1498.0	34.20
100.6	12.0	1498.1	34.19
103.6	11.9	1497.7	34.19
109.7	11.9	1497.8	34.18
112.8	11.8	1497.5	34.18
116.9	11.8	1497.6	34.17
121.9	11.8	1497.6	34.17
126.0	11.7	1497.5	34.17
134.1	11.6	1497.3	34.16
137.2	11.5	1496.9	34.16
143.3	11.6	1497.4	34.16
149.4	11.5	1497.1	34.15
152.4	11.5	1497.1	34.15
158.5	11.3	1496.5	34.15
161.5	11.4	1496.9	34.15
167.6	11.2	1496.4	34.16
173.7	11.3	1496.7	34.16
176.8	11.2	1496.6	34.16
182.9	11.1	1496.3	34.16
189.0	10.8	1495.2	34.17
192.0	11.0	1496.1	34.17
198.1	10.8	1495.4	34.17
204.2	10.8	1495.5	34.17
207.3	10.8	1495.5	34.17
213.4	10.5	1494.6	34.17

PLATFORM- MARYSVIL

POSITION- 36 18N 157 46W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 67

DATE- JUL 31, 1968 TIME- 0500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	22.3	1527.7	34.62
3.0	21.8	1526.4	34.60
9.1	20.5	1523.1	34.55
12.2	19.9	1521.5	34.53
18.3	19.2	1519.7	34.48
21.3	18.2	1516.8	34.46
24.4	16.8	1512.6	34.44
30.5	15.8	1509.6	34.39
33.5	15.1	1507.5	34.37
36.6	14.5	1505.6	34.35
42.7	13.9	1503.6	34.30
45.7	13.8	1503.3	34.28
51.8	13.4	1502.1	34.25
54.9	13.2	1501.6	34.24
61.0	13.2	1501.7	34.24
64.0	13.0	1501.0	34.23
67.1	12.9	1500.6	34.23
73.2	12.7	1500.2	34.22
76.2	12.7	1500.2	34.22
82.3	12.5	1499.5	34.21
85.3	12.5	1499.6	34.21
91.4	12.4	1499.3	34.20
94.5	12.3	1499.0	34.20
100.6	12.3	1499.0	34.19
103.6	12.2	1498.9	34.19
109.7	12.2	1499.0	34.18
113.8	12.0	1498.3	34.18
118.9	12.0	1498.4	34.17
125.0	12.0	1498.5	34.17
128.0	11.9	1498.1	34.17
134.1	11.7	1497.6	34.16
137.2	11.6	1497.3	34.16
143.3	11.6	1497.4	34.16
149.4	11.5	1497.1	34.15
155.4	11.4	1496.8	34.15
158.5	11.2	1496.3	34.15
161.5	11.3	1496.5	34.15
167.6	11.1	1496.0	34.16
173.7	11.2	1496.5	34.16
176.8	11.1	1496.2	34.16
182.9	11.0	1495.9	34.16
189.0	10.7	1495.0	34.17
195.1	10.9	1495.7	34.17
198.1	10.8	1495.4	34.17
204.2	10.8	1495.5	34.17
210.3	10.7	1495.4	34.17
213.4	10.4	1494.2	34.17

PLATFORM- MARYSVIL

POSITION- 36 12N 157 47W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 67

DATE- JUL 31, 1968 TIME- 0600

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	22.5	1528.3	34.62
3.0	22.2	1527.6	34.60
9.1	20.9	1524.1	34.55
12.2	20.3	1522.5	34.53
16.3	19.3	1519.8	34.48
21.3	18.6	1518.0	34.46
24.4	17.6	1515.1	34.44
30.5	15.9	1509.9	34.39
33.5	15.0	1507.2	34.37
36.6	14.4	1505.2	34.35
42.7	13.8	1503.3	34.30
45.7	13.8	1503.3	34.28
51.8	13.4	1502.1	34.25
54.9	13.2	1501.6	34.24
61.0	13.2	1501.7	34.24
64.0	13.0	1501.0	34.23
70.1	12.9	1500.7	34.23
73.2	12.7	1500.2	34.22
79.2	12.6	1499.9	34.21
82.3	12.5	1499.5	34.21
88.4	12.4	1499.2	34.20
91.4	12.4	1499.3	34.20
97.5	12.3	1499.0	34.19
100.6	12.2	1498.9	34.19
106.7	12.2	1498.9	34.18
109.7	12.1	1498.6	34.18
115.8	12.1	1498.7	34.18
118.9	12.0	1498.4	34.17
125.0	11.9	1498.1	34.17
131.1	11.8	1497.8	34.17
134.1	11.7	1497.6	34.16
137.2	11.6	1497.3	34.16
146.3	11.6	1497.4	34.15
149.4	11.5	1497.1	34.15
155.4	11.4	1496.8	34.15
158.5	11.2	1496.3	34.15
164.6	11.3	1496.6	34.16
167.6	11.1	1496.0	34.16
173.7	11.1	1496.1	34.16
179.8	11.1	1496.2	34.16
185.9	10.9	1495.6	34.16
189.0	10.6	1494.6	34.17
195.1	10.9	1495.7	34.17
201.2	10.7	1495.2	34.17
204.2	10.8	1495.5	34.17
210.3	10.7	1495.4	34.17
216.4	10.4	1494.3	34.17

PLATFORM. HARYSVIL

POSITION. 36 06N 157 47W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE. JUL 31, 1968 TIME. 0700

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	22.6	1526.6	34.62
3.0	22.3	1527.7	34.60
9.1	21.2	1525.0	34.55
12.2	20.3	1522.5	34.53
18.3	19.1	1519.3	34.48
21.3	18.4	1517.3	34.46
24.4	17.7	1515.4	34.44
30.5	16.5	1511.8	34.39
33.5	15.5	1508.7	34.37
36.6	14.7	1506.3	34.35
42.7	14.1	1504.4	34.30
45.7	14.0	1504.0	34.28
51.8	13.6	1502.8	34.25
54.9	13.4	1502.1	34.24
61.0	13.4	1502.2	34.24
64.0	13.3	1501.9	34.23
70.1	13.1	1501.4	34.23
73.2	12.9	1500.7	34.22
79.2	12.9	1500.8	34.21
82.3	12.7	1500.3	34.21
88.4	12.6	1500.0	34.20
91.4	12.6	1500.0	34.20
97.5	12.5	1499.8	34.19
100.6	12.4	1499.4	34.19
106.7	12.3	1499.1	34.18
109.7	12.3	1499.2	34.18
115.8	12.1	1498.7	34.18
118.9	12.1	1498.8	34.17
125.0	12.0	1498.5	34.17
131.1	11.9	1498.2	34.17
134.1	11.8	1497.8	34.16
140.2	11.7	1497.7	34.16
146.3	11.7	1497.8	34.15
149.4	11.5	1497.1	34.15
155.4	11.5	1497.2	34.15
158.5	11.2	1496.3	34.15
164.6	11.4	1497.0	34.16
167.6	11.2	1496.4	34.16
173.7	11.2	1496.5	34.16
179.8	11.1	1496.2	34.16
185.9	11.0	1495.9	34.16
189.0	10.7	1495.0	34.17
195.1	11.0	1496.1	34.17
201.2	10.8	1495.4	34.17
204.2	10.9	1495.9	34.17
210.3	10.8	1495.6	34.17
216.4	10.5	1494.7	34.17

PLATFORM. MARYSVIL

POSITION. 35 52N 197 40W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 57

DATE- JUL 31, 1968 TIME- 0900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	22.3	1527.7	34.62
3.0	22.0	1527.0	34.60
9.1	21.2	1525.0	34.55
12.2	20.5	1523.1	34.53
16.3	19.6	1520.7	34.48
21.3	18.7	1518.3	34.46
24.4	17.8	1515.6	34.44
30.5	16.3	1511.1	34.39
33.5	15.3	1508.0	34.37
36.6	14.8	1506.5	34.35
42.7	14.2	1504.7	34.30
45.7	14.1	1504.4	34.28
51.8	13.7	1503.2	34.25
54.9	13.5	1502.5	34.24
61.0	13.3	1502.6	34.24
64.0	13.4	1502.3	34.23
67.1	13.3	1501.9	34.23
73.2	13.1	1501.5	34.22
76.2	13.1	1501.5	34.22
82.3	13.0	1501.2	34.21
85.3	12.9	1500.9	34.21
91.4	12.8	1500.6	34.20
94.5	12.7	1500.5	34.20
100.6	12.6	1500.2	34.19
103.6	12.5	1499.8	34.19
109.7	12.5	1499.9	34.18
112.8	12.3	1499.2	34.18
116.9	12.3	1499.3	34.17
123.0	12.2	1499.2	34.17
128.0	12.1	1498.9	34.17
134.1	12.0	1498.6	34.16
137.2	11.9	1498.3	34.16
143.3	11.9	1498.4	34.16
149.4	11.8	1498.1	34.15
155.4	11.7	1498.0	34.15
158.5	11.4	1496.9	34.15
161.5	11.6	1497.7	34.15
167.6	11.4	1497.0	34.16
173.7	11.4	1497.1	34.16
176.8	11.4	1497.2	34.16
182.9	11.2	1496.7	34.16
189.0	10.9	1495.6	34.17
195.1	11.2	1496.9	34.17
196.1	11.0	1496.2	34.17
204.2	11.1	1496.6	34.17
210.3	11.1	1496.7	34.17
213.4	10.8	1495.6	34.17



PLATFORM- MARYSVIL

POSITION- 35 45N 157 49W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 57

DATE- JUL 31, 1968 TIME- 1000

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	22.2	1527.6	34.62
3.0	22.0	1527.0	34.60
9.1	20.8	1523.9	34.55
12.2	20.2	1522.4	34.53
18.3	19.5	1520.4	34.48
21.3	18.6	1518.0	34.46
27.4	17.9	1515.9	34.42
30.5	16.9	1513.0	34.39
33.5	16.0	1510.3	34.37
39.6	15.2	1507.9	34.33
42.7	14.3	1504.9	34.30
45.7	14.2	1504.8	34.28
51.8	13.7	1503.2	34.25
54.9	13.5	1502.5	34.24
61.0	13.4	1502.2	34.24
64.0	13.2	1501.7	34.23
70.1	13.1	1501.4	34.23
73.2	12.9	1500.7	34.22
79.2	12.9	1500.8	34.21
82.3	12.7	1500.3	34.21
86.4	12.7	1500.4	34.20
94.5	12.6	1500.1	34.20
97.5	12.5	1499.8	34.19
100.6	12.5	1499.8	34.19
106.7	12.4	1499.5	34.18
109.7	12.4	1499.6	34.18
115.8	12.2	1499.1	34.18
121.9	12.2	1499.2	34.17
125.0	12.1	1498.8	34.17
131.1	12.0	1498.6	34.17
137.2	12.0	1498.6	34.16
140.2	11.9	1498.3	34.16
146.3	11.8	1498.0	34.15
149.4	11.7	1497.9	34.15
155.4	11.6	1497.6	34.15
161.5	11.3	1496.5	34.15
164.6	11.5	1497.4	34.16
170.7	11.3	1496.7	34.16
176.8	11.3	1496.8	34.16
179.8	11.3	1496.8	34.16
185.9	11.1	1496.3	34.16
192.0	10.8	1495.3	34.17
195.1	11.1	1496.5	34.17
201.2	10.9	1495.8	34.17
207.3	11.0	1496.3	34.17
210.3	11.0	1496.4	34.17
216.4	10.7	1495.5	34.17

PLATFORM. MARYSVIL

POSITION. 35 38N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 97

DATE. JUL 31, 1968 TIME. 1100

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	22.1	1527.3	34.62
3.0	21.8	1526.4	34.60
9.1	20.1	1522.1	34.55
12.2	19.4	1520.1	34.53
16.3	18.9	1518.7	34.48
21.3	18.4	1517.3	34.46
27.4	17.8	1515.6	34.42
30.5	17.0	1513.3	34.39
33.5	16.3	1511.1	34.37
39.6	15.4	1508.4	34.33
42.7	14.5	1505.6	34.30
46.8	14.3	1505.0	34.26
51.8	13.9	1503.7	34.25
57.9	13.6	1502.9	34.24
61.0	13.6	1502.9	34.24
67.1	13.3	1501.9	34.23
70.1	13.2	1501.8	34.23
76.2	12.9	1500.8	34.22
79.2	12.9	1500.8	34.21
85.3	12.8	1500.5	34.21
86.4	12.7	1500.4	34.20
94.5	12.7	1500.5	34.20
97.5	12.6	1500.1	34.19
103.6	12.5	1499.8	34.19
106.7	12.4	1499.5	34.18
112.8	12.4	1499.6	34.18
115.8	12.3	1499.3	34.18
121.9	12.3	1499.4	34.17
128.0	12.2	1499.3	34.17
131.1	12.2	1499.3	34.17
137.2	12.1	1499.0	34.16
140.2	12.0	1498.7	34.16
146.3	12.0	1498.8	34.15
152.4	11.9	1498.5	34.15
155.4	11.8	1498.2	34.15
161.5	11.5	1497.3	34.15
164.6	11.7	1498.1	34.16
170.7	11.4	1497.1	34.16
176.8	11.4	1497.2	34.16
179.8	11.4	1497.2	34.16
185.9	11.3	1496.9	34.16
192.0	11.1	1496.4	34.17
198.1	11.2	1496.9	34.17
201.2	11.1	1496.6	34.17
207.3	11.1	1496.7	34.17
213.4	11.1	1496.8	34.17
216.4	10.7	1495.5	34.17

PLATFORM- MARYSVIL

POSITION- 34 40N 157 52W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE- JUL 31, 1968 TIME- 1900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	23.6	1531.2	34.78
3.0	23.5	1531.0	34.78
9.1	23.5	1531.1	34.77
12.2	22.9	1529.6	34.76
18.3	21.0	1524.8	34.75
21.3	19.9	1521.9	34.75
24.4	19.0	1519.4	34.74
30.5	18.1	1517.0	34.73
33.5	17.3	1514.6	34.73
36.6	16.7	1513.0	34.72
42.7	16.1	1511.2	34.71
45.7	16.0	1510.9	34.71
51.8	15.6	1509.8	34.69
54.9	15.3	1508.8	34.67
61.0	15.2	1508.6	34.64
64.0	14.9	1507.6	34.62
67.1	14.7	1507.1	34.60
73.2	14.4	1506.1	34.57
76.2	14.4	1506.1	34.55
82.3	14.2	1505.6	34.51
85.3	14.1	1505.3	34.50
91.4	14.0	1505.0	34.46
94.5	13.9	1504.7	34.44
100.6	13.9	1504.7	34.41
103.6	13.8	1504.4	34.40
109.7	13.8	1504.5	34.39
112.8	13.6	1504.0	34.38
118.9	13.6	1504.1	34.37
125.0	13.5	1503.8	34.36
128.0	13.4	1503.4	34.35
134.1	13.3	1503.2	34.33
137.2	13.2	1503.0	34.33
143.3	13.2	1503.1	34.31
149.4	13.1	1502.8	34.30
155.4	13.0	1502.5	34.30
158.5	12.7	1501.6	34.29
161.5	13.0	1502.6	34.29
167.6	12.9	1502.3	34.29
173.7	12.9	1502.4	34.28
176.8	12.8	1502.1	34.28
182.9	12.7	1502.0	34.27
189.0	12.3	1500.6	34.27
195.1	12.6	1501.8	34.26
198.1	12.4	1501.1	34.26
204.2	12.4	1501.2	34.26
210.3	12.3	1500.9	34.25
213.4	11.9	1499.6	34.25

PLATFORM. MARYSVIL

POSITION. 34 30N 157 51W

PARDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE. JUL 31, 1968 TIME. 2100

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	23.2	1530.3	34.78
3.0	23.0	1529.8	34.78
9.1	23.0	1529.8	34.77
12.2	21.7	1526.6	34.76
18.3	20.5	1523.5	34.75
21.3	19.6	1521.1	34.75
24.4	18.9	1519.1	34.74
30.5	18.0	1516.7	34.73
33.5	17.5	1515.2	34.73
36.6	16.9	1513.5	34.72
42.7	16.3	1511.7	34.71
45.7	16.2	1511.6	34.71
48.8	15.7	1510.1	34.70
54.9	15.5	1509.5	34.67
57.9	15.5	1509.5	34.65
64.0	15.2	1508.7	34.62
67.1	15.1	1508.3	34.60
73.2	14.8	1507.3	34.57
76.2	14.7	1507.2	34.55
82.3	14.5	1506.5	34.51
86.4	14.4	1506.2	34.48
91.4	14.2	1505.7	34.46
94.5	14.1	1505.4	34.44
100.6	14.1	1505.4	34.41
103.6	13.8	1504.4	34.40
109.7	13.8	1504.5	34.39
112.8	13.6	1504.0	34.38
118.9	13.6	1504.1	34.37
121.9	13.5	1503.7	34.36
126.0	13.4	1503.4	34.35
134.1	13.3	1503.2	34.33
137.2	13.2	1503.0	34.33
143.3	13.2	1503.1	34.31
149.4	13.1	1502.8	34.30
152.4	13.1	1502.9	34.30
158.5	12.8	1501.8	34.29
161.5	12.9	1502.2	34.29
167.6	12.7	1501.8	34.29
173.7	12.6	1501.5	34.28
176.8	12.6	1501.5	34.28
182.9	12.5	1501.3	34.27
189.0	12.1	1500.0	34.27
192.0	12.5	1501.4	34.27
198.1	12.3	1500.7	34.26
204.2	12.4	1501.2	34.26
207.3	12.4	1501.3	34.25
213.4	12.0	1500.0	34.25

PLATFORM. MARYSVIL

POSITION. 34 25N 157 51W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE. JUL 31, 1968 TIME. 2200

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	23.3	1530.4	34.78
3.0	23.1	1530.0	34.78
9.1	23.1	1530.1	34.77
12.2	22.9	1529.6	34.76
16.3	21.6	1526.4	34.75
21.3	20.6	1523.8	34.75
24.4	20.0	1522.2	34.74
30.5	19.2	1520.2	34.73
33.5	18.4	1517.8	34.73
36.6	17.5	1515.3	34.72
42.7	16.7	1513.1	34.71
45.7	16.4	1512.1	34.71
51.8	15.9	1510.6	34.69
54.9	15.5	1509.5	34.67
61.0	15.4	1509.2	34.64
64.0	15.2	1508.7	34.62
67.1	15.0	1508.0	34.60
73.2	14.7	1507.2	34.57
76.2	14.6	1506.8	34.55
82.3	14.4	1506.2	34.51
85.3	14.2	1505.7	34.50
91.4	14.1	1505.4	34.46
94.5	14.0	1505.0	34.44
100.6	14.0	1505.1	34.41
103.6	13.8	1504.4	34.40
109.7	13.8	1504.5	34.39
112.8	13.6	1504.0	34.38
116.9	13.5	1503.7	34.37
125.0	13.4	1503.4	34.36
128.0	13.3	1503.1	34.35
134.1	13.2	1503.0	34.33
137.2	13.1	1502.6	34.33
143.3	13.1	1502.7	34.31
149.4	13.0	1502.4	34.30
155.4	12.9	1502.2	34.30
158.5	12.6	1501.3	34.29
161.5	12.8	1501.9	34.29
167.6	12.6	1501.4	34.29
173.7	12.6	1501.5	34.28
176.8	12.5	1501.2	34.28
182.9	12.4	1500.9	34.27
189.0	12.0	1499.6	34.27
195.1	12.4	1501.1	34.26
198.1	12.1	1500.2	34.26
204.2	12.2	1500.6	34.26
210.3	12.1	1500.3	34.25
213.4	11.8	1499.2	34.25

PLATFORM. MAHYSVIL

POSITION. 34 20N 157 50W

PARDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE. JUL 31, 1968 TIME. 2300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	23.7	1531.5	34.78
3.0	23.6	1531.3	34.78
9.1	23.6	1531.4	34.77
12.2	23.0	1529.9	34.76
18.3	21.3	1525.6	34.75
21.3	20.8	1524.3	34.75
24.4	20.2	1522.8	34.74
30.5	19.5	1520.9	34.73
33.5	18.7	1518.8	34.73
36.6	17.7	1515.9	34.72
42.7	16.9	1513.6	34.71
45.7	16.7	1513.1	34.71
48.8	16.3	1511.8	34.70
54.9	15.9	1510.7	34.67
57.9	15.8	1510.3	34.65
64.0	15.4	1509.2	34.62
67.1	15.2	1508.7	34.60
73.2	14.9	1507.7	34.57
76.2	14.8	1507.4	34.55
82.3	14.6	1506.9	34.51
85.3	14.5	1506.6	34.50
91.4	14.3	1505.9	34.46
94.5	14.2	1505.7	34.44
100.6	14.0	1505.1	34.41
103.6	13.9	1504.8	34.40
109.7	13.8	1504.5	34.39
112.8	13.7	1504.3	34.38
118.9	13.6	1504.1	34.37
121.9	13.5	1503.7	34.36
128.0	13.4	1503.4	34.35
134.1	13.2	1503.0	34.33
137.2	13.1	1502.6	34.33
143.3	13.0	1502.3	34.31
149.4	12.9	1502.1	34.30
152.4	12.8	1501.7	34.30
158.5	12.6	1501.3	34.29
161.5	12.7	1501.7	34.29
167.6	12.6	1501.4	34.29
173.7	12.5	1501.1	34.28
176.8	12.5	1501.2	34.28
182.9	12.3	1500.5	34.27
189.0	11.9	1499.2	34.27
192.0	12.3	1500.6	34.27
196.1	12.1	1500.2	34.26
204.2	12.1	1500.2	34.26
207.3	12.0	1499.9	34.25
213.4	11.7	1499.0	34.25

PLATFORM- MARYSVIL

POSITION- 34 01N 157 21W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 47

DATE- AUG 01, 1968 TIME- 0200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	23.8	1531.6	34.78
3.0	23.7	1531.5	34.78
9.1	23.7	1531.6	34.77
12.2	23.5	1531.1	34.76
18.3	22.3	1528.2	34.75
21.3	20.9	1524.6	34.75
24.4	19.7	1521.5	34.74
30.5	18.4	1517.8	34.73
33.5	17.7	1515.9	34.73
36.6	17.0	1513.8	34.72
42.7	16.4	1512.0	34.71
45.7	16.3	1511.8	34.71
51.8	15.8	1510.3	34.69
54.9	15.5	1509.5	34.67
61.0	15.4	1509.2	34.64
64.0	15.2	1508.7	34.62
70.1	15.1	1508.4	34.58
73.2	14.8	1507.3	34.57
79.2	14.7	1507.2	34.53
82.3	14.4	1506.2	34.51
88.4	14.2	1505.7	34.48
91.4	14.1	1505.4	34.46
97.5	14.0	1505.1	34.42
100.6	13.9	1504.7	34.41
106.7	13.8	1504.4	34.40
109.7	13.7	1504.3	34.39
115.8	13.5	1503.6	34.38
118.9	13.5	1503.7	34.37
125.0	13.4	1503.4	34.36
131.1	13.3	1503.1	34.34
134.1	13.2	1503.0	34.33
140.2	13.1	1502.7	34.32
146.3	13.1	1502.8	34.31
149.4	13.0	1502.4	34.30
155.4	12.9	1502.2	34.30
158.5	12.6	1501.3	34.29
164.6	12.8	1501.9	34.29
167.6	12.6	1501.4	34.29
173.7	12.5	1501.1	34.28
179.8	12.5	1501.2	34.28
185.9	12.3	1500.5	34.27
189.0	12.4	1501.0	34.27
195.1	12.2	1500.5	34.26
201.2	12.0	1499.8	34.26
204.2	12.0	1499.9	34.26
210.3	12.0	1500.0	34.25
216.4	12.1	1500.4	34.25

PLATFORM- MARYSVIL

POSITION- 33 55N 157 52W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 01, 1968 TIME- 0300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	23.8	1532.0	35.08
3.0	23.6	1531.6	35.06
9.1	23.6	1531.6	35.01
12.2	22.9	1529.9	34.99
18.3	21.3	1525.8	34.95
21.3	20.0	1522.4	34.93
24.4	18.6	1518.5	34.90
30.5	17.6	1515.7	34.86
33.5	17.0	1513.9	34.84
36.6	16.6	1512.7	34.82
42.7	16.1	1511.3	34.77
45.7	16.1	1511.3	34.75
51.8	15.6	1509.8	34.71
54.9	15.3	1508.8	34.69
61.0	15.3	1508.8	34.66
64.0	15.0	1508.0	34.65
70.1	14.9	1507.7	34.62
73.2	14.6	1506.8	34.60
79.2	14.6	1506.9	34.57
82.3	14.4	1506.2	34.55
88.4	14.3	1505.9	34.52
91.4	14.2	1505.8	34.50
97.5	14.1	1505.5	34.47
100.6	14.1	1505.5	34.46
106.7	14.0	1505.2	34.44
109.7	13.9	1504.9	34.44
115.8	13.8	1504.6	34.42
118.9	13.7	1504.5	34.41
125.0	13.6	1504.2	34.40
131.1	13.5	1503.9	34.39
134.1	13.3	1503.2	34.38
140.2	13.2	1503.1	34.36
146.3	13.2	1503.2	34.35
149.4	13.1	1502.9	34.34
155.4	13.0	1502.0	34.33
158.5	12.7	1501.7	34.33
164.6	12.9	1502.3	34.32
167.6	12.8	1502.0	34.32
173.7	12.7	1501.9	34.31
179.8	12.7	1502.0	34.30
185.9	12.5	1501.3	34.29
189.0	12.4	1501.0	34.29
195.1	12.3	1500.7	34.28
201.2	12.2	1500.6	34.27
204.2	12.2	1500.6	34.27
210.3	12.2	1500.7	34.26
216.4	12.0	1500.1	34.26



PLATFORM- MARYSVIL

POSITION- 33 43N 157 54W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 01, 1968 TIME- 0500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.0	1532.5	35.08
3.0	23.8	1532.0	35.06
9.1	23.9	1532.3	35.01
12.2	23.8	1532.1	34.99
16.3	23.4	1531.2	34.95
21.3	21.1	1525.4	34.93
24.4	19.8	1521.8	34.90
30.5	18.9	1519.4	34.86
33.5	18.3	1517.6	34.84
36.6	17.8	1516.2	34.82
42.7	17.1	1514.3	34.77
45.7	17.0	1514.0	34.75
51.8	16.6	1512.9	34.71
54.9	16.4	1512.2	34.69
61.0	16.3	1511.9	34.66
64.0	16.0	1511.1	34.65
70.1	15.8	1510.5	34.62
73.2	15.5	1509.7	34.60
79.2	15.4	1509.4	34.57
82.3	15.2	1508.9	34.55
88.4	15.0	1508.2	34.52
91.4	14.9	1507.9	34.50
97.5	14.8	1507.6	34.47
100.6	14.7	1507.5	34.46
106.7	14.6	1507.2	34.44
109.7	14.5	1506.9	34.44
115.8	14.4	1506.6	34.42
118.9	14.2	1506.1	34.41
125.0	14.1	1505.8	34.40
131.1	14.0	1505.6	34.39
134.1	13.8	1504.9	34.38
140.2	13.7	1504.8	34.36
146.3	13.6	1504.5	34.35
149.4	13.5	1504.2	34.34
155.4	13.4	1503.9	34.33
158.5	13.0	1502.6	34.33
164.6	13.1	1503.1	34.32
167.6	12.9	1502.4	34.32
173.7	12.8	1502.1	34.31
179.8	12.8	1502.2	34.30
185.9	12.6	1501.7	34.29
189.0	12.6	1501.7	34.29
195.1	12.4	1501.1	34.28
201.2	12.3	1500.8	34.27
204.2	12.3	1500.8	34.27
210.3	12.2	1500.7	34.26
216.4	12.1	1500.5	34.26

PLATFORM- MARYSVIL

POSITION- 33 36N 157 55W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 01, 1968 TIME- 0600

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.1	1532.8	35.00
3.0	23.9	1532.3	35.06
9.1	23.9	1532.3	35.01
12.2	23.7	1531.9	34.99
18.3	22.1	1528.0	34.95
21.3	20.1	1522.7	34.93
27.4	19.1	1520.0	34.88
30.5	18.6	1518.6	34.86
33.5	18.3	1517.6	34.84
39.6	17.8	1516.2	34.79
42.7	17.2	1514.6	34.77
48.8	17.2	1514.7	34.73
51.8	16.8	1513.4	34.71
57.9	16.5	1512.6	34.68
61.0	16.4	1512.3	34.66
67.1	16.3	1512.0	34.63
70.1	16.1	1511.5	34.62
76.2	15.9	1510.9	34.58
79.2	15.9	1510.9	34.57
85.3	15.7	1510.5	34.54
86.4	15.6	1510.2	34.52
94.5	15.4	1509.5	34.49
97.5	15.2	1509.0	34.47
103.6	15.1	1508.8	34.45
106.7	14.9	1508.1	34.44
112.8	14.8	1507.8	34.43
115.8	14.5	1507.0	34.42
121.9	14.4	1506.7	34.41
128.0	14.2	1506.2	34.39
131.1	14.0	1505.6	34.39
137.2	13.8	1504.9	34.37
140.2	13.6	1504.4	34.36
146.3	13.6	1504.5	34.35
152.4	13.4	1503.8	34.34
155.4	13.3	1503.5	34.33
161.5	12.9	1502.3	34.32
164.6	13.1	1503.1	34.32
170.7	12.9	1502.4	34.31
176.8	12.8	1502.1	34.30
179.8	12.8	1502.2	34.30
185.9	12.6	1501.7	34.29
192.0	12.7	1502.2	34.28
198.1	12.4	1501.1	34.27
201.2	12.3	1500.8	34.27
207.3	12.4	1501.3	34.27
213.4	12.3	1501.0	34.26
216.4	12.1	1500.5	34.26

PLATFORM. MARYSVIL

POSITION. 33 30N 157 55W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE. AUG 01, 1968 TIME. 0700

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.1	1532.8	35.08
3.0	23.9	1532.3	35.06
9.1	23.9	1532.3	35.01
12.2	23.7	1531.9	34.99
18.3	22.7	1529.5	34.95
21.3	20.6	1524.0	34.93
24.4	19.8	1521.8	34.90
30.5	19.3	1520.5	34.86
33.5	18.9	1519.4	34.84
36.6	18.3	1517.7	34.82
42.7	17.6	1515.8	34.77
45.7	17.6	1515.8	34.75
51.8	17.1	1514.4	34.71
54.9	16.9	1513.7	34.69
61.0	16.9	1513.8	34.66
64.0	16.7	1513.3	34.63
67.1	16.5	1512.7	34.63
73.2	16.3	1512.1	34.60
76.2	16.2	1511.9	34.58
82.3	16.0	1511.3	34.55
85.3	15.9	1511.0	34.54
91.4	15.8	1510.7	34.50
94.5	15.7	1510.6	34.49
100.6	15.6	1510.3	34.46
103.6	15.4	1509.6	34.45
109.7	15.2	1509.2	34.44
112.8	15.0	1508.5	34.43
118.9	14.9	1508.3	34.41
125.0	14.6	1507.4	34.40
128.0	14.4	1506.8	34.39
134.1	14.2	1506.3	34.38
137.2	13.9	1505.3	34.37
143.3	13.8	1505.0	34.36
149.4	13.6	1504.5	34.34
155.4	13.5	1504.2	34.33
158.5	13.1	1503.0	34.33
161.5	13.2	1503.4	34.32
167.6	13.0	1502.7	34.32
173.7	13.0	1502.8	34.31
176.8	12.9	1502.5	34.30
182.9	12.7	1502.0	34.29
189.0	12.7	1502.1	34.29
195.1	12.5	1501.5	34.28
198.1	12.4	1501.1	34.27
204.2	12.4	1501.2	34.27
210.3	12.3	1500.9	34.26
213.4	12.1	1500.4	34.26

PLATFORM- MARYSVIL

POSITION- 33 20N 157 55W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 01, 1968 TIME- 0900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.4	1533.5	35.08
3.0	24.2	1533.1	35.06
9.1	24.2	1533.1	35.01
12.2	24.2	1533.2	34.99
16.3	24.1	1532.9	34.95
21.3	22.9	1530.0	34.93
24.4	21.2	1525.7	34.90
30.5	20.3	1523.2	34.86
33.5	19.9	1522.2	34.84
36.6	19.2	1520.4	34.82
42.7	18.4	1518.0	34.77
45.7	18.3	1517.7	34.75
51.8	17.9	1516.7	34.71
54.9	17.6	1515.9	34.69
61.0	17.6	1515.9	34.66
64.0	17.4	1515.3	34.65
67.1	17.3	1515.0	34.63
73.2	17.0	1514.3	34.60
76.2	17.0	1514.3	34.58
82.3	17.0	1514.3	34.55
85.3	16.7	1513.5	34.54
91.4	16.6	1513.3	34.50
94.5	16.5	1513.0	34.49
100.6	16.4	1512.7	34.46
103.6	16.2	1512.2	34.45
109.7	16.1	1512.0	34.44
112.8	15.9	1511.3	34.43
118.9	15.8	1511.1	34.41
125.0	15.7	1511.0	34.40
128.0	15.5	1510.3	34.39
134.1	15.4	1510.0	34.38
137.2	15.1	1509.2	34.37
143.3	15.0	1508.9	34.36
149.4	14.8	1508.3	34.34
155.4	14.6	1507.9	34.33
158.5	14.1	1506.3	34.33
161.5	14.2	1506.7	34.32
167.6	13.9	1505.7	34.32
173.7	13.8	1505.4	34.31
176.8	13.6	1504.9	34.30
182.9	13.4	1504.3	34.29
189.0	13.3	1504.0	34.29
195.1	13.1	1503.5	34.28
198.1	12.9	1502.8	34.27
204.2	12.9	1502.9	34.27
210.3	12.8	1502.6	34.26
213.4	12.6	1502.1	34.26

PLATFORM. MARYSVIL

POSITION. 33 15N 157 55W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE. AUG 01, 1968 TIME. 1000

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.5	1533.7	35.08
3.0	24.3	1533.2	35.06
9.1	24.3	1533.3	35.01
12.2	24.3	1533.3	34.99
18.3	23.8	1532.1	34.95
21.3	22.6	1529.3	34.93
24.4	21.2	1525.7	34.90
30.5	20.4	1523.5	34.86
33.5	19.9	1522.2	34.84
36.6	19.2	1520.4	34.82
42.7	18.6	1518.7	34.77
45.7	18.5	1518.4	34.75
51.8	18.0	1517.0	34.71
54.9	17.7	1516.2	34.69
61.0	17.7	1516.3	34.66
64.0	17.5	1515.6	34.65
70.1	17.4	1515.4	34.62
73.2	17.2	1514.9	34.60
79.2	17.2	1515.0	34.57
82.3	17.0	1514.3	34.55
88.4	16.9	1514.1	34.52
91.4	16.7	1513.6	34.50
97.5	16.6	1513.3	34.47
100.6	16.5	1513.0	34.46
106.7	16.4	1512.8	34.44
109.7	16.3	1512.5	34.44
115.8	16.2	1512.4	34.42
118.9	16.1	1512.1	34.41
125.0	15.9	1511.5	34.40
131.1	15.8	1511.2	34.39
134.1	15.6	1510.7	34.38
140.2	15.5	1510.5	34.36
146.3	15.3	1509.9	34.35
149.4	15.1	1509.4	34.34
155.4	15.0	1509.1	34.33
158.5	14.6	1507.9	34.33
164.6	14.6	1508.0	34.32
167.6	14.3	1507.0	34.32
173.7	14.1	1506.5	34.31
179.8	13.8	1505.5	34.30
185.9	13.5	1504.7	34.29
189.0	13.3	1504.0	34.29
195.1	13.2	1503.9	34.28
201.2	13.0	1503.2	34.27
204.2	13.0	1503.3	34.27
210.3	12.9	1503.0	34.26
216.4	12.8	1502.7	34.26

PLATFORM- MARYSVIL

POSITION- 33 10N 157 55W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 01, 1968 TIME- 1100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.4	1533.5	35.08
3.0	24.3	1533.2	35.06
9.1	24.3	1533.3	35.01
12.2	24.3	1533.3	34.99
16.3	24.1	1532.9	34.95
21.3	22.6	1529.3	34.93
24.4	21.0	1525.1	34.90
30.5	20.1	1522.8	34.86
33.5	19.6	1521.4	34.84
36.6	19.0	1519.7	34.82
42.7	18.4	1518.0	34.77
45.7	18.4	1518.1	34.75
51.8	17.9	1516.7	34.71
54.9	17.7	1516.2	34.69
61.0	17.7	1516.3	34.66
64.0	17.5	1515.6	34.65
70.1	17.4	1515.4	34.62
73.2	17.1	1514.6	34.60
79.2	17.1	1514.6	34.57
82.3	17.0	1514.3	34.55
88.4	16.9	1514.1	34.52
91.4	16.8	1513.8	34.50
97.5	16.6	1513.3	34.47
100.6	16.5	1513.0	34.46
106.7	16.4	1512.8	34.44
109.7	16.3	1512.5	34.44
115.8	16.1	1512.0	34.42
118.9	15.9	1511.4	34.41
125.0	15.7	1511.0	34.40
131.1	15.4	1510.0	34.39
134.1	15.2	1509.5	34.38
140.2	15.0	1508.9	34.36
146.3	15.0	1509.0	34.35
149.4	14.8	1508.3	34.34
155.4	14.7	1508.2	34.33
158.5	14.4	1507.2	34.33
164.6	14.4	1507.3	34.32
167.6	14.1	1506.4	34.32
173.7	13.9	1505.8	34.31
179.8	13.6	1505.0	34.30
185.9	13.3	1503.9	34.29
189.0	12.9	1502.7	34.29
195.1	13.0	1503.1	34.28
201.2	12.6	1502.5	34.27
204.2	12.6	1502.5	34.27
210.3	12.8	1502.6	34.26
216.4	12.6	1502.2	34.26

PLATFORM- MARYSVIL

POSITION- 33 58N 157 55W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 01, 1968 TIME- 1300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	24.4	1533.5	35.08
3.0	24.2	1533.1	35.06
9.1	24.2	1533.1	35.01
12.2	24.2	1533.2	34.99
16.3	24.3	1533.3	34.95
21.3	23.8	1532.2	34.93
24.4	22.5	1529.0	34.90
30.5	21.2	1525.7	34.86
33.5	20.6	1524.1	34.84
36.6	20.0	1522.5	34.82
42.7	19.4	1520.9	34.77
45.7	19.2	1520.4	34.75
51.8	18.7	1519.1	34.71
54.9	18.4	1518.1	34.69
61.0	18.3	1517.9	34.66
64.0	18.0	1517.1	34.65
67.1	17.8	1516.5	34.63
73.2	17.5	1515.7	34.60
76.2	17.4	1515.4	34.58
82.3	17.3	1515.2	34.55
85.3	17.1	1514.7	34.54
91.4	17.1	1514.8	34.50
94.5	16.9	1514.1	34.49
100.6	16.8	1513.9	34.46
103.6	16.7	1513.7	34.45
109.7	16.6	1513.5	34.44
112.8	16.4	1512.9	34.43
116.9	16.3	1512.6	34.41
125.0	16.1	1512.2	34.40
128.0	15.9	1511.5	34.39
134.1	15.7	1511.1	34.38
137.2	15.5	1510.4	34.37
143.3	15.4	1510.2	34.36
149.4	15.2	1509.7	34.34
155.4	14.9	1508.8	34.33
158.5	14.4	1507.2	34.33
161.5	14.4	1507.2	34.32
167.6	14.0	1506.1	34.32
173.7	13.8	1505.4	34.31
176.8	13.7	1505.3	34.30
182.9	13.4	1504.3	34.29
189.0	12.9	1502.7	34.29
195.1	13.1	1503.5	34.28
198.1	12.9	1502.8	34.27
204.2	12.9	1502.9	34.27
210.3	12.8	1502.6	34.26
213.4	12.7	1502.5	34.26

PLATFORM- MARYSVIL

POSITION- 33 53N 157 54W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 01, 1968 TIME- 1400

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.2	1533.1	35.08
3.0	24.1	1532.8	35.06
9.1	24.1	1532.9	35.01
12.2	24.1	1532.9	34.99
15.2	24.2	1533.2	34.97
21.3	23.8	1532.2	34.93
24.4	22.7	1529.6	34.90
30.5	21.4	1526.2	34.86
33.5	20.3	1523.2	34.84
36.6	19.5	1521.1	34.82
42.7	18.8	1519.1	34.77
45.7	18.7	1519.0	34.75
46.8	18.2	1517.6	34.73
54.9	17.9	1516.7	34.69
57.9	17.8	1516.4	34.68
64.0	17.6	1516.0	34.65
67.1	17.4	1515.4	34.63
73.2	17.1	1514.6	34.60
76.2	17.0	1514.3	34.58
82.3	16.8	1513.7	34.55
85.3	16.6	1513.2	34.54
91.4	16.5	1512.9	34.50
94.5	16.4	1512.6	34.49
97.5	16.3	1512.3	34.47
103.6	16.2	1512.2	34.45
106.7	16.0	1511.6	34.44
112.8	15.8	1511.0	34.43
115.8	15.7	1510.8	34.42
121.9	15.5	1510.2	34.41
128.0	15.3	1509.6	34.39
131.1	15.1	1509.1	34.39
137.2	14.8	1508.1	34.37
143.3	14.7	1508.1	34.36
146.3	14.5	1507.4	34.35
152.4	14.3	1506.7	34.34
155.4	13.9	1505.5	34.33
161.5	13.9	1505.6	34.32
164.6	13.5	1504.4	34.32
170.7	13.3	1503.7	34.31
176.8	13.2	1503.6	34.30
182.9	12.9	1502.6	34.29
185.9	12.5	1501.3	34.29
192.0	12.6	1501.8	34.28
196.1	12.5	1501.5	34.27
201.2	12.5	1501.5	34.27
207.3	12.5	1501.6	34.27
213.4	12.3	1501.0	34.26



PLATFORM- MARYSVIL

POSITION- 33 48N 157 53W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 37

DATE- AUG 01, 1968 TIME- 1500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.4	1533.5	35.08
3.0	24.3	1533.2	35.06
9.1	24.4	1533.5	35.01
12.2	24.3	1533.3	34.99
18.3	24.4	1533.6	34.95
21.3	24.2	1533.2	34.93
24.4	23.3	1531.0	34.90
30.5	21.8	1527.2	34.86
33.5	20.5	1523.8	34.84
36.6	19.5	1521.1	34.82
42.7	18.7	1519.0	34.77
45.7	18.3	1517.7	34.75
51.8	17.8	1516.3	34.71
54.9	17.5	1515.6	34.69
61.0	17.5	1515.6	34.66
64.0	17.3	1515.0	34.65
67.1	17.1	1514.5	34.63
73.2	16.8	1513.6	34.60
76.2	16.7	1513.5	34.58
82.3	16.5	1512.8	34.55
85.3	16.3	1512.2	34.54
91.4	16.2	1512.1	34.50
94.5	16.0	1511.4	34.49
100.6	16.0	1511.5	34.46
103.6	15.8	1510.8	34.45
109.7	15.7	1510.8	34.44
112.8	15.5	1510.1	34.43
118.9	15.5	1510.2	34.41
125.0	15.4	1509.9	34.40
126.0	15.2	1509.4	34.39
134.1	15.0	1508.8	34.38
137.2	14.8	1508.1	34.37
143.3	14.7	1508.1	34.36
149.4	14.4	1507.1	34.34
155.4	14.2	1506.6	34.33
158.5	13.8	1505.2	34.33
161.5	13.8	1505.2	34.32
167.6	13.6	1504.8	34.32
173.7	13.4	1504.1	34.31
176.8	13.3	1503.8	34.30
182.9	13.0	1503.0	34.29
189.0	12.6	1501.7	34.29
195.1	12.7	1502.2	34.28
196.1	12.6	1501.9	34.27
204.2	12.5	1501.6	34.27
210.3	12.4	1501.3	34.26
213.4	12.2	1500.8	34.26

PLATFORM. MARYSVIL

POSITION. 32 38N 157 51W

PARDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE. AUG 01, 1968 TIME. 1700

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	24.3	1533.6	35.48
3.0	24.2	1533.5	35.44
9.1	24.2	1533.5	35.37
12.2	24.2	1533.5	35.34
15.2	24.2	1533.6	35.30
21.3	24.2	1533.6	35.23
24.4	24.1	1533.3	35.20
30.5	23.2	1531.2	35.13
33.5	21.5	1526.8	35.09
36.6	20.3	1523.5	35.06
39.6	19.2	1520.6	35.02
45.7	19.0	1520.0	34.95
48.8	18.4	1518.3	34.91
54.9	18.1	1517.5	34.87
57.9	17.9	1516.9	34.85
61.0	17.6	1516.1	34.83
67.1	17.5	1515.9	34.78
70.1	17.3	1515.2	34.76
76.2	17.3	1515.3	34.72
79.2	17.0	1514.5	34.70
85.3	16.8	1513.9	34.66
88.4	16.7	1513.7	34.64
94.5	16.5	1513.1	34.60
97.5	16.4	1512.8	34.58
100.6	16.3	1512.5	34.56
106.7	16.2	1512.4	34.54
112.8	16.0	1511.8	34.51
115.8	16.0	1511.8	34.50
121.9	15.8	1511.2	34.48
125.0	15.6	1510.7	34.47
131.1	15.4	1510.1	34.45
134.1	15.2	1509.6	34.44
140.2	15.1	1509.3	34.42
146.3	14.8	1508.3	34.39
152.4	14.7	1508.2	34.38
155.4	14.3	1506.8	34.37
161.5	14.4	1507.3	34.37
164.6	14.1	1506.4	34.37
170.7	14.0	1506.2	34.36
176.8	13.9	1505.9	34.35
179.8	13.7	1505.4	34.35
185.9	13.2	1503.8	34.34
192.0	13.3	1504.1	34.34
195.1	13.1	1503.6	34.33
201.2	13.1	1503.7	34.33
207.3	13.0	1503.4	34.32
210.3	12.8	1502.7	34.32

PLATFORM. MARYSVIL

POSITION. 32 32N 197 51W

PARDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE= AUG 01, 1968 TIME=1800

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	24.4	1533.9	35.48
3.0	24.3	1533.7	35.44
9.1	24.3	1533.7	35.37
12.2	24.3	1533.7	35.34
15.2	24.4	1534.0	35.30
21.3	24.3	1533.7	35.23
24.4	24.0	1533.1	35.20
30.5	22.5	1529.4	35.13
33.5	20.9	1525.2	35.09
36.6	19.8	1522.2	35.06
42.7	19.1	1520.3	34.99
45.7	18.9	1519.7	34.95
46.8	18.4	1518.3	34.91
54.9	18.1	1517.5	34.87
57.9	18.0	1517.3	34.85
64.0	17.7	1516.5	34.80
67.1	17.4	1515.5	34.78
73.2	17.0	1514.4	34.74
76.2	17.0	1514.5	34.72
82.3	16.8	1513.8	34.68
85.3	16.7	1513.7	34.66
91.4	16.6	1513.4	34.62
94.5	16.4	1512.8	34.60
97.5	16.2	1512.3	34.58
103.6	16.1	1512.0	34.55
106.7	16.1	1512.0	34.54
112.8	15.9	1511.4	34.51
115.8	15.8	1511.1	34.50
121.9	15.7	1511.0	34.48
128.0	15.5	1510.4	34.46
131.1	15.4	1510.1	34.45
134.1	15.2	1509.6	34.44
143.3	15.0	1509.0	34.40
146.3	14.8	1508.3	34.39
152.4	14.6	1507.9	34.38
155.4	14.3	1506.8	34.37
161.5	14.4	1507.3	34.37
164.6	14.1	1506.4	34.37
170.7	14.0	1506.2	34.36
176.8	13.8	1505.5	34.35
182.9	13.6	1505.1	34.35
185.9	13.1	1503.5	34.34
192.0	13.2	1503.9	34.34
196.1	13.1	1503.6	34.33
201.2	13.1	1503.7	34.33
207.3	13.0	1503.4	34.32
213.4	12.8	1502.8	34.32

PLATFORM. MARYSVIL

POSITION. 32 27N 157 52W

PARDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE. AUG 01, 1968 TIME= 1900

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.6	1534.4	35.48
3.0	24.4	1533.9	35.44
4.1	24.5	1534.2	35.37
12.2	24.4	1533.9	35.34
15.2	24.5	1534.2	35.30
21.3	24.4	1534.0	35.23
24.4	24.0	1533.1	35.20
30.5	22.8	1530.1	35.13
33.5	21.2	1526.1	35.09
36.6	20.0	1522.8	35.06
39.6	19.2	1520.6	35.02
45.7	19.0	1520.0	34.95
46.8	18.4	1518.3	34.91
54.9	18.1	1517.5	34.87
57.9	17.9	1516.9	34.85
61.0	17.6	1516.1	34.83
67.1	17.4	1515.5	34.78
70.1	17.1	1514.7	34.76
76.2	17.1	1514.8	34.72
79.2	16.8	1513.8	34.70
85.3	16.6	1513.4	34.66
88.4	16.4	1512.7	34.64
94.5	16.3	1512.4	34.60
97.5	16.2	1512.3	34.58
100.6	16.0	1511.6	34.56
106.7	15.9	1511.3	34.54
112.8	15.8	1511.1	34.51
115.8	15.7	1510.9	34.50
121.9	15.7	1511.0	34.48
125.0	15.6	1510.7	34.47
131.1	15.4	1510.1	34.45
134.1	15.2	1509.6	34.44
140.2	15.1	1509.3	34.42
146.3	14.9	1508.7	34.39
152.4	14.7	1508.2	34.38
155.4	14.3	1506.8	34.37
161.5	14.5	1507.7	34.37
164.6	14.2	1506.8	34.37
170.7	14.1	1506.5	34.36
176.8	13.9	1505.9	34.35
179.8	13.7	1505.4	34.35
185.9	13.2	1503.8	34.34
192.0	13.3	1504.1	34.34
195.1	13.1	1503.6	34.33
201.2	13.1	1503.7	34.33
207.3	13.0	1503.4	34.32
210.3	12.8	1502.7	34.32

PLATFORM- MARYSVIL

POSITION- 32 15N 157 55W

PARDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- AUG 01, 1968 TIME- 2100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	24.6	1534.4	35.48
3.0	24.5	1534.2	35.44
9.1	24.5	1534.2	35.37
12.2	24.5	1534.2	35.34
15.2	24.5	1534.2	35.30
21.3	24.4	1534.0	35.23
24.4	23.0	1530.6	35.20
30.5	21.3	1526.2	35.13
33.5	20.7	1524.7	35.09
36.6	19.9	1522.5	35.06
42.7	19.2	1520.7	34.99
45.7	19.0	1520.0	34.95
48.8	18.5	1518.6	34.91
54.9	18.2	1517.9	34.87
57.9	18.1	1517.6	34.85
64.0	17.9	1517.0	34.80
67.1	17.7	1516.5	34.78
73.2	17.4	1515.6	34.74
76.2	17.3	1515.3	34.72
82.3	17.0	1514.5	34.68
85.3	16.8	1513.9	34.66
91.4	16.6	1513.4	34.62
94.5	16.5	1513.1	34.60
97.5	16.3	1512.4	34.58
103.6	16.1	1512.0	34.55
106.7	16.0	1511.7	34.54
112.8	15.8	1511.1	34.51
115.8	15.8	1511.1	34.50
121.9	15.7	1511.0	34.48
126.0	15.4	1510.0	34.46
131.1	15.2	1509.6	34.45
137.2	15.0	1508.9	34.43
143.3	14.9	1508.6	34.40
146.3	14.7	1508.1	34.39
152.4	14.5	1507.5	34.38
155.4	14.1	1506.3	34.37
161.5	14.2	1506.8	34.37
164.6	13.7	1505.2	34.37
170.7	13.8	1505.4	34.36
176.8	13.7	1505.3	34.35
182.9	13.5	1504.7	34.35
185.9	13.0	1503.1	34.34
192.0	13.2	1503.9	34.34
198.1	13.0	1503.3	34.33
201.2	13.0	1503.3	34.33
207.3	12.9	1503.0	34.32
213.4	12.7	1502.6	34.32

PLATFORM- MARYSVIL

POSITION- 32 09N 157 50W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- AUG 01, 1968 TIME- 2200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SQVEL (M/SEC)	SAL (0/00)
0.0	24.6	1534.4	35.48
3.0	24.4	1533.9	35.44
9.1	24.5	1534.2	35.37
12.2	24.4	1533.9	35.34
18.3	24.5	1534.2	35.27
21.3	24.3	1533.7	35.23
24.4	22.9	1530.3	35.20
30.5	21.5	1526.8	35.13
33.5	20.7	1524.7	35.09
36.6	19.9	1522.5	35.06
42.7	19.0	1520.0	34.99
45.7	18.9	1519.7	34.95
51.8	18.4	1518.3	34.89
54.9	18.0	1517.2	34.87
61.0	17.9	1517.0	34.83
64.0	17.7	1516.5	34.80
70.1	17.5	1515.9	34.76
73.2	17.2	1515.1	34.74
79.2	17.1	1514.8	34.70
82.3	16.9	1514.2	34.68
86.4	16.8	1513.9	34.64
91.4	16.7	1513.7	34.62
97.5	16.5	1513.1	34.58
100.6	16.4	1512.8	34.56
106.7	16.2	1512.4	34.54
109.7	16.1	1512.1	34.52
115.8	15.9	1511.5	34.50
116.9	15.8	1511.1	34.49
125.0	15.7	1511.0	34.47
131.1	15.5	1510.4	34.45
134.1	15.3	1509.8	34.44
140.2	15.1	1509.3	34.42
146.3	15.0	1509.0	34.39
149.4	14.8	1508.4	34.38
155.4	14.6	1507.9	34.37
158.5	14.2	1506.7	34.37
164.6	14.2	1506.8	34.37
167.6	13.7	1505.2	34.36
173.7	13.7	1505.3	34.36
179.8	13.6	1505.0	34.35
185.9	13.4	1504.4	34.34
189.0	12.9	1502.8	34.34
195.1	13.0	1503.2	34.33
201.2	12.8	1502.6	34.33
204.2	12.8	1502.6	34.33
210.3	12.8	1502.7	34.32
216.4	12.6	1502.2	34.32

PLATFORM- MARYSVIL

POSITION- 32 04N 157 57W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 27

DATE- AUG 01, 1968 TIME-2300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.7	1534.7	35.48
3.0	24.5	1534.2	35.44
9.1	24.5	1534.2	35.37
12.2	24.5	1534.2	35.34
16.3	24.5	1534.2	35.27
21.3	24.5	1534.2	35.23
24.4	23.6	1532.1	35.20
30.5	21.6	1527.1	35.13
33.5	20.8	1524.9	35.09
36.6	20.1	1523.1	35.06
42.7	19.0	1520.0	34.99
45.7	18.8	1519.4	34.95
51.8	18.3	1518.0	34.89
54.9	17.9	1516.9	34.87
61.0	17.8	1516.6	34.83
64.0	17.5	1515.8	34.80
67.1	17.4	1515.5	34.78
73.2	17.1	1514.8	34.74
76.2	17.0	1514.5	34.72
82.3	16.9	1514.2	34.68
85.3	16.8	1513.9	34.66
91.4	16.7	1513.7	34.62
94.5	16.5	1513.1	34.60
100.6	16.4	1512.8	34.56
103.6	16.2	1512.3	34.55
109.7	16.1	1512.1	34.52
112.8	16.0	1511.8	34.51
116.9	15.9	1511.5	34.49
125.0	15.8	1511.2	34.47
126.0	15.6	1510.7	34.46
134.1	15.4	1510.1	34.44
137.2	15.2	1509.6	34.43
143.3	15.1	1509.3	34.40
149.4	14.9	1508.7	34.38
155.4	14.7	1508.3	34.37
158.5	14.2	1506.7	34.37
161.5	14.2	1506.8	34.37
167.6	13.7	1505.2	34.36
173.7	13.8	1505.5	34.36
176.8	13.6	1505.0	34.35
182.9	13.4	1504.3	34.35
189.0	12.9	1502.8	34.34
195.1	13.0	1503.2	34.33
196.1	12.9	1502.9	34.33
204.2	12.8	1502.6	34.33
210.3	12.7	1502.5	34.32
213.4	12.6	1502.2	34.32

PLATFORM- MARYSVIL

POSITION- 31 10N 158 07W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 18

DATE- AUG 02, 1968 TIME- 0700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.7	1534.5	35.30
3.0	24.7	1534.5	35.29
9.1	24.7	1534.6	35.26
12.2	24.7	1534.6	35.25
18.3	24.7	1534.7	35.23
21.3	24.6	1534.5	35.21
27.4	24.5	1534.3	35.19
30.5	22.5	1529.4	35.18
33.6	21.2	1526.1	35.17
39.6	20.3	1523.7	35.14
42.7	19.3	1521.0	35.13
48.8	19.0	1520.3	35.10
51.8	18.3	1518.2	35.09
57.9	17.9	1517.2	35.07
61.0	17.7	1516.7	35.06
67.1	17.5	1516.2	35.03
70.1	17.3	1515.5	35.02
76.2	17.0	1514.8	35.00
79.2	17.1	1515.1	34.98
85.3	16.9	1514.6	34.96
88.4	16.8	1514.3	34.95
94.5	16.7	1514.2	34.92
97.5	16.6	1513.9	34.91
103.6	16.6	1513.9	34.89
106.7	16.4	1513.3	34.87
112.8	16.4	1513.4	34.85
115.8	16.2	1512.9	34.84
121.9	16.2	1513.0	34.81
128.0	16.1	1512.7	34.79
131.1	15.9	1512.0	34.78
137.2	15.8	1511.8	34.75
143.3	15.7	1511.7	34.73
146.3	15.6	1511.3	34.71
152.4	15.5	1511.1	34.69
155.4	15.4	1510.8	34.68
161.5	15.1	1510.0	34.65
164.6	15.2	1510.3	34.64
170.7	14.8	1509.0	34.62
176.8	14.9	1509.4	34.59
179.8	14.8	1509.1	34.58
185.9	14.5	1508.3	34.56
192.0	13.9	1506.4	34.53
196.1	14.0	1506.8	34.51
201.2	13.8	1506.1	34.50
207.3	13.6	1505.6	34.49
213.4	13.4	1505.0	34.47
216.4	13.2	1504.5	34.47



PLATFORM. MARYSVIL

POSITION. 31 06N 158 06W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 18

DATE. AUG 02, 1968 TIME. 0900

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.8	1534.6	35.30
3.0	24.8	1534.7	35.29
9.1	24.9	1535.0	35.26
12.2	24.8	1534.8	35.25
18.3	24.9	1535.1	35.23
21.3	24.2	1533.6	35.21
24.4	22.8	1530.0	35.20
30.5	21.2	1526.1	35.18
33.5	20.6	1524.5	35.17
36.6	19.9	1522.6	35.15
42.7	19.0	1520.2	35.13
45.7	18.8	1519.6	35.12
48.8	18.2	1518.1	35.10
54.9	17.8	1516.8	35.08
57.9	17.7	1516.7	35.07
64.0	17.4	1515.8	35.04
67.1	17.2	1515.3	35.03
73.2	16.9	1514.4	35.01
76.2	16.9	1514.5	35.00
82.3	16.7	1514.0	34.97
85.3	16.6	1513.7	34.96
91.4	16.5	1513.5	34.93
94.5	16.4	1513.1	34.92
100.6	16.3	1512.9	34.90
103.6	16.1	1512.4	34.89
109.7	16.0	1512.1	34.86
112.8	15.9	1511.8	34.85
116.9	15.8	1511.6	34.82
121.9	15.7	1511.4	34.81
128.0	15.6	1511.1	34.79
134.1	15.4	1510.5	34.76
137.2	15.3	1510.2	34.75
143.3	15.2	1510.1	34.73
149.4	15.1	1509.8	34.70
152.4	15.0	1509.5	34.69
158.5	14.6	1508.3	34.67
161.5	14.6	1508.4	34.65
167.6	14.1	1506.8	34.63
173.7	14.2	1507.2	34.61
176.8	14.1	1506.9	34.59
182.9	13.8	1505.9	34.57
189.0	13.2	1504.1	34.54
192.0	13.4	1504.7	34.53
198.1	13.2	1504.2	34.51
204.2	13.2	1504.3	34.49
207.3	13.1	1504.0	34.49
213.4	12.9	1503.3	34.47

PLATFORM- MARYSVIL

POSITION- 31 00N 150 06W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 10

DATE- AUG 02, 1968 TIME- 1000

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.1	1535.4	35.30
3.0	25.0	1535.2	35.29
9.1	25.0	1535.3	35.26
12.2	25.0	1535.3	35.25
18.3	25.1	1535.6	35.23
21.3	25.0	1535.4	35.21
27.4	24.6	1534.6	35.19
30.5	22.2	1528.7	35.18
33.5	21.0	1525.6	35.17
39.6	20.2	1523.5	35.14
42.7	19.5	1521.6	35.13
45.7	19.4	1521.3	35.12
51.8	18.9	1520.0	35.09
54.9	18.5	1518.9	35.08
61.0	18.3	1518.4	35.06
64.0	17.9	1517.3	35.04
70.1	17.7	1516.8	35.02
73.2	17.3	1515.6	35.01
79.2	17.2	1515.5	34.98
82.3	17.0	1514.9	34.97
88.4	16.9	1514.6	34.95
94.5	16.8	1514.3	34.92
97.5	16.6	1513.9	34.91
100.6	16.6	1513.9	34.90
106.7	16.4	1513.3	34.87
109.7	16.3	1513.0	34.86
115.8	16.2	1512.9	34.84
121.9	16.1	1512.6	34.81
125.0	16.0	1512.3	34.80
131.1	15.8	1511.7	34.78
137.2	15.6	1511.2	34.75
140.2	15.5	1510.9	34.74
146.3	15.4	1510.7	34.71
149.4	15.2	1510.2	34.70
155.4	15.1	1509.9	34.68
161.5	14.7	1508.7	34.65
164.6	14.8	1508.9	34.64
170.7	14.3	1507.4	34.62
176.8	14.4	1507.8	34.59
179.8	14.2	1507.3	34.58
185.9	14.0	1506.7	34.56
192.0	14.4	1508.0	34.53
195.1	14.5	1508.4	34.52
201.2	13.3	1504.5	34.50
207.3	13.3	1504.5	34.49
210.3	13.1	1504.0	34.48
216.4	12.9	1503.4	34.47

PLATFORM- MARYSVIL

POSITION- 30 34N 158 05W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 8

DATE- AUG 02, 1968 TIME- 1100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.2	1535.7	35.30
3.0	25.1	1535.5	35.29
6.1	25.2	1535.8	35.26
12.2	25.2	1535.8	35.25
18.3	25.2	1535.9	35.23
21.3	25.1	1535.7	35.21
24.4	24.9	1535.2	35.20
30.5	22.7	1530.0	35.18
33.5	20.9	1525.3	35.17
36.6	19.8	1522.3	35.15
42.7	19.0	1520.2	35.13
45.7	18.8	1519.6	35.12
51.8	18.4	1518.6	35.09
54.9	18.1	1517.8	35.08
61.0	18.1	1517.9	35.06
64.0	17.9	1517.3	35.04
70.1	17.3	1517.0	35.02
73.2	17.5	1516.2	35.01
76.2	17.4	1516.0	34.98
82.3	17.2	1515.5	34.97
88.4	17.1	1515.3	34.95
91.4	17.0	1515.0	34.93
97.5	16.8	1514.4	34.91
100.6	16.7	1514.2	34.90
106.7	16.6	1514.0	34.87
109.7	16.5	1513.7	34.86
115.8	16.3	1513.1	34.84
118.9	16.3	1513.1	34.82
125.0	16.2	1513.0	34.80
131.1	16.0	1512.4	34.78
134.1	15.9	1512.1	34.76
140.2	15.7	1511.6	34.74
146.3	15.6	1511.3	34.71
149.4	15.5	1511.0	34.70
155.4	15.4	1510.8	34.68
158.5	15.0	1509.6	34.67
164.6	15.0	1509.6	34.64
167.6	14.5	1508.1	34.63
173.7	14.6	1508.5	34.61
179.8	14.5	1508.2	34.58
185.9	14.3	1507.6	34.56
189.0	13.9	1506.3	34.54
195.1	13.9	1506.4	34.52
201.2	13.8	1506.1	34.50
204.2	13.7	1506.0	34.49
210.3	13.6	1507.5	34.48
216.4	13.4	1505.0	34.47

PLATFORM. MARYSVIL

POSITION. 30 43N 158 05W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 8

DATE. AUG 02, 1968 TIME. 1300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.0	1535.2	35.30
3.0	25.0	1535.2	35.29
9.1	25.1	1535.5	35.26
12.2	25.1	1535.6	35.25
18.3	25.1	1535.6	35.23
21.3	25.0	1535.4	35.21
27.4	25.0	1535.5	35.19
30.5	23.1	1530.9	35.18
33.5	21.5	1526.9	35.17
39.6	20.7	1524.9	35.14
42.7	19.9	1522.7	35.13
48.8	19.8	1522.4	35.10
51.8	19.3	1521.1	35.09
57.9	18.9	1520.1	35.07
61.0	18.7	1519.6	35.06
67.1	18.2	1518.3	35.03
70.1	17.8	1517.0	35.02
76.2	17.3	1515.6	35.00
79.2	17.2	1515.5	34.98
85.3	17.0	1514.9	34.96
88.4	16.8	1514.3	34.95
94.5	16.6	1513.8	34.92
97.5	16.5	1513.9	34.91
103.6	16.4	1513.3	34.89
106.7	16.3	1513.0	34.87
112.8	16.2	1512.9	34.85
118.9	16.0	1512.2	34.82
121.9	16.0	1512.3	34.81
126.0	15.9	1512.0	34.79
131.1	15.7	1511.5	34.78
137.2	15.6	1511.2	34.75
140.2	15.5	1510.9	34.74
146.3	15.4	1510.7	34.71
152.4	15.3	1510.4	34.69
155.4	15.2	1510.2	34.68
161.5	14.8	1508.9	34.65
167.6	14.9	1509.3	34.63
170.7	14.4	1507.8	34.62
176.8	14.6	1508.5	34.59
182.9	14.5	1508.2	34.57
185.9	14.3	1507.6	34.56
192.0	13.8	1506.0	34.53
196.1	13.9	1506.4	34.51
204.2	13.7	1506.0	34.49
207.3	13.7	1506.0	34.49
213.4	13.6	1505.7	34.47
219.5	13.4	1505.1	34.46

PLATFORM- MARYSVIL

POSITION- 30 37N 158 09W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 8

DATE- AUG 02, 1968 TIME- 1400

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.8	1534.6	35.30
3.0	24.8	1534.7	35.29
9.1	24.9	1535.0	35.26
12.2	24.9	1535.0	35.25
18.3	24.9	1535.1	35.23
21.3	24.9	1535.1	35.21
27.4	24.8	1535.0	35.19
30.5	23.1	1530.9	35.18
33.5	21.6	1527.2	35.17
39.6	20.8	1525.0	35.14
42.7	20.0	1523.0	35.13
46.8	19.7	1522.3	35.10
51.8	19.3	1521.1	35.09
57.9	18.9	1520.1	35.07
61.0	18.8	1519.8	35.06
67.1	18.4	1518.7	35.03
70.1	18.0	1517.7	35.02
76.2	17.7	1516.9	35.00
79.2	17.5	1516.3	34.98
85.3	17.3	1515.7	34.96
86.4	17.0	1514.9	34.95
94.5	16.9	1514.7	34.92
97.5	16.7	1514.2	34.91
103.6	16.6	1513.9	34.89
106.7	16.4	1513.3	34.87
112.8	16.3	1513.0	34.85
115.8	16.1	1512.5	34.84
121.9	16.0	1512.3	34.81
128.0	15.9	1512.0	34.79
131.1	15.8	1511.7	34.78
137.2	15.6	1511.2	34.75
143.3	15.5	1511.0	34.73
146.3	15.4	1510.7	34.71
152.4	15.3	1510.4	34.69
155.4	15.2	1510.2	34.68
161.5	14.9	1509.2	34.65
164.6	15.0	1509.6	34.64
170.7	14.5	1508.1	34.62
176.8	14.7	1508.9	34.59
179.8	14.6	1508.6	34.58
185.9	14.4	1507.9	34.56
192.0	13.8	1506.0	34.53
198.1	14.1	1507.2	34.51
201.2	13.9	1506.5	34.50
207.3	13.9	1506.6	34.49
213.4	13.8	1506.3	34.47
216.4	13.5	1505.4	34.47

PLATFORM- MARYSVIL

POSITION- 30 31N 158 05W

PARDEN SOLARE 124 ONE DEGREE SQUARE 8

DATE- AUG 02, 1968 TIME-1500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	24.7	1534.5	35.30
3.0	24.8	1534.7	35.29
9.1	24.9	1535.0	35.26
12.2	24.8	1534.8	35.25
18.3	24.9	1535.1	35.23
21.3	24.8	1534.9	35.21
27.4	24.8	1535.0	35.19
30.5	23.5	1531.9	35.18
33.5	21.8	1527.6	35.17
39.6	21.2	1526.2	35.14
42.7	20.4	1524.0	35.13
48.8	20.2	1523.7	35.10
51.8	19.7	1522.3	35.09
57.9	19.3	1521.2	35.07
61.0	19.2	1521.0	35.06
67.1	19.0	1520.5	35.03
70.1	18.7	1519.7	35.02
76.2	18.2	1518.4	35.00
79.2	18.0	1517.8	34.98
85.3	17.8	1517.2	34.96
88.4	17.5	1516.4	34.95
94.5	17.4	1516.2	34.92
97.5	17.2	1515.7	34.91
103.6	17.0	1515.1	34.89
106.7	16.8	1514.5	34.87
112.8	16.6	1514.0	34.85
115.8	16.5	1513.7	34.84
121.9	16.4	1513.5	34.81
126.0	16.2	1513.0	34.79
131.1	16.1	1512.7	34.78
137.2	15.9	1512.1	34.75
140.2	15.7	1511.6	34.74
146.3	15.6	1511.3	34.71
152.4	15.4	1510.7	34.69
155.4	15.3	1510.4	34.68
161.5	14.9	1509.2	34.65
164.6	15.0	1509.6	34.64
170.7	14.9	1509.4	34.62
179.8	14.8	1509.1	34.58
185.9	14.5	1508.3	34.56
192.0	13.9	1506.4	34.53
198.1	14.2	1507.5	34.51
201.2	14.0	1506.8	34.50
207.3	13.9	1506.6	34.49
213.4	13.8	1506.3	34.47
216.4	13.6	1505.8	34.47

PLATFORM- MARYSVIL

POSITION- 30 19N 158 04W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 8

DATE- AUG 02, 1968 TIME- 1700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.9	1534.9	35.30
3.0	24.9	1534.9	35.29
9.1	24.9	1535.0	35.26
12.2	24.9	1535.0	35.25
18.3	24.9	1535.1	35.23
21.3	24.8	1534.9	35.21
27.4	24.6	1534.6	35.19
30.5	23.6	1532.2	35.18
33.5	22.1	1528.5	35.17
39.6	21.2	1526.2	35.14
42.7	20.4	1524.0	35.13
45.7	20.3	1523.8	35.12
51.8	19.8	1522.5	35.09
54.9	19.4	1521.4	35.08
61.0	19.4	1521.5	35.06
64.0	19.1	1520.8	35.04
70.1	18.8	1519.9	35.02
73.2	18.5	1519.1	35.01
79.2	18.5	1519.2	34.98
82.3	18.3	1518.6	34.97
88.4	18.1	1518.2	34.95
94.5	17.9	1517.6	34.92
97.5	17.7	1517.2	34.91
100.6	17.6	1516.9	34.90
106.7	17.5	1516.6	34.87
109.7	17.3	1516.0	34.86
115.8	17.1	1515.6	34.84
121.9	17.0	1515.3	34.81
125.0	16.9	1515.0	34.80
131.1	16.7	1514.6	34.78
137.2	16.6	1514.3	34.75
140.2	16.4	1513.7	34.74
146.3	16.3	1513.4	34.71
149.4	16.2	1513.3	34.70
155.4	16.1	1513.0	34.68
161.5	15.8	1512.0	34.65
164.6	15.9	1512.4	34.64
170.7	15.3	1510.6	34.62
176.8	15.6	1511.7	34.59
179.8	15.5	1511.4	34.58
185.9	15.3	1510.8	34.56
192.0	14.5	1508.4	34.53
195.1	14.8	1509.3	34.52
201.2	14.5	1508.5	34.50
207.3	14.4	1508.2	34.49
210.3	14.2	1507.7	34.48
216.4	13.9	1506.7	34.47

PLATFORM- MARYSVIL

POSITION- 30 13N 150 04W

MARSDEN SQUARE 124 ONE DEGREE SQUARE 0

DATE- AUG 02, 1968 TIME- 1800

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.0	1535.2	35.30
3.0	24.9	1534.9	35.29
9.1	24.9	1535.0	35.26
12.2	24.9	1535.0	35.25
18.3	24.9	1535.1	35.23
21.3	24.9	1535.1	35.21
27.4	24.3	1533.8	35.19
30.5	22.7	1530.0	35.18
33.5	21.5	1526.9	35.17
39.6	21.0	1525.6	35.14
42.7	20.3	1523.7	35.13
45.7	20.2	1523.6	35.12
51.8	19.6	1522.0	35.09
54.9	19.2	1521.0	35.08
61.0	19.1	1520.7	35.06
64.0	18.8	1519.8	35.04
70.1	18.6	1519.4	35.02
73.2	18.2	1518.3	35.01
79.2	18.2	1518.4	34.98
82.3	18.0	1517.8	34.97
88.4	17.8	1517.2	34.95
94.5	17.7	1517.1	34.92
97.5	17.4	1516.2	34.91
100.6	17.3	1515.9	34.90
106.7	17.2	1515.8	34.87
109.7	17.0	1515.2	34.86
115.8	16.9	1514.9	34.84
121.9	16.8	1514.6	34.81
125.0	16.7	1514.5	34.80
131.1	16.5	1513.9	34.78
137.2	16.4	1513.6	34.75
140.2	16.3	1513.3	34.74
146.3	16.2	1513.2	34.71
149.4	16.0	1512.6	34.70
155.4	15.9	1512.3	34.68
161.5	15.6	1511.5	34.65
164.6	15.7	1511.9	34.64
170.7	15.1	1510.1	34.62
176.8	15.3	1510.7	34.59
179.8	15.2	1510.5	34.58
185.9	15.0	1509.9	34.56
192.0	14.4	1508.0	34.53
195.1	14.7	1509.1	34.52
201.2	14.5	1508.5	34.50
207.3	14.5	1508.5	34.49
210.3	14.3	1507.9	34.48
216.4	14.1	1507.4	34.47



PLATFORM- MARYSVIL

POSITION- 30 00N 198 00W

PARSZEN SQUARE 124 ONE DEGREE SQUARE 8

DATE- AUG 02, 1968 TIME-1900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.0	1535.2	35.30
3.0	24.9	1534.9	35.29
9.1	24.9	1535.0	35.26
12.2	24.9	1535.0	35.25
18.3	24.9	1535.1	35.23
21.3	24.8	1534.9	35.21
27.4	24.7	1534.8	35.19
30.5	23.9	1532.9	35.18
33.5	22.6	1529.7	35.17
39.6	21.3	1526.4	35.14
42.7	20.4	1524.0	35.13
48.8	20.1	1523.3	35.10
51.8	19.6	1522.0	35.09
57.9	19.1	1520.7	35.07
61.0	19.0	1520.4	35.06
67.1	18.7	1519.7	35.03
70.1	18.4	1518.8	35.02
76.2	18.1	1518.1	35.00
79.2	18.1	1518.1	34.98
85.3	17.9	1517.5	34.96
88.4	17.7	1517.1	34.95
94.5	17.5	1516.5	34.92
97.5	17.3	1515.9	34.91
103.6	17.1	1515.4	34.89
106.7	17.0	1515.1	34.87
112.8	16.9	1514.9	34.85
115.8	16.7	1514.4	34.84
121.9	16.6	1514.1	34.81
126.0	16.5	1513.9	34.79
131.1	16.4	1513.6	34.78
137.2	16.3	1513.3	34.75
140.2	16.1	1512.8	34.74
146.3	16.1	1512.9	34.71
152.4	16.0	1512.6	34.69
155.4	15.9	1512.3	34.68
161.5	15.5	1511.2	34.65
164.6	15.7	1511.9	34.64
170.7	15.2	1510.4	34.62
176.8	15.4	1511.0	34.59
179.8	15.2	1510.5	34.58
185.9	15.0	1509.9	34.56
192.0	14.4	1508.0	34.53
198.1	14.6	1508.8	34.51
201.2	14.4	1508.1	34.50
207.3	14.3	1507.8	34.49
213.4	14.2	1507.7	34.47
216.4	13.9	1506.7	34.47

PLATFORM- MARYSVIL

POSITION- 29 57N 158 00W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 98

DATE- AUG 02, 1968 TIME- 2100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.4	1536.0	35.20
3.0	25.0	1535.1	35.19
9.1	25.1	1535.4	35.18
12.2	25.0	1535.2	35.17
18.3	25.1	1535.6	35.16
21.3	25.0	1535.3	35.15
24.4	23.7	1532.3	35.14
30.5	22.0	1528.1	35.13
33.5	21.6	1527.1	35.12
36.6	21.1	1525.8	35.11
42.7	20.4	1524.0	35.10
45.7	20.4	1524.0	35.09
51.8	19.9	1522.8	35.07
54.9	19.7	1522.3	35.06
61.0	19.5	1521.8	35.04
64.0	19.2	1521.1	35.03
67.1	18.9	1520.2	35.02
73.2	18.6	1519.4	35.00
76.2	18.5	1519.2	34.99
82.3	18.1	1518.1	34.96
85.3	17.9	1517.5	34.95
91.4	17.7	1517.1	34.93
94.5	17.4	1516.1	34.92
100.6	17.3	1515.9	34.90
103.6	17.1	1515.4	34.89
109.7	17.0	1515.2	34.88
112.8	16.8	1514.6	34.87
118.9	16.7	1514.5	34.86
125.0	16.6	1514.2	34.85
128.0	16.4	1513.6	34.84
134.1	16.3	1513.3	34.83
137.2	16.1	1512.9	34.83
143.3	16.1	1513.0	34.81
149.4	16.0	1512.7	34.80
155.4	15.9	1512.4	34.78
158.5	15.5	1511.3	34.77
161.5	15.6	1511.6	34.75
167.6	15.0	1509.8	34.73
173.7	15.2	1510.6	34.71
176.8	15.1	1510.3	34.69
182.9	14.9	1509.6	34.67
189.0	14.7	1509.2	34.64
195.1	14.6	1508.9	34.62
198.1	14.3	1507.8	34.61
204.2	14.2	1507.7	34.59
210.3	14.0	1507.1	34.57
213.4	13.7	1506.2	34.56

PLATFORM. MARYSVIL

POSITION. 29 51N 158 04W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 98

DATE. AUG 02, 1968 TIME. 2200

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.2	1535.6	35.20
3.0	24.7	1534.4	35.19
9.1	24.8	1534.6	35.18
12.2	24.7	1534.6	35.17
18.3	24.8	1534.8	35.16
21.3	24.1	1533.2	35.15
24.4	22.6	1529.6	35.14
30.5	21.5	1526.8	35.13
33.5	21.0	1525.5	35.12
36.6	20.5	1524.2	35.11
42.7	19.7	1522.2	35.10
45.7	19.8	1522.4	35.09
51.8	19.4	1521.4	35.07
54.9	19.1	1520.6	35.06
61.0	19.0	1520.4	35.04
64.0	18.8	1519.8	35.03
67.1	18.5	1519.0	35.02
73.2	18.1	1518.0	35.00
76.2	18.0	1517.7	34.99
82.3	17.8	1517.1	34.96
85.3	17.6	1516.7	34.95
91.4	17.4	1516.1	34.93
94.5	17.3	1515.8	34.92
100.6	17.2	1515.7	34.90
103.6	17.0	1515.1	34.89
109.7	16.9	1514.9	34.88
112.8	16.8	1514.6	34.87
116.9	16.7	1514.5	34.86
125.0	16.6	1514.2	34.85
128.0	16.4	1513.6	34.84
134.1	16.3	1513.3	34.83
137.2	16.1	1512.9	34.83
143.3	16.1	1513.0	34.81
149.4	15.9	1512.4	34.80
155.4	15.8	1512.1	34.78
158.5	15.4	1510.9	34.77
161.5	15.4	1511.0	34.75
167.6	14.8	1509.1	34.73
173.7	15.0	1509.9	34.71
176.8	14.9	1509.5	34.69
182.9	14.7	1509.1	34.67
189.0	14.6	1508.8	34.64
195.1	14.4	1508.2	34.62
198.1	14.1	1507.3	34.61
204.2	14.1	1507.4	34.59
210.3	13.8	1506.3	34.57
213.4	13.6	1505.8	34.56

PLATFORM- MAHYSVIL

POSITION- 29 45N 158 04W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 98

DATE- AUG 02, 1968 TIME-2300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.3	1535.7	35.20
3.0	24.8	1534.6	35.19
9.1	24.8	1534.6	35.18
12.2	24.8	1534.7	35.17
18.3	24.9	1535.0	35.16
21.3	24.6	1534.4	35.15
24.4	23.6	1532.0	35.14
30.5	22.2	1528.6	35.13
33.5	21.5	1526.8	35.12
36.6	21.0	1525.5	35.11
42.7	20.3	1523.7	35.10
45.7	20.2	1523.6	35.09
51.8	19.7	1522.3	35.07
54.9	19.5	1521.7	35.06
61.0	19.4	1521.5	35.04
64.0	19.1	1520.7	35.03
67.1	18.8	1519.8	35.02
73.2	18.5	1519.1	35.00
76.2	18.5	1519.2	34.99
82.3	18.1	1518.1	34.96
85.3	17.9	1517.5	34.95
91.4	17.7	1517.1	34.93
94.5	17.4	1516.1	34.92
100.6	17.3	1515.9	34.90
103.6	17.1	1515.4	34.89
109.7	16.9	1514.9	34.88
112.8	16.8	1514.6	34.87
118.9	16.6	1514.2	34.86
125.0	16.5	1513.9	34.85
128.0	16.4	1513.6	34.84
134.1	16.2	1513.2	34.83
137.2	16.1	1512.9	34.83
143.3	16.0	1512.6	34.81
149.4	15.8	1512.0	34.80
155.4	15.7	1511.9	34.78
158.5	15.4	1510.9	34.77
161.5	15.5	1511.3	34.75
167.6	14.8	1509.1	34.73
173.7	15.1	1510.2	34.71
176.8	14.9	1509.5	34.69
182.9	14.6	1508.7	34.67
189.0	14.4	1508.1	34.64
195.1	14.1	1507.3	34.62
198.1	13.9	1506.6	34.61
204.2	13.8	1506.3	34.59
210.3	13.6	1505.8	34.57
213.4	13.4	1505.1	34.56

PLATFORM- MARYSVIL

POSITION- 29 35N 158 03W

PARDEN SQUARE 88 ONE DEGREE SQUARE 98

DATE- AUG 03, 1968 TIME- 0100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	25.7	1536.7	35.20
3.0	25.0	1535.1	35.19
9.1	25.0	1535.2	35.18
12.2	24.9	1534.9	35.17
18.3	25.0	1535.3	35.16
21.3	24.7	1534.7	35.15
27.4	23.5	1531.8	35.13
30.5	22.0	1528.1	35.13
33.5	21.4	1526.5	35.12
39.6	20.8	1525.0	35.10
42.7	20.0	1522.9	35.10
46.8	19.8	1522.4	35.08
51.8	19.4	1521.4	35.07
57.9	19.1	1520.7	35.05
61.0	18.9	1520.1	35.04
67.1	18.6	1519.4	35.02
70.1	18.2	1518.3	35.01
76.2	17.8	1517.1	34.99
79.2	17.7	1516.9	34.97
85.3	17.4	1516.0	34.95
86.4	17.3	1515.7	34.94
94.5	17.1	1515.3	34.92
97.5	16.9	1514.7	34.91
103.6	16.8	1514.4	34.89
106.7	16.7	1514.3	34.89
112.8	16.6	1514.1	34.87
118.9	16.4	1513.5	34.86
121.9	16.3	1513.2	34.86
126.0	16.2	1513.1	34.84
131.1	16.1	1512.8	34.84
137.2	15.9	1512.2	34.83
140.2	15.8	1511.9	34.82
146.3	15.7	1511.8	34.81
152.4	15.4	1510.8	34.79
155.4	15.3	1510.5	34.78
161.5	14.8	1509.0	34.75
167.6	14.9	1509.4	34.73
170.7	14.3	1507.5	34.72
176.8	14.4	1507.9	34.69
182.9	14.2	1507.5	34.67
185.9	14.0	1506.8	34.66
192.0	13.7	1505.9	34.63
198.1	13.6	1505.6	34.61
204.2	13.6	1505.7	34.59
207.3	13.5	1505.4	34.58
213.4	13.4	1505.1	34.56
219.5	13.1	1504.3	34.54

PLATFORM- MARYSVIL

POSITION- 29 29N 158 03W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 98

DATE- AUG 03, 1968 TIME- 0200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SQVEL (M/SEC)	SAL (0/00)
0.0	25.5	1536.2	35.20
3.0	24.9	1534.8	35.19
9.1	24.9	1534.9	35.18
12.2	24.8	1534.7	35.17
18.3	24.8	1534.8	35.16
21.3	23.9	1532.7	35.15
27.4	22.1	1528.3	35.13
30.5	21.3	1526.2	35.13
33.5	20.9	1525.2	35.12
39.6	20.2	1523.5	35.10
42.7	19.3	1520.9	35.10
45.7	19.2	1520.8	35.09
51.8	18.9	1520.0	35.07
54.9	18.5	1518.9	35.06
61.0	18.4	1518.7	35.04
64.0	18.2	1518.2	35.03
70.1	18.0	1517.6	35.01
73.2	17.7	1516.9	35.00
79.2	17.5	1516.3	34.97
82.3	17.3	1515.7	34.96
86.4	17.1	1515.2	34.94
94.5	16.9	1514.7	34.92
97.5	16.7	1514.2	34.91
100.6	16.6	1513.9	34.90
106.7	16.4	1513.3	34.89
109.7	16.3	1513.0	34.88
115.8	16.1	1512.6	34.87
121.9	16.1	1512.7	34.86
125.0	15.9	1512.0	34.85
131.1	15.8	1511.8	34.84
137.2	15.7	1511.7	34.83
140.2	15.6	1511.4	34.82
146.3	15.5	1511.1	34.81
149.4	15.4	1510.8	34.80
155.4	15.3	1510.5	34.78
161.5	14.9	1509.4	34.75
164.6	15.0	1509.8	34.74
170.7	14.5	1508.2	34.72
176.8	14.5	1508.3	34.69
179.8	14.4	1508.0	34.68
185.9	14.1	1507.1	34.66
192.0	13.7	1505.9	34.63
195.1	13.5	1505.2	34.62
201.2	13.4	1504.9	34.60
207.3	13.3	1504.7	34.58
210.3	13.2	1504.5	34.57
216.4	13.0	1503.8	34.55

PLATFORM- MARYSVIL

POSITION- 29 23N 150 02W

PARDEN SQUARE 88 ONE DEGREE SQUARE 98

DATE- AUG 03, 1968 TIME- 0300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.5	1536.2	35.20
3.0	24.9	1534.8	35.19
9.1	24.9	1534.9	35.18
12.2	24.8	1534.7	35.17
18.3	24.9	1535.0	35.16
21.3	24.5	1534.2	35.15
24.4	23.4	1531.5	35.14
30.5	22.0	1528.1	35.13
33.5	21.2	1526.1	35.12
36.6	20.6	1524.5	35.11
42.7	19.8	1522.3	35.10
45.7	19.6	1521.9	35.09
51.8	19.0	1520.3	35.07
54.9	18.7	1519.5	35.06
61.0	18.5	1519.0	35.04
64.0	18.2	1518.2	35.03
70.1	17.9	1517.3	35.01
73.2	17.6	1516.5	35.00
79.2	17.5	1516.3	34.97
82.3	17.2	1515.5	34.96
88.4	17.0	1514.9	34.94
91.4	16.9	1514.6	34.93
97.5	16.7	1514.2	34.91
100.6	16.6	1513.9	34.90
106.7	16.5	1513.6	34.89
109.7	16.4	1513.3	34.88
115.8	16.2	1512.9	34.87
118.9	16.1	1512.6	34.86
125.0	16.0	1512.4	34.85
131.1	15.9	1512.1	34.84
134.1	15.7	1511.6	34.83
140.2	15.6	1511.4	34.82
146.3	15.5	1511.1	34.81
149.4	15.3	1510.5	34.80
155.4	15.1	1510.0	34.78
158.5	14.7	1508.8	34.77
164.6	14.8	1509.1	34.74
167.6	14.2	1507.3	34.73
173.7	14.3	1507.5	34.71
179.8	14.1	1507.1	34.68
185.9	13.8	1506.1	34.66
189.0	13.5	1505.2	34.64
195.1	13.4	1504.9	34.62
201.2	13.2	1504.4	34.60
204.2	13.2	1504.4	34.59
210.3	13.0	1503.8	34.57
216.4	12.8	1503.1	34.55

PLATFORM- MARYSVIL

POSITION- 29 11N 158 00W

PARDEN SQUARE 88 ONE DEGREE SQUARE 98

DATE- AUG 03, 1968 TIME- 0500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	25.9	1537.1	35.20
3.0	25.2	1535.6	35.19
9.1	25.2	1535.7	35.18
12.2	25.1	1535.5	35.17
18.3	25.1	1535.6	35.16
21.3	25.0	1535.3	35.15
24.4	24.3	1533.7	35.14
30.5	23.1	1530.9	35.13
33.5	21.8	1527.5	35.12
36.6	21.2	1526.1	35.11
42.7	20.5	1524.3	35.10
45.7	20.4	1524.0	35.09
51.8	19.9	1522.8	35.07
54.9	19.5	1521.7	35.06
61.0	19.4	1521.5	35.04
64.0	19.1	1520.7	35.03
70.1	18.9	1520.2	35.01
73.2	18.6	1519.4	35.00
79.2	18.4	1518.9	34.97
82.3	18.0	1517.8	34.96
88.4	17.7	1517.1	34.94
91.4	17.4	1516.1	34.93
97.5	17.1	1515.4	34.91
100.6	16.9	1514.7	34.90
106.7	16.8	1514.5	34.89
109.7	16.6	1514.0	34.88
115.8	16.4	1513.4	34.87
116.9	16.4	1513.5	34.86
125.0	16.3	1513.2	34.85
131.1	16.1	1512.8	34.84
134.1	16.0	1512.5	34.83
140.2	15.8	1511.9	34.82
146.3	15.7	1511.8	34.81
149.4	15.5	1511.2	34.80
155.4	15.4	1510.9	34.78
158.5	14.9	1509.3	34.77
164.6	15.0	1509.8	34.74
167.6	14.4	1507.8	34.73
173.7	14.5	1508.3	34.71
179.8	14.3	1507.6	34.68
185.9	14.0	1506.8	34.66
189.0	13.7	1505.9	34.64
195.1	13.6	1505.6	34.62
201.2	13.5	1505.3	34.60
204.2	13.4	1505.0	34.59
210.3	13.3	1504.7	34.57
216.4	13.1	1504.2	34.55



PLATFORM- MARYSVIL

POSITION- 29 06N 158 00W

PARDEN SQUARE 88 ONE DEGREE SQUARE 98

DATE- AUG 03, 1968 TIME- 0600

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SEVEL (M/SEC)	SAL (0/00)
0.0	25.9	1537.1	35.20
3.0	25.2	1535.6	35.19
9.1	25.2	1535.7	35.18
12.2	25.2	1535.7	35.17
18.3	25.2	1535.8	35.16
21.3	25.1	1535.6	35.15
24.4	24.1	1533.3	35.14
30.5	22.5	1529.4	35.13
33.5	21.7	1527.4	35.12
36.6	21.1	1525.8	35.11
42.7	20.5	1524.3	35.10
45.7	20.4	1524.0	35.09
51.8	19.9	1522.8	35.07
54.9	19.5	1521.7	35.06
61.0	19.3	1521.2	35.04
64.0	19.0	1520.4	35.03
70.1	18.7	1519.7	35.01
73.2	18.3	1518.5	35.00
79.2	18.2	1518.4	34.97
82.3	17.8	1517.1	34.96
88.4	17.6	1516.7	34.94
91.4	17.4	1516.1	34.93
97.5	17.2	1515.7	34.91
100.6	17.0	1515.1	34.90
106.7	16.9	1514.8	34.89
109.7	16.7	1514.4	34.88
115.8	16.5	1513.8	34.87
118.9	16.4	1513.5	34.86
125.0	16.3	1513.2	34.85
131.1	16.2	1513.1	34.84
134.1	16.1	1512.8	34.83
137.2	15.9	1512.2	34.83
146.3	15.8	1512.0	34.81
149.4	15.6	1511.5	34.80
155.4	15.4	1510.9	34.78
158.5	14.9	1509.3	34.77
164.6	14.9	1509.4	34.74
167.6	14.5	1508.2	34.73
173.7	14.6	1508.6	34.71
179.8	14.4	1508.0	34.68
185.9	14.1	1507.1	34.66
189.0	13.8	1506.1	34.64
195.1	13.7	1506.0	34.62
201.2	13.5	1505.3	34.60
204.2	13.5	1505.4	34.59
210.3	13.3	1504.7	34.57
216.4	13.1	1504.2	34.55

PLATFORM. MARYSVIL

POSITION. 29 01N 157 59W

PARDEN SQUARE 88 ONE DEGREE SQUARE 97

DATE. AUG 03, 1968 TIME. 0700

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	26.1	1537.6	35.20
3.0	25.4	1536.0	35.19
6.1	25.4	1536.1	35.18
12.2	25.3	1535.9	35.17
18.3	25.3	1535.9	35.16
21.3	24.9	1535.1	35.15
27.4	23.9	1532.8	35.13
30.5	22.4	1529.1	35.13
33.5	21.8	1527.5	35.12
39.6	21.2	1526.2	35.10
42.7	20.4	1524.0	35.10
45.7	20.3	1523.7	35.09
51.8	19.8	1522.4	35.07
54.9	19.4	1521.4	35.06
61.0	19.2	1521.0	35.04
64.0	18.8	1519.8	35.03
70.1	18.5	1519.1	35.01
73.2	18.2	1518.3	35.00
79.2	18.0	1517.8	34.97
82.3	17.7	1517.0	34.96
88.4	17.5	1516.4	34.94
94.5	17.3	1515.8	34.92
97.5	17.1	1515.4	34.91
100.6	17.0	1515.1	34.90
106.7	16.9	1514.8	34.89
109.7	16.8	1514.5	34.88
115.8	16.6	1514.1	34.87
121.9	16.5	1513.9	34.86
125.0	16.4	1513.6	34.85
131.1	16.3	1513.3	34.84
137.2	16.2	1513.2	34.83
140.2	16.0	1512.6	34.82
146.3	16.0	1512.7	34.81
149.4	15.8	1512.0	34.80
155.4	15.7	1511.9	34.78
161.5	15.3	1510.6	34.75
164.6	15.4	1511.0	34.74
170.7	15.0	1509.8	34.72
176.8	15.0	1509.9	34.69
179.8	14.7	1509.0	34.68
185.9	14.5	1508.4	34.66
192.0	14.1	1507.2	34.63
195.1	14.0	1506.9	34.62
201.2	13.9	1506.6	34.60
207.3	13.8	1506.3	34.58
210.3	13.7	1506.2	34.57
216.4	13.4	1505.1	34.55

PLATFORM- MARYSVIL

POSITION- 28 49N 157 55W

PARDEN SQUARE 80 ONE DEGREE SQUARE 87

DATE- AUG 03, 1968 TIME-0900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	26.2	1537.7	35.05
3.0	25.7	1536.6	35.05
9.1	25.6	1536.4	35.04
12.2	25.6	1536.5	35.04
15.2	25.6	1536.5	35.03
21.3	25.4	1536.1	35.03
24.4	24.0	1532.9	35.03
30.5	22.1	1528.2	35.02
33.5	21.3	1526.1	35.02
36.6	20.7	1524.7	35.01
42.7	20.1	1523.1	35.01
45.7	20.0	1522.9	35.00
48.8	19.4	1521.2	35.00
54.9	19.0	1520.2	35.00
57.9	19.0	1520.3	35.00
64.0	18.8	1519.8	35.00
67.1	18.5	1519.0	35.00
73.2	18.2	1518.3	35.00
76.2	18.0	1517.7	35.00
82.3	17.8	1517.2	35.00
85.3	17.6	1516.7	35.00
91.4	17.4	1516.2	35.00
94.5	17.2	1515.8	35.00
97.5	17.1	1515.5	35.00
103.6	16.9	1514.9	34.99
106.7	16.8	1514.6	34.99
112.8	16.7	1514.5	34.97
115.8	16.7	1514.6	34.97
121.9	16.6	1514.3	34.96
126.0	16.4	1513.7	34.94
131.1	16.3	1513.4	34.94
137.2	16.1	1513.0	34.93
143.3	16.0	1512.7	34.91
146.3	15.8	1512.1	34.91
152.4	15.7	1512.0	34.89
155.4	15.3	1510.7	34.88
161.5	15.4	1511.1	34.87
164.6	15.1	1510.3	34.86
170.7	15.0	1510.0	34.84
176.8	14.9	1509.7	34.82
182.9	14.6	1508.9	34.80
185.9	14.1	1507.3	34.79
192.0	14.2	1507.8	34.77
196.1	14.0	1507.1	34.76
201.2	13.9	1506.8	34.74
207.3	13.8	1506.5	34.72
213.4	13.5	1505.6	34.69

PLATFORM- MARYSVIL

POSITION- 28 43N 157 53W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 87

DATE- AUG 03, 1968 TIME- 1000

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	26.1	1537.5	35.05
3.0	25.7	1536.6	35.05
9.1	25.7	1536.7	35.04
12.2	25.6	1536.5	35.04
18.3	25.7	1536.8	35.03
21.3	25.6	1536.6	35.03
24.4	25.4	1536.2	35.03
30.5	23.6	1532.0	35.02
33.5	21.9	1527.7	35.02
36.6	20.9	1525.1	35.01
42.7	20.2	1523.4	35.01
45.7	20.1	1523.2	35.00
51.8	19.6	1521.9	35.00
54.9	19.2	1520.9	35.00
61.0	19.1	1520.7	35.00
64.0	18.6	1519.3	35.00
67.1	18.9	1520.1	35.00
73.2	18.2	1518.3	35.00
76.2	18.1	1518.1	35.00
82.3	17.9	1517.5	35.00
85.3	17.7	1517.1	35.00
91.4	17.5	1516.5	35.00
94.5	17.4	1516.2	35.00
100.6	17.2	1515.8	35.00
103.6	17.1	1515.6	34.99
109.7	16.9	1515.0	34.98
112.8	16.7	1514.5	34.97
118.9	16.7	1514.6	34.96
125.0	16.5	1514.0	34.95
128.0	16.3	1513.4	34.94
134.1	16.2	1513.3	34.93
137.2	16.0	1512.7	34.93
143.3	15.9	1512.4	34.91
149.4	15.7	1512.0	34.90
155.4	15.6	1511.7	34.88
158.5	15.2	1510.5	34.87
161.5	15.3	1510.7	34.87
167.6	15.0	1509.9	34.85
173.7	15.0	1510.0	34.83
176.8	14.8	1509.3	34.82
182.9	14.6	1508.9	34.80
189.0	14.1	1507.4	34.78
195.1	14.2	1507.8	34.76
198.1	14.0	1507.1	34.76
204.2	13.1	1504.2	34.73
210.3	13.9	1506.9	34.70
213.4	13.6	1506.0	34.69

PLATFORM. MARYSVIL

POSITION. 20 37N 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 87

DATE. AUG 03, 1968 TIME. 1100

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	26.0	1537.2	35.05
3.0	26.0	1537.2	35.05
9.1	25.8	1536.8	35.04
12.2	25.8	1536.9	35.04
18.3	25.8	1537.0	35.03
21.3	25.7	1536.9	35.03
24.4	25.7	1536.9	35.03
30.5	25.5	1536.5	35.02
33.5	24.2	1533.5	35.02
36.6	22.1	1528.3	35.01
42.7	20.8	1524.9	35.01
49.7	20.7	1524.8	35.00
51.8	20.2	1523.6	35.00
54.9	19.7	1522.3	35.00
61.0	19.4	1521.4	35.00
64.0	19.0	1520.4	35.00
67.1	18.8	1519.8	35.00
73.2	18.4	1518.8	35.00
76.2	18.3	1518.5	35.00
82.3	17.9	1517.5	35.00
89.3	17.7	1517.1	35.00
91.4	17.5	1516.5	35.00
94.5	17.3	1515.9	35.00
100.6	17.2	1515.8	35.00
103.6	17.0	1515.2	34.99
109.7	16.9	1515.0	34.98
112.8	16.7	1514.5	34.97
118.9	16.6	1514.3	34.96
125.0	16.4	1513.7	34.95
128.0	16.3	1513.4	34.94
134.1	16.1	1513.0	34.93
137.2	15.9	1512.3	34.93
143.3	15.9	1512.4	34.91
146.4	15.8	1512.1	34.90
155.4	15.7	1512.1	34.88
158.5	15.3	1510.7	34.87
161.5	15.5	1511.4	34.87
167.6	15.2	1510.6	34.85
173.7	15.2	1510.7	34.83
176.8	15.1	1510.4	34.82
182.9	14.9	1509.8	34.80
189.0	14.4	1508.3	34.78
195.1	14.6	1509.0	34.76
198.1	14.4	1508.4	34.76
204.2	14.4	1508.4	34.73
210.3	14.3	1508.1	34.70
213.4	14.1	1507.6	34.69

PLATFORM. MARYSVIL

POSITION. 28 26N 157 50W

MARSDEN SQUARE R8 ONE DEGREE SQUARE 87

DATE. AUG 03, 1968 TIME=1300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SL (0/ )
0.0	25.8	1532.7	35.05
3.0	26.0	1537.2	35.05
9.1	25.9	1537.1	35.04
12.2	25.8	1536.9	35.04
18.3	25.8	1537.0	35.03
21.3	25.7	1536.9	35.03
27.4	25.6	1536.7	35.02
30.5	24.7	1534.7	35.02
33.5	24.0	1533.0	35.02
39.6	22.8	1530.1	35.01
42.7	21.8	1527.6	35.01
48.8	21.6	1527.2	35.00
51.8	20.0	1523.0	35.00
57.9	20.6	1524.7	35.00
61.0	20.5	1524.5	35.00
67.1	20.1	1523.5	35.00
70.1	19.9	1523.0	35.00
76.2	19.6	1522.3	35.00
79.2	19.4	1521.7	35.00
85.3	19.2	1521.4	35.00
88.4	19.0	1520.8	35.00
94.5	18.8	1520.3	35.00
97.5	18.6	1519.8	35.00
103.6	18.4	1519.3	34.99
106.7	18.2	1518.9	34.99
112.8	18.0	1518.3	34.97
115.8	17.2	1516.1	34.97
121.9	17.6	1517.3	34.96
128.0	17.5	1517.1	34.94
131.1	17.3	1516.4	34.94
137.2	17.1	1516.0	34.93
140.2	16.9	1515.4	34.92
146.3	16.8	1515.2	34.91
152.4	16.6	1514.7	34.89
155.4	16.5	1514.4	34.88
161.5	16.0	1513.0	34.87
164.6	16.1	1513.4	34.86
170.7	15.8	1512.4	34.84
176.8	15.7	1512.3	34.82
179.8	15.6	1512.0	34.81
185.9	15.4	1511.4	34.79
192.0	15.0	1510.2	34.77
198.1	15.1	1510.7	34.76
201.2	15.0	1510.4	34.74
207.3	15.0	1510.4	34.72
213.4	14.9	1510.1	34.69
216.4	14.7	1509.6	34.67

PLATFORM- MAHYSVIL

POSITION- 28 20N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 87

DATE- AUG 03, 1968 TIME- 1400

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.9	1536.9	35.05
3.0	26.1	1537.5	35.05
9.1	26.0	1537.3	35.04
12.2	25.9	1537.1	35.04
18.3	25.9	1537.2	35.03
21.3	25.8	1537.0	35.03
27.4	25.7	1537.0	35.02
30.5	25.6	1536.8	35.02
33.5	24.9	1535.1	35.02
39.6	23.4	1531.6	35.01
42.7	22.4	1529.1	35.01
48.8	22.2	1528.8	35.00
51.8	21.6	1527.3	35.00
57.9	21.2	1526.4	35.00
61.0	21.2	1526.4	35.00
67.1	20.9	1525.6	35.00
70.1	20.6	1524.9	35.00
76.2	20.3	1524.1	35.00
79.2	20.2	1524.0	35.00
85.3	19.9	1523.2	35.00
88.4	19.7	1522.8	35.00
94.5	19.5	1522.3	35.00
97.5	19.3	1521.7	35.00
103.6	18.1	1518.5	34.99
106.7	18.8	1520.5	34.99
112.8	18.6	1520.1	34.97
115.8	18.4	1519.5	34.97
121.9	18.2	1519.1	34.96
128.0	18.1	1518.8	34.94
131.1	17.9	1518.2	34.94
137.2	17.6	1517.5	34.93
140.2	17.4	1516.9	34.92
146.3	17.3	1516.7	34.91
152.4	17.1	1516.2	34.89
155.4	16.9	1515.6	34.88
161.5	16.5	1514.5	34.87
164.6	16.6	1514.9	34.86
170.7	16.3	1514.0	34.84
176.8	16.2	1513.9	34.82
179.8	16.1	1513.6	34.81
185.9	15.8	1512.6	34.79
192.0	15.3	1511.1	34.77
198.1	15.5	1511.9	34.76
201.2	15.3	1511.2	34.74
207.3	15.3	1511.3	34.72
213.4	15.2	1511.2	34.69
216.4	15.0	1510.5	34.67

PLATFORM- MARYSVIL

POSITION- 28 14N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 87

DATE- AUG 03, 1968 TIME- 1500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SEVEL (M/SEC)	SAL (0/00)
0.0	26.1	1537.5	35.05
3.0	26.2	1537.8	35.05
9.1	26.1	1537.6	35.04
12.2	26.2	1537.9	35.04
18.3	26.2	1538.0	35.03
21.3	26.1	1537.8	35.03
27.4	26.0	1537.6	35.02
30.5	25.7	1537.0	35.02
33.5	25.4	1536.3	35.02
39.6	24.6	1534.6	35.01
42.7	22.9	1530.4	35.01
46.8	22.6	1529.8	35.00
51.8	22.1	1528.6	35.00
57.9	21.7	1527.7	35.00
61.0	21.6	1527.4	35.00
67.1	21.2	1526.5	35.00
70.1	20.9	1525.7	35.00
76.2	20.6	1525.0	35.00
79.2	20.6	1525.1	35.00
85.3	20.4	1524.6	35.00
88.4	20.1	1523.9	35.00
94.5	20.0	1523.7	35.00
97.5	19.7	1523.0	35.00
103.6	19.6	1522.7	34.99
106.7	19.4	1522.2	34.99
112.8	19.1	1521.5	34.97
118.9	19.0	1521.3	34.96
121.9	18.8	1520.7	34.96
128.0	18.6	1520.3	34.94
131.1	18.3	1519.4	34.94
137.2	18.1	1519.0	34.93
140.2	17.9	1518.4	34.92
146.3	17.8	1518.1	34.91
152.4	17.5	1517.7	34.89
155.4	17.5	1517.4	34.88
161.5	17.0	1516.0	34.87
167.6	17.2	1516.8	34.85
170.7	17.0	1516.1	34.84
176.8	16.9	1515.9	34.82
182.9	16.8	1515.6	34.80
189.9	16.5	1514.8	34.79
192.0	16.0	1513.4	34.77
198.1	16.1	1513.8	34.76
204.2	15.8	1512.8	34.73
207.3	15.7	1512.7	34.72
213.4	15.5	1512.1	34.69
219.5	15.2	1511.3	34.66



PLATFORM- MARYSVIL

POSITION- 28 02N 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 87

DATE- AUG 03, 1968 TIME- 1700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	25.9	1536.9	35.05
3.0	26.2	1537.8	35.05
9.1	26.2	1537.8	35.04
12.2	26.2	1537.9	35.04
18.3	26.2	1538.0	35.03
21.3	26.2	1538.0	35.03
27.4	26.2	1538.1	35.02
30.5	26.2	1538.2	35.02
36.6	26.2	1538.3	35.01
39.6	25.0	1535.5	35.01
45.7	24.0	1533.2	35.00
48.8	23.8	1532.7	35.00
54.9	23.3	1531.6	35.00
57.9	23.0	1530.9	35.00
64.0	22.9	1530.7	35.00
67.1	22.6	1530.1	35.00
73.2	22.3	1529.3	35.00
76.2	21.9	1528.4	35.00
82.3	21.9	1528.5	35.00
85.3	21.7	1528.1	35.00
91.4	21.5	1527.6	35.00
94.5	21.3	1527.1	35.00
100.6	21.0	1526.5	35.00
103.6	20.8	1525.9	34.99
109.7	20.6	1525.6	34.98
115.8	20.4	1525.0	34.97
118.9	20.2	1524.6	34.96
125.0	20.1	1524.4	34.95
128.0	20.0	1524.2	34.94
134.1	19.7	1523.5	34.93
140.2	19.5	1522.9	34.92
143.3	19.3	1522.4	34.91
149.4	19.1	1522.0	34.90
155.4	18.8	1521.1	34.88
158.5	18.6	1520.7	34.87
164.6	18.2	1519.7	34.86
167.6	18.3	1519.9	34.85
173.7	18.0	1519.1	34.83
179.8	17.8	1518.6	34.81
182.9	17.6	1518.1	34.80
189.0	17.2	1517.0	34.78
195.1	16.7	1515.6	34.76
201.2	16.9	1516.2	34.74
204.2	16.7	1515.7	34.73
210.3	16.7	1515.8	34.70
216.4	16.5	1515.2	34.67
219.5	16.2	1514.4	34.66

PLATFORM. MARYSVIL

POSITION. 27 56N 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE. ALG 03, 1968 TIME. 1800

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.5	1535.9	34.90
3.0	25.7	1536.4	34.90
9.1	25.8	1536.7	34.90
12.2	25.7	1536.6	34.90
18.3	25.8	1536.8	34.90
21.3	25.7	1536.7	34.90
27.4	25.7	1536.8	34.90
30.5	25.7	1536.9	34.90
33.5	25.6	1536.7	34.90
39.6	24.5	1534.2	34.90
42.7	23.4	1531.5	34.90
48.8	23.4	1531.6	34.90
51.8	23.0	1530.7	34.91
57.9	22.6	1529.9	34.92
61.0	22.7	1530.2	34.93
67.1	22.4	1529.5	34.95
70.1	22.2	1529.1	34.96
76.2	21.8	1528.1	34.98
79.2	21.7	1528.0	34.99
85.3	21.5	1527.5	35.01
88.4	21.3	1527.0	35.02
94.5	21.2	1527.0	35.03
97.5	21.0	1526.5	35.04
103.6	20.8	1526.0	35.04
106.7	20.6	1525.6	35.04
112.8	20.5	1525.4	35.02
115.8	20.4	1525.1	35.02
121.9	20.2	1524.7	35.01
128.0	20.0	1524.2	34.99
131.1	19.7	1523.5	34.99
137.2	19.4	1522.7	34.98
140.2	19.2	1522.2	34.97
146.3	19.1	1522.0	34.96
152.4	18.8	1521.1	34.94
155.4	18.5	1520.4	34.93
161.5	18.0	1519.0	34.92
164.6	18.1	1519.4	34.91
170.7	17.8	1518.5	34.89
176.8	17.7	1518.4	34.87
179.8	17.5	1517.8	34.86
185.9	17.3	1517.2	34.84
192.0	16.7	1515.6	34.82
198.1	16.9	1516.2	34.81
201.2	16.7	1515.8	34.79
207.3	16.6	1515.5	34.76
213.4	16.4	1514.9	34.73
216.4	16.2	1514.4	34.71

PLATFORM- MARYSVIL

POSITION- 27 49N 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 03, 1968 TIME- 1900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.6	1536.1	34.90
3.0	25.6	1536.2	34.90
9.1	25.6	1536.3	34.90
12.2	25.6	1536.3	34.90
16.3	25.6	1536.4	34.90
21.3	25.6	1536.5	34.90
27.4	25.5	1536.3	34.90
30.5	25.4	1536.1	34.90
33.5	25.3	1535.9	34.90
39.6	24.8	1534.8	34.90
42.7	23.7	1532.3	34.90
48.8	23.7	1532.4	34.90
51.8	23.4	1531.7	34.91
57.9	23.0	1530.8	34.92
61.0	23.0	1530.9	34.93
67.1	22.8	1530.5	34.95
70.1	22.6	1530.1	34.96
76.2	22.2	1529.2	34.98
79.2	22.1	1529.0	34.99
85.3	21.8	1528.3	35.01
88.4	21.6	1527.9	35.02
94.5	21.4	1527.4	35.03
97.5	21.2	1527.1	35.04
103.6	21.1	1526.9	35.04
106.7	21.0	1526.6	35.04
112.8	20.7	1526.0	35.02
115.8	20.4	1525.1	35.02
121.9	20.0	1524.1	35.01
128.0	19.7	1523.5	34.99
131.1	19.5	1522.9	34.99
137.2	19.3	1522.3	34.98
140.2	19.1	1521.9	34.97
146.3	19.0	1521.7	34.96
152.4	18.7	1521.0	34.94
155.4	18.6	1520.7	34.93
161.5	18.2	1519.7	34.92
164.6	18.3	1519.9	34.91
170.7	18.0	1519.1	34.89
176.8	17.8	1518.6	34.87
179.8	17.6	1518.1	34.86
185.9	17.4	1517.6	34.84
192.0	8	1515.8	34.82
198.1	8	1516.6	34.81
201.2	16.8	1515.9	34.79
207.3	16.7	1515.8	34.76
213.4	16.6	1515.5	34.73
216.4	16.4	1514.9	34.71

PLATFORM- MARYSVIL

POSITION- 27 37N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 03, 1968 TIME-2100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SQVEL (M/SEC)	SAL (0/00)
0.0	25.8	1536.5	34.90
3.0	25.6	1536.2	34.90
9.1	25.6	1536.3	34.90
12.2	25.6	1536.3	34.90
14.3	25.6	1536.4	34.90
21.3	25.6	1536.5	34.90
27.4	25.6	1536.6	34.90
30.5	25.6	1536.6	34.90
33.5	25.7	1536.9	34.90
39.6	25.6	1536.8	34.90
42.7	25.1	1535.7	34.90
45.7	24.8	1534.9	34.90
51.8	24.1	1533.4	34.91
54.9	23.5	1532.0	34.91
61.0	23.4	1531.9	34.91
64.0	23.2	1531.5	34.94
70.1	22.9	1530.8	34.96
73.2	22.5	1529.9	34.97
79.2	22.2	1529.3	34.99
82.3	21.7	1528.1	35.00
88.4	21.4	1527.3	35.02
94.5	21.3	1527.1	35.03
97.5	21.1	1526.8	35.04
100.6	20.9	1526.2	35.05
106.7	20.6	1525.6	35.04
109.7	20.4	1525.0	35.03
115.8	20.3	1524.8	35.02
121.9	20.1	1524.4	35.01
125.0	19.9	1523.9	35.00
131.1	19.6	1523.2	34.99
137.2	19.3	1522.3	34.98
140.2	19.1	1521.9	34.97
146.3	18.9	1521.4	34.96
149.4	18.7	1521.0	34.95
155.4	18.5	1520.4	34.93
161.5	18.0	1519.0	34.92
164.6	18.1	1519.4	34.91
170.7	17.8	1518.5	34.89
176.8	17.7	1518.4	34.87
179.8	17.6	1518.1	34.86
185.9	17.4	1517.6	34.84
192.0	17.0	1516.5	34.82
195.1	17.1	1516.8	34.81
201.2	16.9	1516.3	34.79
207.3	16.9	1516.3	34.76
210.3	16.8	1516.0	34.74
216.4	16.6	1515.6	34.71

PLATFORM- MARYSVIL

POSITION- 27 31N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 03, 1968 TIME-2200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0,0	25,9	1536,8	34,90
3,0	25,6	1536,2	34,90
9,1	25,7	1536,5	34,90
12,2	25,6	1536,3	34,90
18,3	25,7	1536,7	34,90
21,3	25,6	1536,5	34,90
27,4	25,6	1536,6	34,90
30,5	25,6	1536,6	34,90
33,5	25,8	1537,1	34,90
39,6	25,6	1536,8	34,90
42,7	24,3	1533,7	34,90
45,7	24,0	1533,1	34,90
51,8	23,5	1532,0	34,91
54,9	23,3	1531,5	34,91
61,0	23,2	1531,4	34,93
64,0	23,0	1531,0	34,94
70,1	22,7	1530,4	34,96
73,2	22,3	1529,3	34,97
79,2	22,1	1529,0	34,99
82,3	21,8	1528,2	35,00
86,4	21,5	1527,6	35,02
94,5	21,4	1527,4	35,03
97,5	21,2	1527,1	35,04
100,6	21,1	1526,8	35,05
106,7	20,8	1526,0	35,04
109,7	20,6	1525,6	35,03
115,8	20,5	1525,4	35,02
121,9	20,3	1524,9	35,01
125,0	20,1	1524,5	35,00
131,1	19,8	1523,6	34,99
137,2	19,4	1522,7	34,98
140,2	19,1	1521,9	34,97
146,3	18,9	1521,4	34,96
149,4	18,7	1521,0	34,95
155,4	18,5	1520,4	34,93
161,5	18,0	1519,0	34,92
164,6	18,1	1519,4	34,91
170,7	17,7	1518,3	34,89
176,8	17,6	1518,1	34,87
179,8	17,5	1517,8	34,86
185,9	17,2	1517,1	34,84
192,0	16,9	1516,1	34,82
195,1	16,9	1516,2	34,81
201,2	16,8	1515,9	34,79
207,3	16,8	1516,0	34,76
210,3	16,8	1516,0	34,74
216,4	16,6	1515,6	34,71

PLATFORM- MARYSVIL

POSITION- 27 25N 157 49W

PARDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 03, 1968 TIME- 2300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	26.0	1537.0	34.90
3.0	25.6	1536.2	34.90
9.1	25.6	1536.3	34.90
12.2	25.8	1536.7	34.90
16.3	25.7	1536.7	34.90
21.3	25.6	1536.5	34.90
27.4	25.6	1536.6	34.90
30.5	25.6	1536.6	34.90
33.5	25.6	1536.7	34.90
39.6	25.1	1535.6	34.90
42.7	24.2	1533.6	34.90
48.8	24.0	1533.1	34.90
51.8	23.6	1532.2	34.91
57.9	23.3	1531.5	34.92
61.0	23.4	1531.9	34.93
67.1	23.1	1531.3	34.95
70.1	22.8	1530.5	34.96
76.2	22.4	1529.7	34.98
79.2	22.2	1529.3	34.99
85.3	21.8	1528.3	35.01
88.4	21.6	1527.9	35.02
94.5	21.5	1527.7	35.03
97.5	21.3	1527.2	35.04
103.6	21.3	1527.3	35.04
106.7	21.1	1526.9	35.04
112.8	20.8	1526.1	35.02
115.8	20.5	1525.4	35.02
121.9	20.3	1524.9	35.01
128.0	20.2	1524.8	34.99
131.1	19.9	1524.0	34.99
137.2	19.6	1523.3	34.98
140.2	19.3	1522.4	34.97
146.3	19.2	1522.3	34.96
152.4	18.9	1521.5	34.94
155.4	18.8	1521.2	34.93
161.5	18.3	1519.8	34.92
164.6	18.3	1519.9	34.91
170.7	18.0	1519.1	34.89
176.8	17.9	1518.9	34.87
179.8	17.7	1518.5	34.86
185.9	17.5	1517.9	34.84
192.0	17.0	1516.5	34.82
198.1	17.1	1516.9	34.81
201.2	17.0	1516.6	34.79
207.3	17.0	1516.6	34.76
213.4	16.8	1516.0	34.73
216.4	16.6	1515.6	34.71

PLATFORM- MARYSVIL

POSITION- 27 11N 157 49W

MARSDEN SQUARE ONE DEGREE SQUARE 77

DATE- AUG 04, 1965 TIME- 0100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	26.2	1537.5	34.90
3.0	25.9	1536.8	34.90
9.1	25.9	1536.9	34.90
12.2	25.9	1537.0	34.90
16.3	25.9	1537.1	34.90
21.3	25.8	1536.9	34.90
27.4	25.8	1537.0	34.90
30.5	25.8	1537.0	34.90
33.5	25.9	1537.3	34.90
39.6	25.5	1536.5	34.90
42.7	24.6	1534.5	34.90
48.8	24.3	1533.8	34.90
51.8	23.5	1532.0	34.91
57.9	23.0	1530.8	34.92
61.0	23.0	1530.9	34.93
67.1	22.8	1530.5	34.95
70.1	22.5	1529.8	34.96
76.2	22.2	1529.2	34.98
79.2	22.2	1529.3	34.99
85.3	21.8	1528.3	35.01
88.4	21.5	1527.6	35.02
94.5	21.2	1527.0	35.03
97.5	21.0	1526.5	35.04
103.6	20.8	1526.0	35.04
106.7	20.7	1525.9	35.04
112.8	20.5	1525.4	35.02
115.8	20.3	1524.8	35.02
121.9	20.1	1524.4	35.01
128.0	19.9	1523.9	34.99
131.1	19.5	1522.9	34.99
137.2	19.4	1522.7	34.98
140.2	19.3	1522.4	34.97
146.3	19.2	1522.3	34.96
152.4	19.0	1521.8	34.94
155.4	18.8	1521.2	34.93
161.5	18.4	1520.2	34.92
164.6	18.5	1520.5	34.91
170.7	18.2	1519.8	34.89
176.8	18.1	1519.5	34.87
179.8	18.0	1519.3	34.86
185.9	17.7	1518.5	34.84
192.0	17.2	1517.1	34.82
198.1	17.3	1517.4	34.81
201.2	17.2	1517.2	34.79
207.3	17.2	1517.3	34.76
213.4	17.1	1517.0	34.73
216.4	16.9	1516.4	34.71

PLATFORM- MARYSVIL

POSITION- 27 05N 157 49W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 77

DATE- AUG 04, 1968 TIME = 0200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOUND (M/SEC)	SAL (0/00)
0.0	26.2	1537.5	34.90
3.0	25.9	1536.8	34.90
9.1	25.9	1536.9	34.90
12.2	25.8	1536.7	34.90
18.3	25.9	1537.1	34.90
21.3	25.8	1536.9	34.90
24.4	25.8	1536.9	34.90
30.5	25.8	1537.0	34.90
33.5	25.9	1537.3	34.90
36.6	25.7	1537.0	34.90
42.7	24.9	1535.1	34.90
45.7	24.7	1534.8	34.90
46.8	24.0	1533.1	34.90
54.9	23.3	1531.5	34.91
57.9	23.2	1531.4	34.92
64.0	22.9	1530.7	34.94
67.1	22.6	1530.0	34.95
73.2	22.2	1529.2	34.97
76.2	22.1	1528.9	34.98
82.3	21.8	1528.2	35.00
85.3	21.5	1527.5	35.01
91.4	21.2	1526.9	35.02
94.5	20.9	1526.1	35.03
100.6	20.8	1525.9	35.05
103.6	20.6	1525.5	35.04
109.7	20.5	1525.3	35.03
112.8	20.3	1524.8	35.02
118.9	20.1	1524.4	35.01
121.9	20.0	1524.1	35.01
128.0	19.8	1523.6	34.99
134.1	19.7	1523.5	34.98
137.2	19.4	1522.7	34.98
143.3	19.4	1522.7	34.96
149.4	19.2	1522.4	34.95
152.4	19.0	1521.8	34.94
158.5	18.6	1520.8	34.92
161.5	18.7	1521.1	34.92
167.6	18.4	1520.2	34.90
173.7	18.4	1520.3	34.88
176.8	18.2	1519.9	34.87
182.9	18.0	1519.3	34.85
189.0	17.9	1517.9	34.83
192.0	17.6	1518.3	34.82
198.1	17.4	1517.7	34.81
204.2	17.3	1517.4	34.78
207.3	17.2	1517.3	34.76
213.4	16.9	1516.4	34.73



PLATFORM. MAHYSVIL

POSITION. 26 59N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE. AUG 04, 1968 TIME. 0300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	26.2	1537.5	34.85
3.0	25.8	1536.5	34.85
9.1	25.8	1536.4	34.85
12.2	25.7	1536.5	34.85
18.3	25.8	1536.8	34.85
21.3	25.7	1536.7	34.85
24.4	25.7	1536.7	34.85
30.5	25.7	1536.8	34.85
33.5	25.6	1536.6	34.85
36.6	24.9	1535.0	34.85
42.7	23.9	1532.7	34.85
45.7	23.7	1532.3	34.85
48.8	23.2	1531.2	34.85
54.9	22.6	1529.7	34.87
57.9	22.5	1529.5	34.88
64.0	22.1	1528.7	34.91
67.1	21.9	1528.2	34.92
73.2	21.6	1527.6	34.94
76.2	21.5	1527.3	34.95
82.3	21.2	1526.7	34.98
85.3	21.0	1526.2	34.99
91.4	20.9	1526.0	35.02
94.5	20.7	1525.7	35.03
100.6	20.6	1525.5	35.05
103.6	20.4	1524.9	35.04
109.7	20.2	1524.6	35.03
112.8	20.1	1524.3	35.02
118.9	19.9	1523.8	35.01
121.9	19.8	1523.5	35.01
128.0	19.5	1522.8	34.99
134.1	19.3	1522.3	34.98
137.2	19.1	1521.9	34.98
143.3	19.0	1521.7	34.96
149.4	18.7	1521.0	34.95
152.4	18.6	1520.7	34.94
158.5	18.1	1519.3	34.92
161.5	18.3	1519.8	34.92
167.6	17.7	1518.3	34.90
173.7	17.8	1518.5	34.88
176.8	17.6	1518.1	34.87
182.9	17.4	1517.5	34.85
189.0	17.0	1516.4	34.83
192.0	17.0	1516.5	34.82
198.1	16.8	1515.9	34.81
204.2	16.7	1515.8	34.78
207.3	16.5	1515.1	34.76
213.4	16.3	1514.5	34.73

PLATFORM= MARYSVIL

POSITION= 26 47N 157 50W

MARSDEN SQUARE 08 ONE DEGREE SQUARE 67

DATE= AUG 04, 1968 TIME= 0500

INSTRUMENT TYPE= THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	26.1	1537.2	34.85
3.0	26.0	1537.0	34.85
9.1	25.8	1536.6	34.85
12.2	25.8	1536.7	34.85
18.3	25.8	1536.8	34.85
21.3	25.7	1536.7	34.85
24.4	25.7	1536.7	34.85
30.5	25.7	1536.8	34.85
33.5	25.9	1537.3	34.85
36.6	25.7	1536.9	34.85
42.7	24.9	1535.1	34.85
45.7	24.4	1534.0	34.85
51.8	23.4	1531.6	34.86
54.9	22.8	1530.2	34.87
61.0	22.7	1530.2	34.89
64.0	22.4	1529.4	34.91
70.1	22.2	1529.1	34.93
73.2	21.8	1528.0	34.94
79.2	21.7	1528.0	34.97
82.3	21.4	1527.2	34.98
88.4	21.2	1526.9	35.00
91.4	21.0	1526.3	35.02
97.5	20.8	1525.9	35.04
100.6	20.6	1525.5	35.05
106.7	20.4	1525.0	35.04
109.7	20.1	1524.3	35.03
115.8	19.9	1523.7	35.02
118.9	19.8	1523.5	35.01
125.0	19.6	1523.1	35.00
131.1	19.4	1522.6	34.99
134.1	19.3	1522.3	34.98
140.2	19.1	1521.9	34.97
146.3	19.0	1521.7	34.96
149.4	18.8	1521.1	34.95
155.4	18.7	1521.0	34.93
158.5	18.2	1519.6	34.92
164.6	18.4	1520.2	34.91
167.6	18.1	1519.4	34.90
173.7	17.9	1518.9	34.88
179.8	17.7	1518.5	34.86
185.9	17.5	1517.9	34.84
189.0	17.1	1516.8	34.83
195.1	17.0	1516.5	34.81
201.2	16.7	1515.8	34.79
204.2	16.6	1515.4	34.78
210.3	16.4	1514.8	34.74
216.4	16.2	1514.4	34.71

PLATFORM- MARYSVIL

POSITION- 26 40N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- AUG 04, 1968 TIME- 0600

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	25.7	1536.3	34.85
3.0	25.9	1536.8	34.85
9.1	25.8	1536.6	34.85
12.2	25.8	1536.7	34.85
18.3	25.8	1536.8	34.85
21.3	25.7	1536.7	34.85
24.4	25.7	1536.7	34.85
30.5	25.7	1536.8	34.85
33.5	25.9	1537.3	34.85
36.6	25.6	1536.7	34.85
42.7	24.8	1534.8	34.85
45.7	24.6	1534.5	34.85
51.8	23.7	1532.4	34.86
54.9	23.0	1530.7	34.87
61.0	22.8	1530.3	34.89
64.0	22.5	1529.7	34.91
70.1	22.2	1529.1	34.93
73.2	21.8	1528.0	34.94
79.2	21.6	1527.7	34.97
82.3	21.3	1526.9	34.98
88.4	21.2	1526.9	35.00
91.4	21.0	1526.3	35.02
97.5	20.8	1525.9	35.04
100.6	20.6	1525.5	35.05
106.7	20.4	1525.0	35.04
109.7	20.2	1524.6	35.03
115.8	20.1	1524.3	35.02
118.9	20.0	1524.1	35.01
125.0	19.8	1523.6	35.00
131.1	19.6	1523.2	34.99
134.1	19.4	1522.6	34.98
137.2	19.3	1522.3	34.98
146.3	19.2	1522.3	34.96
149.4	19.0	1521.7	34.95
155.4	18.8	1521.2	34.93
158.5	18.3	1519.8	34.92
164.6	18.5	1520.5	34.91
167.6	18.2	1519.8	34.90
173.7	18.0	1519.2	34.88
179.8	17.8	1518.6	34.86
185.9	17.6	1518.2	34.84
189.0	17.2	1517.1	34.83
195.1	17.2	1517.2	34.81
201.2	16.9	1516.3	34.79
204.2	16.8	1515.9	34.78
210.3	16.5	1515.2	34.74
216.4	16.1	1514.0	34.71

PLATFORM. MARYSVIL

POSITION. 26 33N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE. ALG 04, 1968 TIME=0700

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	25.5	1535.8	34.85
3.0	26.0	1537.0	34.85
9.1	26.0	1537.1	34.85
12.2	25.9	1536.9	34.85
16.3	25.9	1537.0	34.85
21.3	25.8	1536.8	34.85
24.4	25.8	1536.9	34.85
30.5	25.8	1537.0	34.85
33.5	26.0	1537.5	34.85
36.6	25.7	1536.9	34.85
42.7	25.0	1535.4	34.85
45.7	24.6	1534.5	34.85
51.8	23.9	1532.9	34.86
54.9	23.4	1531.7	34.87
61.0	23.3	1531.5	34.89
64.0	22.9	1530.6	34.91
67.1	22.6	1530.0	34.92
73.2	22.3	1529.3	34.94
76.2	22.2	1529.2	34.95
82.3	21.9	1528.5	34.98
85.3	21.6	1527.8	34.99
91.4	21.4	1527.4	35.02
94.5	21.2	1527.0	35.03
100.6	21.0	1526.5	35.05
103.6	20.8	1526.0	35.04
109.7	20.6	1525.6	35.03
112.8	20.4	1525.1	35.02
118.9	20.3	1524.8	35.01
125.0	20.2	1524.8	35.00
128.0	20.0	1524.2	34.99
134.1	19.8	1523.7	34.98
137.2	19.6	1523.3	34.98
143.3	19.4	1522.7	34.96
149.4	19.2	1522.4	34.95
155.4	19.1	1522.1	34.93
158.5	18.7	1521.1	34.92
161.5	18.7	1521.1	34.92
167.6	18.4	1520.2	34.90
173.7	18.2	1519.8	34.88
176.8	18.0	1519.2	34.87
182.9	17.7	1518.5	34.85
189.0	17.1	1516.8	34.83
195.1	17.2	1517.2	34.81
198.1	17.0	1516.6	34.81
204.2	16.8	1515.9	34.78
210.3	16.6	1515.5	34.74
213.4	16.2	1514.3	34.73

PLATFORM- MARYSVIL

POSITION- 26 21N 157 50W

PARDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- AUG 04, 1968 TIME- 0900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	25.7	1536.3	34.85
3.0	26.1	1537.3	34.85
9.1	26.1	1537.4	34.85
12.2	26.0	1537.2	34.85
18.3	26.0	1537.3	34.85
21.3	25.9	1537.1	34.85
24.4	25.9	1537.1	34.85
30.5	25.9	1537.2	34.85
33.5	26.0	1537.5	34.85
36.6	25.6	1536.7	34.85
42.7	24.7	1534.7	34.85
45.7	24.4	1534.0	34.85
51.8	23.8	1532.6	34.86
54.9	23.3	1531.4	34.87
61.0	23.2	1531.4	34.89
64.0	23.0	1530.9	34.91
70.1	22.8	1530.5	34.93
73.2	22.5	1529.8	34.94
79.2	22.4	1529.7	34.97
82.3	22.0	1528.8	34.98
88.4	21.8	1528.3	35.00
91.4	21.5	1527.7	35.02
97.5	21.2	1527.1	35.04
100.6	21.1	1526.8	35.05
106.7	20.8	1526.0	35.04
109.7	20.5	1525.3	35.03
115.8	20.2	1524.6	35.02
116.9	20.1	1524.4	35.01
125.0	19.9	1523.9	35.00
131.1	19.6	1523.2	34.99
134.1	19.3	1522.3	34.98
140.2	19.1	1521.9	34.97
146.3	19.0	1521.7	34.96
149.4	18.8	1521.1	34.95
155.4	18.6	1520.7	34.93
158.5	18.1	1519.3	34.92
164.6	18.1	1519.4	34.91
167.6	17.5	1517.6	34.90
173.7	17.4	1517.4	34.88
179.8	17.1	1516.6	34.86
185.9	16.7	1515.6	34.84
189.0	16.1	1513.7	34.83
195.1	16.1	1513.8	34.81
201.2	15.7	1512.7	34.79
204.2	15.6	1512.4	34.78
210.3	15.4	1511.7	34.74
216.4	15.0	1510.6	34.71

PLATFORM- MARYSVIL

POSITION- 26 15N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- AUG 04, 1968 TIME- 1000

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	25.5	1535.8	34.85
3.0	26.1	1537.3	34.85
9.1	26.2	1537.6	34.85
12.2	26.1	1537.4	34.85
18.3	26.1	1537.5	34.85
21.3	26.0	1537.3	34.85
27.4	26.0	1537.4	34.85
30.5	26.0	1537.5	34.85
33.5	26.1	1537.8	34.85
39.6	25.8	1537.1	34.85
42.7	25.1	1535.6	34.85
45.7	25.1	1535.7	34.85
51.8	24.3	1533.8	34.86
54.9	23.4	1531.7	34.87
61.0	23.1	1531.1	34.89
64.0	22.7	1530.2	34.91
70.1	22.5	1529.8	34.93
73.2	22.2	1529.1	34.94
79.2	22.1	1529.0	34.97
82.3	21.8	1528.2	34.98
88.4	21.6	1527.9	35.00
94.5	21.5	1527.7	35.03
97.5	21.3	1527.2	35.04
100.6	21.2	1527.1	35.05
106.7	20.9	1526.3	35.04
109.7	20.6	1525.6	35.03
115.8	20.4	1525.1	35.02
121.9	20.2	1524.7	35.01
125.0	20.0	1524.2	35.00
131.1	19.8	1523.6	34.99
137.2	19.5	1523.0	34.98
140.2	19.2	1522.2	34.97
146.3	19.1	1522.0	34.96
149.4	18.8	1521.1	34.95
155.4	18.6	1520.7	34.93
161.5	18.1	1519.4	34.92
164.6	18.2	1519.7	34.91
170.7	17.8	1518.5	34.89
176.8	17.6	1518.1	34.87
179.8	17.3	1517.1	34.86
185.9	16.9	1516.1	34.84
192.0	16.3	1514.3	34.82
195.1	16.3	1514.3	34.81
201.2	16.0	1513.5	34.79
207.3	15.8	1512.9	34.76
210.3	15.5	1512.1	34.74
216.4	15.2	1511.3	34.71

PLATFORM- MARYSVIL

POSITION- 26 09N 157 50W

PARDEN SQUARE 88 ONE DEGREE SQUARE 67

DATE- AUG 04, 1968 TIME-1100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	25.4	1535.6	34.85
3.0	26.1	1537.3	34.85
9.1	26.1	1537.4	34.85
12.2	26.1	1537.4	34.85
18.3	26.1	1537.5	34.85
21.3	26.0	1537.3	34.85
27.4	26.0	1537.4	34.85
30.5	26.0	1537.5	34.85
33.5	26.1	1537.8	34.85
39.6	25.7	1537.0	34.85
42.7	24.9	1535.1	34.85
45.7	24.7	1534.7	34.85
51.8	24.0	1533.1	34.86
54.9	23.4	1531.7	34.87
61.0	23.3	1531.5	34.89
64.0	22.9	1530.6	34.91
70.1	22.5	1529.8	34.93
73.2	22.2	1529.1	34.94
79.2	22.1	1529.0	34.97
82.3	21.8	1528.2	34.98
88.4	21.6	1527.9	35.00
94.5	21.4	1527.4	35.03
97.5	21.0	1526.5	35.04
100.6	20.8	1525.9	35.05
106.7	20.5	1525.3	35.04
109.7	20.3	1524.7	35.03
115.8	20.1	1524.3	35.02
121.9	20.0	1524.1	35.01
125.0	19.8	1523.6	35.00
131.1	19.5	1522.9	34.99
137.2	19.3	1522.3	34.98
140.2	19.1	1521.9	34.97
146.3	18.9	1521.4	34.96
149.4	18.7	1521.0	34.95
155.4	18.6	1520.7	34.93
161.5	18.1	1519.4	34.92
164.6	18.1	1519.4	34.91
170.7	17.8	1518.5	34.89
176.8	17.6	1518.1	34.87
179.8	17.4	1517.5	34.86
185.9	17.0	1516.4	34.84
192.0	16.3	1514.3	34.82
195.1	16.4	1514.7	34.81
201.2	16.0	1513.5	34.79
207.3	15.6	1512.4	34.76
210.3	15.3	1511.4	34.74
216.4	14.9	1510.2	34.71

PLATFORM. MARYSVIL

POSITION. 25 59N 137 52W

MARSDEN SQUARE #8 ONE DEGREE SQUARE 57

DATE. AUG 04, 1968 TIME. 1300

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	25.4	1535.4	34.70
3.0	26.0	1536.9	34.70
4.1	26.0	1537.0	34.70
12.2	26.0	1537.0	34.70
16.3	26.0	1537.1	34.70
21.3	25.9	1536.9	34.70
27.4	25.9	1537.0	34.70
30.5	25.9	1537.1	34.70
33.5	26.0	1537.4	34.70
39.6	25.3	1535.8	34.70
42.7	24.0	1532.8	34.70
45.7	23.5	1531.6	34.70
51.8	22.8	1529.9	34.71
54.9	22.3	1528.7	34.73
61.0	22.3	1528.9	34.78
64.0	22.0	1528.2	34.80
70.1	21.7	1527.7	34.84
73.2	21.4	1526.9	34.86
79.2	21.3	1526.7	34.90
82.3	21.0	1526.1	34.93
88.4	20.8	1525.6	34.97
94.5	20.6	1525.3	35.01
97.5	20.4	1524.8	35.03
100.6	20.2	1524.4	35.05
106.7	19.9	1523.6	35.03
109.7	19.7	1523.2	35.02
115.8	19.5	1522.6	35.00
121.9	19.3	1522.1	34.98
125.0	19.1	1521.7	34.98
131.1	18.9	1521.1	34.96
137.2	18.6	1520.4	34.94
140.2	18.3	1519.5	34.93
146.3	18.2	1519.4	34.91
149.4	18.0	1518.8	34.90
155.4	17.8	1518.2	34.88
161.5	17.3	1516.8	34.85
164.6	17.4	1517.2	34.84
170.7	17.1	1516.4	34.82
176.8	16.9	1515.9	34.79
179.8	16.7	1515.4	34.78
185.9	16.3	1514.1	34.76
192.0	15.7	1512.5	34.73
195.1	15.8	1512.7	34.72
201.2	15.5	1511.9	34.69
207.3	15.3	1511.2	34.66
210.3	15.0	1510.4	34.65
216.4	14.6	1509.2	34.62



PLATFORM. MARYSVIL

POSITION. 25 55N 157 54W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE. AUG 04, 1968 TIME. 1400

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.3	1535.1	34.70
3.0	25.9	1536.6	34.70
9.1	25.9	1536.7	34.70
12.2	25.9	1536.8	34.70
18.3	26.0	1537.1	34.70
21.3	25.9	1536.9	34.70
27.4	25.9	1537.0	34.70
30.5	25.9	1537.1	34.70
33.5	26.0	1537.4	34.70
39.6	25.8	1537.0	34.70
42.7	24.9	1534.9	34.70
48.8	24.4	1533.8	34.70
51.8	23.4	1531.5	34.71
57.9	22.4	1529.1	34.76
61.0	22.2	1528.7	34.78
67.1	21.8	1527.7	34.82
70.1	21.5	1527.1	34.84
76.2	21.1	1526.2	34.88
79.2	21.0	1526.0	34.90
85.3	20.6	1525.1	34.95
88.4	20.3	1524.3	34.97
94.5	20.1	1524.0	35.01
97.5	19.8	1523.2	35.03
103.6	19.6	1522.8	35.04
106.7	19.3	1521.9	35.03
112.8	19.1	1521.3	35.01
118.9	18.9	1521.0	34.99
121.9	18.7	1520.5	34.98
128.0	18.6	1520.3	34.97
131.1	18.4	1519.7	34.96
137.2	18.2	1519.3	34.94
140.2	18.0	1518.7	34.93
146.3	17.9	1518.5	34.91
152.4	17.7	1518.0	34.89
155.4	17.6	1517.8	34.88
161.5	17.1	1516.3	34.85
167.6	17.2	1516.7	34.83
170.7	16.9	1515.8	34.82
176.8	16.8	1515.5	34.79
182.9	16.6	1515.1	34.77
185.9	16.2	1513.9	34.76
192.0	15.7	1512.5	34.73
198.1	15.8	1512.7	34.71
204.2	15.6	1512.3	34.68
207.3	15.5	1511.9	34.66
213.4	15.2	1511.1	34.63
219.5	14.9	1510.1	34.60

PLATFORM- MAHYSVIL

POSITION- 25 51N 157 56W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 57

DATE- AUG 04, 1968 TIME- 1500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	25.3	1535.1	34.70
3.0	25.9	1536.6	34.70
9.1	26.0	1537.0	34.70
12.2	25.9	1536.8	34.70
18.3	26.0	1537.1	34.70
21.3	25.9	1536.9	34.70
24.4	25.9	1537.0	34.70
30.5	25.9	1537.1	34.70
33.5	26.0	1537.4	34.70
36.6	25.9	1537.2	34.70
42.7	25.5	1536.4	34.70
45.7	25.7	1536.9	34.70
51.8	24.8	1534.8	34.71
54.9	23.7	1532.4	34.73
61.0	23.2	1531.3	34.78
64.0	22.8	1530.2	34.80
67.1	22.4	1529.3	34.82
73.2	21.9	1528.2	34.86
76.2	21.7	1527.8	34.88
82.3	21.2	1526.7	34.93
85.3	20.9	1525.9	34.95
91.4	20.7	1525.6	34.99
94.5	20.4	1524.7	35.01
100.6	20.0	1523.8	35.05
103.6	19.7	1523.1	35.04
109.7	19.5	1522.6	35.02
112.8	19.3	1522.0	35.01
118.9	19.1	1521.6	34.99
125.0	18.9	1521.1	34.98
128.0	18.6	1520.3	34.97
134.1	18.4	1519.7	34.95
137.2	18.1	1519.0	34.94
143.3	17.9	1518.4	34.92
149.4	17.7	1518.0	34.90
155.4	17.6	1517.8	34.88
158.5	17.1	1516.3	34.87
161.5	17.2	1516.7	34.85
167.6	16.9	1515.7	34.83
173.7	16.8	1515.5	34.81
176.8	16.6	1515.0	34.79
182.9	16.2	1513.9	34.77
189.0	15.5	1511.7	34.74
195.1	15.5	1511.8	34.72
198.1	15.2	1511.0	34.71
204.2	14.9	1510.0	34.68
210.3	14.7	1509.5	34.65
213.4	14.3	1508.1	34.63

PLATFORM- MAHYSVIL

POSITION- 25 43N 158 00W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 58

DATE- AUG 04, 1968 TIME- 1700

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.2	1535.0	34.70
3.0	26.0	1536.9	34.70
9.1	26.0	1537.0	34.70
12.2	26.0	1537.0	34.70
18.3	26.1	1537.4	34.70
21.3	26.0	1537.2	34.70
24.4	26.0	1537.2	34.70
30.5	26.0	1537.3	34.70
33.5	26.1	1537.6	34.70
36.6	25.9	1537.2	34.70
42.7	25.3	1535.8	34.70
45.7	25.2	1535.8	34.70
51.8	24.5	1534.2	34.71
54.9	23.9	1532.8	34.73
61.0	23.6	1532.2	34.78
64.0	22.8	1530.2	34.80
70.1	22.2	1529.0	34.84
73.2	21.7	1527.8	34.86
79.2	21.5	1527.3	34.90
82.3	21.1	1526.4	34.93
88.4	20.9	1525.9	34.97
91.4	20.5	1525.0	34.99
97.5	20.1	1524.1	35.03
100.6	19.8	1523.2	35.05
106.7	19.4	1522.2	35.03
109.7	19.0	1521.2	35.02
115.8	18.6	1520.1	35.00
118.9	18.3	1519.2	34.99
125.0	18.1	1518.8	34.98
131.1	17.7	1517.8	34.96
134.1	17.4	1516.8	34.95
140.2	17.1	1516.1	34.93
146.3	16.9	1515.5	34.91
149.4	16.6	1514.7	34.90
155.4	16.4	1514.1	34.88
158.5	16.0	1512.9	34.87
164.6	16.0	1513.0	34.84
167.6	15.6	1511.8	34.83
173.7	15.4	1511.2	34.81
179.8	15.1	1510.4	34.78
185.9	14.8	1509.4	34.76
189.0	14.1	1507.3	34.74
195.1	14.2	1507.7	34.72
201.2	13.9	1506.7	34.69
204.2	13.8	1506.4	34.68
210.3	13.6	1505.9	34.65
216.4	13.3	1504.9	34.62

PLATFORM. MARYSVIL

POSITION. 25 39N 158 04W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 58

DATE- AUG 04, 1968 TIME= 1800

INSTRUMENT TYPE= THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOUND (M/SEC)	SAL (0/00)
0.0	25.2	1535.0	34.70
3.0	26.0	1536.9	34.70
9.1	26.0	1537.0	34.70
12.2	26.0	1537.0	34.70
18.3	26.0	1537.1	34.70
21.3	26.0	1537.2	34.70
27.4	26.0	1537.3	34.70
30.5	26.0	1537.3	34.70
33.5	26.1	1537.6	34.70
39.6	25.7	1536.8	34.70
42.7	24.6	1534.3	34.70
48.8	24.2	1533.4	34.70
51.8	23.5	1531.7	34.71
57.9	22.9	1530.4	34.76
61.0	22.7	1530.0	34.78
67.1	22.4	1529.3	34.82
70.1	22.2	1529.0	34.84
76.2	21.7	1527.8	34.88
79.2	21.5	1527.3	34.90
85.3	21.0	1526.2	34.95
86.4	20.6	1525.2	34.97
94.5	20.0	1523.7	35.01
97.5	19.4	1522.1	35.03
103.6	19.0	1521.1	35.04
106.7	18.7	1520.3	35.03
112.8	18.4	1519.5	35.01
115.8	18.2	1519.0	35.00
121.9	17.9	1518.1	34.98
128.0	17.7	1517.7	34.97
131.1	17.4	1516.8	34.96
137.2	17.0	1515.7	34.94
140.2	16.7	1514.9	34.93
146.3	16.5	1514.3	34.91
152.4	16.3	1513.7	34.89
155.4	16.0	1512.9	34.88
161.5	15.5	1511.4	34.85
164.6	15.5	1511.5	34.84
170.7	15.0	1510.0	34.82
176.8	14.8	1509.3	34.79
179.8	14.6	1508.8	34.78
185.9	14.4	1508.2	34.76
192.0	13.9	1506.6	34.73
198.1	13.9	1506.7	34.71
201.2	13.7	1506.2	34.69
207.3	13.6	1505.9	34.66
213.4	13.5	1505.6	34.63
216.4	13.2	1504.7	34.62

PLATFORM- MAHYSVIL

POSITION- 25 33N 158 04W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 58

DATE- AUG 04, 1968 TIME- 1900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.1	1534.7	34.70
3.0	25.9	1536.6	34.70
9.1	25.9	1536.7	34.70
12.2	25.9	1536.8	34.70
18.3	25.9	1536.9	34.70
21.3	25.8	1536.7	34.70
27.4	25.8	1536.8	34.70
30.5	25.8	1536.8	34.70
33.5	25.8	1536.9	34.70
39.6	25.8	1537.0	34.70
42.7	23.7	1532.1	34.70
45.7	23.3	1531.1	34.70
51.8	22.8	1529.9	34.71
54.9	22.2	1528.6	34.73
61.0	22.1	1528.5	34.78
64.0	21.7	1527.5	34.80
70.1	21.3	1526.5	34.84
73.2	20.9	1525.6	34.86
79.2	20.7	1525.3	34.90
82.3	20.2	1524.0	34.93
88.4	19.9	1523.2	34.97
94.5	19.5	1522.3	35.01
97.5	19.2	1521.6	35.03
100.6	18.9	1520.7	35.05
106.7	18.7	1520.3	35.03
109.7	18.5	1519.8	35.02
115.8	18.2	1519.0	35.00
121.9	18.0	1518.5	34.98
125.0	17.8	1517.9	34.98
131.1	17.6	1517.4	34.96
137.2	17.3	1516.5	34.94
140.2	17.1	1516.1	34.93
146.3	16.9	1515.5	34.91
149.4	16.7	1515.0	34.90
155.4	16.4	1514.1	34.88
161.5	15.9	1512.6	34.85
164.6	15.9	1512.7	34.84
170.7	15.5	1511.5	34.82
176.8	15.3	1510.9	34.79
179.8	15.1	1510.4	34.78
185.9	14.8	1509.4	34.76
192.0	14.2	1507.7	34.73
95.1	14.2	1507.7	34.72
201.2	14.0	1507.1	34.69
207.3	13.9	1506.8	34.66
210.3	13.6	1505.9	34.65
216.4	13.3	1504.9	34.62

PLATFORM- MARYSVIL

POSITION- 25 22N 158 05W

MARSDEN SQUARE MB ONE DEGREE SQUARE 58

DATE- AUG 04, 1968 TIME- 2100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.8	1536.3	34.70
3.0	25.8	1536.3	34.70
9.1	25.8	1536.3	34.70
12.2	25.8	1536.3	34.70
15.2	25.8	1536.6	34.70
21.3	25.7	1536.3	34.70
24.4	25.7	1536.6	34.70
27.4	25.7	1536.6	34.70
33.5	25.8	1536.9	34.70
36.6	25.6	1536.3	34.70
39.6	25.8	1537.0	34.70
45.7	25.4	1536.2	34.70
46.8	23.3	1531.7	34.70
51.8	22.8	1529.9	34.71
57.9	22.5	1529.4	34.76
61.0	22.1	1528.3	34.78
67.1	21.8	1527.7	34.82
70.1	21.4	1526.8	34.84
76.2	21.2	1526.3	34.88
79.2	20.9	1525.7	34.90
85.3	20.6	1525.1	34.93
88.4	20.4	1524.6	34.97
94.5	20.1	1524.0	35.01
97.5	19.9	1523.5	35.03
100.6	19.7	1523.1	35.03
106.7	19.3	1521.9	35.03
109.7	19.0	1521.2	35.02
115.8	18.6	1520.1	35.00
118.9	18.2	1519.1	34.99
125.0	17.8	1517.9	34.98
131.1	17.5	1517.1	34.96
134.1	17.3	1516.3	34.95
140.2	17.2	1516.4	34.93
146.3	17.0	1515.8	34.91
149.4	16.7	1515.0	34.90
155.4	16.2	1513.6	34.88
158.5	16.2	1513.6	34.87
164.6	15.7	1512.1	34.84
170.7	15.4	1511.2	34.82
173.7	15.2	1510.7	34.81
179.8	14.7	1509.2	34.78
185.9	14.2	1507.6	34.76
189.0	14.0	1506.9	34.74
195.1	13.8	1506.3	34.72
201.2	13.6	1505.8	34.69
204.2	13.4	1505.1	34.68
210.3	13.1	1504.2	34.65

FLAIFORM. MARYSVIL

POSITION. 25 16N 158 05W

PARDEN SQUARE 88 ONE DEGREE SQUARE 58

DATE. AUG 04, 1968 TIME. 2200

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	25.8	1536.3	34.70
3.0	25.9	1536.6	34.70
6.1	25.8	1536.5	34.70
12.2	25.8	1536.5	34.70
15.2	25.8	1536.6	34.70
21.3	25.8	1536.7	34.70
24.4	25.8	1536.7	34.70
27.4	25.8	1536.8	34.70
30.5	25.8	1536.8	34.70
36.6	25.2	1535.6	34.70
39.6	24.3	1533.4	34.70
42.7	24.1	1533.1	34.70
48.8	23.5	1531.7	34.70
51.8	23.0	1530.5	34.71
57.9	22.7	1529.9	34.76
61.0	22.3	1528.9	34.78
64.0	21.9	1528.0	34.80
70.1	21.4	1526.8	34.84
73.2	21.3	1526.6	34.86
79.2	20.9	1525.7	34.90
82.3	20.6	1525.0	34.93
86.4	20.3	1524.3	34.97
91.4	19.9	1523.3	34.99
94.5	19.7	1522.9	35.01
100.6	19.5	1522.5	35.05
103.6	19.4	1522.2	35.04
109.7	19.2	1521.8	35.02
115.8	19.0	1521.2	35.00
118.9	18.8	1520.7	34.99
125.0	18.5	1519.9	34.98
128.0	18.2	1519.2	34.97
134.1	17.9	1518.3	34.95
140.2	17.7	1517.9	34.93
143.3	17.3	1516.6	34.92
149.4	17.0	1515.9	34.90
152.4	16.5	1514.4	34.89
156.5	16.4	1514.1	34.87
164.6	15.9	1512.7	34.84
167.6	15.6	1511.8	34.83
173.7	15.3	1510.9	34.81
179.8	14.8	1509.3	34.78
182.9	14.4	1508.1	34.77
189.0	14.2	1507.7	34.74
195.1	13.9	1506.7	34.72
198.1	13.7	1506.1	34.71
204.2	13.4	1505.1	34.68
210.3	13.1	1504.2	34.65

PLATFORM- MARYSVIL

POSITION- 25 11N 158 05W

PARDEN SQUARE 88 ONE DEGREE SQUARE 58

DATE- AUG 04, 1968 TIME- 2300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	25.5	1535.7	34.70
3.0	25.9	1536.6	34.70
9.1	25.8	1536.5	34.70
12.2	25.7	1536.4	34.70
15.2	25.8	1536.6	34.70
21.3	25.7	1536.5	34.70
24.4	25.7	1536.6	34.70
30.5	25.7	1536.7	34.70
33.5	25.8	1536.9	34.70
36.6	25.6	1536.5	34.70
39.6	24.9	1534.9	34.70
45.7	24.8	1534.7	34.70
48.8	24.1	1533.2	34.70
54.9	23.4	1531.5	34.73
57.9	23.1	1530.9	34.76
61.0	22.6	1529.7	34.78
67.1	22.1	1528.6	34.82
70.1	21.5	1527.1	34.84
76.2	21.2	1526.5	34.88
79.2	20.8	1525.4	34.90
85.3	20.5	1524.8	34.95
88.4	20.3	1524.3	34.97
94.5	20.1	1524.0	35.01
97.5	19.9	1523.5	35.03
100.6	19.6	1522.8	35.05
106.7	19.3	1521.9	35.03
112.8	19.1	1521.5	35.01
115.8	18.8	1520.6	35.00
121.9	18.5	1519.9	34.98
125.0	18.1	1518.8	34.98
131.1	17.8	1517.9	34.96
134.1	17.5	1517.2	34.95
140.2	17.3	1516.6	34.93
146.3	17.0	1515.8	34.91
152.4	16.8	1515.2	34.89
155.4	16.3	1513.8	34.88
161.5	16.3	1513.8	34.85
164.6	15.9	1512.7	34.84
170.7	15.8	1512.4	34.82
176.8	15.6	1511.9	34.79
179.8	15.3	1510.9	34.78
185.9	14.9	1509.8	34.76
192.0	14.8	1509.5	34.73
195.1	14.6	1509.0	34.72
201.2	14.3	1508.0	34.69
207.3	14.1	1507.5	34.66
210.3	13.8	1506.4	34.65



PLATFORM. MARYSVIL

POSITION. 24 59N 158 05W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 48

DATE. AUG 05, 1968 TIME. 0100

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SQVEL (M/SEC)	SAL (0/00)
0.0	25.3	1535.0	34.60
3.0	25.8	1536.2	34.60
9.1	25.8	1536.3	34.60
12.2	25.7	1536.3	34.60
15.2	25.7	1536.3	34.60
21.3	25.6	1536.2	34.60
24.4	25.6	1536.2	34.60
30.5	25.6	1536.3	34.60
33.5	25.8	1536.7	34.60
36.6	25.5	1536.1	34.60
39.6	24.6	1534.1	34.60
45.7	24.1	1533.0	34.60
48.8	23.3	1531.0	34.60
54.9	22.9	1530.2	34.64
57.9	22.7	1529.8	34.67
61.0	22.3	1528.8	34.70
67.1	21.8	1527.7	34.75
70.1	21.4	1526.7	34.78
76.2	21.3	1526.6	34.84
79.2	20.9	1525.7	34.86
85.3	20.7	1525.4	34.92
88.4	20.4	1524.6	34.95
94.5	20.1	1524.0	35.00
97.5	19.9	1523.5	35.03
100.6	19.6	1522.8	35.05
106.7	19.2	1521.8	35.03
112.8	19.0	1521.2	35.01
115.8	18.7	1520.5	35.00
121.9	18.5	1519.9	34.98
125.0	18.1	1518.8	34.98
131.1	17.8	1517.9	34.96
134.1	17.4	1516.8	34.95
140.2	17.3	1516.6	34.93
146.3	17.1	1516.2	34.91
152.4	16.9	1515.6	34.89
155.4	16.4	1514.1	34.87
161.5	16.3	1513.8	34.84
164.6	15.9	1512.6	34.83
170.7	15.8	1512.4	34.80
176.8	15.6	1511.9	34.77
179.8	15.2	1510.7	34.75
185.9	14.8	1509.4	34.72
192.0	14.6	1508.9	34.69
195.1	14.3	1507.9	34.67
201.2	14.2	1507.7	34.64
207.3	13.9	1506.7	34.62
210.3	13.6	1505.8	34.60

PLATFORM- MARYSVIL

POSITION- 24 53N 158 04W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 48

DATE- AUG 09, 1968 TIME-0200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SQVEL (M/SEC)	SAL (0/00)
0.0	25.4	1535.3	34.60
3.0	25.9	1536.5	34.60
9.1	25.9	1536.6	34.60
12.2	25.7	1536.3	34.60
15.2	25.8	1536.4	34.60
21.3	25.7	1536.4	34.60
24.4	25.7	1536.5	34.60
30.5	25.7	1536.6	34.60
33.5	25.9	1537.0	34.60
36.6	25.7	1536.7	34.60
39.6	25.1	1535.3	34.60
45.7	24.5	1533.9	34.60
48.8	23.4	1531.3	34.60
54.9	22.7	1529.8	34.64
57.9	22.6	1529.6	34.67
61.0	22.2	1528.7	34.70
67.1	21.8	1527.7	34.75
70.1	21.2	1526.3	34.78
76.2	21.0	1525.9	34.84
79.2	20.6	1524.9	34.86
85.3	20.2	1524.0	34.92
88.4	20.0	1523.5	34.95
94.5	19.8	1523.1	35.00
97.5	19.6	1522.7	35.03
100.6	19.5	1522.5	35.05
106.7	19.2	1521.8	35.03
112.8	19.0	1521.2	35.01
115.8	18.8	1520.6	35.00
121.9	18.5	1519.9	34.98
125.0	18.2	1519.1	34.98
131.1	18.0	1518.6	34.96
134.1	17.8	1518.0	34.95
140.2	17.6	1517.6	34.93
146.3	17.4	1517.0	34.91
152.4	17.1	1516.2	34.89
155.4	16.6	1514.8	34.87
161.5	16.5	1514.5	34.84
164.6	16.2	1513.7	34.83
170.7	16.0	1513.1	34.80
176.8	15.8	1512.4	34.77
179.8	15.4	1511.2	34.75
185.9	14.9	1509.7	34.72
192.0	14.8	1509.4	34.69
195.1	14.5	1508.6	34.67
201.2	14.3	1507.9	34.64
207.3	14.0	1507.1	34.62
210.3	13.6	1505.8	34.60

PLATFORM MARYSVIL

POSITION 24 47N 158 04W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 48

DATE AUG 05, 1968 TIME 0300

INSTRUMENT TYPE THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SQVEL (M/SEC)	SAL (0/00)
0.0	25.4	1535.3	34.60
3.0	25.8	1536.2	34.60
9.1	25.9	1536.6	34.60
12.2	25.8	1536.4	34.60
15.2	25.8	1536.4	34.60
21.3	25.7	1536.4	34.60
24.4	25.7	1536.5	34.60
30.5	25.7	1536.6	34.60
33.5	25.9	1537.0	34.60
36.6	25.8	1536.8	34.60
42.7	25.1	1535.3	34.60
45.7	24.7	1534.5	34.60
48.8	23.6	1531.8	34.60
54.9	22.7	1529.8	34.64
57.9	22.5	1529.3	34.67
64.0	22.0	1528.2	34.73
67.1	21.8	1527.7	34.75
73.2	21.4	1526.8	34.81
76.2	21.2	1526.5	34.84
82.3	20.7	1525.3	34.89
85.3	20.3	1524.2	34.92
91.4	20.2	1524.2	34.97
94.5	19.9	1523.4	35.00
97.5	19.7	1523.0	35.03
103.6	19.5	1522.5	35.04
106.7	19.2	1521.8	35.03
112.8	19.0	1521.2	35.01
115.8	18.9	1520.9	35.00
121.9	18.7	1520.5	34.98
126.0	18.5	1520.0	34.97
131.1	18.2	1519.2	34.96
137.2	18.0	1518.7	34.94
143.3	17.9	1518.4	34.92
146.3	17.6	1517.6	34.91
152.4	17.4	1517.1	34.89
155.4	16.9	1515.6	34.87
161.5	16.9	1515.7	34.84
164.6	16.5	1514.5	34.83
170.7	16.2	1513.7	34.80
176.8	16.0	1513.1	34.77
182.9	15.6	1512.0	34.74
185.9	15.2	1510.8	34.72
192.0	15.1	1510.5	34.69
198.1	14.8	1509.5	34.66
201.2	14.6	1509.0	34.64
207.3	14.3	1508.0	34.62
213.4	13.9	1506.8	34.59

PLATFORM. MARYSVIL

POSITION. 24 35N 158 03W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 48

DATE. AUG 05, 1968 TIME. 0500

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	25.0	1534.4	34.60
3.0	25.7	1536.1	34.60
9.1	25.7	1536.2	34.60
12.2	25.7	1536.3	34.60
15.2	25.7	1536.3	34.60
21.3	25.6	1536.2	34.60
24.4	25.6	1536.2	34.60
33.5	25.8	1536.7	34.60
36.6	25.7	1536.7	34.60
39.6	25.4	1535.9	34.60
45.7	24.9	1534.9	34.60
46.8	23.9	1532.5	34.60
54.9	23.3	1531.2	34.64
57.9	23.2	1531.1	34.67
61.0	22.7	1529.9	34.70
67.1	22.3	1529.0	34.75
70.1	22.0	1528.3	34.78
76.2	21.9	1528.2	34.84
79.2	21.6	1527.6	34.86
85.3	21.3	1526.9	34.92
88.4	21.0	1526.2	34.95
94.5	20.7	1525.6	35.00
97.5	20.5	1525.1	35.03
100.6	20.1	1524.1	35.05
106.7	19.8	1523.3	35.03
112.8	19.5	1522.6	35.01
115.8	19.4	1522.3	35.00
121.9	19.3	1522.1	34.98
125.0	19.1	1521.7	34.98
131.1	18.8	1520.8	34.96
134.1	18.6	1520.4	34.95
140.2	18.3	1519.5	34.93
146.3	17.9	1518.5	34.91
152.4	17.8	1518.2	34.89
155.4	17.2	1516.6	34.87
161.5	17.0	1516.0	34.84
164.6	16.6	1514.9	34.83
170.7	16.4	1514.2	34.80
176.8	16.2	1513.8	34.77
179.8	15.9	1512.8	34.75
185.9	15.4	1511.3	34.72
192.0	15.4	1511.4	34.69
195.1	15.1	1510.5	34.67
201.2	15.0	1510.2	34.64
207.3	14.8	1509.6	34.62
210.3	14.5	1508.7	34.60

PLATFORM- MARYSVIL

POSITION- 24 28N 158 03W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 48

DATE- AUG 05, 1968 TIME- 0600

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SQVEL (M/SEC)	SAL (0/00)
0.0	25.1	1534.6	34.60
3.0	25.9	1536.5	34.60
9.1	25.9	1536.6	34.60
12.2	25.9	1536.6	34.60
18.3	25.9	1536.7	34.60
21.3	25.7	1536.4	34.60
24.4	25.6	1536.2	34.60
30.5	25.6	1536.3	34.60
33.5	25.8	1536.7	34.60
36.6	25.7	1536.7	34.60
42.7	25.3	1535.7	34.60
45.7	25.0	1535.1	34.60
48.8	24.4	1533.7	34.60
54.9	23.7	1532.3	34.64
57.9	23.3	1531.2	34.67
64.0	22.9	1530.4	34.73
67.1	22.5	1529.5	34.75
73.2	22.1	1528.7	34.81
76.2	21.9	1528.2	34.84
82.3	21.6	1527.6	34.89
85.3	21.3	1526.9	34.92
91.4	21.1	1526.6	34.97
94.5	20.8	1525.8	35.00
100.6	20.6	1525.5	35.05
103.6	20.3	1524.6	35.04
109.7	19.9	1523.6	35.02
112.8	19.6	1522.9	35.01
118.9	19.5	1522.7	34.99
121.9	19.3	1522.1	34.98
128.0	19.0	1521.4	34.97
134.1	18.8	1520.9	34.95
137.2	18.6	1520.4	34.94
143.3	18.4	1519.9	34.92
149.4	18.2	1519.5	34.90
152.4	18.0	1518.8	34.89
158.5	17.3	1516.8	34.86
161.5	17.2	1516.7	34.84
167.6	17.0	1516.1	34.81
173.7	16.8	1515.5	34.78
176.8	16.5	1514.6	34.77
182.9	16.2	1513.9	34.74
189.0	15.6	1512.0	34.71
192.0	15.6	1512.1	34.69
196.1	15.3	1511.1	34.66
204.2	15.1	1510.6	34.63
207.3	14.8	1509.6	34.62
213.4	14.5	1508.8	34.59

PLATFORM. MARYSVIL

POSITION. 24 21N 158 02W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 48

DATE. AUG 05, 1968 TIME. 0700

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	25.1	1534.6	34.60
3.0	26.0	1536.8	34.60
9.1	26.0	1536.9	34.60
12.2	26.0	1536.9	34.60
15.2	26.0	1537.0	34.60
21.3	25.9	1536.8	34.60
24.4	25.9	1536.8	34.60
30.5	25.9	1536.9	34.60
33.5	26.0	1537.3	34.60
36.6	25.8	1536.8	34.60
42.7	24.9	1534.8	34.60
45.7	24.4	1533.7	34.60
48.8	23.7	1532.1	34.60
54.9	23.3	1531.2	34.64
57.9	23.2	1531.1	34.67
64.0	22.9	1530.4	34.73
67.1	22.7	1530.1	34.75
73.2	22.2	1529.0	34.81
76.2	22.0	1528.5	34.84
82.3	21.7	1527.9	34.89
85.3	21.4	1527.1	34.92
91.4	21.3	1527.0	34.97
94.5	21.0	1526.4	35.00
97.5	20.7	1525.7	35.03
103.6	20.4	1524.9	35.04
106.7	20.1	1524.2	35.03
112.8	19.9	1523.7	35.01
115.8	19.7	1523.3	35.00
121.9	19.5	1522.7	34.98
128.0	19.2	1522.0	34.97
131.1	19.0	1521.4	34.96
137.2	18.8	1520.9	34.94
143.3	18.6	1520.5	34.92
146.3	18.3	1519.6	34.91
152.4	18.1	1519.2	34.89
155.4	17.6	1517.7	34.87
161.5	17.6	1517.8	34.84
164.6	17.4	1517.2	34.83
170.7	17.2	1516.8	34.80
176.8	17.0	1516.2	34.77
182.9	16.7	1515.4	34.74
189.9	16.2	1513.9	34.72
192.0	16.3	1514.1	34.69
198.1	15.9	1513.0	34.66
204.2	15.8	1512.7	34.64
207.3	15.6	1512.2	34.62
213.4	15.3	1511.2	34.59

PLATFORM- MARYSVIL

POSITION- 24 06N 157 59W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 47

DATE- AUG 05, 1968 TIME- 0900

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SQVEL (M/SEC)	SAL (0/00)
0.0	25.2	1534.9	34.60
3.0	26.1	1537.0	34.60
9.1	26.1	1537.1	34.60
12.2	26.1	1537.2	34.60
15.2	26.2	1537.5	34.60
21.3	26.1	1537.3	34.60
24.4	26.0	1537.1	34.60
30.5	26.1	1537.5	34.60
33.5	26.2	1537.8	34.60
36.6	26.1	1537.6	34.60
39.6	25.8	1536.8	34.60
45.7	25.7	1536.8	34.60
48.8	25.1	1535.4	34.60
54.9	24.4	1533.9	34.64
57.9	24.2	1533.6	34.67
61.0	23.7	1532.4	34.70
67.1	23.4	1531.8	34.75
70.1	22.9	1530.6	34.78
76.2	22.7	1530.3	34.84
79.2	22.4	1529.6	34.86
85.3	22.0	1528.7	34.92
88.4	21.9	1528.5	34.95
94.5	21.6	1528.0	35.00
97.5	21.5	1527.8	35.03
100.6	21.3	1527.3	35.05
106.7	21.1	1526.9	35.03
112.8	21.0	1526.7	35.01
115.8	20.7	1526.0	35.00
121.9	20.5	1525.5	34.98
125.0	20.3	1524.9	34.98
131.1	20.1	1524.5	34.96
134.1	19.8	1523.7	34.95
140.2	19.7	1523.6	34.93
146.3	19.5	1523.0	34.91
152.4	19.3	1522.5	34.89
155.4	18.6	1520.6	34.87
161.5	18.7	1521.0	34.84
164.6	18.4	1520.1	34.83
170.7	18.1	1519.4	34.80
176.8	17.8	1518.5	34.77
179.8	17.5	1517.7	34.75
185.9	16.9	1515.9	34.72
192.0	16.9	1516.0	34.69
195.1	16.6	1515.2	34.67
201.2	16.5	1514.9	34.64
207.3	16.3	1514.3	34.62
210.3	16.0	1513.5	34.60

PLATFORM= MARYSVIL

POSITION= 23 58N 157 58W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE= AUG 05, 1968 TIME= 1000

INSTRUMENT TYPE= THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SGVEL (M/SEC)	SAL (0/00)
0.0	25.0	1534.4	34.60
3.0	26.0	1536.8	34.60
9.1	26.0	1536.9	34.60
12.2	26.0	1536.9	34.60
15.2	26.1	1537.2	34.60
21.3	25.9	1536.8	34.60
24.4	25.9	1536.8	34.60
30.5	25.9	1536.9	34.60
33.4	26.1	1537.5	34.60
36.6	26.0	1537.3	34.60
39.6	25.7	1536.7	34.60
45.7	25.5	1536.3	34.60
48.8	24.8	1534.7	34.60
54.9	24.3	1533.6	34.63
57.9	23.9	1532.7	34.66
61.0	23.4	1531.6	34.68
67.1	23.0	1530.7	34.72
70.1	22.6	1529.8	34.74
76.2	22.4	1529.4	34.78
79.2	22.1	1528.8	34.80
85.3	21.9	1528.4	34.85
88.4	21.9	1528.4	34.87
94.5	21.6	1527.9	34.91
97.5	21.5	1527.7	34.93
100.6	21.3	1527.1	34.95
106.7	21.0	1526.5	34.96
112.8	20.7	1525.9	34.98
115.8	20.5	1525.4	34.98
121.9	20.4	1525.2	34.99
125.0	20.2	1524.8	35.00
131.1	20.0	1524.3	35.01
134.1	19.8	1523.7	35.02
140.2	19.7	1523.7	35.03
146.3	19.5	1523.2	35.04
152.4	19.2	1522.5	35.04
155.4	18.7	1521.1	35.02
161.5	18.7	1521.2	34.99
164.6	18.4	1520.3	34.98
170.7	18.2	1519.9	34.95
176.8	18.0	1519.3	34.92
179.8	17.7	1518.5	34.90
185.9	17.1	1516.8	34.87
192.0	17.2	1517.2	34.84
195.1	16.8	1515.9	34.82
201.2	16.7	1515.8	34.79
207.3	16.5	1515.1	34.76
210.3	16.2	1514.3	34.74



PLATFORM- MARYSVIL

POSITION- 23 51N 157 57W

PARDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 05, 1968 TIME- 1100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SGVEL (M/SEC)	SAL (0/00)
0.0	25.0	1534.4	34.60
3.0	26.0	1536.8	34.60
9.1	26.1	1537.1	34.60
12.2	26.0	1536.9	34.60
15.2	26.0	1537.0	34.60
21.3	25.9	1536.8	34.60
24.4	25.9	1536.8	34.60
30.5	25.9	1536.9	34.60
33.5	25.9	1537.0	34.60
36.6	25.4	1535.9	34.60
42.7	24.9	1534.8	34.60
45.7	24.6	1534.2	34.60
48.8	24.1	1533.1	34.60
54.9	23.8	1532.4	34.63
57.9	23.8	1532.5	34.66
64.0	23.7	1532.5	34.70
67.1	23.3	1531.4	34.72
73.2	23.0	1530.9	34.76
76.2	22.9	1530.7	34.78
82.3	22.7	1530.4	34.83
85.3	22.4	1529.7	34.85
91.4	22.2	1529.4	34.89
94.5	21.9	1528.6	34.91
97.5	21.8	1528.4	34.93
103.6	21.5	1527.8	34.96
106.7	21.3	1527.3	34.96
112.8	21.1	1526.9	34.98
115.8	21.0	1526.7	34.98
121.9	20.8	1526.2	34.99
126.0	20.5	1525.6	35.01
131.1	20.3	1525.0	35.01
137.2	20.0	1524.4	35.02
143.3	19.9	1524.2	35.04
146.3	19.6	1523.5	35.04
152.4	19.5	1523.3	35.04
155.4	18.9	1521.6	35.02
161.5	19.0	1522.0	34.99
164.6	18.7	1521.2	34.98
170.7	18.5	1520.7	34.95
176.8	18.3	1520.1	34.92
182.9	17.9	1519.0	34.89
185.9	17.3	1517.3	34.87
192.0	17.3	1517.3	34.84
198.1	16.9	1516.2	34.81
201.2	16.7	1515.8	34.79
207.3	16.3	1514.5	34.76
213.4	15.9	1513.3	34.72

PLATFORM- MARYSVIL

POSITION- 23 38N 157 55W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 05, 1968 TIME- 1300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SØVEL (M/SEC)	SAL (0/00)
0.0	25.4	1535.3	34.60
3.0	26.4	1537.6	34.60
9.1	26.4	1537.7	34.60
12.2	26.4	1537.8	34.60
15.2	26.3	1537.6	34.60
21.3	26.2	1537.6	34.60
24.4	26.1	1537.4	34.60
30.5	25.8	1536.7	34.60
33.5	25.8	1536.7	34.60
36.6	25.4	1535.9	34.60
39.6	24.5	1533.8	34.60
45.7	24.8	1534.6	34.60
48.8	24.3	1533.5	34.60
54.9	24.0	1532.9	34.63
57.9	23.9	1532.7	34.66
61.0	23.6	1532.1	34.68
67.1	23.3	1531.4	34.72
70.1	22.9	1530.5	34.74
76.2	22.9	1530.7	34.78
79.2	22.7	1530.3	34.80
85.3	22.5	1529.9	34.85
88.4	22.4	1529.7	34.87
94.5	22.1	1529.2	34.91
97.5	22.0	1529.0	34.93
100.6	21.8	1528.5	34.95
106.7	21.6	1528.1	34.96
112.8	21.4	1527.7	34.98
115.8	21.3	1527.4	34.98
121.9	21.1	1527.1	34.99
125.0	20.8	1526.3	35.00
131.1	20.6	1525.9	35.01
134.1	20.3	1525.1	35.02
140.2	20.1	1524.8	35.03
146.3	19.9	1524.3	35.04
152.4	19.8	1524.1	35.04
155.4	19.3	1522.7	35.02
151.5	19.3	1522.8	34.99
164.6	19.0	1522.0	34.98
170.7	18.7	1521.3	34.95
176.8	18.4	1520.4	34.92
179.8	18.2	1520.0	34.90
185.9	17.6	1518.2	34.87
192.0	17.8	1518.8	34.84
195.1	17.5	1518.0	34.82
201.2	17.2	1517.2	34.79
207.3	16.9	1516.3	34.76
210.3	16.5	1515.2	34.74

PLATFORM- MARYSVIL

POSITION- 23 33N 157 55W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 05, 1968 TIME- 1400

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	S0VEL (M/SEC)	SAL (0/00)
0.0	25.2	1534.9	34.60
3.0	26.3	1537.4	34.60
9.1	26.3	1537.5	34.60
12.2	26.3	1537.5	34.60
15.2	26.3	1537.6	34.60
21.3	26.2	1537.6	34.60
24.4	26.2	1537.6	34.60
30.5	26.2	1537.7	34.60
33.5	26.3	1537.9	34.60
36.6	26.1	1537.6	34.60
42.7	25.8	1536.9	34.60
45.7	25.7	1536.8	34.60
48.8	25.1	1535.4	34.60
54.8	24.6	1534.4	34.63
57.9	24.4	1533.9	34.66
64.0	23.9	1532.9	34.70
67.1	23.6	1532.3	34.72
73.2	23.1	1531.2	34.76
76.2	23.0	1531.0	34.78
82.3	22.8	1530.6	34.83
85.3	22.6	1530.2	34.85
91.4	22.5	1530.1	34.89
94.5	22.3	1529.6	34.91
97.5	22.2	1529.5	34.93
103.6	22.1	1529.4	34.96
106.7	21.9	1528.9	34.96
112.8	21.7	1528.5	34.98
115.8	21.5	1528.0	34.98
121.9	21.3	1527.5	34.99
128.0	21.0	1526.9	35.01
131.1	20.7	1526.2	35.01
134.1	20.4	1525.4	35.02
143.3	20.2	1525.1	35.04
146.3	19.9	1524.3	35.04
152.4	19.7	1523.9	35.04
155.4	19.2	1522.5	35.02
161.5	19.3	1522.8	34.99
164.6	19.0	1522.0	34.98
170.7	18.8	1521.5	34.95
176.8	18.6	1521.0	34.92
182.9	18.2	1520.0	34.89
185.9	17.6	1518.2	34.87
192.0	17.7	1518.6	34.84
198.1	17.4	1517.7	34.81
201.2	17.3	1517.4	34.79
207.3	17.1	1517.0	34.74
213.4	16.7	1515.9	34.72

PLATFORM- MARYSVIL

POSITION- 22 28N 157 54W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- AUG 05, 1968 TIME- 1500

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	25.2	1534.9	34.60
3.0	26.3	1537.4	34.60
9.1	26.3	1537.5	34.60
12.2	26.3	1537.5	34.60
18.3	26.3	1537.6	34.60
21.3	26.2	1537.6	34.60
24.4	26.1	1537.4	34.60
30.5	26.1	1537.5	34.60
33.5	26.2	1537.8	34.60
36.6	26.0	1537.3	34.60
42.7	25.6	1536.5	34.60
45.7	25.6	1536.6	34.60
48.8	25.1	1535.4	34.60
54.9	24.8	1534.8	34.62
57.9	24.8	1534.8	34.64
64.0	24.4	1534.1	34.67
67.1	24.0	1533.2	34.69
73.2	23.6	1532.4	34.72
76.2	23.5	1532.2	34.73
82.3	23.1	1531.3	34.76
85.3	22.8	1530.6	34.78
91.4	22.7	1530.6	34.81
94.5	22.5	1530.1	34.82
100.6	22.3	1529.6	34.85
103.6	22.2	1529.5	34.86
109.7	21.9	1528.8	34.89
112.8	21.7	1528.5	34.90
118.9	21.5	1528.0	34.93
121.9	21.3	1527.5	34.94
128.0	21.0	1526.9	34.96
134.1	20.7	1526.3	34.99
137.2	20.5	1525.7	35.00
143.3	20.3	1525.3	35.02
149.4	20.0	1524.6	35.05
152.4	19.8	1524.1	35.05
158.5	19.3	1522.8	35.03
161.5	19.4	1523.1	35.03
167.6	19.1	1522.4	35.01
173.7	18.9	1521.9	35.00
176.8	18.7	1521.5	35.00
182.9	18.5	1520.9	34.98
189.0	18.0	1519.6	34.97
192.0	18.2	1520.2	34.97
198.1	17.9	1519.4	34.95
204.2	17.7	1518.9	34.92
207.3	17.5	1518.3	34.90
213.4	17.1	1517.2	34.86

PLATFORM. MARYSVIL

POSITION. 23 18N 157 53W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE. AUG 05, 1968 TIME. 1700

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.8	1533.8	34.60
3.0	25.9	1536.5	34.60
9.1	26.0	1536.9	34.60
12.2	25.9	1536.6	34.60
15.2	26.0	1537.0	34.60
21.3	25.9	1536.8	34.60
24.4	25.9	1536.8	34.60
27.4	25.9	1536.9	34.60
33.5	26.0	1537.3	34.60
36.6	25.9	1537.0	34.60
39.6	25.6	1536.5	34.60
45.7	25.9	1537.2	34.60
48.8	25.5	1536.4	34.60
51.8	25.3	1535.9	34.61
57.9	25.3	1536.0	34.66
61.0	25.0	1535.5	34.68
67.1	24.6	1534.7	34.72
70.1	24.2	1533.8	34.74
76.2	23.9	1533.2	34.78
79.2	23.5	1532.3	34.80
85.3	23.3	1531.9	34.85
88.4	23.5	1532.5	34.87
94.5	22.9	1531.1	34.91
97.5	22.7	1530.8	34.93
100.6	22.5	1530.3	34.95
106.7	22.2	1529.7	34.96
109.7	22.1	1529.5	34.97
115.8	21.9	1529.0	34.98
118.9	21.7	1528.7	34.99
125.0	21.5	1528.2	35.00
131.1	21.2	1527.6	35.01
134.1	21.0	1527.0	35.02
140.2	20.9	1526.9	35.03
146.3	20.7	1526.5	35.04
149.4	20.5	1526.0	35.05
155.4	20.0	1524.7	35.02
158.5	20.2	1525.3	35.01
164.6	19.9	1524.5	34.98
170.7	19.7	1524.1	34.95
173.7	19.6	1523.8	34.93
179.8	19.3	1523.0	34.90
185.9	18.6	1521.1	34.87
189.0	18.8	1521.6	34.86
195.1	18.5	1520.9	34.82
201.2	18.3	1520.3	34.79
204.2	18.0	1519.6	34.78
210.3	17.7	1518.8	34.74

PLATFORM- MARYSVIL

POSITION- 23 13N 157 52W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE- AUG 05, 1968 TIME- 1800

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	24.7	1533.7	34.60
3.0	25.9	1536.5	34.60
9.1	25.9	1536.6	34.60
12.2	25.9	1536.6	34.60
15.2	26.0	1537.0	34.60
21.3	25.9	1536.8	34.60
24.4	25.9	1536.8	34.60
30.5	25.9	1536.9	34.60
33.5	26.1	1537.5	34.60
36.6	25.9	1537.0	34.60
42.7	25.6	1536.5	34.60
45.7	25.9	1537.2	34.60
48.8	25.6	1536.6	34.60
54.9	25.5	1536.5	34.63
57.9	25.5	1536.6	34.66
64.0	25.2	1536.1	34.70
67.1	25.0	1535.6	34.72
73.2	24.5	1534.6	34.76
76.2	24.4	1534.4	34.78
82.3	24.0	1533.6	34.83
85.3	23.4	1532.2	34.85
91.4	23.5	1532.6	34.89
94.5	23.2	1532.0	34.91
97.5	23.0	1531.5	34.93
103.6	22.7	1530.9	34.96
106.7	22.5	1530.4	34.96
112.8	22.4	1530.3	34.98
115.8	22.2	1529.9	34.98
121.9	22.0	1529.4	34.99
128.0	21.7	1528.8	35.01
131.1	21.5	1528.3	35.01
134.1	21.3	1527.8	35.02
143.3	21.2	1527.8	35.04
146.3	21.0	1527.3	35.04
152.4	20.8	1526.8	35.04
155.4	20.3	1525.5	35.02
161.5	20.4	1525.8	34.99
164.6	20.1	1525.1	34.98
170.7	19.9	1524.6	34.95
176.8	19.7	1524.2	34.92
182.9	19.4	1523.3	34.89
185.9	18.6	1521.1	34.87
192.0	18.7	1521.5	34.84
198.1	18.4	1520.6	34.81
201.2	18.4	1520.7	34.79
207.3	18.2	1520.2	34.76
213.4	17.4	1517.9	34.72

PLATFORM= MARYSVIL

POSITION= 23 06N 157 52W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 37

DATE= AUG 05, 1968 TIME= 1900

INSTRUMENT TYPE= THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.7	1533.7	34.60
3.0	25.9	1536.5	34.60
9.1	25.9	1536.6	34.60
12.2	25.9	1536.6	34.60
18.3	25.9	1536.7	34.60
21.3	25.8	1536.5	34.60
24.4	25.8	1536.6	34.60
30.5	25.8	1536.7	34.60
33.5	26.0	1537.3	34.60
36.6	25.8	1536.8	34.60
42.7	25.5	1536.2	34.60
45.7	25.8	1536.9	34.60
46.8	25.6	1536.6	34.60
54.9	25.4	1536.2	34.63
57.9	25.4	1536.3	34.66
64.0	25.1	1535.8	34.70
67.1	24.8	1535.1	34.72
73.2	24.3	1534.0	34.76
76.2	24.1	1533.7	34.78
82.3	23.8	1533.0	34.83
85.3	23.6	1532.7	34.85
91.4	23.9	1532.6	34.89
94.5	23.3	1532.1	34.91
100.6	23.2	1532.1	34.95
103.6	23.1	1531.9	34.96
109.7	23.0	1531.7	34.97
112.8	22.8	1531.2	34.98
118.9	22.6	1530.9	34.99
121.9	22.5	1530.7	34.99
128.0	22.2	1530.1	35.01
134.1	22.0	1529.7	35.02
137.2	21.8	1529.1	35.02
143.3	21.7	1529.1	35.04
149.4	21.5	1528.6	35.05
152.4	21.3	1528.1	35.04
158.5	20.7	1526.7	35.01
161.5	20.8	1526.9	34.99
167.6	20.4	1525.9	34.96
173.7	20.1	1525.2	34.93
176.8	19.9	1524.6	34.92
182.9	19.5	1523.6	34.89
189.0	18.8	1521.6	34.86
192.0	18.9	1522.0	34.84
198.1	18.5	1520.9	34.81
204.2	18.3	1520.4	34.78
207.3	18.1	1519.9	34.76
213.4	17.7	1518.8	34.72

PLATFORM- MAHYSVIL

POSITION- 22 54N 157 51W

PARDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- AUG 05, 1968 TIME- 2100

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	24.7	1533.7	34.60
3.0	25.7	1536.1	34.60
9.1	25.7	1536.2	34.60
12.2	25.7	1536.3	34.60
15.2	25.7	1536.3	34.60
21.3	25.7	1536.4	34.60
24.4	25.7	1536.5	34.60
30.5	25.7	1536.6	34.60
33.5	25.8	1536.7	34.60
36.6	25.7	1536.7	34.60
39.6	25.3	1535.7	34.60
45.7	25.6	1536.6	34.60
48.8	25.4	1536.1	34.60
54.9	25.3	1536.0	34.62
57.9	25.3	1536.0	34.64
61.0	24.9	1535.2	34.65
67.1	24.6	1534.7	34.69
70.1	24.2	1533.8	34.70
76.2	24.1	1533.7	34.73
79.2	23.7	1532.8	34.75
85.3	23.5	1532.4	34.78
88.4	23.4	1532.2	34.79
94.5	23.1	1531.6	34.82
97.5	22.9	1531.1	34.84
100.6	22.8	1530.9	34.85
106.7	22.6	1530.6	34.88
112.8	22.4	1530.2	34.90
115.8	22.3	1529.9	34.91
121.9	22.1	1529.6	34.94
125.0	21.9	1529.1	34.95
131.1	21.7	1528.8	34.97
134.1	21.4	1528.0	34.99
140.2	21.3	1527.9	35.01
146.3	21.1	1527.6	35.04
152.4	21.0	1527.4	35.05
155.4	20.6	1526.4	35.04
161.5	20.6	1526.5	35.03
164.6	20.3	1525.6	35.02
170.7	20.2	1525.5	35.01
176.8	20.0	1525.0	35.00
179.8	19.7	1524.3	34.99
185.9	19.0	1522.4	34.98
192.0	19.2	1523.1	34.97
195.1	18.8	1521.9	34.96
201.2	18.7	1521.8	34.94
207.3	18.4	1520.9	34.90
210.3	18.1	1520.1	34.88



PLATFORM. MARYSVIL

POSITION. 22 48N 157 51W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE. AUG 05, 1968 TIME. 2200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	24.7	1533.7	34.60
3.0	25.7	1536.1	34.60
9.1	25.7	1536.2	34.60
12.2	25.7	1536.3	34.60
18.3	25.7	1536.4	34.60
21.3	25.6	1536.2	34.60
24.4	25.6	1536.2	34.60
30.5	25.6	1536.3	34.60
33.5	25.7	1536.6	34.60
36.6	25.6	1536.4	34.60
42.7	25.2	1535.6	34.60
45.7	23.6	1536.6	34.60
48.8	23.3	1535.8	34.60
54.9	25.2	1535.8	34.62
57.9	25.3	1536.0	34.64
64.0	25.1	1535.8	34.67
67.1	24.9	1535.3	34.69
73.2	24.3	1534.0	34.72
76.2	24.2	1533.9	34.73
82.3	23.9	1533.2	34.76
85.3	23.6	1532.6	34.78
91.4	23.5	1532.5	34.81
94.5	23.2	1531.9	34.82
100.6	23.1	1531.7	34.85
103.6	22.8	1531.0	34.86
109.7	22.6	1530.7	34.89
112.8	22.4	1530.2	34.90
118.9	22.3	1530.0	34.93
121.9	22.2	1529.9	34.94
128.0	21.9	1529.2	34.96
134.1	21.8	1529.0	34.99
137.2	21.5	1528.4	35.00
143.3	21.4	1528.2	35.02
149.4	21.2	1527.9	35.05
152.4	20.9	1527.1	35.05
158.5	20.3	1525.5	35.03
161.5	20.3	1525.6	35.03
167.6	19.9	1524.6	35.01
173.7	19.8	1524.4	35.00
176.8	19.5	1523.6	35.00
182.9	19.3	1523.1	34.98
189.0	18.7	1521.6	34.97
192.0	18.8	1521.8	34.97
198.1	18.6	1521.4	34.95
204.2	18.4	1520.9	34.92
207.3	18.2	1520.4	34.90
213.4	18.9	1522.4	34.86

PLATFORM- MARYSVIL

POSITION- 22 42N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- AUG 05, 1968 TIME- 2300

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SUVEL (M/SEC)	SAL (0/00)
0.0	24.9	1534.1	34.60
3.0	25.8	1536.2	34.60
9.1	25.8	1536.3	34.60
12.2	25.7	1536.3	34.60
18.3	25.7	1536.4	34.60
21.3	25.6	1536.2	34.60
24.4	25.6	1536.2	34.60
30.5	25.6	1536.3	34.60
33.5	25.7	1536.6	34.60
36.6	25.6	1536.4	34.60
42.7	25.2	1535.6	34.60
45.7	25.5	1536.3	34.60
51.8	25.2	1535.8	34.61
54.9	24.9	1535.0	34.62
61.0	24.9	1535.2	34.65
64.0	24.6	1534.6	34.67
70.1	24.4	1534.2	34.70
73.2	24.1	1533.6	34.72
79.2	24.1	1533.7	34.75
82.3	23.8	1533.0	34.76
88.4	23.6	1532.7	34.79
91.4	23.5	1532.3	34.81
97.5	23.2	1531.9	34.84
100.6	23.0	1531.5	34.85
106.7	22.7	1530.9	34.88
109.7	22.4	1530.1	34.89
115.8	22.2	1529.8	34.91
118.9	22.1	1529.6	34.93
125.0	21.9	1529.1	34.95
131.1	21.6	1528.5	34.97
134.1	21.4	1528	34.99
140.2	21.1	1527.4	35.01
146.3	21.0	1527.3	35.04
149.4	20.7	1526.6	35.05
155.4	20.6	1526.4	35.04
158.5	20.1	1525.1	35.03
164.6	20.2	1525.5	35.02
167.6	19.8	1524.3	35.01
173.7	19.7	1524.2	35.00
179.8	19.6	1524.0	34.99
185.9	19.2	1523.0	34.98
189.0	18.6	1521.3	34.97
195.1	18.7	1521.7	34.96
201.2	18.4	1520.8	34.94
204.2	18.3	1520.5	34.92
210.3	18.1	1520.1	34.88
216.4	17.7	1519.0	34.84

PLATFORM. MARYSVIL

POSITION. 22 30N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE. AUG 06, 1968 TIME. 0100

INSTRUMENT TYPE. THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.9	1534.1	34.60
3.0	25.8	1536.2	34.60
9.1	25.8	1536.3	34.60
12.2	25.6	1536.0	34.60
18.3	25.7	1536.4	34.60
21.3	25.6	1536.2	34.60
24.4	25.5	1535.9	34.60
30.5	25.5	1536.0	34.60
33.5	25.7	1536.6	34.60
36.6	25.5	1536.1	34.60
42.7	25.1	1535.3	34.60
45.7	25.5	1536.3	34.60
48.8	25.3	1535.8	34.60
54.9	25.2	1535.8	34.62
57.9	25.4	1536.3	34.64
64.0	25.0	1535.5	34.67
67.1	24.6	1534.7	34.69
73.2	24.2	1533.9	34.72
76.2	24.1	1533.7	34.73
82.3	23.8	1533.0	34.76
85.3	23.6	1532.6	34.78
91.4	23.5	1532.5	34.81
94.5	23.2	1531.9	34.82
100.6	23.1	1531.7	34.85
103.6	22.9	1531.2	34.86
109.7	22.7	1530.9	34.89
112.8	22.6	1530.7	34.90
118.9	22.4	1530.3	34.93
121.9	22.3	1530.1	34.94
128.0	22.1	1529.8	34.96
134.1	21.9	1529.3	34.99
137.2	21.6	1528.7	35.00
143.3	21.5	1528.5	35.02
149.4	21.3	1528.1	35.05
152.4	21.1	1527.7	35.05
156.5	20.5	1526.1	35.03
161.5	20.6	1526.5	35.03
167.6	20.1	1525.2	35.01
173.7	20.1	1525.3	35.00
176.8	19.9	1524.7	35.00
182.9	19.7	1524.3	34.98
189.0	18.9	1522.1	34.97
192.0	19.2	1523.1	34.97
198.1	18.9	1522.2	34.95
204.2	18.8	1522.0	34.92
207.3	18.6	1521.5	34.90
213.4	18.3	1520.6	34.86

PLATFORM- MARYSVIL

POSITION- 22 24N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE- AUG 06, 1968 TIME- 0200

INSTRUMENT TYPE- THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SQVEL (M/SEC)	SAL (0/00)
0.0	24.9	1534.1	34.60
3.0	25.8	1536.2	34.60
9.1	25.8	1536.3	34.60
12.2	25.7	1536.3	34.60
16.3	25.6	1536.1	34.60
21.3	25.5	1535.9	34.60
24.4	25.5	1535.9	34.60
30.5	25.5	1536.0	34.60
33.5	25.6	1536.4	34.60
36.5	25.5	1536.1	34.60
42.7	25.1	1535.3	34.60
45.7	25.4	1536.0	34.60
48.8	25.2	1535.7	34.60
54.9	25.1	1535.6	34.62
57.9	25.0	1535.4	34.64
64.0	24.6	1534.6	34.67
67.1	24.2	1533.7	34.69
73.2	23.9	1533.0	34.72
76.2	23.8	1532.8	34.73
82.3	23.6	1532.6	34.76
85.3	23.4	1532.1	34.78
91.4	23.3	1531.9	34.81
94.5	23.1	1531.6	34.82
100.6	22.9	1531.2	34.85
103.6	22.8	1531.0	34.86
109.7	22.6	1530.7	34.89
112.8	22.5	1530.4	34.90
116.9	22.3	1530.0	34.93
121.9	22.2	1529.9	34.94
128.0	22.0	1529.5	34.96
134.1	21.8	1529.0	34.99
137.2	21.7	1529.0	35.00
143.3	21.6	1528.8	35.02
149.4	21.4	1528.4	35.05
152.4	21.3	1528.1	35.05
158.5	20.8	1526.9	35.03
161.5	20.9	1527.2	35.03
167.6	20.3	1525.6	35.01
173.7	20.4	1526.0	35.00
176.8	20.1	1525.3	35.00
182.9	19.8	1524.5	34.98
189.0	19.1	1522.7	34.97
192.0	19.3	1523.2	34.97
196.1	19.1	1522.9	34.95
204.2	18.9	1522.3	34.92
207.3	18.7	1521.8	34.90
213.4	18.4	1520.9	34.86

PLATFORM MARYSVIL

POSITION 22 18N 157 50W

MARSDEN SQUARE 88 ONE DEGREE SQUARE 27

DATE AUG 06, 1968 TIME 0300

INSTRUMENT TYPE THERMISTOR CHAIN

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	24.9	1534.1	34.60
3.0	25.8	1536.2	34.60
9.1	25.8	1536.3	34.60
12.2	25.8	1536.4	34.60
15.2	25.8	1536.4	34.60
21.3	25.6	1536.2	34.60
24.4	25.6	1536.2	34.60
30.5	25.6	1536.3	34.60
33.5	25.7	1536.6	34.60
36.6	25.6	1536.4	34.60
39.6	25.2	1535.6	34.60
45.7	25.5	1536.3	34.60
48.8	25.3	1535.8	34.60
54.9	25.3	1536.0	34.62
57.9	25.5	1536.5	34.64
61.0	25.3	1536.1	34.65
67.1	25.1	1535.8	34.69
70.1	24.6	1534.7	34.70
76.2	24.4	1534.3	34.73
79.2	24.0	1533.4	34.75
85.3	23.7	1532.9	34.78
88.4	23.5	1532.4	34.79
94.5	23.2	1531.9	34.82
97.5	23.0	1531.4	34.84
100.6	22.9	1531.2	34.85
106.7	22.6	1530.6	34.88
112.8	22.4	1530.2	34.90
115.8	22.3	1529.9	34.91
121.9	22.2	1529.9	34.94
125.0	21.9	1529.1	34.95
131.1	21.7	1528.8	34.97
134.1	21.6	1528.6	34.99
140.2	21.5	1528.4	35.01
146.3	21.4	1528.3	35.04
152.4	21.2	1528.0	35.05
155.4	20.7	1526.7	35.04
161.5	20.8	1526.9	35.03
164.6	20.4	1525.9	35.02
170.7	20.3	1525.7	35.01
176.8	20.0	1525.0	35.00
179.8	19.7	1524.3	34.99
185.9	19.0	1522.4	34.98
192.0	19.1	1522.8	34.97
195.1	18.8	1521.9	34.96
201.2	18.7	1521.8	34.94
207.3	18.4	1520.9	34.90
210.3	18.1	1520.1	34.88


## **Appendix D: Sound Speed Data**

Comparison of sound velocities measured from  
 USS MARYSVILLE, M/V PACIFIC APOLLO, and  
 R/V TERITU near 24°58'N 157°50'W  
 on 27 August 1968

Depth (meters)	USS MARYSVILLE Sound Velocity (m/sec)	M/V PACIFIC APOLLO Sound Velocity (m/sec)	R/V TERITU Sound Velocity (m/sec)
0	1538.6	1538.7	1538.5
25	1539.0	1539.1	1538.8
50	1532.4	1537.6	1538.0
75	1527.6	1529.7	1537.7
100	1523.1	1525.8	1526.5
125	1519.6	1521.4	1522.0
150	1517.1	1519.1	1518.0
175	1514.2	1516.3	1515.0
200	1511.2	1513.5	1512.2
300	1497.2	1499.1	1497.8
400	1491.0	1492.6	1489.6
500	1485.6	1486.5	1484.9
600	1480.4	1481.4	1480.5
700	1479.8	1480.3	1479.8
800	1479.9	1480.3	1479.9
900	1480.5	1480.2	1480.4
1000	1481.1	1480.9	1481.5
1100	1481.8	1481.5	1482.3
1200	1482.5	1482.2	1482.8
1300	1483.2	1483.1	1484.0
1400	1483.9	1483.9	1484.7
1500	1484.9	1484.7	1485.7
2000	1490.8	1490.1	
2500	1498.0	1497.4	
3000	1505.9	1505.4	
3500	1514.5	1514.0	
4000	1523.6	1523.1	
4500	1531.8		
Minimum Sound Velocity	1479.8 (at 700 meters)	1480.0 (at 766 meters)	1479.9 (at 700 meters)

MARYSVILLE SVP

DATA LOCATIONS





MARYSVILLE Sound Velocimeter Data (U)  
SVP #1 27 August 1968 24 - 59.2N  
157 - 52.0W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1538.6	26.76	2
23	1539.0	26.73	32
35	1539.1	26.64	43
40	1537.9	26.02	48
46	1535.2	24.28	54
49	1533.1	23.88	57
52	1531.7	23.68	60
64	1528.9	22.15	71
73	1527.3	21.57	78
84	1525.8	20.91	87
116	1520.5	18.91	114
139	1518.3	18.00	139
194	1512.1	17.98	197
252	1503.6	12.94	252
305	1496.6	10.69	306
360	1493.6	9.61	359
386	1491.7	9.02	386
414	1490.2	8.51	412
463	1486.6	7.37	465
488	1486.2	7.10	488
514	1485.2	6.73	515
564	1481.8	5.68	566
592	1480.4	5.22	595
703	1479.8	4.60	701
808	1479.9	4.19	810
996	1481.1	3.63	998
1244	1482.8	3.08	1249
1465	1484.5	2.64	1468
1729	1487.4	2.25	1741
2003	1490.8	1.95	2017
2384	1496.2	1.71	2402
2616	1499.8	1.63	2638
2992	1505.8	1.53	3021
3297	1511.1	1.48	3328
3580	1515.9	1.46	3608
3836	1520.4	1.45	3870
4205	1527.0	1.46	4246
4497	1531.8	1.50	4545

MARYSVILLE Sound Velocimeter Data (U)  
SVP #2 27 August 1968 25 - 34N  
157 - 53W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1538.6	26.7	
15	1538.6	26.61	19
23	1538.7	26.56	28
38	1538.5	26.35	43
43	1537.1	25.72	49
46	1535.2	24.85	52
50	1534.0	24.34	56
53	1532.6	23.79	59
69	1530.5	22.64	73
85	1528.0	21.71	89
102	1527.2	21.41	106
110	1525.7	20.69	112
121	1524.9	20.33	120
130	1522.7	19.47	135
146	1520.2	18.57	149
181	1517.0	17.29	180
210	1513.8	16.11	210
224	1510.7	15.06	224
255	1507.0	13.87	253
283	1503.5	12.72	281
298	1501.2	12.02	295
371	1494.5	9.81	367
425	1490.6	8.54	422
475	1487.5	7.47	474
526	1484.4	6.50	524
631	1481.0	5.18	629
779	1480.2	4.35	778
824	1480.6	4.26	822
914	1480.9	3.95	909
1001	1480.8	3.58	1000
1167	1482.3	3.24	1175
1443	1484.6	2.70	1448
1731	1487.4	2.27	1738
2028	1491.2	1.95	2039
2392	1496.2	1.68	2410
2699	1500.9	1.58	2720
3158	1508.6	1.47	3183

MARYSVILLE Sound Velocimeter Data (U)  
 SVP #3 28 August 1968 26 - 30N  
 157 - 50W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1538.0	26.44	1
23	1538.3	26.44	24
35	1538.4	26.24	35
38	1536.1	24.99	40
47	1532.4	23.65	47
55	1530.6	22.85	53
67	1527.1	21.27	69
83	1524.6	20.47	83
99	1523.9	19.97	98
111	1521.3	19.15	111
126	1519.8	18.52	126
139	1516.9	17.52	142
152	1515.2	16.88	156
167	1514.5	16.53	171
196	1512.0	15.67	201
228	1509.8	14.86	232
275	1502.7	12.51	275
291	1500.8	11.92	291
335	1497.2	10.71	335
348	1497.0	10.59	348
364	1496.4	10.31	364
379	1495.3	9.97	378
393	1493.8	9.55	393
420	1492.8	9.12	421
478	1487.6	7.52	478
536	1484.7	6.51	536
681	1480.8	4.93	683
795	1480.0	4.24	796
823	1480.1	4.13	824
1162	1482.7	3.39	1163
1431	1484.9	2.85	1438
1574	1486.3	2.61	1579
1998	1491.1	2.04	2010
2544	1498.8	1.68	2561
3217	1509.8	1.50	3244
3825	1520.2	1.46	3859
4388	1530.4	1.47	4433
4948	1540.4	1.51	5000

MARYSVILLE Sound Velocimeter Data (U)  
 SVP #4 28 August 1968 27 - 12N  
 157 - 58W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1538.3	26.66	2
35	1538.3	26.47	37
51	1533.5	24.27	53
69	1531.1	23.00	68
84	1528.5	21.87	84
100	1525.9	20.89	97
107	1525.5	20.61	104
144	1521.3	18.94	141
189	1516.4	17.11	187
218	1514.8	16.45	215
245	1512.7	15.63	242
342	1501.2	11.80	338
367	1499.9	11.32	364
379	1498.7	10.91	376
405	1494.4	9.61	402
490	1491.0	8.26	489
525	1488.3	7.53	521
532	1488.1	7.42	528
554	1485.5	6.66	552
627	1482.4	5.60	625
717	1481.2	4.92	715
803	1481.1	4.51	798
936	1481.5	4.06	934
1167	1482.7	3.40	1165
1384	1484.7	2.98	1387
1576	1486.2	2.60	1581
1905	1490.0	2.19	1913
2302	1495.2	1.82	2314
2987	1505.8	1.57	3000

MARYSVILLE Sound Velocimeter Data (U)  
SVP #5 29 August 1968 28 - 30N  
157 - 50W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1538.0	26.60	-1
23	1538.4	26.29	25
40	1537.0	25.26	42
50	1526.9	21.40	51
60	1525.6	20.85	57
77	1521.1	19.24	74
98	1520.1	18.71	89
128	1515.1	17.00	122
144	1513.2	16.29	137
151	1511.6	15.80	145
208	1505.8	13.75	203
223	1505.2	13.53	219
289	1500.1	11.72	282
323	1498.7	11.16	315
344	1497.5	10.70	336
352	1495.6	10.20	345
368	1495.3	10.03	361
449	1490.4	8.38	441
513	1485.8	6.94	503
542	1484.4	6.46	536
603	1482.1	5.59	598
668	1480.5	4.94	664
766	1479.9	4.39	759
856	1480.1	4.05	853
917	1480.5	3.89	914
1550	1485.8	2.60	1554
1999	1491.1	2.04	2008
2840	1503.5	1.62	2857

MARYSVILLE Sound Velocimeter Data (U)  
SVP #6 30 August 1968 30 - 24N  
157 - 51W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1537.1	26.0	-2
26	1536.8	25.45	23
31	1526.9	21.73	28
48	1521.5	19.80	45
70	1517.3	18.09	65
136	1511.2	15.81	130
148	1508.9	15.01	143
188	1504.0	13.38	181
213	1501.8	12.64	206
227	1501.8	12.56	218
239	1500.2	12.02	232
276	1498.6	11.38	269
288	1498.3	11.25	282
339	1494.7	10.15	332
354	1494.3	9.88	344
388	1491.8	9.05	380
419	1489.5	8.48	409
445	1487.5	7.77	438
462	1486.5	7.48	454
474	1486.0	7.31	466
533	1482.4	6.11	526
605	1479.3	5.09	597
653	1478.6	4.71	646
774	1478.4	4.08	767
912	1478.9	3.67	904
960	1479.2	3.52	952
1275	1482.1	2.94	1271
1424	1483.5	2.70	1420
1762	1486.9	2.19	1761
2015	1490.3	1.96	2016
2209	1493.1	1.83	2211

MARYSVILLE Sound Velocimeter Data (U)  
SVP #7 30 August 1968 31 - 27N  
157 - 49W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1536.0	25.7	-8
27	1535.0	25.26	14
29	1529.2	23.51	16
41	1520.5	19.57	32
51	1519.6	19.19	43
58	1517.4	18.43	50
72	1516.0	17.78	62
79	1514.5	17.35	69
99	1512.1	16.46	89
107	1511.8	16.23	95
110	1511.3	16.12	98
132	1508.8	15.25	121
171	1506.2	14.25	162
211	1502.8	13.07	201
223	1502.0	12.82	214
251	1499.2	11.85	241
278	1498.1	11.44	266
290	1497.8	11.31	278
315	1497.0	10.91	305
342	1495.7	10.44	331
395	1492.4	9.34	385
523	1484.9	6.84	515
575	1482.0	5.91	565
677	1479.4	4.83	667
752	1479.0	4.39	742
903	1479.5	3.85	898
1125	1480.9	3.30	1122
1410	1483.5	2.79	1413
1751	1486.5	2.24	1756
1983	1489.5	1.98	1992
2079	1491.1	1.91	2087
2195	1492.7	1.85	2206

MARYSVILLE Sound Velocimeter Data (U)  
SVP #8 31 August 1968 32 - 39N  
157 - 55W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1535.2	25.4	-15
11	1535.2	25.40	-4
20	1534.8	25.18	+6
27	1534.5	24.94	13
36	1526.0	21.66	23
53	1520.0	19.29	41
79	1516.0	17.83	65
119	1512.8	16.73	106
126	1511.8	16.23	114
144	1511.2	15.91	131
218	1502.8	13.10	201
232	1501.9	12.78	213
268	1499.5	11.88	250
304	1497.8	11.23	284
328	1497.1	10.88	308
384	1493.5	9.65	368
407	1492.8	9.36	392
434	1490.9	8.76	417
453	1489.8	8.39	441
471	1488.8	8.06	458
533	1484.9	6.77	521
560	1482.9	6.25	549
644	1480.3	5.19	632
689	1479.4	4.74	677
798	1478.7	4.14	787
840	1478.7	3.99	829
903	1479.2	3.83	891
1011	1479.7	3.50	1002
1118	1480.5	3.25	1107
1422	1483.8	2.78	1412
1839	1488.1	2.18	1840
1926	1489.1	2.08	1928
2021	1490.4	1.99	2026
2043	1490.7	1.99	2043

MARYSVILLE Sound Velocimeter Data (U)  
 SVP #9 31 August 1968 33 - 30N  
 157 - 50W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1536.2	25.75	-10
2	1536.0	25.61	-7
9	1535.6	25.33	+2
16	1535.9	25.37	10
26	1536.0	25.37	18
44	1520.8	19.24	37
53	1517.4	18.25	45
88	1512.0	16.18	80
135	1507.0	14.25	120
139	1505.2	13.96	125
177	1502.8	13.05	165
229	1500.5	12.10	217
255	1499.7	11.76	241
306	1497.5	10.91	292
331	1495.9	10.36	319
345	1495.5	10.18	332
395	1492.7	9.19	382
406	1491.9	8.93	395
470	1488.9	7.92	459
486	1488.6	7.73	474
504	1487.2	7.32	494
518	1487.0	7.21	506
616	1481.7	5.47	606
656	1480.8	5.08	645
690	1480.2	4.76	680
713	1479.6	5.55	705
777	1479.4	4.23	768
851	1479.4	3.91	842
889	1479.6	3.78	878
935	1479.8	3.62	928
1448	1484.7	2.74	1444
1680	1487.1	2.35	1682
1915	1489.8	2.07	1918
2025	1491.4	1.98	2031
2242	1494.4	1.82	2251

MARYSVILLE Sound Velocimeter Data (U)  
 SVP #10 31 August 1968 34 - 30N  
 157 - 50W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1534.8	25.25	-5
13	1534.6	25.01	+8
19	1534.2	24.82	14
22	1525.3	21.07	17
31	1519.3	19.10	27
41	1514.7	17.44	37
67	1508.2	15.19	58
77	1506.8	14.71	69
95	1505.5	14.24	87
103	1505.4	14.18	93
115	1504.0	13.70	106
143	1503.0	13.27	132
155	1503.2	13.24	144
190	1500.6	12.35	179
215	1499.6	11.94	203
240	1499.4	11.75	227
290	1497.6	11.03	277
340	1495.5	10.22	327
352	1495.2	10.09	337
389	1493.2	9.36	378
456	1488.8	7.92	445
480	1487.0	7.34	470
504	1485.8	6.97	491
553	1482.9	6.05	542
580	1482.2	5.77	566
623	1480.7	5.20	609
667	1479.6	4.72	656
738	1478.9	4.27	726
803	1478.8	3.96	794
898	1479.2	3.65	880
1153	1481.0	3.06	1142
1382	1483.3	2.62	1374
1835	1488.5	2.12	1832
1923	1489.8	2.03	1923
2037	1491.4	1.95	2043
2082	1492.0	1.93	2085

MARYSVILLE Sound Velocimeter Data (U)  
SVP #11 1 September 1968 35 - 02N  
157 - 50W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1533.4	24.8	-11
18	1533.6	24.76	+5
23	1533.2	24.38	10
28	1525.8	21.43	16
37	1517.0	18.62	25
64	1507.2	14.94	56
77	1506.3	14.60	65
88	1504.0	13.87	76
112	1503.1	13.47	98
135	1501.4	12.82	126
151	1501.4	12.75	140
192	1499.3	11.99	179
204	1499.7	12.00	193
231	1498.6	11.59	219
246	1497.9	11.31	235
283	1497.0	10.93	258
289	1496.3	10.62	276
355	1493.7	9.67	338
392	1491.7	8.94	-
404	1491.7	8.75	-
440	1488.9	8.05	429
455	1487.6	7.61	452
468	1487.3	7.45	461
480	1486.4	7.22	470
490	1485.5	6.95	482
505	1484.9	6.71	495
517	1484.6	6.68	510
579	1481.4	5.54	571
605	1480.7	5.25	597
627	1480.3	5.05	622
652	1479.6	4.81	646
716	1479.0	4.39	710
801	1478.8	3.99	793
982	1479.7	3.41	976
1269	1482.2	2.88	1264
1432	1483.9	2.63	1430
1929	1489.8	2.01	1933
2024	1491.1	1.94	2030
2232	1493.9	1.80	2239

MARYSVILLE Sound Velocimeter Data (U)  
SVP #12 1 September 1968 35 - 30N  
157 - 50W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1533.4	24.8	-7
14	1533.2	24.60	+14
35	1516.4	18.19	30
43	1512.1	16.70	38
49	1511.2	16.26	43
55	1507.0	14.97	50
62	1505.7	14.53	56
68	1504.6	14.15	63
74	1503.7	13.84	68
109	1501.2	12.92	101
130	1500.8	12.72	120
158	1500.1	12.39	146
194	1498.1	11.61	187
206	1497.8	11.47	197
259	1496.1	10.77	249
308	1494.0	9.97	299
323	1493.9	9.88	312
396	1490.2	8.59	386
471	1485.9	7.16	461
541	1481.9	5.88	530
611	1479.6	4.99	601
660	1478.7	4.59	648
704	1478.3	4.31	691
775	1478.2	3.98	764
935	1478.9	3.49	924
1158	1480.8	3.00	1152
1303	1482.3	2.77	1297
1560	1484.9	2.40	1555
1790	1487.7	2.12	1789
1984	1490.3	1.94	1989

MARYSVILLE Sound Velocimeter Data (U)  
SVP #13 1 September 1968 36 - 30N  
157 - 50W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1531.1	24.1	-5
9	1531.2	24.03	+1
21	1512.4	16.98	17
32	1508.4	15.57	28
41	1503.8	14.12	39
65	1500.1	12.84	62
78	1500.2	12.78	76
107	1498.2	12.05	100
117	1497.1	11.68	112
125	1496.8	11.53	122
135	1497.0	11.67	133
150	1496.5	11.35	145
179	1496.6	11.22	176
204	1495.4	10.81	199
270	1493.1	9.89	261
312	1491.6	9.32	296
354	1489.2	8.48	341
377	1488.2	8.11	364
469	1482.2	6.20	460
523	1480.0	5.48	509
545	1479.3	5.17	535
606	1478.0	4.65	592
740	1477.7	3.99	729
980	1479.0	3.29	968
1151	1480.4	2.93	1138
1289	1481.7	2.68	1283
1470	1483.8	2.45	1460
1749	1487.1	2.11	1743
1949	1489.8	1.95	1950
2013	1490.7	1.90	2011

MARYSVILLE Sound Velocimeter Data (U)  
SVP #14 2 September 1968 37 - 32N  
157 - 52W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1529.7	23.5	
15	1529.7	23.41	14
19	1514.8	17.84	19
40	1507.7	15.31	35
48	1505.6	14.60	41
56	1502.0	13.43	48
65	1501.3	13.14	50
71	1500.5	12.91	57
78	1499.3	12.55	64
86	1497.2	11.91	71
92	1497.7	12.03	77
101	1497.3	11.75	84
137	1497.2	11.67	117
180	1496.5	11.22	161
215	1495.3	10.75	195
239	1493.9	10.24	222
268	1493.2	9.94	249
294	1492.3	9.57	276
374	1488.5	8.21	358
403	1487.1	7.72	387
459	1483.7	6.65	441
487	1482.8	6.31	468
511	1480.9	5.74	494
561	1478.9	4.92	549
588	1478.4	4.77	575
773	1477.7	3.94	762
826	1478.2	3.78	815
952	1478.8	3.34	943
1265	1481.3	2.70	1258
1419	1483.1	2.48	1418
1689	1486.4	2.18	1689
1808	1487.9	2.06	1809
1933	1489.7	1.97	1937
2119	1492.1	1.85	2119
2221	1493.7	1.78	2226

MARYSVILLE Sound Velocimeter Data (U)  
SVP #15 3 September 1968 38 - 00N  
157 - 50W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1528.2	22.8	
12	1526.2	21.97	9
16	1513.2	17.30	16
42	1501.0	12.11	40
63	1495.8	11.69	57
66	1496.6	11.85	61
78	1495.7	11.53	72
87	1496.5	11.71	81
103	1496.8	11.71	95
118	1496.4	11.52	116
143	1496.5	11.41	137
198	1494.2	10.54	190
225	1492.8	10.03	215
258	1492.2	9.71	250
273	1492.0	9.60	264
321	1490.4	8.97	312
348	1488.8	8.41	341
372	1487.6	8.02	363
410	1485.3	7.26	400
426	1484.0	6.86	417
510	1480.8	5.70	502
531	1479.7	5.35	524
614	1477.7	4.51	608
652	1477.4	4.32	640
704	1477.4	4.08	697
766	1477.6	3.85	760
905	1478.5	3.50	897
1042	1479.5	3.16	1037
1179	1480.5	2.86	1175
1360	1482.3	2.58	1259
1488	1484.0	2.40	1483

MARYSVILLE Sound Velocimeter Data (U)  
SVP #16 3 September 1968 38 - 30N  
157 - 50W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1527.9	22.8	-7
6	1528.0	22.71	+1
13	1527.9	22.64	8
15	1527.4	22.39	10
23	1511.8	16.81	19
30	1507.6	15.42	26
59	1497.2	11.99	53
75	1495.0	11.38	76
83	1495.5	11.45	81
89	1495.0	11.28	88
151	1496.0	11.20	144
181	1495.2	10.88	170
236	1492.4	9.86	224
276	1491.4	9.42	265
289	1491.2	9.29	278
315	1489.6	8.76	306
358	1487.6	8.07	346
395	1485.5	7.36	386
420	1484.2	6.92	411
471	1481.5	6.04	462
574	1478.8	4.92	569
653	1477.6	4.32	643
706	1477.4	4.08	698
888	1478.5	3.53	880
1163	1480.5	2.89	1158
1243	1481.3	2.76	1235
1388	1482.8	2.53	1385
1628	1485.6	2.25	1627
1878	1488.9	2.01	1883
1986	1490.5	1.95	1992
2124	1492.5	1.86	2132
2266	1494.5	1.79	2272



MARYSVILLE Sound Velocimeter Data (U)  
 SVP #17 3 September 1968 39 - 00N  
 157 - 49W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1524.9	21.7	-8
10	1525.1	21.70	+3
14	1521.2	20.09	7
18	1513.5	17.16	11
21	1509.2	15.97	16
38	1503.5	13.89	32
44	1500.0	12.90	40
54	1498.3	12.37	48
63	1497.0	11.97	57
128	1495.4	11.17	122
192	1493.7	10.43	180
274	1491.4	9.40	261
292	1490.8	9.16	281
308	1490.2	8.93	298
398	1485.3	7.30	485
472	1481.5	6.03	460
543	1479.2	5.20	533
630	1477.3	4.38	619
710	1477.3	4.08	697
763	1477.8	3.91	752
867	1478.4	3.62	855
988	1479.1	3.33	978

MARYSVILLE Sound Velocimeter Data (U)  
 SVP #18 4 September 1968 39 - 00N  
 157 - 50W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1524.7	21.6	-5
14	1524.7	21.47	+8
24	1512.4	16.20	19
33	1507.8	15.38	27
39	1503.6	14.03	35
48	1498.3	12.44	44
66	1495.8	11.61	59
77	1495.9	11.62	68
84	1495.4	11.33	76
105	1496.1	11.51	95
114	1494.9	11.14	106
134	1495.8	11.26	126
199	1493.5	10.31	191
225	1492.8	10.01	216
249	1491.8	9.63	242
267	1491.3	9.40	258
314	1489.1	8.63	305
378	1485.8	7.50	370
441	1482.7	6.45	433
469	1481.2	5.96	461
498	1480.0	5.54	491
534	1479.3	5.21	527
555	1478.7	4.99	547
599	1477.8	4.59	591
651	1477.4	4.27	646
716	1477.5	4.01	709
810	1478.1	3.77	804
927	1478.8	3.46	920
1028	1479.4	3.18	1024
1164	1480.6	2.91	1166
1332	1482.2	2.64	1332
1548	1484.6	2.35	1549
1741	1487.1	2.14	1744
1914	1489.5	2.02	1920
2028	1491.1	1.92	2034
2089	1492.0	1.89	2096

MARYSVILLE Sound Velocimeter Data (U)  
SVP #19 4 September 1968 39 - 30N  
157 - 50W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)	I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1522.9	21.0	-3	370	1484.7	7.25	364
19	1523.0	20.9		397	1483.5	6.83	390
27	1507.0	15.38	23	496	1478.9	5.26	491
34	1506.2	14.98	27	521	1478.1	4.97	517
41	1503.8	13.87	35	547	1477.6	4.74	542
48	1497.5	12.03	43	575	1477.2	4.55	568
54	1494.2	11.30	49	677	1477.0	4.08	669
69	1492.3	10.69	64	727	1477.2	3.90	721
83	1492.6	10.70	77	802	1477.8	3.70	797
100	1492.9	10.70	3	903	1478.4	3.45	896
108	1492.3	10.49	101	966	1478.8	3.32	959
115	1492.2	10.42	109	1043	1479.4	3.15	1036
135	1492.5	10.45	126	1160	1480.5	2.91	1156
148	1491.8	10.15	142	1277	1481.6	2.70	1270
160	1491.7	10.06	155	1387	1482.8	2.54	1383
174	1492.3	10.11	167	1477	1483.8	2.42	1479
187	1492.2	10.03	181	1669	1486.2	2.22	1667
214	1491.2	9.64	207	1780	1487.6	2.11	1784
254	1490.4	9.24	246	1892	1489.1	2.03	1895
266	1490.2	9.12	259	2019	1491.0	1.94	2026
292	1489.3	8.76	286	2205	1493.8	1.85	2215
344	1486.3	7.74	338	2272	1494.6	1.80	2274

MARYSVILLE Sound Velocimeter Data (U)  
SVP #20 4 September 1968 40 - 00N  
157 - 50W


I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1521.4	20.6	-9
14	1521.6	20.50	+4
17	1516.3	18.35	8
23	1507.3	15.40	14
29	1504.3	14.51	21
35	1502.8	14.00	27
41	1499.5	12.94	35
48	1496.5	12.93	41
60	1492.8	10.92	54
74	1491.9	10.59	67
93	1493.0	10.78	85
99	1492.5	10.59	92
118	1492.3	10.47	110
138	1494.0	10.79	128
144	1493.1	10.57	134
150	1494.9	10.96	142
168	1492.9	10.34	159
180	1493.9	10.51	173
199	1493.1	10.22	190
205	1493.1	10.17	197
281	1490.3	9.09	271
294	1489.8	8.92	283
305	1489.2	8.70	295
327	1487.8	8.24	318
372	1485.4	7.43	364
433	1481.8	6.25	431
507	1479.6	5.42	497
529	1478.9	5.14	520
595	1477.4	4.52	587
637	1477.1	4.26	628
657	1477.1	4.16	650
765	1477.5	3.83	758
938	1478.7	3.50	933
1178	1480.6	2.87	1175
1400	1483.0	2.56	1398
1615	1485.6	2.28	1618
1806	1488.0	2.10	1809
1953	1490.0	1.98	1957

MARYSVILLE Sound Velocimeter Data (U)  
SVP #21 5 September 1968 40 - 02N  
157 - 42W

I.E.S. Depth (meters)	Measured Sound Velocity (meters/ second)	Temper- ature (degrees Celsius)	Pressure Depth (meters)
0	1521.5	20.6	-5
15	1521.6	20.47	+11
16	1521.1	20.08	12
17	1519.4	19.18	13
24	1512.3	17.10	19
30	1505.1	14.74	26
37	1500.8	13.37	32
44	1497.6	12.40	38
66	1492.8	10.94	58
74	1492.1	10.71	65
92	1491.9	10.53	83
98	1492.3	10.62	88
115	1492.6	10.59	106
122	1492.6	10.64	113
130	1493.0	10.61	118
142	1492.9	10.54	131
152	1493.6	10.65	142
159	1493.1	10.48	149
169	1493.6	10.54	161
181	1493.2	10.34	173
189	1492.5	10.16	178
195	1493.6	10.41	185
201	1493.5	10.36	190
212	1492.0	9.90	202
266	1490.7	9.27	259
302	1489.3	8.68	293
356	1486.1	7.62	346
427	1482.8	6.47	418
493	1480.2	5.51	485
535	1478.8	5.05	528
573	1478.1	4.74	566
609	1477.5	4.49	601
653	1477.1	4.21	648
768	1477.4	3.78	762
855	1478.0	3.56	849
952	1478.8	3.36	946
1107	1479.9	3.01	1101
1267	1481.4	2.70	1265
1485	1483.9	2.42	1484
1644	1485.9	2.26	1646
1896	1489.2	2.03	1900

CONRAD SVP

DATA LOCATIONS



PLATFORM- GENRAD

POSITION- 47 39N 157 51W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 77

DATE- JUL 29, 1968 TIME- 1600

INSTRUMENT TYPE- SVP DOWN CAST

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)	DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	0.0	1490.2	0.00	2999.2	0.0	1506.7	0.00
9.1	0.0	1490.3	0.00	3099.8	0.0	1508.3	0.00
21.3	0.0	1490.1	0.00	3200.4	0.0	1510.0	0.00
30.5	0.0	1490.2	0.00	3297.9	0.0	1511.7	0.00
48.8	0.0	1478.2	0.00	3398.5	0.0	1513.4	0.00
76.2	0.0	1475.3	0.00	3499.1	0.0	1515.1	0.00
100.6	0.0	1474.3	0.00	3599.7	0.0	1516.8	0.00
125.0	0.0	1470.5	0.00	3700.3	0.0	1518.6	0.00
149.4	0.0	1471.4	0.00	3797.8	0.0	1520.3	0.00
201.2	0.0	1471.9	0.00	3898.4	0.0	1522.1	0.00
249.9	0.0	1470.4	0.00	3999.0	0.0	1523.9	0.00
298.7	0.0	1470.1	0.00	4099.6	0.0	1525.6	0.00
350.5	0.0	1470.5	0.00	4200.2	0.0	1527.4	0.00
399.3	0.0	1471.1	0.00	4297.7	0.0	1529.2	0.00
451.1	0.0	1472.1	0.00	4398.3	0.0	1531.0	0.00
499.9	0.0	1472.7	0.00	4498.9	0.0	1532.9	0.00
548.6	0.0	1473.2	0.00	4599.4	0.0	1534.7	0.00
600.5	0.0	1473.7	0.00	4700.0	0.0	1536.5	0.00
649.2	0.0	1474.1	0.00	4797.6	0.0	1538.3	0.00
701.0	0.0	1474.6	0.00	4898.1	0.0	1540.2	0.00
746.8	0.0	1475.0	0.00	4998.7	0.0	1542.0	0.00
798.6	0.0	1475.5	0.00	5099.3	0.0	1543.9	0.00
850.4	0.0	1476.0	0.00	5199.9	0.0	1545.7	0.00
899.2	0.0	1476.5	0.00				
951.0	0.0	1477.1	0.00				
999.7	0.0	1477.7	0.00				
1100.3	0.0	1478.9	0.00				
1200.9	0.0	1480.1	0.00				
1298.5	0.0	1481.4	0.00				
1399.0	0.0	1482.6	0.00				
1499.6	0.0	1483.9	0.00				
1600.2	0.0	1485.3	0.00				
1700.8	0.0	1486.7	0.00				
1798.3	0.0	1488.0	0.00				
1896.9	0.0	1489.5	0.00				
1999.5	0.0	1491.0	0.00				
2100.1	0.0	1492.5	0.00				
2200.7	0.0	1494.0	0.00				
2296.2	0.0	1495.5	0.00				
2398.8	0.0	1497.0	0.00				
2499.4	0.0	1498.6	0.00				
2599.9	0.0	1500.2	0.00				
2700.5	0.0	1501.8	0.00				
2798.1	0.0	1503.4	0.00				
2898.7	0.0	1505.0	0.00				

PLATFORM- CENRAD

POSITION- 47 39N 157 31W

MARSDEN SQUARE 160 ONE DEGREE SQUARE 77

DATE- JUL 29, 1968 TIME-1601

INSTRUMENT TYPE- SVP UPCAST

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)	DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	0.0	1490.9	0.00	2999.2	0.0	1506.7	0.00
9.1	0.0	1491.3	0.00	3099.8	0.0	1508.4	0.00
21.3	0.0	1490.3	0.00	3200.4	0.0	1510.0	0.00
30.5	0.0	1490.3	0.00	3297.9	0.0	1511.7	0.00
48.8	0.0	1477.6	0.00	3398.5	0.0	1513.4	0.00
76.2	0.0	1474.9	0.00	3499.1	0.0	1515.1	0.00
100.6	0.0	1473.7	0.00	3599.7	0.0	1516.8	0.00
125.0	0.0	1470.5	0.00	3700.3	0.0	1518.6	0.00
149.4	0.0	1471.8	0.00	3797.8	0.0	1520.3	0.00
201.2	0.0	1471.9	0.00	3898.4	0.0	1522.1	0.00
249.9	0.0	1470.9	0.00	3999.0	0.0	1523.9	0.00
298.7	0.0	1470.2	0.00	4099.6	0.0	1525.7	0.00
350.5	0.0	1470.6	0.00	4200.2	0.0	1527.5	0.00
399.3	0.0	1471.2	0.00	4297.7	0.0	1529.3	0.00
451.1	0.0	1472.2	0.00	4398.3	0.0	1531.1	0.00
499.9	0.0	1472.8	0.00	4498.9	0.0	1532.9	0.00
548.6	0.0	1473.3	0.00	4599.4	0.0	1534.7	0.00
600.5	0.0	1473.8	0.00	4700.0	0.0	1536.5	0.00
649.2	0.0	1474.2	0.00	4797.6	0.0	1538.4	0.00
701.0	0.0	1474.7	0.00	4898.1	0.0	1540.2	0.00
749.8	0.0	1475.1	0.00	4998.7	0.0	1542.0	0.00
798.5	0.0	1475.6	0.00	5099.3	0.0	1543.9	0.00
850.4	0.0	1476.1	0.00	5199.9	0.0	1545.7	0.00
899.2	0.0	1476.6	0.00				
951.0	0.0	1477.2	0.00				
999.7	0.0	1477.8	0.00				
1100.3	0.0	1478.9	0.00				
1200.9	0.0	1480.1	0.00				
1298.5	0.0	1481.4	0.00				
1399.0	0.0	1482.7	0.00				
1499.6	0.0	1484.0	0.00				
1600.2	0.0	1485.3	0.00				
1700.8	0.0	1486.7	0.00				
1798.3	0.0	1488.2	0.00				
1896.9	0.0	1489.6	0.00				
1996.5	0.0	1491.1	0.00				
2100.1	0.0	1492.5	0.00				
2200.7	0.0	1494.0	0.00				
2298.2	0.0	1495.5	0.00				
2398.8	0.0	1497.1	0.00				
2499.4	0.0	1498.6	0.00				
2599.9	0.0	1500.2	0.00				
2700.5	0.0	1501.8	0.00				
2798.1	0.0	1503.4	0.00				
2898.7	0.0	1505.0	0.00				

PLATFORM- CENRAD

POSITION- 44 32N 157 45W

PASCEN SQUARE 160 ONE DEGREE SQUARE 47

DATE- JUL 30, 1968 TIME- 1600

INSTRUMENT TYPE- SVP DOWNCAST

DEPTH (M)	TEMP (C)	SBVEL (M/SEC)	SAL (0/00)	DEPTH (M)	TEMP (C)	SBVEL (M/SEC)	SAL (0/00)
0.0	0.0	1496.0	0.00	2999.2	0.0	1506.6	0.00
9.1	0.0	1496.1	0.00	3099.8	0.0	1508.3	0.00
21.3	0.0	1495.7	0.00	3200.4	0.0	1509.9	0.00
30.5	0.0	1493.2	0.00	3297.9	0.0	1511.6	0.00
48.8	0.0	1481.6	0.00	3398.5	0.0	1513.3	0.00
76.2	0.0	1481.9	0.00	3499.1	0.0	1515.0	0.00
100.6	0.0	1482.7	0.00	3599.7	0.0	1516.8	0.00
125.0	0.0	1482.6	0.00	3700.3	0.0	1518.5	0.00
146.4	0.0	1481.4	0.00	3797.8	0.0	1520.2	0.00
201.2	0.0	1483.1	0.00	3898.4	0.0	1522.0	0.00
246.9	0.0	1480.8	0.00	3999.0	0.0	1523.8	0.00
298.7	0.0	1479.1	0.00	4099.6	0.0	1525.5	0.00
350.5	0.0	1478.2	0.00	4200.2	0.0	1527.4	0.00
399.3	0.0	1475.5	0.00	4297.7	0.0	1529.2	0.00
451.1	0.0	1475.2	0.00	4398.3	0.0	1531.0	0.00
499.9	0.0	1475.0	0.00	4498.9	0.0	1532.8	0.00
548.6	0.0	1475.1	0.00	4599.4	0.0	1534.6	0.00
600.5	0.0	1475.3	0.00	4700.0	0.0	1536.4	0.00
649.2	0.0	1475.6	0.00	4797.6	0.0	1538.3	0.00
701.0	0.0	1475.8	0.00	4898.1	0.0	1540.1	0.00
749.8	0.0	1476.2	0.00	4998.7	0.0	1542.0	0.00
798.6	0.0	1476.6	0.00	5099.3	0.0	1543.8	0.00
850.4	0.0	1477.2	0.00	5199.9	0.0	1545.7	0.00
899.2	0.0	1477.6	0.00	5297.4	0.0	1547.5	0.00
951.0	0.0	1477.9	0.00	5398.0	0.0	1549.4	0.00
999.7	0.0	1478.4	0.00				
1100.3	0.0	1479.6	0.00				
1200.9	0.0	1480.6	0.00				
1298.5	0.0	1481.6	0.00				
1399.0	0.0	1482.9	0.00				
1499.6	0.0	1484.1	0.00				
1600.2	0.0	1485.4	0.00				
1700.8	0.0	1486.8	0.00				
1798.3	0.0	1488.1	0.00				
1898.9	0.0	1489.6	0.00				
1999.5	0.0	1491.0	0.00				
2100.1	0.0	1492.5	0.00				
2200.7	0.0	1494.0	0.00				
2298.2	0.0	1495.5	0.00				
2398.8	0.0	1497.0	0.00				
2499.4	0.0	1498.6	0.00				
2599.9	0.0	1500.2	0.00				
2700.5	0.0	1501.8	0.00				
2798.1	0.0	1503.4	0.00				
2896.7	0.0	1504.9	0.00				

PLATFORM- CENRAD

POSITION- 44 32N 157 49W

PARSZEN SQUARE 160 ONE DEGREE SQUARE 47

DATE- JUL 30, 1966 TIME- 1601

INSTRUMENT TYPE- SVP UPGAST

DEPTH (M)	TEMP (C)	SEVEL (M/SEC)	SAL (0/00)	DEPTH (M)	TEMP (C)	SEVEL (M/SEC)	SAL (0/00)
0.0	0.0	1496.1	0.00	2995.2	0.0	1506.6	0.00
9.1	0.0	1496.2	0.00	3099.8	0.0	1508.3	0.00
21.3	0.0	1496.0	0.00	3200.4	0.0	1510.0	0.00
30.5	0.0	1495.4	0.00	3297.9	0.0	1511.7	0.00
48.8	0.0	1485.6	0.00	3398.5	0.0	1513.3	0.00
76.2	0.0	1481.8	0.00	3499.1	0.0	1515.0	0.00
100.6	0.0	1482.4	0.00	3599.7	0.0	1516.8	0.00
129.0	0.0	1482.1	0.00	3700.3	0.0	1518.5	0.00
149.4	0.0	1481.4	0.00	3797.8	0.0	1520.2	0.00
201.2	0.0	1483.1	0.00	3898.4	0.0	1522.0	0.00
249.9	0.0	1481.3	0.00	3999.0	0.0	1523.8	0.00
298.7	0.0	1480.1	0.00	4099.6	0.0	1525.6	0.00
350.5	0.0	1478.2	0.00	4200.2	0.0	1527.4	0.00
399.3	0.0	1476.2	0.00	4297.7	0.0	1529.2	0.00
451.1	0.0	1475.6	0.00	4398.3	0.0	1531.0	0.00
499.9	0.0	1475.3	0.00	4498.9	0.0	1532.8	0.00
548.6	0.0	1475.4	0.00	4599.4	0.0	1534.6	0.00
600.5	0.0	1475.4	0.00	4700.0	0.0	1536.5	0.00
649.2	0.0	1475.7	0.00	4797.6	0.0	1538.3	0.00
701.0	0.0	1475.9	0.00	4898.1	0.0	1540.1	0.00
749.8	0.0	1476.3	0.00	4998.7	0.0	1542.0	0.00
798.6	0.0	1476.7	0.00	5099.3	0.0	1543.8	0.00
850.4	0.0	1477.2	0.00	5199.9	0.0	1545.7	0.00
899.2	0.0	1477.6	0.00	5297.4	0.0	1547.5	0.00
951.0	0.0	1478.0	0.00				
999.7	0.0	1478.3	0.00				
1100.3	0.0	1479.5	0.00				
1200.9	0.0	1480.6	0.00				
1298.5	0.0	1481.8	0.00				
1399.0	0.0	1483.0	0.00				
1499.6	0.0	1484.2	0.00				
1600.2	0.0	1485.4	0.00				
1700.8	0.0	1486.8	0.00				
1798.3	0.0	1488.2	0.00				
1898.9	0.0	1489.6	0.00				
1999.5	0.0	1491.1	0.00				
2100.1	0.0	1492.5	0.00				
2200.7	0.0	1494.0	0.00				
2298.2	0.0	1495.5	0.00				
2396.8	0.0	1497.0	0.00				
2499.4	0.0	1498.6	0.00				
2599.9	0.0	1500.2	0.00				
2700.5	0.0	1501.8	0.00				
2798.1	0.0	1503.4	0.00				
2898.7	0.0	1505.0	0.00				



PLATFORM- CENRAD

POSITION- 41 12N 157 50W

PARDEN SQUARE 160 ONE DEGREE SQUARE 17

DATE- JUL 31, 1968 TIME- 1600

INSTRUMENT TYPE- SVP DOWNCAST

DEPTH (M)	TEMP (C)	SVEL (M/SEC)	SAL (0/00)	DEPTH (M)	TEMP (C)	SVEL (M/SEC)	SAL (0/00)
0.0	0.0	1511.6	0.00	2999.2	0.0	1506.4	0.00
9.1	0.0	1506.3	0.00	3099.8	0.0	1508.1	0.00
21.3	0.0	1503.4	0.00	3200.4	0.0	1509.8	0.00
30.5	0.0	1500.5	0.00	3297.9	0.0	1511.4	0.00
48.8	0.0	1493.0	0.00	3398.5	0.0	1513.2	0.00
76.2	0.0	1489.0	0.00	3499.1	0.0	1514.9	0.00
100.6	0.0	1488.2	0.00	3599.7	0.0	1516.6	0.00
125.0	0.0	1488.2	0.00	3700.3	0.0	1518.4	0.00
149.4	0.0	1489.3	0.00	3797.8	0.0	1520.2	0.00
201.2	0.0	1487.9	0.00	3898.4	0.0	1521.9	0.00
249.9	0.0	1488.4	0.00	3999.0	0.0	1523.7	0.00
298.7	0.0	1485.4	0.00	4099.6	0.0	1525.5	0.00
356.5	0.0	1483.0	0.00	4200.2	0.0	1527.3	0.00
399.3	0.0	1481.1	0.00	4297.7	0.0	1529.1	0.00
451.1	0.0	1478.8	0.00	4398.3	0.0	1531.0	0.00
499.9	0.0	147.6	0.00	4498.9	0.0	1532.8	0.00
548.6	0.0	1476.9	0.00	4599.4	0.0	1534.6	0.00
600.5	0.0	1476.3	0.00	4700.0	0.0	1536.4	0.00
649.2	0.0	1476.4	0.00	4797.6	0.0	1538.3	0.00
701.0	0.0	1476.6	0.00	4898.1	0.0	1540.1	0.00
749.8	0.0	1476.9	0.00	4998.7	0.0	1542.0	0.00
798.6	0.0	1477.3	0.00	5099.3	0.0	1543.8	0.00
850.4	0.0	1477.7	0.00	5199.9	0.0	1545.7	0.00
899.2	0.0	1478.2	0.00	5297.4	0.0	1547.5	0.00
951.0	0.0	1478.6	0.00				
999.7	0.0	1479.0	0.00				
1100.3	0.0	1479.9	0.00				
1200.9	0.0	1480.8	0.00				
1298.5	0.0	1481.9	0.00				
1399.0	0.0	1483.0	0.00				
1499.6	0.0	1484.2	0.00				
1600.2	0.0	1485.4	0.00				
1700.8	0.0	1486.7	0.00				
1798.3	0.0	1488.0	0.00				
1898.9	0.0	1489.4	0.00				
1999.5	0.0	1490.9	0.00				
2100.1	0.0	1492.3	0.00				
2200.7	0.0	1493.8	0.00				
2298.2	0.0	1495.3	0.00				
2398.8	0.0	1496.9	0.00				
2499.4	0.0	1498.4	0.00				
2599.9	0.0	1500.1	0.00				
2700.5	0.0	1501.6	0.00				
2798.1	0.0	1503.2	0.00				
2898.7	0.0	1504.8	0.00				

PLATFORM- CENRAD

POSITION- 41 12N 157 30W

PARSSEN SQUARE 160 ONE DEGREE SQUARE 17

DATE- JUL 31, 1968 TIME- 1601

INSTRUMENT TYPE- SVP UPGCAST

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)	DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	0.0	1512.0	0.00	2999.2	0.0	1506.4	0.00
9.1	0.0	1506.7	0.00	3099.8	0.0	1508.1	0.00
21.3	0.0	1502.4	0.00	3200.4	0.0	1509.8	0.00
30.5	0.0	1500.9	0.00	3297.9	0.0	1511.5	0.00
48.8	0.0	1491.1	0.00	3398.5	0.0	1513.2	0.00
76.2	0.0	1489.7	0.00	3499.1	0.0	1514.9	0.00
100.6	0.0	1488.1	0.00	3599.7	0.0	1516.7	0.00
125.0	0.0	1488.7	0.00	3700.3	0.0	1518.4	0.00
149.4	0.0	1489.1	0.00	3797.8	0.0	1520.2	0.00
201.2	0.0	1489.3	0.00	3898.4	0.0	1521.9	0.00
249.9	0.0	1488.4	0.00	3999.0	0.0	1523.7	0.00
299.7	0.0	1486.1	0.00	4099.6	0.0	1525.5	0.00
350.5	0.0	1483.8	0.00	4200.2	0.0	1527.3	0.00
399.3	0.0	1481.7	0.00	4297.7	0.0	1529.1	0.00
451.1	0.0	1479.7	0.00	4396.3	0.0	1531.0	0.00
499.9	0.0	1477.9	0.00	4498.9	0.0	1532.8	0.00
548.6	0.0	1476.8	0.00	4599.4	0.0	1534.6	0.00
600.5	0.0	1476.6	0.00	4700.0	0.0	1536.4	0.00
649.2	0.0	1476.6	0.00	4797.6	0.0	1538.3	0.00
701.0	0.0	1476.8	0.00	4898.1	0.0	1540.1	0.00
749.8	0.0	1477.2	0.00	4998.7	0.0	1542.0	0.00
798.6	0.0	1477.5	0.00	5099.3	0.0	1543.8	0.00
850.4	0.0	1477.8	0.00	5199.9	0.0	1545.7	0.00
899.2	0.0	1478.2	0.00	5297.4	0.0	1547.5	0.00
951.0	0.0	1478.7	0.00				
999.7	0.0	1479.2	0.00				
1100.3	0.0	1480.0	0.00				
1200.9	0.0	1480.8	0.00				
1298.5	0.0	1481.9	0.00				
1399.0	0.0	1483.0	0.00				
1499.6	0.0	1484.2	0.00				
1600.2	0.0	1485.5	0.00				
1700.8	0.0	1486.8	0.00				
1798.3	0.0	1488.1	0.00				
1898.9	0.0	1489.5	0.00				
1999.5	0.0	1490.9	0.00				
2100.1	0.0	1492.3	0.00				
2200.7	0.0	1493.9	0.00				
2298.2	0.0	1495.4	0.00				
2398.8	0.0	1496.9	0.00				
2499.4	0.0	1498.5	0.00				
2599.9	0.0	1500.0	0.00				
2700.5	0.0	1501.6	0.00				
2796.1	0.0	1503.2	0.00				
2898.7	0.0	1504.8	0.00				

PLATFORM= CENRAD

POSITION= 38 12N 157 51W

PARDEN SQUARE 174 ONE DEGREE SQUARE 87

DATE= ALG 01, 1968 TIME= 1224

INSTRUMENT TYPE= SVP DOWNCAST

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)	DEPTH (F)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	0.0	1522.2	0.00	2999.2	0.0	1500.0	0.00
9.1	0.0	1520.0	0.00	3099.0	0.0	1500.0	0.00
21.3	0.0	1516.5	0.00	3200.4	0.0	1500.7	0.00
30.5	0.0	1510.5	0.00	3297.0	0.0	1515.4	0.00
48.8	0.0	1507.1	0.00	3398.0	0.0	1523.1	0.00
76.2	0.0	1498.4	0.00	3499.1	0.0	1524.0	0.00
100.6	0.0	1497.2	0.00	3599.7	0.0	1516.0	0.00
125.0	0.0	1496.9	0.00	3700.3	0.0	1520.3	0.00
149.4	0.0	1497.1	0.00	3797.0	0.0	1520.1	0.00
201.2	0.0	1496.7	0.00	3898.4	0.0	1522.0	0.00
249.9	0.0	1495.6	0.00	3999.0	0.0	1523.0	0.00
298.7	0.0	1493.5	0.00	4099.6	0.0	1520.0	0.00
350.5	0.0	1490.6	0.00	4200.2	0.0	1527.2	0.00
399.3	0.0	1487.5	0.00	4297.7	0.0	1527.0	0.00
451.1	0.0	1484.8	0.00	4398.3	0.0	1520.0	0.00
499.9	0.0	1482.8	0.00	4498.9	0.0	1520.7	0.00
548.6	0.0	1480.4	0.00	4599.4	0.0	1520.0	0.00
600.5	0.0	1478.4	0.00	4700.0	0.0	1520.3	0.00
649.2	0.0	1477.6	0.00	4797.6	0.0	1520.1	0.00
701.0	0.0	1477.6	0.00	4898.1	0.0	1520.0	0.00
749.8	0.0	1477.6	0.00	4998.7	0.0	1520.0	0.00
798.6	0.0	1477.9	0.00	5099.3	0.0	1523.7	0.00
850.4	0.0	1478.3	0.00	5199.9	0.0	1525.5	0.00
899.2	0.0	1478.6	0.00	5297.4	0.0	1527.3	0.00
951.0	0.0	1478.8	0.00	5398.0	0.0	1529.0	0.00
999.7	0.0	1479.2	0.00				
1100.3	0.0	1480.0	0.00				
1200.9	0.0	1481.0	0.00				
1298.5	0.0	1481.9	0.00				
1399.0	0.0	1483.0	0.00				
1499.6	0.0	1484.1	0.00				
1600.2	0.0	1485.4	0.00				
1700.8	0.0	1486.7	0.00				
1798.3	0.0	1488.0	0.00				
1898.0	0.0	1489.4	0.00				
1999.5	0.0	1490.8	0.00				
2100.1	0.0	1492.2	0.00				
2200.7	0.0	1493.7	0.00				
2298.2	0.0	1495.3	0.00				
2398.8	0.0	1496.7	0.00				
2499.4	0.0	1498.2	0.00				
2599.9	0.0	1499.8	0.00				
2700.5	0.0	1501.4	0.00				
2798.1	0.0	1503.1	0.00				
2898.7	0.0	1504.7	0.00				

PLATFORM- CENRAD

POSITION- 32 12N 157 51W

PASCEN SQUARE 124 ONE DEGREE SQUARE 87

DATE- AUG 01, 1968 TIME- 1225

INSTRUMENT TYPE- SVP UPGAST

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)	DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	0.0	1522.6	0.00	2999.2	0.0	1506.4	0.00
5.1	0.0	1522.7	0.00	3099.8	0.0	1508.0	0.00
21.3	0.0	1517.5	0.00	3200.4	0.0	1509.7	0.00
30.5	0.0	1512.1	0.00	3297.9	0.0	1511.4	0.00
46.8	0.0	1504.8	0.00	3398.5	0.0	1513.1	0.00
76.2	0.0	1499.4	0.00	3499.1	0.0	1514.9	0.00
100.6	0.0	1498.1	0.00	3599.7	0.0	1516.6	0.00
125.0	0.0	1497.4	0.00	3700.3	0.0	1518.3	0.00
149.4	0.0	1497.3	0.00	3797.8	0.0	1520.1	0.00
201.2	0.0	1497.2	0.00	3898.4	0.0	1521.9	0.00
246.9	0.0	1496.1	0.00	3999.0	0.0	1523.7	0.00
298.7	0.0	1494.4	0.00	4099.6	0.0	1525.4	0.00
350.5	0.0	1492.3	0.00	4200.2	0.0	1527.2	0.00
396.3	0.0	1489.5	0.00	4297.7	0.0	1529.0	0.00
451.1	0.0	1487.4	0.00	4398.3	0.0	1530.9	0.00
496.9	0.0	1484.4	0.00	4498.9	0.0	1532.7	0.00
548.6	0.0	1481.2	0.00	4599.4	0.0	1534.5	0.00
638.3	0.0	1480.0	0.00	4700.0	0.0	1536.3	0.00
649.2	0.0	1478.6	0.00	4797.6	0.0	1538.2	0.00
781.8	0.0	1478.3	0.00	4898.1	0.0	1540.0	0.00
746.8	0.0	1478.2	0.00	4998.7	0.0	1541.8	0.00
798.8	0.0	1478.4	0.00	5099.3	0.0	1543.7	0.00
850.4	0.0	1478.8	0.00	5199.9	0.0	1545.5	0.00
899.2	0.0	1478.9	0.00	5297.4	0.0	1547.3	0.00
951.8	0.0	1479.2	0.00				
999.7	0.0	1479.5	0.00				
1100.3	0.0	1480.2	0.00				
1200.9	0.0	1481.0	0.00				
1298.5	0.0	1482.1	0.00				
1399.8	0.0	1483.2	0.00				
1499.6	0.0	1484.4	0.00				
1600.2	0.0	1485.6	0.00				
1700.8	0.0	1486.8	0.00				
1798.3	0.0	1488.2	0.00				
1898.9	0.0	1489.4	0.00				
1992.5	0.0	1490.9	0.00				
2100.1	0.0	1492.3	0.00				
2200.7	0.0	1493.7	0.00				
2298.2	0.0	1495.2	0.00				
2398.8	0.0	1496.8	0.00				
2499.4	0.0	1498.3	0.00				
2599.9	0.0	1499.9	0.00				
2700.5	0.0	1501.5	0.00				
2798.1	0.0	1503.1	0.00				
2898.7	0.0	1504.7	0.00				

PLATFORM- CENRAD

POSITION- 27 19N 157 49W

MARSDEN SQUARE A8 ONE DEGREE SQUARE 77

DATE- AUG 05, 1968 TIME- 0848

INSTRUMENT TYPE- SVP DOWNCAST

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)	DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	0.0	1537.7	0.00	2999.2	0.0	1506.5	0.00
9.1	0.0	1537.3	0.00	3099.8	0.0	1508.2	0.00
21.3	0.0	1537.2	0.00	3200.4	0.0	1509.8	0.00
30.5	0.0	1537.4	0.00	3297.9	0.0	1511.5	0.00
48.8	0.0	1533.3	0.00	3398.5	0.0	1513.2	0.00
76.2	0.0	1531.3	0.00	3496.1	0.0	1514.9	0.00
100.6	0.0	1528.5	0.00	3599.7	0.0	1516.6	0.00
125.0	0.0	1526.1	0.00	3700.3	0.0	1518.3	0.00
149.4	0.0	1523.4	0.00	3797.8	0.0	1520.0	0.00
201.2	0.0	1519.0	0.00	3898.4	0.0	1521.8	0.00
249.9	0.0	1513.4	0.00	3999.0	0.0	1523.6	0.00
298.7	0.0	1508.0	0.00	4096.6	0.0	1525.3	0.00
350.5	0.0	1503.1	0.00	4200.2	0.0	1527.1	0.00
399.3	0.0	1499.4	0.00	4297.7	0.0	1528.9	0.00
451.1	0.0	1493.8	0.00	4496.9	0.0	1532.5	0.00
499.9	0.0	1490.6	0.00	4599.4	0.0	1534.3	0.00
548.6	0.0	1486.5	0.00	4700.0	0.0	1536.1	0.00
600.5	0.0	1483.8	0.00	4797.6	0.0	1538.0	0.00
649.2	0.0	1482.6	0.00	4898.1	0.0	1539.8	0.00
701.0	0.0	1481.6	0.00	4998.7	0.0	1541.6	0.00
749.8	0.0	1481.2	0.00	5099.3	0.0	1543.5	0.00
798.6	0.0	1480.9	0.00	5199.9	0.0	1545.3	0.00
850.4	0.0	1480.8	0.00	5297.4	0.0	1547.2	0.00
899.2	0.0	1481.1	0.00				
951.0	0.0	1481.3	0.00				
999.7	0.0	1481.6	0.00				
1100.3	0.0	1482.4	0.00				
1200.9	0.0	1483.1	0.00				
1298.5	0.0	1483.9	0.00				
1399.0	0.0	1484.8	0.00				
1499.6	0.0	1485.8	0.00				
1600.2	0.0	1486.8	0.00				
1700.8	0.0	1487.9	0.00				
1798.3	0.0	1489.0	0.00				
1898.9	0.0	1490.2	0.00				
1999.5	0.0	1491.4	0.00				
2100.1	0.0	1492.8	0.00				
2200.7	0.0	1494.2	0.00				
2298.2	0.0	1495.6	0.00				
2398.8	0.0	1497.0	0.00				
2499.4	0.0	1498.5	0.00				
2599.9	0.0	1500.1	0.00				
2700.5	0.0	1501.4	0.00				
2798.1	0.0	1503.2	0.00				
2898.7	0.0	1504.9	0.00				

PLATFORM- CENRAD

POSITION- 24 21N 157 45W

PARDEN SQUARE 88 ONE DEGREE SQUARE 47

DATE- AUG 06, 1968 TIME- 0848

INSTRUMENT TYPE- SVP DOWNCAST

DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	DEPTH (M)	TEMP (C)	SOVEL (M/SEC)	SAL (0/00)
0.0	0.0	1538.0	2999.2	0.0	1508.3	0.00
9.1	0.0	1538.2	3009.8	0.0	1508.0	0.00
21.3	0.0	1538.1	3200.4	0.0	1509.7	0.00
30.5	0.0	1538.0	3297.9	0.0	1511.4	0.00
46.8	0.0	1534.6	3398.5	0.0	1513.1	0.00
76.2	0.0	1531.1	3499.1	0.0	1514.8	0.00
100.6	0.0	1527.2	3599.7	0.0	1516.9	0.00
125.0	0.0	1523.3	3700.3	0.0	1518.2	0.00
146.4	0.0	1519.9	3797.8	0.0	1520.0	0.00
201.2	0.0	1512.9	3898.4	0.0	1521.7	0.00
249.9	0.0	1506.8	3999.0	0.0	1523.5	0.00
298.7	0.0	1501.1	4099.6	0.0	1525.3	0.00
350.5	0.0	1496.4	4200.2	0.0	1527.1	0.00
399.3	0.0	1492.6	4297.7	0.0	1528.9	0.00
451.1	0.0	1488.9	4398.3	0.0	1530.7	0.00
499.9	0.0	1485.3				
548.6	0.0	1482.7				
600.5	0.0	1482.0				
649.2	0.0	1481.0				
701.0	0.0	1480.7				
749.8	0.0	1480.9				
798.6	0.0	1480.7				
850.4	0.0	1480.8				
899.2	0.0	1481.1				
951.0	0.0	1481.4				
999.7	0.0	1481.8				
1100.3	0.0	1482.4				
1200.9	0.0	1483.2				
1298.5	0.0	1483.9				
1399.0	0.0	1484.7				
1499.6	0.0	1485.7				
1600.2	0.0	1486.7				
1700.8	0.0	1487.7				
1798.3	0.0	1489.0				
1898.9	0.0	1490.1				
1999.5	0.0	1491.3				
2100.1	0.0	1492.6				
2200.7	0.0	1494.0				
2298.2	0.0	1495.3				
2398.8	0.0	1496.9				
2499.4	0.0	1498.4				
2599.9	0.0	1499.9				
2700.5	0.0	1501.5				
2798.1	0.0	1503.1				
2898.7	0.0	1504.7				

PLATFORM- GENRAD

POSITION- 24 21N 157 45W

PARDEN SQUARE 88 ONE DEGREE SQUARE 47

DATE- AUG 05, 1968 TIME-0849

INSTRUMENT TYPE- SVP UPGAST

DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)	DEPTH (M)	TEMP (C)	SPEED (M/SEC)	SAL (0/00)
0.0	0.0	1538.2	0.00	2996.2	0.0	1506.4	0.00
0.1	0.0	1538.3	0.00	3096.8	0.0	1508.0	0.00
21.3	0.0	1538.2	0.00	3200.4	0.0	1509.7	0.00
30.5	0.0	1538.1	0.00	3297.9	0.0	1511.4	0.00
46.8	0.0	1538.1	0.00	3398.5	0.0	1513.1	0.00
76.2	0.0	1531.7	0.00	3495.1	0.0	1514.8	0.00
100.6	0.0	1527.5	0.00	3599.7	0.0	1516.5	0.00
125.0	0.0	1524.4	0.00	3700.3	0.0	1518.2	0.00
146.4	0.0	1520.0	0.00	3797.8	0.0	1520.0	0.00
201.2	0.0	1512.3	0.00	3898.4	0.0	1521.7	0.00
249.9	0.0	1505.8	0.00	3996.0	0.0	1523.5	0.00
298.7	0.0	1501.1	0.00	4095.6	0.0	1525.3	0.00
350.5	0.0	1495.8	0.00	4200.2	0.0	1527.1	0.00
395.3	0.0	1491.1	0.00	4297.7	0.0	1528.9	0.00
451.1	0.0	1488.6	0.00	4398.3	0.0	1530.7	0.00
499.9	0.0	1485.1	0.00				
548.6	0.0	1482.7	0.00				
600.5	0.0	1482.0	0.00				
649.2	0.0	1481.1	0.00				
701.0	0.0	1480.9	0.00				
749.8	0.0	1480.7	0.00				
798.6	0.0	1480.9	0.00				
850.4	0.0	1481.1	0.00				
899.2	0.0	1481.3	0.00				
951.0	0.0	1481.6	0.00				
999.7	0.0	1482.0	0.00				
1100.3	0.0	1482.5	0.00				
1200.9	0.0	1483.2	0.00				
1298.5	0.0	1483.8	0.00				
1399.0	0.0	1484.7	0.00				
1495.6	0.0	1485.7	0.00				
1600.2	0.0	1486.8	0.00				
1700.8	0.0	1487.8	0.00				
1798.3	0.0	1489.0	0.00				
1898.9	0.0	1490.1	0.00				
1999.5	0.0	1491.3	0.00				
2100.1	0.0	1492.6	0.00				
2200.7	0.0	1494.0	0.00				
2298.2	0.0	1495.3	0.00				
2390.8	0.0	1496.9	0.00				
2499.4	0.0	1498.4	0.00				
2599.9	0.0	1499.9	0.00				
2700.5	0.0	1501.5	0.00				
2796.1	0.0	1503.1	0.00				
2898.7	0.0	1504.7	0.00				

B115 967 L

REPORT DOCUMENTATION PAGE																
1a. REPORT SECURITY CLASSIFICATION <b>Unclassified</b>		1b. RESTRICTIVE MARKINGS <b>None</b>														
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT  Distribution is limited to DoD and DoD contractors only.														
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE																
4. PERFORMING ORGANIZATION REPORT NUMBER(S) <b>NORDA Technical Note 25</b>		5. MONITORING ORGANIZATION REPORT NUMBER(S) <b>NORDA Technical Note 25</b>														
6. NAME OF PERFORMING ORGANIZATION <b>Naval Ocean Research and Development Activity</b>		7a. NAME OF MONITORING ORGANIZATION <b>Naval Ocean Research and Development Activity</b>														
6c. ADDRESS (City, State, and ZIP Code) <b>Numerical Modeling Division NSTL, Mississippi 39529-5004</b>		7b. ADDRESS (City, State, and ZIP Code) <b>Numerical Modeling Division NSTL, Mississippi 39529-5004</b>														
8a. NAME OF FUNDING/SPONSORING ORGANIZATION <b>Naval Ocean Research and Development Activity</b>	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER														
8c. ADDRESS (City, State, and ZIP Code) <b>Numerical Modeling Division NSTL, Mississippi 39529-5004</b>		10. SOURCE OF FUNDING NOS.  PROGRAM ELEMENT NO. <b>63785N</b>	TASK NO.	WORK UNIT NO.												
11. TITLE (Include Security Classification) <b>PARKA 1 Oceanographic Data Compendium</b>																
12. PERSONAL AUTHOR(S) <b>Benjamin A. Watrous, Jr.</b>																
13a. TYPE OF REPORT <b>Final</b>	13b. TIME COVERED From _____ To _____	14. DATE OF REPORT (Yr., Mo., Day) <b>November 1978</b>		15. PAGE COUNT <b>582</b>												
16. SUPPLEMENTARY NOTATION																
17. COSATI CODES <table border="1"> <thead> <tr> <th>FIELD</th> <th>GROUP</th> <th>SUB. GR.</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>		FIELD	GROUP	SUB. GR.										18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)  <b>oceanographic data, bathythermograph, PARKA 1, sound velocity, acoustic data</b>		
FIELD	GROUP	SUB. GR.														
19. ABSTRACT (Continue on reverse if necessary and identify by block number)  <b>A heretofore unpublished, voluminous (693 XBT, 427 AXBT, 32 SVP, and 232 thermistor chair observations), oceanographic data set is presented in this compendium. These data were published so they would be more readily available to the DoD community. The data are presented by data type and collecting platform, and with a minimum of discussion or editing.</b>																
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <b>UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input checked="" type="checkbox"/> DTIC USERS <input type="checkbox"/></b>		21. ABSTRACT SECURITY CLASSIFICATION <b>Unclassified</b>														
22a. NAME OF RESPONSIBLE INDIVIDUAL <b>Benjamin A. Watrous, Jr.</b>		22b. TELEPHONE NUMBER (Include Area Code) <b>(601) 688-5229</b>	22c. OFFICE SYMBOL <b>Code 222</b>													





DEPARTMENT OF THE NAVY  
OFFICE OF NAVAL RESEARCH  
800 NORTH QUINCY STREET  
ARLINGTON, VA 22217-5660

IN REPLY REFER TO  
5510/1  
Ser 93/160  
10 Mar 99

From: Chief of Naval Research  
To: Commander, Naval Meteorology and Oceanography Command  
1020 Balch Boulevard  
Stennis Space Center MS 39529-5005

Subj: DECLASSIFICATION OF PARKA I AND PARKA II REPORTS

Ref: (a) CNMOC ltr 3140 Ser 5/110 of 12 Aug 97

Encl: (1) Listing of Known Classified PARKA Reports

1. In response to reference (a), the Chief of Naval Operations (N874) has reviewed a number of Pacific Acoustic Research Kaneohe-Alaska (PARKA) Experiment documents and has determined that all PARKA I and PARKA II reports may be declassified and marked as follows:

Classification changed to UNCLASSIFIED by authority of Chief of Naval Research letter Ser 93/160, 10 Mar 99.

DISTRIBUTION STATEMENT A: Approved for public release. Distribution is unlimited.

2. Enclosure (1) is a listing of known classified PARKA reports. The marking on those documents should be changed as noted in paragraph 1 above. When other PARKA I and PARKA II reports are identified, their markings should be changed and a copy of the title page and a notation of how many pages the document contained should be provided to Chief of Naval Research (ONR 93), 800 N. Quincy Street, Arlington, VA 22217-5660. This will enable me to maintain a master list of downgraded PARKA reports.
3. Questions may be directed to the undersigned on (703) 696-4619, DSN 426-4619.

PEGGY LAMBERT  
By direction

Copy to:  
NUWC Newport Technical Library (Code 5441)  
NRL Washington (Mary Templeman, Code 5227)  
NRL SSC (Roger Swanton, Code 7031)  
✓DTIC (Bill Bush, DTIC-OCQ)

Continuation of LRAPP Final Report, February 1972, Contract N00014-71-C-0088, Bell Telephone Labs, Unknown # of pages  
(NUSC NL Accession # 057708)

PARKA II-A, The Oceanographic Measurements, February 1972, MC Report 006, Volume 2, Maury Center for Ocean Science (ONR), 89 pages  
(NUSC NL Accession # 059194) (NRL SSC Accession # 85007063)

Project Pacific Sea Spider - Technology Used in Developing A Deep-Ocean Ultrastable Platform, 12 April 1974, ONR-ACR-196, 55 pages  
✓(DTIC # 529 945)

LRAPP Program Review at the New London Laboratory, Naval Underwater Systems Center, 24 April 1975, NUSC-TD-4943, Unknown # of pages  
(NUSC NL Accession # 004943)

An Analysis of PARKA IIA Data Using the AESD Parabolic Equation Model, December 1975, AESD Technical Note TN-75-09, Acoustic Environmental Support Detachment (ONR), 53 pages  
(NRL SSC Accession # 85004613)

Bottom Loss Measurements in the Eastern Pacific Ocean, 26 January 1977, NADC-76320-20, 66 pages  
✓(DTIC # C009 224)

PARKA I Oceanographic Data Compendium, November 1978, NORDA-TN-25, 579 pages  
✓(DTIC # B115 967)

Sonar Surveillance Through A North Pacific Ocean Front, June 1981, NOSC-TR-682, 18 pages  
(DTIC # C026 529)

The Acoustic Model Evaluation Committee (AMEC) Reports, Volume 1, Model Evaluation Methodology and Implementation, September 1982, NORDA-33-VOL-1, 46 pages  
(DTIC # C034 016)

The Acoustic Model Evaluation Committee (AMEC) Reports, Volume 1A, Summary of Range Independent Environment Acoustic Propagation Data Sets, September 1982, NORDA-34-VOL-1A, 482 pages  
(DTIC # C034 017)

The Acoustic Model Evaluation Committee (AMEC) Reports, Volume 2, The Evaluation of the Fact PL9D Transmission Loss Model, Book 1, September 1982, NORDA-35-VOL-2-BK-1, 179 pages  
(DTIC # C034 018)

The Acoustic Model Evaluation Committee (AMEC) Reports, Volume 2, The Evaluation of the Fact PL9D Transmission Loss Model, Book 2, Appendices A-D, September 1982, NORDA-35-VOL-2-BK-2, 318 pages  
(DTIC # C034 019)



**DEPARTMENT OF THE NAVY**

OFFICE OF NAVAL RESEARCH  
875 NORTH RANDOLPH STREET  
SUITE 1425  
ARLINGTON VA 22203-1995

IN REPLY REFER TO:

5510/1  
Ser 321OA/011/06  
31 Jan 06

**MEMORANDUM FOR DISTRIBUTION LIST**

**Subj: DECLASSIFICATION OF LONG RANGE ACOUSTIC PROPAGATION PROJECT (LRAPP) DOCUMENTS**

**Ref: (a) SECNAVINST 5510.36**

**Encl: (1) List of DECLASSIFIED LRAPP Documents**

1. In accordance with reference (a), a declassification review has been conducted on a number of classified LRAPP documents.
2. The LRAPP documents listed in enclosure (1) have been downgraded to UNCLASSIFIED and have been approved for public release. These documents should be remarked as follows:

Classification changed to UNCLASSIFIED by authority of the Chief of Naval Operations (N772) letter N772A/6U875630, 20 January 2006.

DISTRIBUTION STATEMENT A: Approved for Public Release; Distribution is unlimited.

3. Questions may be directed to the undersigned on (703) 696-4619, DSN 426-4619.

BRIAN LINK  
By direction

Subj: DECLASSIFICATION OF LONG RANGE ACOUSTIC PROPAGATION PROJECT  
(LRAPP) DOCUMENTS

DISTRIBUTION LIST:

NAVOCEANO (Code N121LC – Jaime Ratliff)  
NRL Washington (Code 5596.3 – Mary Templeman)  
PEO LMW Det San Diego (PMS 181)  
DTIC-OCQ (Larry Downing)  
ARL, U of Texas  
Blue Sea Corporation (Dr. Roy Gaul)  
ONR 32B (CAPT Paul Stewart)  
ONR 321OA (Dr. Ellen Livingston)  
APL, U of Washington  
APL, Johns Hopkins University  
ARL, Penn State University  
MPL of Scripps Institution of Oceanography  
WHOI  
NAVSEA  
NAVAIR  
NUWC  
SAIC

# Declassified LRAPP Documents

Report Number	Personal Author	Title	Publication Source (Originator)	Pub. Date	Current Availability	Class.
Unavailable	Bossard, David C.	ACOUSTIC ANALYSIS/ASEPS	Wagner Associates	780726	ADA076268	U
NRLMR3832	Heitmeyer, R., et al.	PRELIMINARY RESULTS OF AN ANALYSIS OF BEAM NOISE IN THE MEDITERRANEAN (U)	Naval Research Laboratory	780901	ND	U
Unavailable	Watrous, B. A.	PARKA 1 OCEANOGRAPHIC DATA COMPENDIUM	Naval Ocean R&D Activity	781101	ADB115967	U
Unavailable	Dunbar, B., et al.	LAMBDA PROCESSING LABORATORY AND ENGINEERING SUPPORT, FINAL REPORT 1 JANUARY 1977 - 31 OCTOBER 1978	Texas Instruments, Inc.	781129	ND	U
Unavailable	Blumen, L. S., et al.	ASTRAL MODEL. VOLUME 2: SOFTWARE IMPLEMENTATION	Science Applications, Inc.	790101	ADA956122	U
Unavailable	Spofford, C. W.	ASTRAL MODEL. VOLUME 1: TECHNICAL DESCRIPTION	Science Applications, Inc.	790101	ADA956124	U
Unavailable	Townsend, R., et al.	SELF-TENSIONING ACOUSTICAL HORIZONTAL LINE ARRAY (SPRAY) DATA ANALYSIS. FINAL REPORT OF BEARING STAKE TESTS JANUARY THRU MARCH 1977. VOLUME IA. OVERALL PROGRAM PERFORMANCE RESULTS WITH TEST RESULTS SUMMARY	Sanders Associates, Inc.	790101	ADC017573	U
Unavailable	Unavailable	SELF-TENSIONING ACOUSTICAL HORIZONTAL LINE ARRAY (SPRAY) DATA ANALYSIS. FINAL REPORT OF BEARING STAKE TESTS JANUARY THRU MARCH 1977. VOLUME IB. DETAILED DESCRIPTION, TEST RESULTS	Sanders Associates, Inc.	790101	ADC017574	U
Unavailable	Unavailable	SELF-TENSIONING ACOUSTICAL HORIZONTAL LINE ARRAY (SPRAY) DATA ANALYSIS. FINAL REPORT OF BEARING STAKE TESTS JANUARY THRU MARCH 1977. VOLUME II. DATA ANALYSIS FACILITY AND DATA REDUCTION METHODOLOGY	Sanders Associates, Inc.	790109	ADC017575	U
Unavailable	Unavailable	SELF-TENSIONING ACOUSTICAL HORIZONTAL LINE ARRAY (SPRAY) DATA ANALYSIS. FINAL REPORT OF BEARING STAKE TESTS JANUARY THRU MARCH 1977. VOLUME IIIA. DATA POINTS 1, 2 AND 3 RAW DATA	Sanders Associates, Inc.	790109	ADC017576	U
Unavailable	Unavailable	SELF-TENSIONING ACOUSTICAL HORIZONTAL LINE ARRAY (SPRAY) DATA ANALYSIS. FINAL REPORT OF BEARING STAKE TESTS JANUARY THRU MARCH 1977. VOLUME IIIB. DATA POINTS 4, 5 AND 6 RAW DATA	Sanders Associates, Inc.	790109	ADC017577	U
Unavailable	Unavailable	SELF-TENSIONING ACOUSTICAL HORIZONTAL LINE ARRAY (SPRAY) DATA ANALYSIS. FINAL REPORT OF BEARING STAKE TESTS JANUARY THRU MARCH 1977. VOLUME IVA. DATA POINTS 7, 8 AND 9 RAW DATA	Sanders Associates, Inc.	790109	ADC017578	U